



ELSEVIER

Journal of Sound and Vibration 276 (2004) 1159–1163

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 276

Aasvang, G.M. and Engdahl, B., Subjective responses to aircraft noise in an outdoor recreational setting: a combined field and laboratory study	(3–5)	981
Alvermann, S. see Antes, H.	(3–5)	807
Antes, H., Schanz, M. and Alvermann, S., Dynamic analyses of plane frames by integral equations for bars and Timoshenko beams	(3–5)	807
Barbieri, N. see Barbieri, R. (Letter)	(3–5)	1101
Barbieri, R., Barbieri, N. and Fonseca de Lima, K., Application of the Galerkin-FEM and the improved four-pole parameter method to predict acoustic performance of expansion chambers (Letter)	(3–5)	1101
Baruh, H. see Radisavljevic, V.	(1–2)	81
Benaroya, H. see Dong, P.	(1–2)	45
Benassi, L., Elliott, S.J. and Gardonio, P., Active vibration isolation using an inertial actuator with local force feedback control	(1–2)	157
Benko, U., Petrovčič, J., Juričić, Đ., Tavčar, J., Rejec, J. and Stefanovska, A., Fault diagnosis of a vacuum cleaner motor by means of sound analysis	(3–5)	781
Birch, R.S. see de Lima, W.J.N. (Letter)	(3–5)	1119
Boltežar, M. see Čermelj, P.	(1–2)	401
Bucher, C. see Most, T.	(1–2)	381
Cauberghe, B. see Verboven, P.	(3–5)	957
Celep, Z. and Güler, K., Static and dynamic responses of a rigid circular plate on a tensionless Winkler foundation (Letter)	(1–2)	449
Čermelj, P. and Boltežar, M., An indirect approach to investigating the dynamics of a structure containing ball bearings	(1–2)	401
Chang, S.I, Bifurcation analysis of a non-linear hysteretic oscillator under harmonic excitation.	(1–2)	215
Chehab, A.G. and El Naggar, M.H., Response of block foundations to impact loads	(1–2)	293
Chen, J. see Zou, J.	(1–2)	1
Chen, S.H., Guo, K.J. and Chen, Y.D., A method for estimating upper and lower bounds of eigenvalues of closed-loop systems with uncertain parameters	(3–5)	527
Chen, Y.D. see Chen, S.H.	(3–5)	527
Chung, M.-S., Park, S.-B. and Lee, H.-K., Sound speed criterion for two-phase critical flow	(1–2)	13
Danilov, O., Sgard, F. and Olny, X., On the limits of an “in vacuum” model to determine the mechanical parameters of isotropic poroelastic materials	(3–5)	729
David, J.-M. and Menelle, M., Author’s reply (Letter)	(3–5)	1117
de Lima, W.J.N., Vergara, E.F., Birch, R.S. and Gerges, S.N.Y., Experimental observation of non-linear effects in the propagation of a Friedlander pulse in a finite-length closed tube (Letter)	(3–5)	1119
Deprez, K. see Hostens, I.	(1–2)	141
Deverge, M. see Vilain, C.E.	(3–5)	475
Dikec, A. see Lee, J.	(3–5)	899
Dilena, M. and Morassi, A., The use of antiresonances for crack detection in beams	(1–2)	195
Ding, J.H. see Tzou, H.S.	(1–2)	273
Dong, P., Benaroya, H. and Wei, T., Integrating experiments into an energy-based reduced-order model for vortex-induced-vibrations of a cylinder mounted as an inverted pendulum	(1–2)	45
Dowell, E.H. see Li, A.	(1–2)	65
El Naggar, M.H. see Chehab, A.G.	(1–2)	293

- Elishakoff, I. see Storch, J.A. (Letter) (3–5) 1108
- Elliott, S.J., Spatial Control of Vibration: Theory and Experiments by S.O.R. Moheimani, D. Halim and A.J. Fleming (Book Review). (1–2) 473
- Elliott, S.J. see Benassi, L. (1–2) 157
- Engdahl, B. see Aasvang, G.M. (3–5) 981
- Erol, H. and Gürgöze, M., Longitudinal vibrations of a double-rod system coupled by springs and dampers (Letter). (1–2) 419
- Fallahi, B. see Kusculuoglu, Z.K. (1–2) 27
- Faverjon, B. and Soize, C., Equivalent acoustic impedance model. Part 1: experiments and semi-physical model. (3–5) 571
- Faverjon, B. and Soize, C., Equivalent acoustic impedance model. Part 2: analytical approximation (3–5) 593
- Ferguson, N.S. see Park, W.S. (3–5) 1019
- Fitt, A.D., Tensor Calculus and Analytical Dynamics by J.G. Papastavridis (Book Review) (1–2) 471
- Fonseca de Lima, K. see Barbieri, R. (Letter) (3–5) 1101
- Frayssé, C. see Vilain, C.E. (3–5) 475
- Galvanetto, U., Sliding bifurcations in the dynamics of mechanical systems with dry friction—remarks for engineers and applied scientists. (1–2) 121
- Gardonio, P. see Benassi, L. (1–2) 157
- Gerges, S.N.Y. see de Lima, W.J.N. (Letter). (3–5) 1119
- Gorman, D.J., Accurate analytical type solutions for the free in-plane vibration of clamped and simply supported rectangular plates. (1–2) 311
- Grimal, Q., Naïli, S. and Watzky, A., A method for calculating the axisymmetric response of a two-layered half-space under dynamic concentrated loading (3–5) 755
- Guasch, O. and Magrans, F.X., The Global Transfer Direct Transfer method applied to a finite simply supported elastic beam. (1–2) 335
- Guillaume, P. see Verboven, P. (3–5) 957
- Güler, K. see Celep, Z. (Letter) (1–2) 449
- Guo, K.J. see Chen, S.H. (3–5) 527
- Gürgöze, M. see Erol, H. (Letter) (1–2) 419
- Gürgöze, M. see Mermertaş, V. (Letter). (1–2) 440
- Hileman, J., Thurow, B. and Samimy, M., Development and evaluation of a 3-D microphone array to locate individual acoustic sources in a high-speed jet. (3–5) 649
- Hirschberg, A. see Vilain, C.E. (3–5) 475
- Hosoda, A. see Pranoto, T. (3–5) 919
- Hostens, I., Deprez, K. and Ramon, H., An improved design of air suspension for seats of mobile agricultural machines. (1–2) 141
- Houmat, A., Three-dimensional hierarchical finite element free vibration analysis of annular sector plates (1–2) 181
- Hu, H., A modified method of equivalent linearization that works even when the non-linearity is not small (Letter). (3–5) 1145
- Hu, H.Y. see Zhao, Y.H. (3–5) 491
- Hung, C.-F., Ko, W.-J. and Peng, Y.-T., Identification of modal parameters from measured input and output data using a vector backward auto-regressive with exogeneous model (3–5) 1043
- Hwang, K.K. see Kim, J.O. (Letter). (3–5) 1135
- Hwang, Y. see Lee, J.M. (3–5) 1065
- Jeong, H.G. see Kim, J.O. (Letter). (3–5) 1135
- Juričić, Đ. see Benko, U. (3–5) 781
- Karpenko, E.V. see Pavlovskaja, E.E. (1–2) 361
- Kessler, P. see Shahruz, S.M. (Letter) (3–5) 1093
- Khun, M.S., Lee, H.P. and Lim, S.P., Structural intensity in plates with multiple discrete and distributed spring-dashpot systems (3–5) 627
- Kim, J.O., Hwang, K.K. and Jeong, H.G., Radial vibration characteristics of piezoelectric cylindrical transducers (Letter) (3–5) 1135
- Kim, M.-Y. see Kim, N.-I. (1–2) 245
- Kim, N.-I. and Kim, M.-Y., Spatial free vibration of shear deformable circular curved beams with non-symmetric thin-walled sections (1–2) 245

- Kim, S.-J. see Lee, J.M. (3-5) 1065
- Kim, Y.-W., Lee, Y.-S. and Ko, S.-H., Coupled vibration of partially fluid-filled cylindrical shells with ring stiffeners (3-5) 869
- Ko, S.-H. see Kim, Y.-W. (3-5) 869
- Ko, W.-J. see Hung, C.-F. (3-5) 1043
- Kong, L. and Parker, R.G., Approximate eigensolutions of axially moving beams with small flexural stiffness (Letter) (1-2) 459
- Krawczuk, M. see Lee, B.C. (3-5) 671
- Kusculuoğlu, Z.K., Fallahi, B. and Royston, T.J., Finite element model of a beam with a piezoceramic patch actuator (1-2) 27
- Laura, P.A.A. and Vera, S.A., Comments on “Validation of a medium-frequency computational method for the coupling between a plate and a water-filled cavity” (Letter) (3-5) 1115
- Law, S.S. see Wu, D. (1-2) 227
- Lee, B.C., Palacz, M., Krawczuk, M., Ostachowicz, W. and Staszewski, W.J., Wave propagation in a sensor/actuator diffusion bond model (3-5) 671
- Lee, H.-K. see Chung, M.-S. (1-2) 13
- Lee, H.P. see Khun, M.S. (3-5) 627
- Lee, J., Wang, S. and Dikec, A., Topology optimization for the radiation and scattering of sound from thin-body using genetic algorithms (3-5) 899
- Lee, J.M., Kim, S.-J., Hwang, Y. and Song, C.-S., Diagnosis of mechanical fault signals using continuous hidden Markov model (3-5) 1065
- Lee, Y.-S. see Kim, Y.-W. (3-5) 869
- Li, A. and Dowell, E.H., Asymptotic modal analysis of dynamical systems: the effect of modal cross-correlation (1-2) 65
- Li, T.Y., Liu, J.X. and Zhang, T., Vibrational power flow characteristics of circular plate structures with peripheral surface crack (3-5) 1081
- Liew, K.M., Wang, J., Ng, T.Y. and Tan, M.J., Free vibration and buckling analyses of shear-deformable plates based on FSDT meshfree method (3-5) 997
- Lim, S.P. see Khun, M.S. (3-5) 627
- Liu, J.X. see Li, T.Y. (3-5) 1081
- Magrans, F.X. see Guasch, O. (1-2) 335
- Mangaraju, V. and Sonti, V.R., Wave attenuation in periodic three-layered beams: analytical and FEM study (3-5) 541
- Menelle, M. see David, J.-M. (Letter) (3-5) 1117
- Mermertaş, V. and Gürgöze, M., Preservation of the fundamental natural frequencies of rectangular plates with mass and spring modifications (Letter) (1-2) 440
- Morassi, A. see Dilena, M. (1-2) 195
- Most, T., Bucher, C. and Schorling, Y., Dynamic stability analysis of non-linear structures with geometrical imperfections under random loading (1-2) 381
- Nagaya, K. see Pranoto, T. (3-5) 919
- Nageswara Rao, B. and Venkateswara Rao, G., Post-critical behaviour of Euler and Beck columns resting on an elastic foundation (Letter) (3-5) 1150
- Naïli, S. see Grimal, Q. (3-5) 755
- Nayfeh, S.A., Damping of flexural vibration in the plane of lamination of elastic-viscoelastic sandwich beams. (3-5) 689
- Ng, T.Y. see Liew, K.M. (3-5) 997
- Öhrström, E., Longitudinal surveys on effects of changes in road traffic noise: effects on sleep assessed by general questionnaires and 3-day sleep logs (3-5) 713
- Olny, X. see Danilov, O. (3-5) 729
- Ostachowicz, W. see Lee, B.C. (3-5) 671
- Palacz, M. see Lee, B.C. (3-5) 671
- Park, S.-B. see Chung, M.-S. (1-2) 13
- Park, W.S., Thompson, D.J. and Ferguson, N.S., The influence of modal behaviour on the energy transmission between two coupled plates (3-5) 1019
- Parker, R.G. see Kong, L. (Letter) (1-2) 459

Parloo, E. see Verboven, P.	(3–5) 957
Pavlovskaja, E.E., Karpenko, E.V. and Wiercigroch, M., Non-linear dynamic interactions of a Jeffcott rotor with preloaded snubber ring.	(1–2) 361
Pelorson, X. see Vilain, C.E.	(3–5) 475
Peng, Y.-T. see Hung, C.-F.	(3–5) 1043
Petrovčič, J. see Benko, U.	(3–5) 781
Potapov, V.D., Stability of elastic and viscoelastic plates in a gas flow taking into account shear strains	(3–5) 615
Powles, C.J., Noise generation by a supersonic leading edge. Part 1: general theory	(3–5) 837
Powles, C.J., Noise generation by a supersonic leading edge. Part 2: examples of two-dimensional sound fields	(3–5) 853
Pranoto, T., Nagaya, K. and Hosoda, A., Vibration suppression of plate using linear MR fluid passive damper.	(3–5) 919
Radisavljevic, V. and Baruh, H., A comparison of shortening of the projection to axial elasticity	(1–2) 81
Ramon, H. see Hostens, I.	(1–2) 141
Rejec, J. see Benko, U.	(3–5) 781
Royston, T.J. see Kusculuoglu, Z.K.	(1–2) 27
Samimy, M. see Hileman, J.	(3–5) 649
Schanz, M. see Antes, H.	(3–5) 807
Schorling, Y. see Most, T.	(1–2) 381
Sgard, F. see Danilov, O.	(3–5) 729
Shahrz, S.M. and Kessler, P., Residual motion in damped linear systems (Letter)	(3–5) 1093
Sheen, Y.-T., A complex filter for vibration signal demodulation in bearing defect diagnosis.	(1–2) 105
Soize, C. see Faverjon, B.	(3–5) 571
Soize, C. see Faverjon, B.	(3–5) 593
Song, C.-S. see Lee, J.M.	(3–5) 1065
Sonti, V.R. see Mangaraju, V.	(3–5) 541
Staszewski, W.J. see Lee, B.C.	(3–5) 671
Stefanovska, A. see Benko, U.	(3–5) 781
Storch, J.A. and Elishakoff, I., Apparently first closed-form solutions of inhomogeneous circular plates in 200 years after Chladni (Letter)	(3–5) 1108
Sun, D. and Tong, L., An equivalent model for smart beams with debonded piezoelectric patches	(3–5) 933
Tan, M.J. see Liew, K.M.	(3–5) 997
Tang, S.K. and Yeung, M.H., Speech transmission index or rapid speech transmission index for classrooms? A designer's point of view (Letter)	(1–2) 431
Tavčar, J. see Benko, U.	(3–5) 781
Thompson, D.J. see Park, W.S.	(3–5) 1019
Thurow, B. see Hileman, J.	(3–5) 649
Tong, L. see Sun, D.	(3–5) 933
Tzou, H.S. and Ding, J.H., Optimal control of precision paraboloidal shell structronic systems.	(1–2) 273
Utsunomiya, T. see Wang, C.M.	(3–5) 511
Vanlanduit, S. see Verboven, P.	(3–5) 957
Venkateswara Rao, G. see Nageswara Rao, B. (Letter)	(3–5) 1150
Vera, S.A. see Laura, P.A.A. (Letter)	(3–5) 1115
Verboven, P., Guillaume, P., Cauberghe, B., Vanlanduit, S. and Parloo, E., Modal parameter estimation from input–output Fourier data using frequency-domain maximum likelihood identification	(3–5) 957
Vergara, E.F. see de Lima, W.J.N. (Letter)	(3–5) 1119
Vilain, C.E., Pelorson, X., Fraysse, C., Deverge, M., Hirschberg, A. and Willems, J., Experimental validation of a quasi-steady theory for the flow through the glottis	(3–5) 475
Wagg, D.J., A note on using the collocation method for modelling the dynamics of a flexible continuous beam subject to impacts (Letter)	(3–5) 1128
Wang, C.M., Xiang, Y., Watanabe, E. and Utsunomiya, T., Mode shapes and stress-resultants of circular Mindlin plates with free edges	(3–5) 511
Wang, J. see Liew, K.M.	(3–5) 997
Wang, S. see Lee, J.	(3–5) 899
Watanabe, E. see Wang, C.M.	(3–5) 511

Watzky, A. see Grimal, Q.	(3-5)	755
Wei, T. see Dong, P.	(1-2)	45
Wiercigroch, M. see Pavlovskaja, E.E.	(1-2)	361
Willems, J. see Vilain, C.E.	(3-5)	475
Wu, D. and Law, S.S., Damage localization in plate structures from uniform load surface curvature.	(1-2)	227
Xiang, Y. see Wang, C.M.	(3-5)	511
Yeung, M.H. see Tang, S.K. (Letter)	(1-2)	431
Zhang, T. see Li, T.Y.	(3-5)	1081
Zhao, Y.H. and Hu, H.Y., Aeroelastic analysis of a non-linear airfoil based on unsteady vortex lattice model.	(3-5)	491
Zou, J. and Chen, J., A comparative study on time-frequency feature of cracked rotor by Wigner-Ville distribution and wavelet transform	(1-2)	1