



ELSEVIER

Journal of Sound and Vibration 277 (2004) 1101–1105

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 277

| | | |
|---|-------|------|
| Adams, D.E. see Park, J.-I. | (4–5) | 669 |
| Agge, A. see Persson Wayne, K. | (3) | 453 |
| Ahn, S.J., Jeong, W.B. and Yoo, W.S., Unbiased expression of FRF with exponential window function in impact hammer testing. | (4–5) | 931 |
| Alhamaky, B.N. see Ellakany, A.M. | (4–5) | 765 |
| Al Majid, A. and Dufour, R., Harmonic response of a structure mounted on an isolator modelled with a hysteretic operator: experiments and prediction | (1–2) | 391 |
| Ando, Y. see Fujii, K. | (3) | 573 |
| Ando, Y. see Sato, S.-i. | (3) | 511 |
| Ando, Y. see Soeta, Y. | (3) | 479 |
| Argoul, P. see Le, T.-P. | (1–2) | 73 |
| Asai, A., Mishina, Y., Oishi, Y., Ogura, T., Hayashi, A., Omiya, M. and Kuno, K., Comparison between old and new noise standards in Nagoya City | (3) | 539 |
| Atanackovic, T.M. and Stankovic, B., Stability of an elastic rod on a fractional derivative type of foundation | (1–2) | 149 |
| Bayly, P.V. see Mann, B.P. | (1–2) | 31 |
| Bayyouk, J. see Park, J.-I. | (4–5) | 669 |
| Becker, K.J. see Maidanik, G. | (4–5) | 1041 |
| Benamar, R. see Haterbouch, M. | (1–2) | 1 |
| Bengtsson, J., Is a “pleasant” low-frequency noise also less annoying? | (3) | 535 |
| Bergman, L.A. see Hartwigsen, C.J. | (1–2) | 327 |
| Bernhard, R.J. see Rabbiolo, G. | (4–5) | 647 |
| Björkman, M., Long time measurements of noise from wind turbines. | (3) | 567 |
| Bowong, S. see Moukam Kakmeni, F.M. | (4–5) | 783 |
| Brennan, M.J. see Gao, Y. | (1–2) | 133 |
| Carneiro, R. see Ribeiro, P. | (4–5) | 943 |
| Chamara, P.A. see Coller, B.D. | (4–5) | 711 |
| Chiang, L.-K. see Wu, J.-S. | (1–2) | 49 |
| Choi, S.-B. and Han, M.S., Vibration control of a rotating cantilevered beam using piezoactuators: experimental work (Letter) | (1–2) | 436 |
| Clow, A. see Persson Wayne, K. | (3) | 453 |
| Coller, B.D. and Chamara, P.A., Structural non-linearities and the nature of the classic flutter instability | (4–5) | 711 |
| Cveticanin, L., Free vibration of a strong non-linear system described with complex functions | (4–5) | 815 |
| Davies, M.A. see Mann, B.P. | (1–2) | 31 |
| DeSmidt, H.A., Wang, K.W. and Smith, E.C., Stability of a segmented supercritical driveline with non-constant velocity couplings subjected to misalignment and torque | (4–5) | 895 |
| Douka, E. see Loutridis, S. | (4–5) | 1025 |
| Dufour, R. see Al Majid, A. | (1–2) | 391 |
| Dutta, S., Mandal, A. and Dutta, S.C., Soil–structure interaction in dynamic behaviour of elevated tanks with alternate frame staging configurations | (4–5) | 825 |
| Dutta, S.C. see Dutta, S. | (4–5) | 825 |
| Eklöf, M. see Kähäri, K. | (3) | 627 |
| Elawadly, K.M. see Ellakany, A.M. | (4–5) | 765 |

- Ellakany, A.M., Elawadly, K.M. and Alhamaky, B.N., A combined transfer matrix and analogue beam method for free vibration analysis of composite beams (4-5) 765
- Esser, B. and Huston, D., Active mass damping of electronic circuit boards (Letter) (1-2) 419
- Fujii, K., Sakurai, M. and Ando, Y., Computer software for identification of noise source and automatic noise measurement. (3) 573
- Fuller, C.R. see Johnson, M.E. (1-2) 101
- Futatsuka, M. see Miyakita, T. (3) 633
- Ganesan, N. and Kadoli, R., Studies on linear thermoelastic buckling and free vibration analysis of geometrically perfect hemispherical shells with cut-out (4-5) 855
- Gao, Y., Brennan, M.J., Joseph, P.F., Muggleton, J.M. and Hunaidi, O., A model of the correlation function of leak noise in buried plastic pipes (1-2) 133
- Goto, K. see Seki, K. (3) 603
- Griffin, M.J. see Nawayseh, N. (1-2) 309
- Guasch, O. and Magrans, F.X., A compact formulation for conditioned spectral density function analysis by means of the \mathbf{LDL}^H matrix factorization (Letter). (4-5) 1082
- Guo, Y., On noise reduction by flap side edge fences. (1-2) 369
- Halley, J.E. see Mann, B.P. (1-2) 31
- Han, M.S. see Choi, S.-B. (Letter) (1-2) 436
- Hansen, C.H. see Stanef, D.A. (1-2) 277
- Hartwigsen, C.J., Song, Y., McFarland, D.M., Bergman, L.A. and Vakakis, A.F., Experimental study of non-linear effects in a typical shear lap joint configuration (1-2) 327
- Haterbouch, M. and Benamar, R., The effects of large vibration amplitudes on the axisymmetric mode shapes and natural frequencies of clamped thin isotropic circular plates. Part II: iterative and explicit analytical solution for non-linear coupled transverse and in-plane vibrations (1-2) 1
- Hayashi, A. see Asai, A. (3) 539
- Hiramatsu, K., Matsui, T., Ito, A., Miyakita, T., Osada, Y. and Yamamoto, T., The Okinawa study: an estimation of noise-induced hearing loss on the basis of the records of aircraft noise exposure around Kadena Air Base. (3) 617
- Hiramatsu, K. see Matsui, T. (3) 469
- Hirate, K. see Kawai, K. (3) 523
- Hiroe, M. see Kaku, J. (3) 459
- Hu, X.J. and Redekop, D., Prestressed vibration analysis of a cylindrical shell with an oblique end (Letter) (1-2) 429
- Hu, X.X., Sakiyama, T., Xiong, Y., Matsuda, H. and Morita, C., Vibration analysis of twisted plates using first order shear deformation theory (1-2) 205
- Hucklebridge, F. see Persson Waye, K. (3) 453
- Hugin, C.T. see Ohlrich, M. (Letter) (1-2) 405
- Hunaidi, O. see Gao, Y. (1-2) 133
- Huston, D. see Esser, B. (Letter) (1-2) 419
- Ichikawa, Y. see Park, J.-I. (4-5) 669
- Igawa, H., Komatsu, K., Yamaguchi, I. and Kasai, T., Wave propagation analysis of frame structures using the spectral element method (Letter) (4-5) 1071
- Ih, J.-G. see Lee, J.-H. (4-5) 881
- Inaoka, T. see Miyakita, T. (3) 633
- Ito, A. see Hiramatsu, K. (3) 617
- Jeong, W.B. see Ahn, S.J. (4-5) 931
- Johnson, M.E. and Fuller, C.R., Creating high level sound in a duct using an axial array of sources. . . (1-2) 101
- Joseph, P.F. see Gao, Y. (1-2) 133
- Kadoli, R. see Ganesan, N. (4-5) 855
- Kähäri, K., Zachau, G., Eklöf, M. and Möller, C., The influence of music and stress on musicians' hearing (3) 627
- Kaku, J., Hiroe, M., Kuwano, S. and Namba, S., Sleep disturbance by traffic noise: an experimental study in subjects' own houses using a portable CD player (3) 459
- Kaneko, T. see Seki, K. (3) 603
- Kaptouom, E. see Moukam Kakmeni, F.M. (4-5) 783
- Karlash, V.L., Electroelastic vibrations and transformation ratio of a planar piezoceramic transformer . . (1-2) 353

- Kasai, T. see Igawa, H. (Letter) (4-5) 1071
- Kawada, T. see Sasazawa, Y. (3) 547
- Kawai, K., Kojima, T., Hirate, K. and Yasuoka, M., Personal evaluation structure of environmental sounds: experiments of subjective evaluation using subjects' own terms (3) 523
- Khurana, P. see Vashishth, A.K. (1-2) 239
- Kiryu, Y. see Sasazawa, Y. (3) 547
- Kitamura, T. see Sato, S.-i. (3) 511
- Kojima, T. see Kawai, K. (3) 523
- Komatsu, K. see Igawa, H. (Letter) (4-5) 1071
- Koser, K. see Turhan, O. (1-2) 223
- Koyama, W. see Miyakita, T. (3) 633
- Kudlička, J., Energy flow of axisymmetric elastic waves in a three-layered, transtropic-isotropic-transtropic, composite cylinder (Letter) (4-5) 1093
- Kuno, K. see Asai, A. (3) 539
- Kuwano, S. see Kaku, J. (3) 459
- Kuwano, S. see Namba, S. (3) 445
- Kuwano, S., Namba, S. and Okamoto, T., Psychological evaluation of sound environment in a compartment of a high-speed train (3) 491
- Le, T.-P. and Argoul, P., Continuous wavelet transform for modal identification using free decay response (1-2) 73
- Lee, J.-H. and Ih, J.-G., Significance of resonant sound transmission in finite single partitions (4-5) 881
- Lee, S.-Y. and Wooh, S.-C., Finite element vibration analysis of composite box structures using the high order plate theory (4-5) 801
- Loutridis, S., Douka, E. and Trochidis, A., Crack identification in double-cracked beams using wavelet analysis. (4-5) 1025
- Lundberg, B. see Mousavi, S. (4-5) 971
- Ma, H. and Yano, T., An experiment on auditory and non-auditory disturbances caused by railway and road traffic noises in outdoor conditions (3) 501
- Ma, H. see Yano, T. (3) 583
- Magrans, F.X. see Guasch, O. (Letter) (4-5) 1082
- Maidanik, G. and Becker, K.J., Induced noise control. (4-5) 1041
- Mandal, A. see Dutta, S. (4-5) 825
- Mann, B.P., Bayly, P.V., Davies, M.A. and Halley, J.E., Limit cycles, bifurcations, and accuracy of the milling process (1-2) 31
- Masden, K. and Yano, T., Evaluating the equivalence of verbal scales and question stems to be used in English and Japanese noise annoyance questions (3) 589
- Masden, K. see Sato, T. (3) 609
- Matsuda, H. see Hu, X.X. (1-2) 205
- Matsui, T., Uehara, T., Miyakita, T., Hiramatsu, K., Osada, Y. and Yamamoto, T., The Okinawa study: effects of chronic aircraft noise on blood pressure and some other physiological indices. (3) 469
- Matsui, T. see Hiramatsu, K. (3) 617
- McFarland, D.M. see Hartwigsen, C.J. (1-2) 327
- Milner, F.A. see Rabbiolo, G. (4-5) 647
- Mishina, Y. see Asai, A. (3) 539
- Miyakita, T., Ueda, A., Futatsuka, M., Inaoka, T., Nagano, M. and Koyama, W., Noise exposure and hearing conservation for farmers of rural Japanese communities (3) 633
- Miyakita, T. see Matsui, T. (3) 469
- Miyakita, T. see Hiramatsu, K. (3) 617
- Möller, C. see Kähäri, K. (3) 627
- Morgans, R.C. see Stanef, D.A. (1-2) 277
- Morihara, T., Sato, T. and Yano, T., Comparison of dose-response relationships between railway and road traffic noises: the moderating effect of distance (3) 559
- Morihara, T. see Sato, T. (3) 609
- Morita, C. see Hu, X.X. (1-2) 205
- Moukam Kakmeni, F.M., Bowong, S., Tchawoua, C. and Kaptouom, E., Strange attractors and chaos control in a Duffing-Van der Pol oscillator with two external periodic forces (4-5) 783

| | | |
|--|-------|-----|
| Mousavi, S., Nicolas, D.F. and Lundberg, B., Identification of complex moduli and Poisson's ratio from measured strains on an impacted bar. | (4-5) | 971 |
| Muggleton, J.M. see Gao, Y. | (1-2) | 133 |
| Murakami, Y. see Sadamoto, A. | (4-5) | 987 |
| Nagano, M. see Miyakita, T. | (3) | 633 |
| Nakagawa, S. see Soeta, Y. | (3) | 479 |
| Namba, S., Kuwano, S. and Okamoto, T., Sleep disturbance caused by meaningful sounds and the effect of background noise | (3) | 445 |
| Namba, S. see Kaku, J. | (3) | 459 |
| Namba, S. see Kuwano, S. | (3) | 491 |
| Nawayseh, N. and Griffin, M.J., Tri-axial forces at the seat and backrest during whole-body vertical vibration. | (1-2) | 309 |
| Nicolas, D.F. see Mousavi, S. | (4-5) | 971 |
| Ogura, T. see Asai, A. | (3) | 539 |
| Ohlrich, M. and Hugin, C.T., On the influence of boundary constraints and angled baffle arrangements on sound radiation from rectangular plates (Letter). | (1-2) | 405 |
| Oimatsu, K. see Saeki, T. | (1-2) | 299 |
| Oishi, Y. see Asai, A. | (3) | 539 |
| Okamoto, T. see Namba, S. | (3) | 445 |
| Okamoto, T. see Kuwano, S. | (3) | 491 |
| Omiya, M. see Asai, A. | (3) | 539 |
| Osada, Y. see Matsui, T. | (3) | 469 |
| Osada, Y. see Hiramatsu, K. | (3) | 617 |
| Panza, M.J., Closed form solution for acoustic wave equation between two parallel plates using Euler-Maclaurin sum formula | (1-2) | 123 |
| Park, J.-I., Adams, D.E., Ichikawa, Y. and Bayyouk, J., Frequency response of pressure pulsations and source identification in a suction manifold | (4-5) | 669 |
| Persson Wayne, K., Agge, A., Clow, A. and Hucklebridge, F., Cortisol response and subjective sleep disturbance after low-frequency noise exposure | (3) | 453 |
| Rabbio, G., Bernhard, R.J. and Milner, F.A., Definition of a high-frequency threshold for plates and acoustical spaces | (4-5) | 647 |
| Redekop, D., Vibration analysis of a torus-cylinder shell assembly. | (4-5) | 919 |
| Redekop, D. see Hu, X.J. (Letter) | (1-2) | 429 |
| Ribeiro, P. and Carneiro, R., Experimental detection of modal interaction in the non-linear vibration of a hinged-hinged beam | (4-5) | 943 |
| Ruzzene, M., Vibration and sound radiation of sandwich beams with honeycomb truss core | (4-5) | 741 |
| Rylander, R., Physiological aspects of noise-induced stress and annoyance | (3) | 471 |
| Rylander, R., List of participants | | 643 |
| Sadamoto, A., Tsubakishita, Y. and Murakami, Y., Sound attenuation in circular duct using slit-like short expansion of eccentric and/or serialized configuration | (4-5) | 987 |
| Saeki, T., Yamaguchi, S., Tamesue, T. and Oimatsu, K., A method to predict psychological response of noisiness to an acoustical stimulus with a prominent frequency component. | (1-2) | 299 |
| Sakiyama, T. see Hu, X.X. | (1-2) | 205 |
| Sakurai, M. see Fujii, K. | (3) | 573 |
| Sasazawa, Y., Kawada, T., Kiryu, Y. and Suzuki, S., The relationship between traffic noise and insomnia among adult Japanese women. | (3) | 547 |
| Sato, S.-i., Kitamura, T. and Ando, Y., Annoyance of noise stimuli in relation to the spatial factors extracted from the interaural cross-correlation function | (3) | 511 |
| Sato, T., Yano, T., Morihara, T. and Masden, K., Relationships between rating scales, question stem wording, and community responses to railway noise. | (3) | 609 |
| Sato, T. see Morihara, T. | (3) | 559 |
| Scolan, Y.-M., Hydroelastic behaviour of a conical shell impacting on a quiescent-free surface of an incompressible liquid | (1-2) | 163 |
| Seki, K., Kaneko, T., Goto, K. and Yano, T., Choice of Japanese modifiers in noise annoyance scale during exposures to white noise. | (3) | 603 |

| | | |
|---|-------|------|
| Skånberg, A., Road traffic noise-induced sleep disturbances: a comparison between laboratory and field settings | (3) | 465 |
| Smith, E.C. see DeSmidt, H.A. | (4-5) | 895 |
| Smithmaitrie, P. and Tzou, H.S., Micro-control actions of actuator patches laminated on hemispherical shells | (4-5) | 691 |
| Soeta, Y., Nakagawa, S., Tonoike, M. and Ando, Y., Magnetoencephalographic responses correspond to individual annoyance of bandpass noise | (3) | 479 |
| Song, Y. see Hartwigsen, C.J. | (1-2) | 327 |
| Stanef, D.A., Hansen, C.H. and Morgans, R.C., Active control analysis of mining vehicle cabin noise using finite element modelling | (1-2) | 277 |
| Stankovic, B. see Atanackovic, T.M. | (1-2) | 149 |
| Suzuki, S. see Sasazawa, Y. | (3) | 547 |
| Tam, H.Y. see Tse, P.W. | (4-5) | 1005 |
| Tamesue, T. see Saeki, T. | (1-2) | 299 |
| Tchawoua, C. see Moukam Kakmeni, F.M. | (4-5) | 783 |
| Tonoike, M. see Soeta, Y. | (3) | 479 |
| Trochidis, A. see Loutridis, S. | (4-5) | 1025 |
| Tse, P.W., Yang, W.-X. and Tam, H.Y., Machine fault diagnosis through an effective exact wavelet analysis. | (4-5) | 1005 |
| Tsubakishita, Y. see Sadamoto, A. | (4-5) | 987 |
| Turhan, O. and Koser, K., Parametric stability of continuous shafts, connected to mechanisms with position-dependent inertia | (1-2) | 223 |
| Tzou, H.S. see Smithmaitrie, P. | (4-5) | 691 |
| Ueda, A. see Miyakita, T. | (3) | 633 |
| Uehara, T. see Matsui, T. | (3) | 469 |
| Vakakis, A.F. see Hartwigsen, C.J. | (1-2) | 327 |
| van den Berg, G.P., Effects of the wind profile at night on wind turbine sound | (4-5) | 955 |
| Vashishth, A.K. and Khurana, P., Waves in stratified anisotropic poroelastic media: a transfer matrix approach | (1-2) | 239 |
| Wang, K.W. see DeSmidt, H.A. | (4-5) | 895 |
| Wooh, S.-C. see Lee, S.-Y. | (4-5) | 801 |
| Wu, J.-S. and Chiang, L.-K., A new approach for free vibration analysis of arches with effects of shear deformation and rotary inertia considered | (1-2) | 49 |
| Xiong, Y. see Hu, X.X. | (1-2) | 205 |
| Yamaguchi, I. see Igawa, H. (Letter) | (4-5) | 1071 |
| Yamaguchi, S. see Saeki, T. | (1-2) | 299 |
| Yamamoto, T. see Matsui, T. | (3) | 469 |
| Yamamoto, T. see Hiramatsu, K. | (3) | 617 |
| Yang, W.-X. see Tse, P.W. | (4-5) | 1005 |
| Yano, T., Prologue. | (3) | 443 |
| Yano, T. and Ma, H., Standardized noise annoyance scales in Chinese, Korean and Vietnamese. | (3) | 583 |
| Yano, T. see Ma, H. | (3) | 501 |
| Yano, T. see Morihara, T. | (3) | 559 |
| Yano, T. see Masden, K. | (3) | 589 |
| Yano, T. see Seki, K. | (3) | 603 |
| Yano, T. see Sato, T. | (3) | 609 |
| Yasuoka, M. see Kawai, K. | (3) | 523 |
| Yildirim, Ş., Vibration control of suspension systems using a proposed neural network | (4-5) | 1059 |
| Yoo, W.S. see Ahn, S.J. | (4-5) | 931 |
| Zachau, G. see Kähäri, K. | (3) | 627 |