



ELSEVIER

Journal of Sound and Vibration 282 (2005) 1327–1331

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 282

Achary, G.G.S. see Kapuria, S.	(3–5) 617
Akçay, H. see Türkay, S.	(1–2) 111
Al-Bedoor, B.O. and Al-Qaisia, A.A., Stability analysis of rotating blade bending vibration due to torsional excitation	(3–5) 1065
Al-Qaisia, A.A. see Al-Bedoor, B.O.	(3–5) 1065
Alzuaga, S., Manceau, J.-F. and Bastien, F., Motion of droplets on solid surface using acoustic radiation pressure	(1–2) 151
Anderson, C.S., Semercigil, S.E. and Turan, Ö.F., Vibration suppression of stepped beams: new designs for hot-wire probes	(1–2) 197
Andrés, I. see Torregrosa, A.J. (Short Communication)	(3–5) 1255
Baillargeon, B.P. and Vel, S.S., Exact solution for the vibration and active damping of composite plates with piezoelectric shear actuators	(3–5) 781
Balthazar, J.M. see Felix, J.L.P. (Short Communication)	(3–5) 1285
Balthazar, J.M. see Fenili, A.	(1–2) 543
Balthazar, J.M. see Tsuchida, M. (Short Communication)	(3–5) 1201
Barkley, J. see Dong, R.G.	(3–5) 1101
Bastien, F. see Alzuaga, S.	(1–2) 151
Batra, R.C. and Jin, J., Natural frequencies of a functionally graded anisotropic rectangular plate	(1–2) 509
Benaroya, H. see Gabbai, R.D.	(3–5) 575
Bennell, J.D., Foundation Vibration Analysis: A Strength of Materials Approach (Book Review)	(1–2) 573
Brasil, R.M.L.R.F. see Felix, J.L.P. (Short Communication)	(3–5) 1285
Broatch, A. see Torregrosa, A.J. (Short Communication)	(3–5) 1255
Chang, F.-K. see Wang, C.H.	(1–2) 429
Chatelet, E., D’Ambrosio, F. and Jacquet-Richardet, G., Toward global modelling approaches for dynamic analyses of rotating assemblies of turbomachines	(1–2) 163
Chen, J. see Geng, Z.	(3–5) 735
Chen, P.-C. and Huang, A.-C., Adaptive sliding control of non-autonomous active suspension systems with time-varying loadings.	(3–5) 1119
Cheng, Y.-C. see Lee, S.-Y.	(3–5) 881
Chu, T. see Paliwal, M. (Short Communication)	(3–5) 1273
Climint, H. see Torregrosa, A.J. (Short Communication)	(3–5) 1255
Cotton, S.A. see Plaut, R.H.	(1–2) 265
D’Ambrosio, F. see Chatelet, E.	(1–2) 163
Damljanović, V. and Weaver, R.L., Laser vibrometry technique for measurement of contained stress in railroad rail.	(1–2) 341
Datta, T.K. see Pourzeynali, S.	(1–2) 89
de Lolo Guilherme, K. see Tsuchida, M. (Short Communication)	(3–5) 1201
De Man, P. see Preumont, A.	(3–5) 701
Della, C.N. and Shu, D., Vibration of beams with double delaminations.	(3–5) 919
Don, J. see Paliwal, M. (Short Communication)	(3–5) 1273
Dong, R.G., Rakheja, S., McDowell, T.W., Welcome, D.E., Wu, J.Z., Warren, C., Barkley, J., Washington, B. and Schopper, A.W., A method for assessing the effectiveness of anti-vibration gloves using biodynamic responses of the hand–arm system.	(3–5) 1101
Ebenezer, D.D., Ravichandran, K. and Padmanabhan, C., Forced vibrations of solid elastic cylinders.	(3–5) 991
Envia, E. see Nallasamy, M.	(3–5) 649

- Felix, J.L.P., Balthazar, J.M. and Brasil, R.M.L.R.F., On tuned liquid column dampers mounted on a structural frame under a non-ideal excitation (Short Communication) (3–5) 1285
- Fenili, A. and Balthazar, J.M., Some remarks on nonlinear vibrations of ideal and nonideal slewing flexible structures (1–2) 543
- Filip, P. see Paliwal, M. (Short Communication) (3–5) 1273
- François, A. see Preumont, A. (3–5) 701
- Friswell, M.I. see Qiu, Z. (1–2) 297
- Frýba, L., Vehicle–Bridge Interaction Dynamics with Application to High-Speed Railways (Book Review) (3–5) 1325
- Gabbai, R.D. and Benaroya, H., An overview of modeling and experiments of vortex-induced vibration of circular cylinders (3–5) 575
- Gallina, P., Vibration in screw jack mechanisms: experimental results (3–5) 1025
- Gan, W.-S. see Sha, K. (1–2) 179
- Gao, L. see Liu, Y. (3–5) 863
- Gao, R. see Xia, H. (1–2) 517
- Ge, Z.-M. and Lee, C.-I., Anticontrol and synchronization of chaos for an autonomous rotational machine system with a hexagonal centrifugal governor (3–5) 635
- Geng, Z. and Chen, J., Investigation into piston-slap-induced vibration for engine condition simulation and monitoring (3–5) 735
- Girish, J. and Ramachandra, L.S., Thermal postbuckled vibrations of symmetrically laminated composite plates with initial geometric imperfections (3–5) 1137
- Griffin, M.J. see Nawayseh, N. (3–5) 831
- Guan, Y.H., Lim, T.C. and Shepard Jr., W.S., Experimental study on active vibration control of a gearbox system (3–5) 713
- Gubran, H.B.H. and Gupta, K., The effect of stacking sequence and coupling mechanisms on the natural frequencies of composite shafts (1–2) 231
- Guo, Y., A statistical model for landing gear noise prediction (1–2) 61
- Gupta, K. see Gubran, H.B.H. (1–2) 231
- Gürgöze, M., On the eigenfrequencies of a cantilever beam carrying a tip spring–mass system with mass of the helical spring considered (Short Communication) (3–5) 1221
- Gürgöze, M., On the representation of a cantilevered beam carrying a tip mass by an equivalent spring–mass system (1–2) 538
- He, J.-H., Author's reply (Discussion) (3–5) 1317
- Henrioulle, K. see Preumont, A. (3–5) 701
- Hirata, K. see Kanazawa, K. (1–2) 1
- Houmat, A., Free vibration analysis of membranes using the h–p version of the finite element method . . (1–2) 401
- Howson, W.P. and Zare, A., Exact dynamic stiffness matrix for flexural vibration of three-layered sandwich beams. (3–5) 753
- Hua, H. see Zhang, Y. (1–2) 367
- Huang, A.-C. see Chen, P.-C. (3–5) 1119
- Hurmuzlu, Y. see Shimon, P. (1–2) 453
- Jacquet-Richardet, G. see Chatelet, E. (1–2) 163
- Jin, J. see Batra, R.C. (1–2) 509
- Jin, Z. see Yang, Y. (Short Communication) (3–5) 1293
- Johansson, Ö. see Jönsson, P. (3–5) 1043
- Jones, C.J.C. see Sheng, X. (1–2) 125
- Jönsson, P. and Johansson, Ö., Prediction of vehicle discomfort from transient vibrations (3–5) 1043
- Kanazawa, K. and Hirata, K., Parametric estimation of the cross-power spectral density (1–2) 1
- Kang, J.-H. and Leissa, A.W., Three-dimensional vibration analysis of thick hyperboloidal shells of revolution (1–2) 277
- Kapurja, S. and Achary, G.G.S., Exact 3D piezoelectricity solution of hybrid cross–ply plates with damping under harmonic electro-mechanical loads. (3–5) 617
- Kim, B.H., Stubbs, N. and Park, T., A new method to extract modal parameters using output-only responses (1–2) 215
- Kim, H.K. and Kim, M.S., Vibration analysis of PWR fuel rod (1–2) 553
- Kim, M.S. see Kim, H.K. (1–2) 553

- Kinra, V.K. see Maslov, K. (3–5) 769
- Larsson, B., Comments on “Accuracy in the identification of a generator thermal bow” (Discussion) . . . (3–5) 1321
- Law, S.S. and Zhu, X.Q., Bridge dynamic responses due to road surface roughness and braking of vehicle (3–5) 805
- Lee, C.-I. see Ge, Z.-M. (3–5) 635
- Lee, H. and Singh, R., Acoustic radiation from out-of-plane modes of an annular disk using thin and thick plate theories. (1–2) 313
- Lee, H.P. see Xu, X.D. (Short Communication) (3–5) 1264
- Lee, S.-Y. and Cheng, Y.-C., Hunting stability analysis of high-speed railway vehicle trucks on tangent tracks. (3–5) 881
- Leissa, A.W. see Kang, J.-H. (1–2) 277
- Li, W. see Zhao, C. (3–5) 1155
- Li, W. see Zhao, C. (3–5) 1169
- Liang, J.-W., Identifying Coulomb and viscous damping from free-vibration acceleration decrements (Short Communication) (3–5) 1208
- Lim, T.C. see Guan, Y.H. (3–5) 713
- Lin, H.-P. and Wu, J.-D., Dynamic analysis of planar closed-frame structures. (1–2) 249
- Liu, K. see Liu, Y. (3–5) 863
- Liu, Y. and Shepard Jr., W.S., Dynamic force identification based on enhanced least squares and total least-squares schemes in the frequency domain (1–2) 37
- Liu, Y., Liu, K., Gao, L. and Yu, T.X., Characteristic analysis of wave propagation in anisotropic fluid-saturated porous media (3–5) 863
- Loix, N. see Preumont, A. (3–5) 701
- Lu, C. see Xu, X.D. (Short Communication) (3–5) 1264
- Lucero, J.C., Oscillation hysteresis in a two-mass model of the vocal folds (Short Communication). . . . (3–5) 1247
- Mahajan, A. see Paliwal, M. (Short Communication) (3–5) 1273
- Manceau, J.-F. see Alzuaga, S. (1–2) 151
- Maslov, K. and Kinra, V.K., Amplitude–frequency dependence of damping properties of carbon foams . (3–5) 769
- McDowell, T.W. see Dong, R.G. (3–5) 1101
- Ming, R., An experimental comparison of the sea power injection method and the power coefficient method (3–5) 1009
- Morales, C.A., Comments on the MAC and the NCO, and a linear modal correlation coefficient (1–2) 529
- Muthurajan, K.G., Sankaranarayanan, K., Tiwari, S.B. and Rao, B.N., Nonlinear vibration analysis of initially stressed thin laminated rectangular plates on elastic foundations (3–5) 949
- Nallasamy, M. and Envia, E., Computation of rotor wake turbulence noise (3–5) 649
- Nawayseh, N. and Griffin, M.J., Non-linear dual-axis biodynamic response to fore-and-aft whole-body vibration. (3–5) 831
- Nezu, K. see Shao, Y. (3–5) 899
- Padmanabhan, C. see Ebenezer, D.D. (3–5) 991
- Paliwal, M., Mahajan, A., Don, J., Chu, T. and Filip, P., Noise and vibration analysis of a disc–brake system using a stick–slip friction model involving coupling stiffness (Short Communication) (3–5) 1273
- Park, T. see Kim, B.H. (1–2) 215
- Pennacchi, P. and Vania, A., Authors’ reply (Discussion) (3–5) 1322
- Pines, D.J. see Samuel, P.D. (1–2) 475
- Plaut, R.H. and Cotton, S.A., Two-dimensional vibrations of air-filled geomembrane tubes resting on rigid or deformable foundations (1–2) 265
- Pourzeynali, S. and Datta, T.K., Control of suspension bridge flutter instability using pole-placement technique (1–2) 89
- Preumont, A., François, A., De Man, P., Loix, N. and Henriouille, K., Distributed sensors with piezoelectric films in design of spatial filters for structural control (3–5) 701
- Qian, J. and Xu, S., Robust partial eigenvalue assignment problem for the second-order system (3–5) 937
- Qiu, Z. and Wang, X., Solution theorems for the standard eigenvalue problem of structures with uncertain-but-bounded parameters. (1–2) 381
- Qiu, Z., Wang, X. and Friswell, M.I., Eigenvalue bounds of structures with uncertain-but-bounded parameters (1–2) 297
- Raju, K.K. and Rao, G.V., Towards improved evaluation of large amplitude free-vibration behaviour of uniform beams using multi-term admissible functions (Short Communication) (3–5) 1238

- Rakheja, S. see Dong, R.G. (3-5) 1101
- Ramachandra, L.S. see Girish, J. (3-5) 1137
- Rao, B.N. see Muthurajan, K.G. (3-5) 949
- Rao, G.V. see Raju, K.K. (Short Communication) (3-5) 1238
- Ravichandran, K. see Ebenezer, D.D. (3-5) 991
- Richer, E. see Shimon, P. (1-2) 453
- Ruta, P. and Szydło, A., Drop-weight test based identification of elastic half-space model parameters . . . (1-2) 411
- Samuel, P.D. and Pines, D.J., A review of vibration-based techniques for helicopter transmission diagnostics (1-2) 475
- Sanchez, N.E., A view to the new perturbation technique valid for large parameters (Discussion) (3-5) 1309
- Sankaranarayanan, K. see Muthurajan, K.G. (3-5) 949
- Schopper, A.W. see Dong, R.G. (3-5) 1101
- Semercigil, S.E. see Anderson, C.S. (1-2) 197
- Sha, K., Yang, J. and Gan, W.-S., A simple calculation method for the self- and mutual-radiation impedance of flexible rectangular patches in a rigid infinite baffle (1-2) 179
- Shao, Y. and Nezu, K., Design of mixture de-noising for detecting faulty bearing signals. (3-5) 899
- Sheng, X., Jones, C.J.C. and Thompson, D.J., Responses of infinite periodic structures to moving or stationary harmonic loads (1-2) 125
- Shepard Jr., W.S. see Guan, Y.H. (3-5) 713
- Shepard Jr., W.S. see Liu, Y. (1-2) 37
- Shimon, P., Richer, E. and Hurmuzlu, Y., Theoretical and experimental study of efficient control of vibrations in a clamped square plate (1-2) 453
- Shu, D. see Della, C.N. (3-5) 919
- Singh, R. see Lee, H. (1-2) 313
- Soh, C.K. see Yang, Y. (Short Communication) (3-5) 1293
- Stubbs, N. see Kim, B.H. (1-2) 215
- Sun, J.Q. see Wang, X. (Short Communication) (2-3) 1231
- Szydło, A. see Ruta, P. (1-2) 411
- Thompson, D.J. see Sheng, X. (1-2) 125
- Tiwari, S.B. see Muthurajan, K.G. (3-5) 949
- Torregrosa, A.J., Broatch, A., Climent, H. and Andrés, I., A note on the Strouhal number dependence of the relative importance of internal and external flow noise sources in IC engine exhaust systems (Short Communication) (3-5) 1255
- Tsuchida, M., de Lolo Guilherme, K. and Balthazar, J.M., On chaotic vibrations of a non-ideal system with two degrees of freedom: 1: 2 resonance and Sommerfeld effect (Short Communication). (3-5) 1201
- Turan, Ö.F. see Anderson, C.S. (1-2) 197
- Türkay, S. and Akçay, H., A study of random vibration characteristics of the quarter-car model (1-2) 111
- Vania, A. see Pennacchi, P. (Discussion) (3-5) 1322
- Vel, S.S. see Baillargeon, B.P. (3-5) 781
- Vlahopoulos, N. see Zhang, W. (3-5) 679
- Vogt, J., The relative impact of aircraft noise and number in a full-factorial laboratory design (3-5) 1085
- Wang, C.H. and Chang, F.-K., Scattering of plate waves by a cylindrical inhomogeneity (1-2) 429
- Wang, J. see Zhao, C. (3-5) 1155
- Wang, J. see Zhao, C. (3-5) 1169
- Wang, X. see Qiu, Z. (1-2) 297
- Wang, X. see Qiu, Z. (1-2) 381
- Wang, X. and Sun, J.Q., Effect of skewness on fatigue life with mean stress correction (Short Communication) (3-5) 1231
- Warren, C. see Dong, R.G. (3-5) 1101
- Washington, B. see Dong, R.G. (3-5) 1101
- Weaver, R.L. see Damjanović, V. (1-2) 341
- Welcome, D.E. see Dong, R.G. (3-5) 1101
- Wu, J.-D. see Lin, H.-P. (1-2) 249
- Wu, J.Z. see Dong, R.G. (3-5) 1101
- Wu, K. see Zhang, W. (3-5) 679

- Wu, S.F. see Zhao, X. (3-5) 1183
- Xia, H., Zhang, N. and Gao, R., Experimental analysis of railway bridge under high-speed trains (1-2) 517
- Xu, S. see Qian, J. (3-5) 937
- Xu, X. see Zhang, Y. (1-2) 367
- Xu, X.D., Lee, H.P. and Lu, C., Power flow paths in stiffened plates (Short Communication) (3-5) 1264
- Yang, J. see Sha, K. (1-2) 179
- Yang, Y., Jin, Z. and Soh, C.K., Integrated optimal design of vibration control system for smart beams using genetic algorithms (Short Communication) (3-5) 1293
- Yu, T.X. see Liu, Y. (3-5) 863
- Zare, A. see Howson, W.P. (3-5) 753
- Zhang, N. see Xia, H. (1-2) 517
- Zhang, W., Vlahopoulos, N. and Wu, K., An energy finite element formulation for high-frequency vibration analysis of externally fluid-loaded cylindrical shells with periodic circumferential stiffeners subjected to axi-symmetric excitation. (3-5) 679
- Zhang, X., Geodesics, nonlinear normal modes of conservative vibratory systems and decomposition method. (3-5) 971
- Zhang, Y., Zhang, Z., Xu, X. and Hua, H., Modal parameter identification using response data only . . . (1-2) 367
- Zhang, Z. see Zhang, Y. (1-2) 367
- Zhao, C., Li, W. and Wang, J., An explicit finite element method for Biot dynamic formulation in fluid-saturated porous media and its application to a rigid foundation. (3-5) 1169
- Zhao, C., Li, W. and Wang, J., An explicit finite element method for dynamic analysis in fluid saturated porous medium-elastic single-phase medium-ideal fluid medium coupled systems and its application (3-5) 1155
- Zhao, X. and Wu, S.F., Reconstruction of vibro-acoustic fields using hybrid nearfield acoustic holography (3-5) 1183
- Zhu, X.Q. see Law, S.S. (3-5) 805