



ELSEVIER

Journal of Sound and Vibration 286 (2005) 1075–1078

JOURNAL OF
SOUND AND
VIBRATION

www.elsevier.com/locate/jsvi

Index to Volume 286

Bailey-Van Kuren, M. and Shukla, A., System design for isolation of a neonatal transport unit using passive and semi-active control strategies (Short Communication)	(1–2)	382
Brennan, M.J. see Rossetti, S.	(1–2)	81
Burdisso, R.A. see Du, Y.	(4–5)	697
Butcher, E.A. see Ma, H.	(4–5)	849
Cha, P.D., A general approach to formulating the frequency equation for a beam carrying miscellaneous attachments	(4–5)	921
Chang, Y.-C., Yeh, L.-J., Chiu, M.-C. and Lai, G.-J., Shape optimization on constrained single-layer sound absorber by using GA method and mathematical gradient methods	(4–5)	941
Chen, C.-T. see Wu, J.-S.	(3)	549
Chen, C.-Y. see Li, G.-Q.	(1–2)	145
Chen, J.-S. see Tzeng, K.-S.	(4–5)	781
Chen, L.-Q. and Zhao, W.-J., A conserved quantity and the stability of axially moving nonlinear beams (Short Communication)	(3)	663
Chiu, M.-C. see Chang, Y.-C.	(4–5)	941
Chu, F.L. see Peng, Z.K.	(1–2)	187
Chung, J. see Shin, C. (Short Communication)	(4–5)	1019
Conte, J.P. see Trombetti, T.L.	(1–2)	265
De Rosa, M.A. and Maurizi, M.J., Damping in exact analysis of tapered beams (Short Communication)	(4–5)	1041
Dharmaraju, N. and Sinha, J.K., Some comments on use of antiresonance for crack identification in beams (Short Communication)	(3)	669
Dong, W.H. see Tang, S.K. (Short Communication)	(4–5)	1048
Du, Y., Burdisso, R.A. and Nikolaidis, E., Control of internal resonances in vibration isolators using passive and hybrid dynamic vibration absorbers	(4–5)	697
Duncan, M.R., Wassgren, C.R. and Krousgrill, C.M., The damping performance of a single particle impact damper.	(1–2)	123
El-Khatib, H.M. see Mace, B.R.	(3)	507
Elishakoff, I. and Johnson, V., Apparently the first closed-form solution of vibrating inhomogeneous beam with a tip mass (Short Communication)	(4–5)	1057
Evans, J. see Wang, J.	(4–5)	817
Farrar, C.R. see Park, G.	(1–2)	229
Fu, G. see Poudel, U.P.	(4–5)	869
Ganesan, N. and Pradeep, V., Buckling and vibration of sandwich beams with viscoelastic core under thermal environments (Short Communication)	(4–5)	1067
Gardonio, P. see Rossetti, S.	(1–2)	81
Gendelman, O.V., Gorlov, D.V., Manevitch, L.I. and Musienko, A.I., Dynamics of coupled linear and essentially nonlinear oscillators with substantially different masses.	(1–2)	1
Gorlov, D.V. see Gendelman, O.V.	(1–2)	1
Gupta, S.S. see Patel, B.P.	(1–2)	167
Gutmark, E.J. see Hillereau, N.	(1–2)	21
Hagiwara, I. see Wang, L.-R.	(4–5)	673
Halkyard, C.R. see Mace, B.R.	(3)	507
Harrison, A.J.L. see Hillis, A.J.	(1–2)	37
He, L. see Lou, J.-j.	(3)	645

- Hillereau, N., Syed, A.A. and Gutmark, E.J., Measurements of the acoustic attenuation by single layer acoustic liners constructed with simulated porous honeycomb cores (1-2) 21
- Hillis, A.J., Harrison, A.J.L. and Stoten, D.P., A comparison of two adaptive algorithms for the control of active engine mounts. (1-2) 37
- Hu, H., A note on the frequency of nonlinear conservative oscillators (Short Communication) (3) 653
- Hu, Y.-T. see Li, G.-Q. (1-2) 145
- Huang, B.-W., The crack effect on instability in a machine tool spindle with gas bearings (4-5) 1001
- Jardine, A.K.S. see Zhan, Y.M. (3) 429
- Jardine, A.K.S. see Zhan, Y.M. (3) 451
- Jia, L.-G. see Li, H.-N. (3) 569
- Johnson, V. see Elishakoff, I. (Short Communication) (4-5) 1057
- Kim, W. see Shin, C. (Short Communication) (4-5) 1019
- Kirby, R. and Lawrie, J.B., A point collocation approach to modelling large dissipative silencers . . (1-2) 313
- Krenk, S. see Main, J.A. (1-2) 97
- Krousgrill, C.M. see Duncan, M.R. (1-2) 123
- Kuang, Z.B. see Su, J. (4-5) 981
- Lai, G.-J. see Chang, Y.-C. (4-5) 941
- Langley, R.S. see Wang, J. (4-5) 817
- Laulagnet, B. see Leclère, Q. (1-2) 341
- Lawrie, J.B. see Kirby, R. (1-2) 313
- Leclère, Q., Pezerat, C., Laulagnet, B. and Polac, L., Indirect measurement of main bearing loads in an operating diesel engine. (1-2) 341
- Lee, H. and Singh, R., Self and mutual radiation from flexural and radial modes of a thick annular disk (Short Communication) (4-5) 1032
- Lee, S.H. see Yoo, H.H. (4-5) 745
- Lei, Y. see Li, J. (Short Communication) (1-2) 395
- Lew Yan Voon, L.C. see Willatzen, M. (1-2) 251
- Li, G.-Q., Chen, C.-Y. and Hu, Y.-T., Equivalent electric circuits of thin plates with two-dimensional piezoelectric actuators (1-2) 145
- Li, H.-N., Shi, W.-L., Wang, G.-X. and Jia, L.-G., Simplified models and experimental verification for coupled transmission tower-line system to seismic excitations. (3) 569
- Li, J., Xu, W., Ren, Z. and Lei, Y., Maximal Lyapunov exponent and almost-sure stability for Stochastic Mathieu-Duffing Systems (Short Communication) (1-2) 395
- Lin, H.-Y. see Ma, C.-C. (3) 587
- Liu, F.-t. see Wu, B. (4-5) 963
- Liu, H. see Su, J. (4-5) 981
- Lou, J.-j., Zhu, S.-j., He, L. and Yu, X., Application of chaos method to line spectra reduction (Short Communication) (3) 645
- Lu, T.J. see Wang, J. (4-5) 817
- Ma, C.-C. and Lin, H.-Y., Experimental measurements on transverse vibration characteristics of piezoceramic rectangular plates by optical methods. (3) 587
- Ma, H. and Butcher, E.A., Stability of elastic columns with periodic retarded follower forces (4-5) 849
- Mace, B.R., Halkyard, C.R. and El-Khatib, H.M., Real-time measurement of wave components and intensity in a beam in the presence of a near field. (3) 507
- Main, J.A. and Krenk, S., Efficiency and tuning of viscous dampers on discrete systems (1-2) 97
- Manevitch, L.I. see Gendelman, O.V. (1-2) 1
- Manson, G. see Worden, K. (3) 529
- Martin, P.A., Acoustic waves in slender axisymmetric tubes. (1-2) 55
- Maurizi, M.J. see De Rosa, M.A. (Short Communication) (4-5) 1041
- Maynard, K.P. see Resor, B.R. (4-5) 897
- Mechefske, C.K. see Shao, W. (Short Communication) (1-2) 363
- Moreau, S. see Roger, M. (3) 477
- Moy, S.S.J. see Nayak, A.K. (4-5) 763
- Mukherjee, R. see Singh, A. (3) 637
- Musienko, A.I. see Gendelman, O.V. (1-2) 1

- Nayak, A.K., Moy, S.S.J. and Sheno, R.A., A higher order finite element theory for buckling and vibration analysis of initially stressed composite sandwich plates (4-5) 763
- Nikolaidis, E. see Du, Y. (4-5) 697
- Ovenden, N.C., A uniformly valid multiple scales solution for cut-on cut-off transition of sound in flow ducts (Short Communication) (1-2) 403
- Park, G., Rutherford, A.C., Sohn, H. and Farrar, C.R., An outlier analysis framework for impedance-based structural health monitoring (1-2) 229
- Patel, B.P., Gupta, S.S. and Sarda, R., Free flexural vibration behavior of bimodular material angle-ply laminated composite plates (1-2) 167
- Peng, S.Z., Flexural wave scattering and dynamic stress concentration in a heterogeneous plate with multiple cylindrical patches by acoustical wave propagator technique (4-5) 729
- Peng, Z.K., Tse, P.W. and Chu, F.L., An improved Hilbert–Huang transform and its application in vibration signal analysis (1-2) 187
- Pezerat, C. see Leclère, Q. (1-2) 341
- Polac, L. see Leclère, Q. (1-2) 341
- Poudel, U.P., Fu, G. and Ye, J., Structural damage detection using digital video imaging technique and wavelet transformation. (4-5) 869
- Pradeep, V. see Ganesan, N. (Short Communication) (4-5) 1067
- Price, W.G. see Xing, J.T. (3) 615
- Ren, Z. see Li, J. (Short Communication) (1-2) 395
- Resor, B.R., Trethewey, M.W. and Maynard, K.P., Compensation for encoder geometry and shaft speed variation in time interval torsional vibration measurement (4-5) 897
- Roger, M. and Moreau, S., Back-scattering correction and further extensions of Amiet’s trailing-edge noise model. Part 1: theory. (3) 477
- Rossetti, S., Gardonio, P. and Brennan, M.J., A wave model for rigid-frame porous materials using lumped parameter concepts. (1-2) 81
- Rubin, M.B. and Tufekci, E., Three-dimensional free vibrations of a circular arch using the theory of a Cosserat point (4-5) 799
- Rutherford, A.C. see Park, G. (1-2) 229
- Sarda, R. see Patel, B.P. (1-2) 167
- Shao, W. and Mechefske, C.K., Analyses of radiation impedances of finite cylindrical ducts (Short Communication) (1-2) 363
- Shaw, S. see Singh, A. (3) 637
- Sheno, R.A. see Nayak, A.K. (4-5) 763
- Shi, W.-L. see Li, H.-N. (3) 569
- Shin, C., Chung, J. and Kim, W., Dynamic characteristics of the out-of-plane vibration for an axially moving membrane (Short Communication) (4-5) 1019
- Shin, S.H. see Yoo, H.H. (4-5) 745
- Shukla, A. see Bailey-Van Kuren, M. (Short Communication) (1-2) 382
- Singh, A., Mukherjee, R., Turner, K. and Shaw, S., MEMS implementation of axial and follower end forces (Short Communication) (3) 637
- Singh, R. see Lee, H. (Short Communication) (4-5) 1032
- Sinha, J.K., On standardisation of calibration procedure for accelerometer (Short Communication). (1-2) 417
- Sinha, J.K. see Dharmaraju, N. (3) 669
- Sohn, H. see Park, G. (1-2) 229
- Stoten, D.P. see Hillis, A.J. (1-2) 37
- Su, J., Kuang, Z.B. and Liu, H., Love wave in ZnO/SiO₂/Si structure with initial stresses (4-5) 981
- Syed, A.A. see Hillereau, N. (1-2) 21
- Takahashi, D. see Toyoda, M. (3) 601
- Tang, S.K. and Dong, W.H., Vibrational energy transmission through wall junctions in buildings (Short Communication) (4-5) 1048
- To, C.W.S., A statistical nonlinearization technique for multi-degrees of freedom nonlinear systems under white noise excitations (1-2) 69
- Toyoda, M. and Takahashi, D., Reduction of acoustic radiation by impedance control with a perforated absorber system. (3) 601

- Trethewey, M.W. see Resor, B.R. (4-5) 897
- Trombetti, T.L. and Conte, J.P., New insight into and simplified approach to seismic analysis of torsionally coupled one-story, elastic systems (1-2) 265
- Tse, P.W. see Peng, Z.K. (1-2) 187
- Tufekci, E. see Rubin, M.B. (4-5) 799
- Turner, K. see Singh, A. (3) 637
- Tzeng, K.-S. and Chen, J.-S., Toward the iterative learning control for belt-driven system using wavelet transformation (4-5) 781
- Wang, G.-X. see Li, H.-N. (3) 569
- Wang, J., Lu, T.J., Woodhouse, J., Langley, R.S. and Evans, J., Sound transmission through lightweight double-leaf partitions: theoretical modelling. (4-5) 817
- Wang, J.-C. see Wang, L.-R. (4-5) 673
- Wang, L.-R., Wang, J.-C. and Hagiwara, I., An integrated characteristic simulation method for hydraulically damped rubber mount of vehicle engine (4-5) 673
- Wang, Y.-M., The transient dynamics of multiple accelerating/decelerating masses traveling on an initially curved beam (1-2) 207
- Wassgren, C.R. see Duncan, M.R. (1-2) 123
- Wei, D.-m. see Wu, B. (4-5) 963
- Willatzen, M. and Lew Yan Voon, L.C., Theory of acoustic eigenmodes in parabolic cylindrical enclosures (1-2) 251
- Woodhouse, J. see Wang, J. (4-5) 817
- Worden, K. and Manson, G., A Volterra series approximation to the coherence of the Duffing oscillator. (3) 529
- Wu, B., Liu, F.-t. and Wei, D.-m., Approximate analysis method for interstorey shear forces in structures with active variable stiffness systems. (4-5) 963
- Wu, J.-S. and Chen, C.-T., An exact solution for the natural frequencies and mode shapes of an immersed elastically restrained wedge beam carrying an eccentric tip mass with mass moment of inertia (3) 549
- Xing, J.T., Xiong, Y.P. and Price, W.G., Passive-active vibration isolation systems to produce zero or infinite dynamic modulus: theoretical and conceptual design strategies (3) 615
- Xiong, Y.P. see Xing, J.T. (3) 615
- Xu, W. see Li, J. (Short Communication). (1-2) 395
- Ye, J. see Poudel, U.P. (4-5) 869
- Yeh, L.-J. see Chang, Y.-C. (4-5) 941
- Yoo, H.H., Lee, S.H. and Shin, S.H., Flapwise bending vibration analysis of rotating multi-layered composite beams (4-5) 745
- Yu, X. see Lou, J.-j. (3) 645
- Zhan, Y.M. and Jardine, A.K.S., Adaptive autoregressive modeling of non-stationary vibration signals under distinct gear states. Part 1: modeling (3) 429
- Zhan, Y.M. and Jardine, A.K.S., Adaptive autoregressive modeling of non-stationary vibration signals under distinct gear states. Part 2: experimental analysis (3) 451
- Zhao, W.-J. see Chen, L.-Q. (3) 663
- Zhu, S.-j. see Lou, J.-j. (3) 645