

Index to Volume 290

Adams, G.G. see Eid, H.	(1–2) 209
Ajmi, M. see Velez, P.	(3–5) 882
Al Majid, A. see Saad, P.	(3–5) 619
Alasty, A. see Shabani, R. (Discussions).	(3–5) 1333
Aldien, Y., Marcotte, P., Rakheja, S. and Boileau, P.-É., Influence of hand forces and handle size on power absorption of the human hand–arm exposed to z_h -axis vibration	(3–5) 1015
Amabili, M., Sarkar, A. and Païdoussis, M.P., Chaotic vibrations of circular cylindrical shells: Galerkin versus reduced-order models via the proper orthogonal decomposition method	(3–5) 736
Anderson, S.P., Higher-order rod approximations for the propagation of longitudinal stress waves in elastic bars	(1–2) 290
Andersons, J. see Grāpis, O.	(3–5) 910
Avramov, K.V. and Mikhlin, Y.V., Snap-through truss as an absorber of forced oscillations	(3–5) 705
Bai, M.R. and Lee, C.-C., Development and implementation of cross-talk cancellation system in spatial audio reproduction based on subband filtering	(3–5) 1269
Bapat, C.N., An approximate approach to study the free vibration of a string with an arbitrary variation in mass density and tension, with attached concentrated masses, and its application to hanging chain and rotating cord	(1–2) 529
Bhat, R.B. see Rajalingham, C.	(1–2) 169
Bies, D.A. see Zinoviev, A.	(1–2) 548
Boileau, P.-É. see Aldien, Y.	(3–5) 1015
Carvalho, J.B., Datta, B.N., Lin, W.-W. and Wang, C.-S., Symmetry preserving eigenvalue embedding in finite-element model updating of vibrating structures.	(3–5) 839
Cauberghe, B., Guillaume, P., Pintelon, R. and Verboven, P., Frequency-domain subspace identification using FRF data from arbitrary signals.	(3–5) 555
Cha, P.D. and Ren, G., Inverse problem of imposing nodes to suppress vibration for a structure subjected to multiple harmonic excitations	(1–2) 425
Chandiramani, N.K. and Pothala, T., Dynamics of 2-dof regenerative chatter during turning.	(1–2) 448
Chang, S.-C. and Tung, P.-C., Author's reply (Discussions).	(3–5) 1335
Charpentier, A. see Lane, S.A.	(3–5) 794
Chen, H.L. see Wu, J.H.	(1–2) 17
Chen, T.N. see Wu, J.H.	(1–2) 17
Cho, J.E. see Yoo, H.H.	(1–2) 223
Christopherson, J. and Jazar, G.N., Dynamic behavior comparison of passive hydraulic engine mounts. Part 1: Mathematical analysis	(3–5) 1040
Christopherson, J. and Jazar, G.N., Dynamic behavior comparison of passive hydraulic engine mounts. Part 2: Finite element analysis.	(3–5) 1071
Chung, J. see Yoo, H.H.	(1–2) 223
Coda, H.B. see Greco, M.	(3–5) 1141
Datta, B.N. see Carvalho, J.B.	(3–5) 839
Deschamps, M. see Shuvalov, A.L.	(3–5) 1175
Dong, J. see Kim, N.H.	(1–2) 192
Du, G. see Zhang, Y.	(3–5) 1091
Dufour, R. see Saad, P.	(3–5) 619
Editorial	(1–2) 1
Eid, H. and Adams, G.G., Critical speeds and the response of a spinning disk to a stationary load using Mindlin plate theory	(1–2) 209

- Eisenberger, M. see Shufrin, I. (1–2) 465
 Ergin, A. see Uğurlu, B. (3–5) 572
- Farassat, F. and Myers, M.K., Further comments on the paper by Zinoviev and Bies, “On acoustic radiation by a rigid object in a fluid flow” (1–2) 538
 Fernández-Sáez, J. see Loya, J.A. (3–5) 640
 Field, R.V. and Grigoriu, M., Optimal stochastic models for spacecraft atmospheric re-entry (3–5) 991
 Fisher, M.J. see McAlpine, A. (3–5) 1202
 Friot, E., Infinite non-causality in active cancellation of random noise (3–5) 597
 Fuller, C. see Lane, S.A. (3–5) 794
 Furukawa, K. see Yoshimura, M. (1–2) 388
- Gao, H., Lam, J. and Wang, C., Multi-objective control of vehicle active suspension systems via load-dependent controllers (3–5) 654
 Gao, W., Stochastically optimal active control of a smart truss structure under stationary random excitation (3–5) 1256
 Garibaldi, L. see Gorman, D.J. (1–2) 321
 Garvey, S.D. see Khattak, A.R. (1–2) 309
 Gorman, D.J. and Garibaldi, L., Accurate analytical type solutions for free vibration frequencies and mode shapes of multi-span bridge decks: the span-by-span approach (1–2) 321
 Grāpis, O., Tamužs, V., Ohlson, N.-G. and Andersons, J., Overcritical high-speed rotor systems, full annular rub and accident (3–5) 910
 Greco, M. and Coda, H.B., Positional FEM formulation for flexible multi-body dynamic analysis (3–5) 1141
 Grigoriu, M. see Field, R.V. (3–5) 991
 Guillaume, P. see Cauberghe, B. (3–5) 555
 Guo, N.Q. see Wang, C.Q. (1–2) 508
 Gürgöze, M., On some relationships between the eigenfrequencies of torsional vibrational systems containing lumped elements (Short Communications) (3–5) 1322
 Guyader, J.L. see Totaro, N. (1–2) 264
- Hammond, J.K. see White, P.R. (3–5) 676
 Harsha, S.P., Nonlinear dynamic analysis of a high-speed rotor supported by rolling element bearings. (1–2) 65
 Herdic, P.C. see Judge, J.A. (3–5) 1119
 Houmat, A., Three-dimensional free vibration analysis of plates using the *h-p* version of the finite element method (3–5) 690
 Houston, B.H. see Judge, J.A. (3–5) 1119
 Hu, H. see Xiong, Z.G. (Short Communications) (3–5) 1315
 Hua, H. see Shi, Y. (3–5) 1234
- Jaishi, B. and Ren, W.-X., Damage detection by finite element model updating using modal flexibility residual. (1–2) 369
 Jazar, G.N. see Christopherson, J. (3–5) 1040
 Jazar, G.N. see Christopherson, J. (3–5) 1071
 Jeong, W., Lee, S. and Joseph, P., A wall-mounted source array for the excitation of incoherent broadband sound fields with prescribed modal distributions in ducts (1–2) 490
 Jiang, J.J. see Zhang, Y. (3–5) 1091
 Jiang, W.K. see Wan, Q. (3–5) 956
 Johnson, M. see Lane, S.A. (3–5) 794
 Joseph, P. see Jeong, W. (1–2) 490
 Judge, J.A., Houston, B.H., Photiadis, D.M. and Herdic, P.C., Effects of disorder in one- and two-dimensional micromechanical resonator arrays for filtering (3–5) 1119
- Kandasamy, S. and Singh, A.V., Free vibration analysis of skewed open circular cylindrical shells (3–5) 1100
 Kang, B. see Riedel, C.H. (3–5) 820
 Kanie, S. see Tj, H.G. (3–5) 785
 Kar, C. and Mohanty, A.R., Multistage gearbox condition monitoring using motor current signature analysis and Kolmogorov–Smirnov test (1–2) 337
 Khattak, A.R., Garvey, S.D. and Popov, A.A., Repeated resonances in folded-back beam structures (1–2) 309
 Khonsari, M.M. see Wang, J.K. (1–2) 500

Kim, N.H. and Dong, J., Shape sensitivity analysis of sequential structural–acoustic problems using FEM and BEM	(1–2)	192
Ko, J.M. see Ni, Y.Q.	(1–2)	242
Krousgrill Jr., C.M. see Widdle Jr., R.D.	(3–5)	865
Lam, J. see Gao, H.	(3–5)	654
Lane, S.A., Johnson, M., Fuller, C. and Charpentier, A., Active control of payload fairing noise	(3–5)	794
Lee, C.-C. see Bai, M.R.	(3–5)	1269
Lee, S. see Jeong, W.	(1–2)	490
Lee, Y.Y., Poon, W.Y. and Ng, C.F., Anti-symmetric mode vibration of a curved beam subject to autoparametric excitation	(1–2)	48
Li, W. see Xu, W.	(3–5)	723
Lin, W.-W. see Carvalho, J.B.	(3–5)	839
Liu, A.Q. see Wu, J.H.	(1–2)	17
Loya, J.A., Rubio, L. and Fernández-Sáez, J., Natural frequencies for bending vibrations of Timoshenko cracked beams	(3–5)	640
Lu, Q.-S. see Wang, S.-M.	(1–2)	410
Makis, V. see Zhan, Y.	(3–5)	928
Marcotte, P. see Aldien, Y.	(3–5)	1015
McAlpine, A., Fisher, M.J. and Tester, B.J., “Buzz-saw” noise: A comparison of measurement with prediction	(3–5)	1202
Meher, K.K. see Suryam, B.C.B.N.	(1–2)	519
Mikami, T. see Tj, H.G.	(3–5)	785
Mikhlin, Y.V. see Avramov, K.V.	(3–5)	705
Mohanty, A.R. see Kar, C.	(1–2)	337
Myers, M.K. see Farassat, F.	(1–2)	538
Nakamura, S. see Yoshimura, M.	(1–2)	388
Nanda, B.K., Study of the effect of bolt diameter and washer on damping in layered and jointed structures	(3–5)	1290
Ng, C.F. see Lee, Y.Y.	(1–2)	48
Ni, Y.Q., Zhou, X.T. and Ko, J.M., Experimental investigation of seismic damage identification using PCA-compressed frequency response functions and neural networks.	(1–2)	242
Ohlson, N.-G. see Grāpis, O.	(3–5)	910
Öhrström, E. see Skånberg, A.	(1–2)	3
Ong, E.H. see Wang, C.Q.	(1–2)	508
Païdoussis, M.P. see Amabili, M.	(3–5)	736
Photiadis, D.M. see Judge, J.A.	(3–5)	1119
Pinnington, R.J., A wave model of a circular tyre. Part 1: belt modelling	(1–2)	101
Pinnington, R.J., A wave model of a circular tyre. Part 2: side-wall and force transmission modelling	(1–2)	133
Pintelon, R. see Cauberghe, B.	(3–5)	555
Poncelet, O. see Shuvalov, A.L.	(3–5)	1175
Poon, W.Y. see Lee, Y.Y.	(1–2)	48
Popov, A.A. see Khattak, A.R.	(1–2)	309
Pothala, T. see Chandiramani, N.K.	(1–2)	448
Qian, H. see Wang, C.Q.	(1–2)	508
Rajalingham, C. and Bhat, R.B., Complete balancing of a disk mounted on a vertical cantilever shaft using a two ball automatic balancer.	(1–2)	169
Rakheja, S. see Aldien, Y.	(3–5)	1015
Rama Rao, A. see Suryam, B.C.B.N.	(1–2)	519
Ren, G. see Cha, P.D.	(1–2)	425
Ren, W.-X. see Jaishi, B.	(1–2)	369
Riedel, C.H. and Kang, B., Free vibration of elastically coupled dual-span curved beams.	(3–5)	820
Rubio, L. see Loya, J.A.	(3–5)	640

- Saad, P., Al Majid, A., Thouverez, F. and Dufour, R., Equivalent rheological and restoring force models for predicting the harmonic response of elastomer specimens (3-5) 619
- Salarieh, H. see Shabani, R. (Discussions) (3-5) 1333
- Sarkar, A. see Amabili, M. (3-5) 736
- Sato, K. see Yoshida, K. (1-2) 34
- Sato, M. see Tj, H.G. (3-5) 785
- Shabani, R., Salarieh, H. and Alasty, A., Comments on “identification of a nonlinear electromagnetic system: An experimental study” (Discussions) (3-5) 1333
- Shi, Y., Sol, H. and Hua, H., Material parameter identification of sandwich beams by an inverse method. (3-5) 1234
- Shufrin, I. and Eisenberger, M., Vibration of shear deformable plates with variable thickness — first-order and higher-order analyses (1-2) 465
- Shuvalov, A.L., Poncelet, O. and Deschamps, M., Analysis of the dispersion spectrum of fluid-loaded anisotropic plates: flexural-type branches and real-valued loops (3-5) 1175
- Singh, A.V. see Kandasamy, S. (3-5) 1100
- Sinha, J.K. see Suryam, B.C.B.N. (1-2) 519
- Skånberg, A. and Öhrström, E., Sleep disturbances from road traffic noise: A comparison between laboratory and field settings (1-2) 3
- Sol, H. see Shi, Y. (3-5) 1234
- Sudhoff, S.D. see Widdle, R.D. (3-5) 865
- Sugamata, A. see Yoshida, K. (1-2) 34
- Suryam, B.C.B.N., Meher, K.K., Sinha, J.K. and Rama Rao, A., Coherence measurement for early contact detection between two components (1-2) 519
- Takahashi, K. see Yoshimura, M. (1-2) 388
- Tamužs, V. see Grāpis, O. (3-5) 910
- Tan, M.H. see White, P.R. (3-5) 676
- Tang, Q. see Xiong, Z.G. (Short Communications) (3-5) 1315
- Tao, C. see Zhang, Y. (3-5) 1091
- Tester, B.J. see McAlpine, A. (3-5) 1202
- Thouverez, F. see Saad, P. (3-5) 619
- Tj, H.G., Mikami, T., Kanie, S. and Sato, M., Free vibration characteristics of cylindrical shells partially buried in elastic foundations (3-5) 785
- Totaro, N. and Guyader, J.L., SEA substructuring using cluster analysis: The MIR index (1-2) 264
- Tung, P.-C. see Chang, S.-C. (Discussions) (3-5) 1335
- Uğurlu, B. and Ergin, A., A hydroelasticity method for vibrating structures containing and/or submerged in flowing fluid (3-5) 572
- Velex, P. and Ajmi, M., On the modelling of excitations in geared systems by transmission errors. (3-5) 882
- Verboven, P. see Cauberghe, B. (3-5) 555
- Walsh, S.J. see Wang, L. (3-5) 763
- Wan, Q. and Jiang, W.K., Near field acoustic holography (NAH) theory for cyclostationary sound field and its application (3-5) 956
- Wang, C. see Gao, H. (3-5) 654
- Wang, C.Q., Ong, E.H., Qian, H. and Guo, N.Q., On the application of B-spline approximation in structural intensity measurement (1-2) 508
- Wang, C.-S. see Carvalho, J.B. (3-5) 839
- Wang, C.Y., Fundamental frequencies of annular plates with movable edges. (1-2) 524
- Wang, J.K. and Khonsari, M.M., A new derivation for journal bearing stiffness and damping coefficients in polar coordinates (1-2) 500
- Wang, L. and Walsh, S.J., Measurement of phase accumulation in the transfer functions of beams and plates (3-5) 763
- Wang, Q. see Wang, S.-M. (1-2) 410
- Wang, S.-M., Lu, Q.-S., Wang, Q. and Xu, P., Reducing the amplitude of vibration at resonances by phase modulation (1-2) 410
- White, P.R., Tan, M.H. and Hammond, J.K., Analysis of the maximum likelihood, total least squares and principal component approaches for frequency response function estimation (3-5) 676
- Widdle Jr., R.D., Krousgrill Jr., C.M. and Sudhoff, S.D., An induction motor model for high-frequency torsional vibration analysis (3-5) 865

- Wu, J.H., Liu, A.Q., Chen, H.L. and Chen, T.N., Multiple scattering of a spherical acoustic wave from fluid spheres (1-2) 17
- Wu, Q. see Yoshimura, M. (1-2) 388
- Xiong, Z.G., Hu, H. and Tang, Q., A modified eigenfunction expansion approximation for nonlinear oscillating equations (Short Communications) (3-5) 1315
- Xu, P. see Wang, S.-M. (1-2) 410
- Xu, W., Li, W. and Zhao, J.F., Stochastic stabilization of uncontrolled and controlled Duffing–van der Pol systems under Gaussian white-noise excitation (3-5) 723
- Yoo, H.H., Cho, J.E. and Chung, J., Modal analysis and shape optimization of rotating cantilever beams (1-2) 223
- Yoshida, K., Sato, K. and Sugamata, A., Noise-induced synchronization of uncoupled nonlinear systems (1-2) 34
- Yoshimura, M., Wu, Q., Takahashi, K., Nakamura, S. and Furukawa, K., Vibration analysis of the Second Saikai Bridge—a concrete filled tubular (CFT) arch bridge. (1-2) 388
- Zhan, Y. and Makis, V., A robust diagnostic model for gearboxes subject to vibration monitoring. . . (3-5) 928
- Zhang, Y., Tao, C., Du, G. and Jiang, J.J., Parameter estimations of parametrically excited pendulums based on chaos feedback synchronization. (3-5) 1091
- Zhao, J.F. see Xu, W. (3-5) 723
- Zheng, W.X. see Zhou, L. (3-5) 968
- Zhou, L. and Zheng, W.X., Moving least square Ritz method for vibration analysis of plates. (3-5) 968
- Zhou, X.T. see Ni, Y.Q. (1-2) 242
- Zinoviev, A. and Bies, D.A., Authors' Reply (1-2) 548