

Index to Volume 294

Akbarov, S.D., On the dynamical axisymmetric stress field in a finite pre-stretched bilayered slab resting on a rigid foundation	(1–2)	221
Antoni, J., Leakage-free identification of FRF's with the discrete time Fourier transform	(4–5)	981
Astley, R.J. see McAlpine, A.	(4–5)	780
Badel, A. see Guyomar, D.	(1–2)	249
Baker, N.J. see McAlpine, A.	(4–5)	780
Beran, P.S. see Pettit, C.L.	(4–5)	752
Berry, A. see Mencik, J.-M.	(4–5)	894
Bhangale, R.K. and Ganesan, N., Free vibration of simply supported functionally graded and layered magneto-electro-elastic plates by finite element method	(4–5)	1016
Bhutani, N., Dynamic response of thermal data capture unit	(3)	580
Boulanger, P. see Lemerle, P.	(4–5)	1004
Brennan, M.J. see Duhamel, D.	(1–2)	205
Brooks, T.F. and Humphreys, W.M., A deconvolution approach for the mapping of acoustic sources (DAMAS) determined from phased microphone arrays	(4–5)	856
Buchanan, G.R., Galerkin finite element derivation for vibration of a thermopiezoelectric structure (Short Communications).	(1–2)	362
Camussi, R., Guj, G. and Ragni, A., Wall pressure fluctuations induced by turbulent boundary layers over surface discontinuities	(1–2)	177
Carr, A.J. see Lee, B.K. (Short Communications)	(1–2)	381
Castillo-Linares, A. see Martínez-Castro, A.E.	(1–2)	278
Chakraborty, G., A conjecture on route to chaos in a hard Duffing oscillator by homoclinic entanglement	(3)	435
Changqing, B. and Qingyu, X., Dynamic model of ball bearings with internal clearance and waviness.	(1–2)	23
Chen, C., Duhamel, D. and Soize, C., Probabilistic approach for model and data uncertainties and its experimental identification in structural dynamics: Case of composite sandwich panels	(1–2)	64
Chen, C.-H. see Wu, J.-C.	(1–2)	314
Chen, H.B. see Sun, H.L.	(1–2)	15
Chen, H.L. see Liang, S.	(4–5)	927
Cheng, Y.-C. see Lee, S.-Y.	(3)	441
Chih, H.-H. see Wu, J.-C.	(1–2)	314
Choi, S.-B., Active structural acoustic control of a smart plate featuring piezoelectric actuators (Discussions)	(1–2)	421
Choi, S.B. and Sohn, J.W., Chattering alleviation in vibration control of smart beam structures using piezofilm actuators: Experimental verification	(3)	640
Chung, J. see Jung, D. (Short Communications)	(1–2)	410
Civalek, Ö., Harmonic differential quadrature-finite differences coupled approaches for geometrically nonlinear static and dynamic analysis of rectangular plates on elastic foundation	(4–5)	966
Clark, L.R. see Gerhold, C.H.	(1–2)	49
Clark, R.L. see Moon, S.-M.	(1–2)	82
Cole, D.G. see Moon, S.-M.	(1–2)	82
Creasy, T.S. see McCutcheon, D.M.	(4–5)	828
Crocker, M.J. see Li, Z.	(3)	473
de Paula, A.S., Savi, M.A. and Pereira-Pinto, F.H.I., Chaos and transient chaos in an experimental nonlinear pendulum	(3)	585

- Dong, R.G., Welcome, D.E., McDowell, T.W. and Wu, J.Z., Measurement of biodynamic response of human hand–arm system (4–5) 807
- Duan, C. and Singh, R., Influence of harmonically varying normal load on steady-state behavior of a 2dof torsional system with dry friction. (3) 503
- Duhamel, D., Mace, B.R. and Brennan, M.J., Finite element analysis of the vibrations of waveguides and periodic structures (1–2) 205
- Duhamel, D. see Chen, C. (1–2) 64
- Dunn, M.H. see Gerhold, C.H. (1–2) 49
- El Badaoui, M. see Parey, A. (3) 547
- Elliott, S.J., D. Guicking, Patents on Active Control of Sound and Vibration—An Overview (1–2) 433
- Forrest, J.A. and Hunt, H.E.M., A three-dimensional tunnel model for calculation of train-induced ground vibration (4–5) 678
- Forrest, J.A. and Hunt, H.E.M., Ground vibration generated by trains in underground tunnels (4–5) 706
- Fuller, C.R. see Kidner, M.R.F. (3) 466
- Ganesan, N. see Bhangale, R.K. (4–5) 1016
- Gardner, B. see Kidner, M.R.F. (3) 466
- Gendelman, O.V., Gourdon, E. and Lamarque, C.H., Quasiperiodic energy pumping in coupled oscillators under periodic forcing. (4–5) 651
- George, D. see Gontier, C. (4–5) 944
- Gerhold, C.H., Clark, L.R., Dunn, M.H. and Tweed, J., Investigation of acoustical shielding by a wedge-shaped airframe (1–2) 49
- Gontier, C., George, D. and Raffy, M., Energetic mode contributions in stochastic modal analysis: An application to mode classification (4–5) 944
- Gorman, D.J., Exact solutions for the free in-plane vibration of rectangular plates with two opposite edges simply supported. (1–2) 131
- Gourdon, E. see Gendelman, O.V. (4–5) 651
- Guillet, F. see Parey, A. (3) 547
- Guj, G. see Camussi, R. (1–2) 177
- Guo, G. see Hredzak, B. (4–5) 737
- Gürgöze, M. and Zeren, S., On the eigencharacteristics of an axially vibrating viscoelastic rod carrying a tip mass and its representation by a single degree-of-freedom system (Short Communications) (1–2) 388
- Guyomar, D. and Badel, A., Nonlinear semi-passive multimodal vibration damping: An efficient probabilistic approach (1–2) 249
- Han, N., Qiu, X.J. and Mak, C.M., A further study of the prediction method for aerodynamic sound produced by two in-duct elements (Short Communications). (1–2) 374
- Hawkins, G.F. see McCutcheon, D.M. (4–5) 828
- Hii, V.J.T. see McAlpine, A. (4–5) 780
- Horta, L.G. see Lew, J.-S. (3) 615
- Hredzak, B. and Guo, G., New electromechanical balancing device for active imbalance compensation. (4–5) 737
- Hu, H., Solutions of nonlinear oscillators with fractional powers by an iteration procedure (3) 608
- Hu, H. and Tang, J.H., Solution of a Duffing-harmonic oscillator by the method of harmonic balance (3) 637
- Hu, Z.W. see Sandham, N.D. (Short Communications) (1–2) 355
- Huang, B.-W. and Kuang, J.-H., Variation in the stability of a rotating blade disk with a local crack defect (3) 486
- Hull, A.J., Mindlin shear coefficient determination using model comparison (1–2) 125
- Humphreys, W.M. see Brooks, T.F. (4–5) 856
- Hung, M.Y.Y. see Tong, F. (1–2) 329
- Hunt, H.E.M. see Forrest, J.A. (4–5) 678
- Hunt, H.E.M. see Forrest, J.A. (4–5) 706
- Ilanko, S., On the bounds of Gorman’s superposition method of free vibration analysis (Discussions). (1–2) 418
- Jankowski, T.A. and Majdalani, J., Symmetric solutions for the oscillatory channel flow with arbitrary suction (4–5) 880

- Jung, D. and Chung, J., A steady-state equilibrium configuration in the dynamic analysis of a curved pipe conveying fluid (Short Communications) (1-2) 410
- Junsheng, C. see Yu, Y. (1-2) 269
- Kahraman, A. see Ma, Q. (3) 624
- Kaplunov, J. and Krynkina, A., Resonance vibrations of an elastic interfacial layer (4-5) 663
- Kasarda, M. see Mani, G. (3) 454
- Kawatani, M. see Lee, C.H. (3) 562
- Kempton, A.J. see McAlpine, A. (4-5) 780
- Kidner, M.R.F., Fuller, C.R. and Gardner, B., Increase in transmission loss of single panels by addition of mass inclusions to a poro-elastic layer: Experimental investigation (3) 466
- Kim, C.W. see Lee, C.H. (3) 562
- Kim, I.J. see Lee, B.K. (Short Communications) (1-2) 381
- Kim, J. see Zhu, X. (4-5) 841
- Kim, J.-H. see Na, K.-S. (1-2) 298
- Kobayashi, Y. see Lee, C.H. (3) 562
- Krynkina, A. see Kaplunov, J. (4-5) 663
- Kuang, J.-H. see Huang, B.-W. (3) 486
- Kudlička, J., Dispersion of torsional waves in a thick-walled transversely isotropic circular cylinder of infinite length (Short Communications) (1-2) 368
- Lamarque, C.H. see Gendelman, O.V. (4-5) 651
- Le, K.N., Time-frequency distributions for crack detection in rotors—A fundamental note (Short Communications) (1-2) 397
- Lee, B.K., Carr, A.J., Lee, T.E. and Kim, I.J., Buckling loads of columns with constant volume (Short Communications) (1-2) 381
- Lee, C.H., Kawatani, M., Kim, C.W., Nishimura, N. and Kobayashi, Y., Dynamic response of a monorail steel bridge under a moving train (3) 562
- Lee, S.J. see Shin, S.H. (4-5) 1039
- Lee, S.-Y. and Cheng, Y.-C., Influences of the vertical and the roll motions of frames on the hunting stability of trucks moving on curved tracks (3) 441
- Lee, T.E. see Lee, B.K. (Short Communications) (1-2) 381
- Lemerle, P. and Boulanger, P., Lower limb contribution to the dynamic response of the seated man (4-5) 1004
- Lew, J.-S., Horta, L.G. and Reaves, M.C., Uncertainty quantification of an inflatable/rigidizable torus. (3) 615
- Li, G.-S. see Yu, G.-L. (1-2) 238
- Li, Z. and Crocker, M.J., Effects of thickness and delamination on the damping in honeycomb-foam sandwich beams. (3) 473
- Liang, S. and Chen, H.L., The natural vibration of a conical shell with an annular end plate (4-5) 927
- Lim, C.W., Park, Y.J. and Moon, S.J., Robust saturation controller for linear time-invariant system with structured real parameter uncertainties. (1-2) 1
- Lin, J., Ridges reconstruction based on inverse wavelet transform (4-5) 916
- Lou, P., Comments on “Vehicle-passenger-structure interaction of uniform bridges traversed by moving vehicles” (Discussions) (1-2) 430
- Ma, Q. and Kahraman, A., Subharmonic resonances of a mechanical oscillator with periodically time-varying, piecewise-nonlinear stiffness (3) 624
- Mace, B.R. see Duhamel, D. (1-2) 205
- Majdalani, J. see Jankowski, T.A. (4-5) 880
- Mak, C.M. see Han, N. (Short Communications) (1-2) 374
- Mani, G., Quinn, D.D. and Kasarda, M., Active health monitoring in a rotating cracked shaft using active magnetic bearings as force actuators (3) 454
- Martínez-Castro, A.E., Museros, P. and Castillo-Linares, A., Semi-analytic solution in the time domain for non-uniform multi-span Bernoulli-Euler beams traversed by moving loads (1-2) 278
- McAlpine, A., Astley, R.J., Hii, V.J.T., Baker, N.J. and Kempton, A.J., Acoustic scattering by an axially-segmented turbofan inlet duct liner at supersonic fan speeds (4-5) 780
- McCutcheon, D.M., Reddy, J.N., O'Brien, M.J., Creasy, T.S. and Hawkins, G.F., Damping composite materials by machine augmentation. (4-5) 828
- McDowell, T.W. see Dong, R.G. (4-5) 807

- Mencik, J.-M. and Berry, A., A diffusion model for a one-dimensional structure, coupled with an auxiliary system (4-5) 894
- Mendes, E.M.A.M. see Swain, A.K. (1-2) 341
- Moon, S.J. see Lim, C.W. (1-2) 1
- Moon, S.-M., Cole, D.G. and Clark, R.L., Real-time implementation of adaptive feedback and feedforward generalized predictive control algorithm. (1-2) 82
- Morfey, C.L. see Sandham, N.D. (Short Communications) (1-2) 355
- Museros, P. see Martínez-Castro, A.E. (1-2) 278
- Na, K.-S. and Kim, J.-H., Deployment of a multi-link flexible structure (1-2) 298
- Nguang, S.K. see Swain, A.K. (1-2) 341
- Nishimura, N. see Lee, C.H. (3) 562
- O'Brien, M.J. see McCutcheon, D.M. (4-5) 828
- Olsson, C., Active automotive engine vibration isolation using feedback control (1-2) 162
- Parey, A., El Badaoui, M., Guillet, F. and Tandon, N., Dynamic modelling of spur gear pair and application of empirical mode decomposition-based statistical analysis for early detection of localized tooth defect (3) 547
- Park, Y.J. see Lim, C.W. (1-2) 1
- Pereira-Pinto, F.H.I. see de Paula, A.S. (3) 585
- Pettit, C.L. and Beran, P.S., Spectral and multiresolution Wiener expansions of oscillatory stochastic processes. (4-5) 752
- Pines, D. and Salvino, L., Structural health monitoring using empirical mode decomposition and the Hilbert phase. (1-2) 97
- Qingyu, X. see Changqing, B. (1-2) 23
- Qiu, X.J. see Han, N. (Short Communications). (1-2) 374
- Quinn, D.D. see Mani, G. (3) 454
- Raffy, M. see Gontier, C. (4-5) 944
- Ragni, A. see Camussi, R. (1-2) 177
- Reaves, M.C. see Lew, J.-S. (3) 615
- Reddy, J.N. see McCutcheon, D.M. (4-5) 828
- Salvino, L. see Pines, D. (1-2) 97
- Sandham, N.D., Morfey, C.L. and Hu, Z.W., Sound radiation from exponentially growing and decaying surface waves (Short Communications) (1-2) 355
- Savi, M.A. see de Paula, A.S. (3) 585
- Shin, S.H., Lee, S.J. and Yoo, H.H., Statistical characteristics of frequency response localization in nearly periodic systems. (4-5) 1039
- Singh, R. see Duan, C. (3) 503
- Sohn, J.W. see Choi, S.B. (3) 640
- Soize, C. see Chen, C. (1-2) 64
- Sun, H.L., Zhang, P.Q., Chen, H.B. and Zhang, K., Active control of a structure with continuously closely spaced natural frequencies (1-2) 15
- Swain, A.K., Mendes, E.M.A.M. and Nguang, S.K., Analysis of the effects of time delay in nonlinear systems using generalised frequency response functions (1-2) 341
- Tan, V.B.C. see Wang, C.M. (4-5) 1060
- Tandon, N. see Parey, A. (3) 547
- Tang, J.H. see Hu, H. (3) 637
- Tang, S.K. and Yeung, M.H., Reverberation times and speech transmission indices in classrooms (3) 596
- Tong, F., Tso, S.K. and Hung, M.Y.Y., Impact-acoustics-based health monitoring of tile-wall bonding integrity using principal component analysis. (1-2) 329
- Tso, S.K. see Tong, F. (1-2) 329
- Tweed, J. see Gerhold, C.H. (1-2) 49
- Wang, C.M., Tan, V.B.C. and Zhang, Y.Y., Timoshenko beam model for vibration analysis of multi-walled carbon nanotubes (4-5) 1060

Wang, L. see Zhao, Y.	(4-5) 1073
Wang, Y.-S. see Yu, G.-L.	(1-2) 238
Welcome, D.E. see Dong, R.G.	(4-5) 807
Williams, K.A. see Ye, S.	(3) 529
Wu, J.-C., Chih, H.-H. and Chen, C.-H., A robust control method for seismic protection of civil frame building	(1-2) 314
Wu, J.Z. see Dong, R.G.	(4-5) 807
Ye, S. and Williams, K.A., Torsional friction damper optimization	(3) 529
Yeung, M.H. see Tang, S.K.	(3) 596
Yongqiang, L., Free vibration analysis of plate using finite strip Fourier p -element	(4-5) 1051
Yoo, H.H. see Shin, S.H.	(4-5) 1039
Yu, G.-L., Wang, Y.-S. and Li, G.-S., Frictional slip of an elastic layer on a half-space caused by an anti-plane wave of an arbitrary form	(1-2) 238
Yu, Y., YuDejie and Junsheng, C., A roller bearing fault diagnosis method based on EMD energy entropy and ANN	(1-2) 269
YuDejie see Yu, Y.	(1-2) 269
Zeren, S. see Gürgöze, M. (Short Communications)	(1-2) 388
Zhang, K. see Sun, H.L.	(1-2) 15
Zhang, P.Q. see Sun, H.L.	(1-2) 15
Zhang, Y.Y. see Wang, C.M.	(4-5) 1060
Zhao, Y. and Wang, L., On the symmetric modal interaction of the suspended cable: Three-to-one internal resonance	(4-5) 1073
Zhu, X. and Kim, J., Application of analytic wavelet transform to analysis of highly impulsive noises	(4-5) 841