

Index to Volume 307

Abdel Wahab, M.M. see Vanegas Useche, L.V.	(3–5) 778
Ahmida, K.M. see Nunes, R.F.	(1–2) 38
Aimmanee, S. see Batra, R.C.	(3–5) 961
Anh, N.D., Matsuhisa, H., Viet, L.D. and Yasuda, M., Vibration control of an inverted pendulum type structure by passive mass–spring–pendulum dynamic vibration absorber	(1–2) 187
Arboleda-Monsalve, L.G., Zapata-Medina, D.G. and Aristizabal-Ochoa, J.D., Stability and natural frequencies of a weakened Timoshenko beam-column with generalized end conditions under constant axial load.	(1–2) 89
Aristizabal-Ochoa, J.D. see Arboleda-Monsalve, L.G.	(1–2) 89
Arruda, J.R.F., Gautier, F. and Donadon, L.V., Computing reflection and transmission coefficients for plate reinforcement beams	(3–5) 564
Arruda, J.R.F. see Nunes, R.F.	(1–2) 38
Bai, M.R. and Lin, J.-H., Source identification system based on the time-domain nearfield equivalence source imaging: Fundamental theory and implementation	(1–2) 202
Battle, V.F. see Trapero, J.R.	(1–2) 365
Batra, R.C. and Aimmanee, S., Vibration of an incompressible isotropic linear elastic rectangular plate with a higher-order shear and normal deformable theory.	(3–5) 961
Bayissa, W.L. and Haritos, N., Structural damage identification in plates using spectral strain energy analysis.	(1–2) 226
Blom, R.E.A. see Lopez, I.	(3–5) 481
Bunniss, P. see Wallace, M.I.	(3–5) 737
Cabell, R.H. see Kegerise, M.A.	(3–5) 906
Cabell, R.H. see Kegerise, M.A.	(3–5) 924
Cai, J.B. see Yan, W.	(3–5) 802
Caracoglia, L. and Jones, N.P., Passive hybrid technique for the vibration mitigation of systems of interconnected stays	(3–5) 849
Cattafesta III, L.N. see Kegerise, M.A.	(3–5) 906
Cattafesta III, L.N. see Kegerise, M.A.	(3–5) 924
Cha, P.D., Free vibration of a uniform beam with multiple elastically mounted two-degree-of-freedom systems	(1–2) 386
Chandrawat, H.N. see Kumar, R.	(3–5) 639
Chen, D.K. see Huang, D.T.	(3–5) 941
Chen, W.Q. see Yan, W.	(3–5) 802
Cortés, D. see Navarro-López, E.M.	(1–2) 152
Crewe, A.J. see Wallace, M.I.	(3–5) 737
Crowther, A.R., Janello, C. and Singh, R., Quantification of clearance-induced impulsive sources in a torsional system.	(3–5) 428
Dapino, M.J. see Mortensen, A.P.	(3–5) 983
Dargahi, J. see Nabavi, M.	(3–5) 972
Dario Aristizabal-Ochoa, J., Static and dynamic stability of uniform shear beam-columns under generalized boundary conditions	(1–2) 69
Das, P.K. see Dutta, S.C.	(3–5) 452
Dasgupta, B. see Mukherjee, P.	(3–5) 495

Davis, F.M. see Plaut, R.H.	(3–5)	894
Desmet, W. see Pinte, G.	(3–5)	513
Ding, H. and Kahraman, A., Interactions between nonlinear spur gear dynamics and surface wear	(3–5)	662
Ding, H.J. see Wang, H.M.	(1–2)	330
Domínguez, J. see Galvín, P.	(3–5)	755
Donadon, L.V. see Arruda, J.R.F.	(3–5)	564
Duffal, J.-M. see Fritz, G.	(3–5)	591
Dutta, S.C., Roy, R., Das, P.K., Roy, R. and Reddy, G.R., Seismic safety of structures: Influence of soil-flexibility, asymmetry and ground motion characteristics	(3–5)	452
El-Raheb, M., Effect of cable flexibility on transient response of a beam–pendulum system	(3–5)	834
Ervin, E.K. and Wickert, J.A., Repetitive impact response of a beam structure subjected to harmonic base excitation	(1–2)	2
Eversman, W. see Zlavog, G.	(1–2)	113
Eversman, W. see Zlavog, G.	(1–2)	139
Frank Pai, P., Nonlinear vibration characterization by signal decomposition	(3–5)	527
Fritz, G., Sinou, J.-J., Duffal, J.-M. and Jézéquel, L., Investigation of the relationship between damping and mode-coupling patterns in case of brake squeal	(3–5)	591
Galvín, P. and Domínguez, J., High-speed train-induced ground motion and interaction with structures	(3–5)	755
Gautier, F. see Arruda, J.R.F.	(3–5)	564
Guyomar, D., Richard, C. and Mohammadi, S., Semi-passive random vibration control based on statistics	(3–5)	818
Haritos, N. see Bayissa, W.L.	(1–2)	226
He, S. and Singh, R., Discontinuous compliance nonlinearities in the hydraulic engine mount	(3–5)	545
Huang, D.T. and Chen, D.K., Dynamic characteristics of a structure with multiple attachments: A receptance approach	(3–5)	941
Hulbert, G.M. see Hussein, M.I.	(3–5)	865
Hussein, M.I., Hulbert, G.M. and Scott, R.A., Dispersive elastodynamics of 1D banded materials and structures: Design	(3–5)	865
Janello, C. see Crowther, A.R.	(3–5)	428
Jeng, D.-S. see Lu, J.-F.	(1–2)	172
Jézéquel, L. see Fritz, G.	(3–5)	591
Jiang, J.S. see Xu, B.	(3–5)	392
Jones, N.P. see Caracoglia, L.	(3–5)	849
Kadam, P. and Kim, J., Experimental formulation of four poles of three-dimensional cavities and its application	(3–5)	578
Kahraman, A. see Ding, H.	(3–5)	662
Kegerise, M.A., Cabell, R.H. and Cattafesta III, L.N., Real-time feedback control of flow-induced cavity tones—Part 1: Fixed-gain control	(3–5)	906
Kegerise, M.A., Cabell, R.H. and Cattafesta III, L.N., Real-time feedback control of flow-induced cavity tones—Part 2: Adaptive control.	(3–5)	924
Kim, J. see Kadam, P.	(3–5)	578
Kirk, C.L. see Wiedemann, S.M.	(1–2)	265
Kumar, R., Singh, S.P. and Chandrawat, H.N., MIMO adaptive vibration control of smart structures with quickly varying parameters: Neural networks vs classical control approach	(3–5)	639
Lai, S.K. and Lim, C.W., Accurate approximate analytical solutions for nonlinear free vibration of systems with serial linear and nonlinear stiffness.	(3–5)	720
Lanza di Scalea, F. see Rizzo, P.	(1–2)	52
Lau, Y.L., Leung, R.C.K. and So, R.M.C., Vortex-induced vibration effect on fatigue life estimate of turbine blades	(3–5)	698
Leung, R.C.K. see Lau, Y.L.	(3–5)	698
Liang, J.-W., Damping estimation via energy-dissipation method	(1–2)	349
Lieven, N.A.J. see Wallace, M.I.	(3–5)	737

- Lim, C.W. see Lai, S.K. (3–5) 720
- Lim, C.W. see Wu, B.S. (3–5) 953
- Lim, C.W. see Yan, W. (3–5) 802
- Lin, J.-H. see Bai, M.R. (1–2) 202
- Lopez, I., Blom, R.E.A., Roozen, N.B. and Nijmeijer, H., Modelling vibrations on deformed rolling tyres—a modal approach (3–5) 481
- Lu, J. see Zou, H. (1–2) 379
- Lu, J.-F. and Jeng, D.-S., Green’s function for a harmonic acoustic point source within seawater overlying a saturated poroelastic seabed. (1–2) 172
- Mace, B.R. see Muggleton, J.M. (1–2) 280
- Mallik, A.K. see Mukherjee, P. (3–5) 495
- Matsuhisa, H. see Anh, N.D. (1–2) 187
- Mohammadi, S. see Guyomar, D. (3–5) 818
- Mortensen, A.P. and Dapino, M.J., Broadband acoustic transducer driven by magnetostrictive composite rod and ferroelectric stack. (3–5) 983
- Muggleton, J.M., Waters, T.P., Mace, B.R. and Zhang, B., Approaches to estimating the reflection and transmission coefficients of discontinuities in waveguides from measured data. (1–2) 280
- Mukherjee, P., Dasgupta, B. and Mallik, A.K., Dynamic stability index and vibration analysis of a flexible Stewart platform. (3–5) 495
- Nabavi, M., Siddiqui, M.H.K. and Dargahi, J., A new 9-point sixth-order accurate compact finite-difference method for the Helmholtz equation (3–5) 972
- Navarro-López, E.M. and Cortés, D., Avoiding harmful oscillations in a drillstring through dynamical analysis. (1–2) 152
- Neild, S.A. see Wallace, M.I. (3–5) 737
- Nijmeijer, H. see Lopez, I. (3–5) 481
- Niu, F. see Zou, H. (1–2) 379
- Nunes, R.F., Ahmida, K.M. and Arruda, J.R.F., Applying a fuzzy-set-based method for robust estimation of coupling loss factors. (1–2) 38
- Ou, J.P. see Xu, B. (3–5) 392
- Page, S.M. see Shiryayev, O.V. (3–5) 680
- Parker, G.A. see Vanegas Useche, L.V. (3–5) 778
- Pettit, C.L. see Shiryayev, O.V. (3–5) 680
- Pinte, G., Desmet, W. and Sas, P., Active control of repetitive transient noise (3–5) 513
- Plaut, R.H. and Davis, F.M., Sudden lateral asymmetry and torsional oscillations of section models of suspension bridges (3–5) 894
- Publisher’s Note. (1–2) 1
- Qiu, X. see Zou, H. (1–2) 379
- Ramos, J.I., An artificial parameter-decomposition method for nonlinear oscillators: Applications to oscillators with odd nonlinearities (1–2) 312
- Reddy, G.R. see Dutta, S.C. (3–5) 452
- Richard, C. see Guyomar, D. (3–5) 818
- Rienstra, S.W. see Vilenski, G.G. (3–5) 610
- Rizzo, P., Sorrivi, E., Lanza di Scalea, F. and Viola, E., Wavelet-based outlier analysis for guided wave structural monitoring: Application to multi-wire strands (1–2) 52
- Roozen, N.B. see Lopez, I. (3–5) 481
- Roy, R. see Dutta, S.C. (3–5) 452
- Ryue, J. and White, P.R., The detection of cracks in beams using chaotic excitations (3–5) 627
- Sas, P. see Pinte, G. (3–5) 513
- Savage, G.J. see Son, Y.K. (1–2) 20
- Scott, R.A. see Hussein, M.I. (3–5) 865
- Shiryayev, O.V., Page, S.M., Pettit, C.L. and Slater, J.C., Parameter estimation and investigation of a bolted joint model (3–5) 680
- Siddiqui, M.H.K. see Nabavi, M. (3–5) 972

Singh, R. see Crowther, A.R.	(3-5)	428
Singh, R. see He, S.	(3-5)	545
Singh, S.P. see Kumar, R.	(3-5)	639
Sinou, J.-J. see Fritz, G.	(3-5)	591
Sira-Ramírez, H. see Trapero, J.R.	(1-2)	365
Slater, J.C. see Shirayayev, O.V.	(3-5)	680
So, R.M.C. see Lau, Y.L.	(3-5)	698
Son, Y.K. and Savage, G.J., Optimal probabilistic design of the dynamic performance of a vibration absorber	(1-2)	20
Sorrivi, E. see Rizzo, P.	(1-2)	52
Sun, W.P. see Wu, B.S.	(3-5)	953
Trapero, J.R., Sira-Ramírez, H. and Batlle, V.F., A fast on-line frequency estimator of lightly damped vibrations in flexible structures	(1-2)	365
Treysède, F., Prebending effects upon the vibrational modes of thermally prestressed planar beams	(1-2)	295
Vanegas Useche, L.V., Abdel Wahab, M.M. and Parker, G.A., Dynamics of an unconstrained oscillatory flicking brush for road sweeping	(3-5)	778
Viet, L.D. see Anh, N.D.	(1-2)	187
Vilenski, G.G. and Rienstra, S.W., Numerical study of acoustic modes in ducted shear flow	(3-5)	610
Viola, E. see Rizzo, P.	(1-2)	52
Wagg, D.J. see Wallace, M.I.	(3-5)	737
Wallace, M.I., Wagg, D.J., Neild, S.A., Bunniss, P., Lieven, N.A.J. and Crewe, A.J., Testing coupled rotor blade-lag damper vibration using real-time dynamic substructuring	(3-5)	737
Wang, H.M. and Ding, H.J., Radial vibration of piezoelectric/magnetostrictive composite hollow sphere	(1-2)	330
Wang, Y. see Wang, Z.-M.	(1-2)	250
Wang, Z.-M., Zhou, Y.-F. and Wang, Y., Dynamic stability of a non-conservative viscoelastic rectangular plate	(1-2)	250
Waters, T.P. see Muggleton, J.M.	(1-2)	280
White, P.R. see Ryue, J.	(3-5)	627
Wickert, J.A. see Ervin, E.K.	(1-2)	2
Wiedemann, S.M. and Kirk, C.L., Eigenvalue analysis and optimised numerical simulations of the space shuttle remote manipulator system	(1-2)	265
Wu, B.S., Sun, W.P. and Lim, C.W., Analytical approximations to the double-well Duffing oscillator in large amplitude oscillations.	(3-5)	953
Xu, B., Jiang, J.S. and Ou, J.P., Integrated optimization of structural topology and control for piezoelectric smart trusses using genetic algorithm	(3-5)	392
Yan, W., Lim, C.W., Chen, W.Q. and Cai, J.B., A coupled approach for damage detection of framed structures using piezoelectric signature	(3-5)	802
Yasuda, M. see Anh, N.D.	(1-2)	187
Zapata-Medina, D.G. see Arboleda-Monsalve, L.G.	(1-2)	89
Zhang, B. see Muggleton, J.M.	(1-2)	280
Zhou, Y.-F. see Wang, Z.-M.	(1-2)	250
Zlavog, G. and Eversman, W., Source effects on attenuation in lined ducts. Part I: A statistically based computational approach.	(1-2)	113
Zlavog, G. and Eversman, W., Source effects on attenuation in lined ducts. Part II: Statistical properties	(1-2)	139
Zou, H., Qiu, X., Lu, J. and Niu, F., A preliminary experimental study on virtual sound barrier system.	(1-2)	379