

## Index to Volume 315

Alonso, J.S. and Burdisso, R.A., Eigenvalue solution for the convected wave equation in a circular soft wall duct . . . . .	(4–5) 1003
Amabili, M. see Hosseini-Hashemi, S. . . . .	(1–2) 318
Amabili, M. see Ribeiro, P. . . . .	(3) 371
Anthony, D.K., Modal detection for non-uniform thickness beams using continuous strain sensors and a strain-energy-based orthogonality condition. . . . .	(1–2) 65
Astley, R.J. see Gabard, G. . . . .	(4–5) 1103
Balthazar, J.M. see Costa, S.N.J. . . . .	(4–5) 961
Balthazar, J.M. see Dantas, M.J.H. . . . .	(4–5) 1047
Barmshouri, E. see Malekzadeh, P. . . . .	(1–2) 212
Barrault, G. see Halim, D. . . . .	(1–2) 1
Barthels, P. and Wauer, J., Non-smooth and time-varying systems of geometrically nonlinear beams. . . . .	(3) 455
Batra, R.C., Porfiri, M. and Spinello, D., Vibrations and pull-in instabilities of microelectromechanical von Kármán elliptic plates incorporating the Casimir force . . . . .	(4–5) 939
Bebiano, R., Silvestre, N. and Camotim, D., Local and global vibration of thin-walled members subjected to compression and non-uniform bending . . . . .	(3) 509
Bendiksen, O.O. and Seber, G., Fluid–structure interactions with both structural and fluid nonlinearities. . . . .	(3) 664
Bergervoet, J.T.M. see Stoltenkamp, P.W. . . . .	(1–2) 258
Bilbao, S. see Thomas, O. . . . .	(3) 569
Bilello, C., Di Paola, M. and Salamone, S., A correction method for the analysis of continuous linear one-dimensional systems under moving loads. . . . .	(1–2) 226
Bochenski, M. see Warminski, J. . . . .	(3) 486
Brasil, R.M.L.R.F. see Costa, S.N.J. . . . .	(4–5) 961
Brennan, M.J. see Carrella, A. . . . .	(3) 712
Brennan, M.J. see Kovacic, I. . . . .	(3) 700
Bruneau, A.-M. see Rodrigues, D. . . . .	(4–5) 890
Bruneau, M. see Rodrigues, D. . . . .	(4–5) 890
Brungart, T.A. see Foley, A.W. . . . .	(1–2) 88
Burdisso, R.A. see Alonso, J.S. . . . .	(4–5) 1003
Camotim, D. see Bebiano, R. . . . .	(3) 509
Carrella, A., Brennan, M.J., Waters, T.P. and Shin, K., On the design of a high-static–low-dynamic stiffness isolator using linear mechanical springs and magnets . . . . .	(3) 712
Cartmell, M.P. see Warminski, J. . . . .	(3) 486
Cazzolato, B.S. see Halim, D. . . . .	(1–2) 1
Cho, Y.H., Numerical simulation of the dynamic responses of railway overhead contact lines to a moving pantograph, considering a nonlinear dropper . . . . .	(3) 433
Chung, J. see Jung, D. . . . .	(1–2) 100
Cortés, F. and Elejabarrieta, M.J., Forced response of a viscoelastically damped rod using the superposition of modal contribution functions . . . . .	(1–2) 58
Costa, S.N.J., Balthazar, J.M. and Brasil, R.M.L.R.F., Comments on energy confinement in non-periodic structures . . . . .	(4–5) 961
Dantas, M.J.H. and Balthazar, J.M., On energy transfer between linear and nonlinear oscillators . . . . .	(4–5) 1047
Del Prado, Z.J.G.N. see Gonçalves, P.B. . . . .	(3) 641
Demeio, L. and Lenci, S., Second-order solutions for the dynamics of a semi-infinite cable on a unilateral substrate. . . . .	(3) 414

Di Paola, M. see Bilello, C. . . . .	(1–2)	226
Durocher, J.-N. see Rodrigues, D. . . . .	(4–5)	890
Ebrahimi, B., Khamesee, M.B. and Golnaraghi, M.F., Design and modeling of a magnetic shock absorber based on eddy current damping effect . . . . .	(4–5)	875
Elejabarrieta, M.J. see Cortés, F. . . . .	(1–2)	58
Fang, D.-N. see Liu, J.-x. . . . .	(1–2)	146
Feliu, V. see Ramos, F. . . . .	(1–2)	34
Foley, A.W., Howe, M.S. and Brungart, T.A., Sound generated by a jet-excited spherical cavity. . . . .	(1–2)	88
Gabard, G. and Astley, R.J., A computational mode-matching approach for sound propagation in three-dimensional ducts with flow . . . . .	(4–5)	1103
Galindo, M. see Girón, S. . . . .	(4–5)	1125
Gendelman, O.V., Targeted energy transfer in systems with non-polynomial nonlinearity . . . . .	(3)	732
Gendelman, O.V. see Starosvetsky, Y. . . . .	(3)	746
Ghosal, A. see Shankar Narayan, S. . . . .	(4–5)	970
Gilbert, K.E., . . . . .	(1–2)	367
Girón, S., Galindo, M. and Zamarreño, T., Distribution of lateral acoustic energy in Mudejar–Gothic churches . . . . .	(4–5)	1125
Golliard, J. see Kooijman, G. . . . .	(4–5)	849
Golnaraghi, M.F. see Ebrahimi, B. . . . .	(4–5)	875
Gonçalves, P.B., Silva, F.M.A. and Del Prado, Z.J.G.N., Low-dimensional models for the nonlinear vibration analysis of cylindrical shells based on a perturbation procedure and proper orthogonal decomposition . . . . .	(3)	641
Guianvarc’h, C. see Rodrigues, D. . . . .	(4–5)	890
Halim, D., Barrault, G. and Cazzolato, B.S., Active control experiments on a panel structure using a spatially weighted objective method with multiple sensors . . . . .	(1–2)	1
Hirschberg, A. see Kooijman, G. . . . .	(4–5)	849
Hirschberg, A. see Stoltenkamp, P.W. . . . .	(1–2)	258
Hosseini-Hashemi, S., Khorshidi, K. and Amabili, M., Exact solution for linear buckling of rectangular Mindlin plates . . . . .	(1–2)	318
Howe, M.S. see Foley, A.W. . . . .	(1–2)	88
Ivanov, I. see Warminski, J. . . . .	(3)	486
Jansen, E. see Ribeiro, P. . . . .	(3)	626
Jansen, E.L., The effect of static loading and imperfections on the nonlinear vibrations of laminated cylindrical shells . . . . .	(4–5)	1035
Jansson, A. and Lundberg, B., Three-port impedance model of a piezoelectric bar element: Application to generation and damping of extensional waves . . . . .	(4–5)	985
Ji, J.C. and Zhang, N., Additive resonances of a controlled van der Pol–Duffing oscillator. . . . .	(1–2)	22
Jin, X.S. and Wen, Z.F., Effect of discrete track support by sleepers on rail corrugation at a curved track . . . . .	(1–2)	279
Jung, D., Chung, J. and Mazzoleni, A., Dynamic stability of a semi-circular pipe conveying harmonically oscillating fluid . . . . .	(1–2)	100
Kapuria, S. and Kulkarni, S.D., An efficient quadrilateral element based on improved zigzag theory for dynamic analysis of hybrid plates with electroded piezoelectric actuators and sensors . . . . .	(1–2)	118
Keber, M. and Wiercigroch, M., Dynamics of a vertical riser with weak structural nonlinearity excited by wakes. . . . .	(3)	685
Khamesee, M.B. see Ebrahimi, B. . . . .	(4–5)	875
Khorshidi, K. see Hosseini-Hashemi, S. . . . .	(1–2)	318
Kooijman, G., Hirschberg, A. and Golliard, J., Acoustical response of orifices under grazing flow: Effect of boundary layer profile and edge geometry . . . . .	(4–5)	849
Kovacic, I., Brennan, M.J. and Waters, T.P., A study of a nonlinear vibration isolator with a quasi-zero stiffness characteristic . . . . .	(3)	700
Krauskopf, B. see Sieber, J. . . . .	(3)	781
Kulkarni, S.D. see Kapuria, S. . . . .	(1–2)	118
Kusculuoglu, Z.K. and Royston, T.J., Nonlinear modeling of composite plates with piezoceramic layers using finite element analysis . . . . .	(4–5)	911
Kwok, M.P. see Li, K.M. . . . .	(1–2)	239

Lauchle, G.C., . . . . .	(1–2)	368
Law, M.K. see Li, K.M. . . . .	(1–2)	239
Le, K.N., On noise robustness of the Mexican-hat and hyperbolic wavelets with an experiment on chaos detection. . . . .	(1–2)	343
Lee, S.-Y., Sheu, J.-J. and Lin, S.-M., In-plane vibrational analysis of rotating curved beam with elastically restrained root . . . . .	(4–5)	1086
Lee, W.K. see Park, H.D. . . . .	(3)	556
Lenci, S. see Demeio, L. . . . .	(3)	414
Li, K.M., Law, M.K. and Kwok, M.P., Absorbent parallel noise barriers in urban environments . . . . .	(1–2)	239
Lin, J., Corrigendum for “J. Lin, A vibration absorber of smart structures using adaptive networks in hierarchical fuzzy control” [J. Sound Vib. 287 (4–5) (2005) 683–705] . . . . .	(4–5)	1143
Lin, S.-M. see Lee, S.-Y. . . . .	(4–5)	1086
Liu, J.-x., Fang, D.-N., Wei, W.-Y. and Zhao, X.-F., Love waves in layered piezoelectric/piezomagnetic structures . . . . .	(1–2)	146
Liu, Z.H. and Zhu, W.Q., First-passage failure of quasi-integrable Hamiltonian systems under time-delayed feedback control . . . . .	(1–2)	301
Lundberg, B. see Jansson, A. . . . .	(4–5)	985
Luongo, A., Zulli, D. and Piccardo, G., Analytical and numerical approaches to nonlinear galloping of internally resonant suspended cables . . . . .	(3)	375
Malekzadeh, P., Setoodeh, A.R. and Barmshouri, E., A hybrid layerwise and differential quadrature method for in-plane free vibration of laminated thick circular arches. . . . .	(1–2)	212
Manoach, E. and Trendafilova, I., Large amplitude vibrations and damage detection of rectangular plates. . . . .	(3)	591
Maruyama, S., Nagai, K. and Tsuruta, Y., Modal interaction in chaotic vibrations of a shallow double-curved shell-panel . . . . .	(3)	607
Marzani, A., Tornabene, F. and Viola, E., Nonconservative stability problems via generalized differential quadrature method . . . . .	(1–2)	176
Mazzoleni, A. see Jung, D. . . . .	(1–2)	100
Nagai, K. see Maruyama, S. . . . .	(3)	607
Nair, P.S. see Shankar Narayan, S. . . . .	(4–5)	970
Ohayon, R., . . . . .	(1–2)	365
Park, H.D. and Lee, W.K., Basin boundaries in asymmetric vibrations of a circular plate . . . . .	(3)	556
Park, J. and Wang, S., Noise reduction for compressors by modes control using topology optimization of eigenvalue. . . . .	(4–5)	836
Piccardo, G. see Luongo, A. . . . .	(3)	375
Plaut, R.H. see Virgin, L.N. . . . .	(3)	721
Porfiri, M., Vibrations of parallel arrays of electrostatically actuated microplates. . . . .	(4–5)	1071
Porfiri, M. see Batra, R.C. . . . .	(4–5)	939
Pradhan, A.K. see Ray, M.C. . . . .	(4–5)	816
Przekop, A. see Rizzi, S.A. . . . .	(3)	467
Ramos, F. and Feliu, V., New online payload identification for flexible robots. Application to adaptive control . . . . .	(1–2)	34
Ray, M.C. and Pradhan, A.K., Performance of vertically and obliquely reinforced 1–3 piezoelectric composites for active damping of laminated composite shells . . . . .	(4–5)	816
Rega, G. see Srinil, N. . . . .	(3)	394
Ribeiro, P. and Amabili, M., Special issue on geometrically nonlinear vibrations of structures—EUROMECH 483. . . . .	(3)	371
Ribeiro, P. and Jansen, E., Non-linear vibrations of laminated cylindrical shallow shells under thermomechanical loading . . . . .	(3)	626
Ribeiro, P. see Stoykov, S. . . . .	(3)	536
Rizzi, S.A. and Przekop, A., System identification-guided basis selection for reduced-order nonlinear response analysis . . . . .	(3)	467
Rodrigues, D., Guianvarc’h, C., Durocher, J.-N., Bruneau, M. and Bruneau, A.-M., A method to measure and interpret input impedance of small acoustic components. . . . .	(4–5)	890
Royston, T.J. see Kusculuoglu, Z.K. . . . .	(4–5)	911
Ryue, J., Thompson, D.J., White, P.R. and Thompson, D.R., Investigations of propagating wave types in railway tracks at high frequencies . . . . .	(1–2)	157
Salamone, S. see Bilello, C. . . . .	(1–2)	226
Santillan, S.T. see Virgin, L.N. . . . .	(3)	721

Sarıgül, A.S. see Seçgin, A. . . . .	(1-2) 197
Seber, G. see Bendiksen, O.O. . . . .	(3) 664
Seçgin, A. and Sarıgül, A.S., Free vibration analysis of symmetrically laminated thin composite plates by using discrete singular convolution (DSC) approach: Algorithm and verification . . . . .	(1-2) 197
Setoodeh, A.R. see Malekzadeh, P. . . . .	(1-2) 212
Shankar Narayan, S., Nair, P.S. and Ghosal, A., Dynamic interaction of rotating momentum wheels with spacecraft elements . . . . .	(4-5) 970
Sharma, J.N., Sharma, Y.D. and Sharma, P.K., On the propagation of elasto-thermodiffusive surface waves in heat-conducting materials . . . . .	(4-5) 927
Sharma, P.K. see Sharma, J.N. . . . .	(4-5) 927
Sharma, Y.D. see Sharma, J.N. . . . .	(4-5) 927
Sheu, J.-J. see Lee, S.-Y. . . . .	(4-5) 1086
Shin, K. see Carrella, A. . . . .	(3) 712
Sieber, J. and Krauskopf, B., Tracking oscillations in the presence of delay-induced essential instability . . . . .	(3) 781
Silva, F.M.A. see Gonçalves, P.B. . . . .	(3) 641
Silvestre, N. see Bebiano, R. . . . .	(3) 509
Singhose, W. see Vaughan, J. . . . .	(4-5) 797
Spinello, D. see Batra, R.C. . . . .	(4-5) 939
Srinil, N. and Rega, G., Space-time numerical simulation and validation of analytical predictions for nonlinear forced dynamics of suspended cables . . . . .	(3) 394
Starosvetsky, Y. and Gendelman, O.V., Response regimes of linear oscillator coupled to nonlinear energy sink with harmonic forcing and frequency detuning . . . . .	(3) 746
Stoltenkamp, P.W., Bergervoet, J.T.M., Willems, J.F.H., van Uittert, F.M.R. and Hirschberg, A., Response of turbine flow meters to acoustic perturbations . . . . .	(1-2) 258
Stoykov, S. and Ribeiro, P., Periodic geometrically nonlinear free vibrations of circular plates . . . . .	(3) 536
Thomas, O. and Bilbao, S., Geometrically nonlinear flexural vibrations of plates: In-plane boundary conditions and some symmetry properties . . . . .	(3) 569
Thompson, D.J. see Ryue, J. . . . .	(1-2) 157
Thompson, D.R. see Ryue, J. . . . .	(1-2) 157
Tornabene, F. see Marzani, A. . . . .	(1-2) 176
Trendafilova, I. see Manoach, E. . . . .	(3) 591
Tsuruta, Y. see Maruyama, S. . . . .	(3) 607
van Uittert, F.M.R. see Stoltenkamp, P.W. . . . .	(1-2) 258
Vaughan, J., Yano, A. and Singhose, W., Comparison of robust input shapers . . . . .	(4-5) 797
Viola, E. see Marzani, A. . . . .	(1-2) 176
Virgin, L.N., Santillan, S.T. and Plaut, R.H., Vibration isolation using extreme geometric nonlinearity . . . . .	(3) 721
Wang, S. see Park, J. . . . .	(4-5) 836
Wang, T.Q. see Yang, B. . . . .	(4-5) 1016
Warminski, J., Cartmell, M.P., Bochenski, M. and Ivanov, I., Analytical and experimental investigations of an autoparametric beam structure. . . . .	(3) 486
Waters, T.P. see Carrella, A. . . . .	(3) 712
Waters, T.P. see Kovacic, I. . . . .	(3) 700
Wauer, J. see Barthels, P. . . . .	(3) 455
Wei, W.-Y. see Liu, J.-x. . . . .	(1-2) 146
Wen, Z.F. see Jin, X.S. . . . .	(1-2) 279
White, P.R. see Ryue, J. . . . .	(1-2) 157
Wiercigroch, M. see Keber, M. . . . .	(3) 685
Willems, J.F.H. see Stoltenkamp, P.W. . . . .	(1-2) 258
Yabuno, H., Stabilization and utilization of nonlinear phenomena based on bifurcation control for slow dynamics . . . . .	(3) 766
Yang, B. and Wang, T.Q., Investigation of the influence of liner hard-splices on duct radiation/propagation and mode scattering. . . . .	(4-5) 1016
Yano, A. see Vaughan, J. . . . .	(4-5) 797
Zamarreño, T. see Girón, S. . . . .	(4-5) 1125
Zhang, N. see Ji, J.C. . . . .	(1-2) 22
Zhao, X.-F. see Liu, J.-x. . . . .	(1-2) 146
Zhu, W.Q. see Liu, Z.H. . . . .	(1-2) 301
Zulli, D. see Luongo, A. . . . .	(3) 375