Contents lists available at ScienceDirect



Journal of Sound and Vibration



journal homepage: www.elsevier.com/locate/jsvi

Discussion

Response to "Comment on paper 'The bulk modulus and Poisson's ratio of "incompressible" materials"

P.H. Mott*, C.M. Roland

Naval Research Laboratory, Code 6120, Washington, DC 20375-5342, USA

ARTICLE INFO

Article history: Received 7 October 2009 Accepted 8 October 2009 Handling Editor: M.P. Cartmell Available online 22 October 2009

ABSTRACT

The incorrectness of the common assumption that rubbery polymers are incompressible does not preclude its yielding accurate determinations of the elastic modulus for nonlinear deformations.

Published by Elsevier Ltd.

Voinovich [1] makes two points:

(i) "There is neither physical nor mathematical reason for the bulk modulus to tend to infinity". This reiterates statements in our paper [2] and thus there is no disagreement.

(ii) "The Young modulus *E* and the shear modulus *G* become zero when $v = \frac{1}{2}$ ". This is correct but pedantic. Rubbers are often described as being subjected to "incompressible deformation", since the bulk modulus *B* is on the order of 2000*G*, so that for practical purposes there is no volume change when the material undergoes appreciable elastic deformation. Moreover, in the development of nonlinear elastic constitutive theories of rubber (for a review see Ref. [3]), the pressure term of the stress tensor is not considered. This is a useful approximation, analogous to "incompressible flow" in fluid mechanics. As an elastomer approaches the softening zone $(G/B \rightarrow 0)$ and conforms to "incompressible" rubber elasticity, an unfortunate misinterpretation of some workers is that the bulk modulus becomes very large. The purpose of [2] was to clarify this issue.

Notwithstanding, it is misleading to adopt the view of [1] that the assumption of incompressibility *requires* a zero shear modulus. Finite element modeling of elastomer products such as tires commonly assumes that $v = \frac{1}{2}$; indeed, the default value of the bulk modulus in commercial modeling software for rubber is usually infinity [4,5,6]. Nevertheless, these programs can yield accurate estimates of tensile and shear moduli.

Eq. (2) of [1] is a restatement of Zeno's Arrow Paradox [7] and only tangentially relevant.

Acknowledgment

This work was supported by the Office of Naval Research.

DOI of original article: 10.1016/j.jsv.2008.01.026

^{*} Corresponding author.

E-mail address: peter.mott@nrl.navy.mil (P.H. Mott).

⁰⁰²²⁻⁴⁶⁰X/\$ - see front matter Published by Elsevier Ltd. doi:10.1016/j.jsv.2009.10.008

References

- P. Voinovich, Comment on paper "The bulk modulus and Poisson's ratio of "incompressible" materials", Journal of Sound and Vibration, preceding paper, doi:10.1016/j.jsv.2009.09.004.
- [2] P.H. Mott, J.R. Dorgan, C.M. Roland, The bulk modulus and Poisson's ratio of "incompressible" materials, Journal of Sound and Vibration 312 (2008) 572-575.
- [3] R.S. Rivlin, The elasticity of rubber, Rubber Chemistry & Technology 65 (1992) G51-G66.
- [4] R.H. Finney, A. Kumar, Development of material constants for nonlinear finite-element analysis, Rubber Chemistry & Technology 61 (1988) 879–891.
- [5] A.H. Muhr, Modeling the stress-strain behavior of rubber, *Rubber Chemistry & Technology* 78 (2005) 391–425.
- [6] A.N. Gent, F.M. Discenzo, J.B. Suh, Compression of rubber disks between frictional surfaces, Rubber Chemistry & Technology 82 (2009) 1–17.
- [7] Aristotle, *Physics* (ca. 350 BC), translated by R.P. Hardie, R.K. Gaye, Clarendon Press, Oxford, 1930.