

# 15th International Thermal Spray Conference and Exhibition

25-29 May 1998, Nice, France

The conference is organized in 10 technical symposia. Detailed information about the conference can be found at: <http://www.congres-scientifiques.com/itsc98/itsc981.htm>.

The complete preliminary program, as of 24 December 1997, for the last ITSC of the millennium is presented below. It is divided into the 10 general topic areas, and a comprehensive author index is provided.

## 1. Oxidation and Corrosion

1. Thermal Sprayed Polymer Coatings for Corrosion Protection in a Biochemical Treatment Process, Allan M.L., Berndt C.C., Brogan J.A., Otterson O.
2. Oxidation Protection BN Coating on the Graphite, Nechepurenko A., Pozhenskiy S., Samuni S.
3. Improve the Adhesion of Thermal Sprayed Zinc and Aluminium Coatings by Organic Compounds, Schulz W.-D.
4. Thermal Spraying of High-Performance Thermoplastics, Lugscheider E., Herbst C., Fischer A.
5. Thermal Deposition of BN Coating on the Graphite, Nechepurenko A., Samun S., Pozhenskiy S.
6. Corrosion Resistance of Thermal Spray Inconel 690 Coatings, Normand B., Liao H., Landemarre O., Coddet C.
7. A Study of Oxidation Behaviour of WC-Co, Cr<sub>3</sub>C<sub>2</sub>-NiCr and TiC-Ni-Based Materials in Thermal Spray Processes, Berger L.-M., Vuoristo P., Mäntylä T., Gruner W.
8. Resistance of Thermal Sprayed Duplex Coating Composed with Al and Ni-Cr Alloy against Aqueous Corrosion, Ishikawa K., Suzuki T., Tobe S., Kitamura Y.
9. Performance of Thermally Sprayed TiC-Ni Based Coatings in Corrosion Wear Environment, Vuoristo P., Mäntylä T., Berger L.-M., Nebelung M.
10. Thermally Sprayed Composite Coatings for Enhanced Corrosion Protection of Steel Structures, Lester T., Kingerley D.J., Harris S.J., Matthews S.P.
11. Controlling the Sacrificial Corrosion Properties of Sprayed Aluminium Alloy Coatings, Horlock A.J., Dent A.H., McCartney D.G., Harris S.J.
12. Degradation Behavior of WC Base Coatings in Molten Zinc, Hwang S.Y., Seong B.G., Lee D.S., Park C.K.
13. Field Performance of Sprayed Zinc Cathodic Protection Anodes, Tinnea J.S., John S.
14. Oxidation Control in Atmospheric Plasma Spraying: Comparison Between Ar/H<sub>2</sub>/He and Ar/H<sub>2</sub> Mixtures, Denoirjean A., Lagnoux O., Fauchais P., Sember V.
15. Plasma Sprayed Cermet Coating for Hot Corrosion Resistance of Superheater Tubes in Coal-Fired Power Station Boiler, Chen H., Han Z.H., Chen L.L., Zhang X.-T., Peng Y.-F.
16. Corrosion Resistance HVOF Coatings Based Upon TiC+NiTi and (Ti,W) C + Ni, Guilemany J.M., De Paco J.M., Miguel J.R., Sanchez J., Smith P.

17. Oxidation Properties of NiAl Intermetallic Coatings Prepared by High Velocity Oxy-Fuel Thermal Spraying, Hearley J.A., Little J.A., Sturgeon A.J.
  18. Assessment of HVOF Coatings for Wet Corrosion Protection, Dvorak M., Heimgartner P.
  19. Personal Computer and Thermal Spraying, Gruner H., Sommer F., Kuhn R.
  20. Evaluation of Thermal Sprayed Coatings of Zn, Al, and Their Alloys by Salt Spray Test, Magome M., Suematsu K., Mende T.
  21. Formation of Highly Corrosion Resistant Alloys using Laser Surface Alloying, Deshmukh M.B., Sridhar K., Khanna A.S.
  22. A Review on Protection from Corrosion, Oxidation and Hot Corrosion by Thermal Spray Coatings, Tobe S.
  23. An Analysis of Environmental Factors Affecting Corrosion Behaviour of Thermal Spray Cermet Coatings, Hodgkiss, T., Neville A.
- ## 2. Wear and Corrosion—Alternatives to Conventional Coatings
24. APS & HVOF Coatings Alternative to Hard Chromium—A Tribological Approach, Duhamel J.P., Chen Y.M., Reby J., Nestler M.
  25. Thermally Sprayed Ceramic-Metal Matrix Composite Coatings against Erosion, Karimi A., Verdon C., Martin J.L., Vulliod G., Golay R.
  26. Tribological Properties Study on Arc Sprayed 7Cr13 Cored Wires Coating, Xu B., Ma S., Wang J., Tan J.
  27. Friction and Corrosion Behavior of Different Ceramic Coatings (Oxides) Obtained by Thermal Spray for Qualification Tests in Sea Water, Giroud A., Jouanny C., Heuze J.L., Gaillard F., Guiraldenq P.
  28. Microstructure and Wear-Resistance of Fe-Cr-B Alloy Coatings Fabricated by Detonation Gun, Jin H.-W., Park C.G., Kim M.C.
  29. Microstructural Evaluations of the Plasma Transferred Arc Coated Layers on the Hardness, Wear Resistance, and Corrosion for the Hardfacing of Ni- and Co-Based Alloys, Kim H.-J., Kim Y.J.
  30. A Review of Clearance Control Wear Mechanisms for Low Temperature Aluminium Silicon Alloys, Ghasripoor, F. Schmid, R.K. Dorfman, M.R. Russo, L.
  31. A Study in the High Temperature Tribological Characteristics of the Plasma Sprayed ZrO<sub>2</sub> Coating, Song Y.S., Han J.-C., Park M.-H., Lee K.-H., Ro B.-H., Byun E.-S., Sasaki S.
  32. Slurry and Dry Erosion of High Velocity Oxyfuel Thermal Sprayed Coatings, Arsenault B., Legoux J.G., Hawthorne H., Immarigeon J.P., Parameswaran V.R.

33. Slurry and Dry Erosion of Arc-Sprayed Metal and Composite Coatings, Legoux J.G., Arsenault B., Immarigeon J.P., Parameswaran V.R., Hawthorne H.
34. Tribological Properties of Mo/NiCrBSi Thermal Spray Deposits, Fervel V., Normand B., Coddet C., Delaet M.
35. Wet Abrasion and Slurry Erosion Resistance of Sealed Oxide Coatings, Knuutila J., Ahmanniemi S., Leivo E., Sorsa P., Vuoristo P., Mäntylä T.
36. Elevated Temperature Erosion Resistance of Several Experimental Amorphous Thermal Spray Coatings, Wang B.
37. Wear Behaviour of HVOF and HVAF Sprayed WC-Cermet Coatings, Jacobs L., Hyland M., De Bonte M., Delaey L.
38. DC Plasma Sprayed Polymer Composite Coatings for Abrasion Resistant Protective Surfaces, Tufa K.Y., Gitzhofer F.
39. A Study on the Wear Characteristics of Plasma Sprayed NiCrSiB/WC-12Co Mixed Coating, Ahn H.S., Lee C.H.
40. Applications and Failure Mechanisms of Thermal Spray Coatings in Rolling Contact, Hadfield M., Ahmed R.
41. Microstructure and Wear Resistance of Plasma Sprayed WC-Co-Ni Coatings, Hayashi H., Haraguchi H., Ito H., Nakano O.
42. Case Study: Application of HVOF Sprayed Coatings for Replacement of Chrome Plating on NAVY P-3 Hydraulic Components and Landing Gear, Parker D.S.
43. The Tribology of Amorphous Surfaces Formed by Wear of Thermal Spray Coatings, Scruggs D.M.
44. Improvement of Wear Property of NbC/High Cr-High Ni Overlay Alloy Coating Formed by Plasma Transferred Arc Welding Process, Tomita T., Okita K., Takatani Y., Harada Y.
45. Plasma Sprayed Self-Lubricating Cr<sub>2</sub>O<sub>3</sub>-CaF<sub>2</sub> Coatings: Friction and Wear Properties, Vos F., Delaey L., De Bonte M., Froyen L.
46. Influence of Surface Microstructure of Ceramic Coatings on the Initiation and Development of Scuffing Phenomena, Antoszewski B., Zorawski W.
47. The Structure Property Relationship of Erosion Resistant Thermal Spray Coatings, Tucker R.C., Ashari A.A.
48. Development of an Electric Arc Sprayed Self Lubricating Coating, Llewellyn H., Grant P.S., Newbery A.P., Jordan R.M.
49. Microstructure and Properties of Tungsten Carbide Coatings Sprayed with Various HVOF Spray Systems, Schwetzke R., Kreye H.
50. PTA High Energy: New Alternative for Wear and Erosion Resistance, Proner A., Dacquet J.P.
51. Cavitation Erosion Resistant Coatings Produced by Thermal Spraying and by Weld Cladding, Kreye H., Schwetzke R., Buschinelli A., Boccanera L.
52. Effect of Microstructure and Alloy Additions on the Sliding Friction and Wear of Plasma Sprayed Molybdenum Alloy Coatings, Usmani S., Sampath S., Houck D.
53. Sliding Wear Performance of 2618 Aluminum Substrates Coated with Nickel-Aluminum-Bronze using the Cold Gas Dynamic Spray Method, Segall A. E., Papyrin A., Conway J.C., Amateau M.F.
54. Wear Evaluation of Plasma Sprayed Oxide and Carbide Coatings, Ding C., Li J., Zhang L., Yu X.
55. Wear Properties of WC/C Coatings with Plasma and High Velocity Oxyfuel Spraying, Akasawa T., Ai K.
56. Effect of Powder Type on the Relationship between Spray Parameters and Properties of HVOF Sprayed Cr<sub>3</sub>C<sub>2</sub>-NiCr Coatings, Li C.J., Ji G.-C., Wang Y.-Y., Sonoya K.
57. Effect of Powder Type and Composition on the Erosion and Abrasion of HP/HVOF Deposited WC-Co Coatings, De Villiers, Lovelock H.L., Van Wyk P.
58. A Design of Experiment for the Preparation of Zirconia Coatings for Tribological Applications, Karthikeyan J., Aldridge C.E.
59. Evaluation of Thermal Spray Coatings to Combat Slurry Wear for Two Mining Environments, Howse H.
60. Influence of Deposition Techniques on Wear and Friction Behaviour of Al<sub>2</sub>O<sub>3</sub> Coatings, Lugscheider E., Abdel-Samad A., El-Bahloul A.M.M., Rassoul S.A.
61. Effect of Zirconia on the Properties of Alumina Coatings, Lugscheider E., Abdel-Samad A., El-Bahloul A.M.M., Rassoul S.A.
62. Cored Wire Application using Electric Arc Spray, Sampson E.R.
63. Investigation into the Application of Thermal Spray Coatings for Combating Slurry Wear in the Mining Industry, Howse H.
64. Wear Mechanisms of MCrAlY Abradable Plasma-Sprayed Coatings, Li S., Langlade-Bomba C., Treheux D., Crabos F., Monge-Cadet P.
65. Performance of 2618 Aluminum Substrates Coated with Nickel-Aluminum-Bronze using the Cold Gas Dynamic Spray Method, Papyrin A., Segall A.E., Bhagat R., Conway J.C., Amateau M.F., Stutzman B., Jones B.
66. Slurry Erosion Resistance of Arc-Sprayed and Laser-Melted Coatings, Dallaire S., Dube D., Fiset M.
67. An Overview of Alternative Coatings for Wear and Corrosion Resistance, Tucker R.C.
68. High Temperature Wear Behavior of Plasma Spray Coating in Co-Based Alloy, Lee S.W.
69. Effects of Powder Composition on the Erosion, Corrosion and Erosion-Corrosion Properties of HVOF Sprayed WC Based Coatings, Berget J., Bardal E., Rogne T.

### 3. Modeling and Experimental Characterization of Jets and Deposits

70. Integrated Simulation of Atmospheric Plasma Spraying Process, Kundas S., Kuzmenkov A., Lugscheider E., Eritt U.
71. Modeling of Coating Thickness, Heat Transfer and Fluid Flow and its Correlation with the TBC Microstructure for a Plasma Sprayed Gas Turbine Application, Nylen P., Wigren J., Pejryd L., Hansson M.-O.
72. Measurement of the Cooling Rate and Flattening Degree of Plasma Sprayed Particles during Impact on a Glass Substrate: Effect of the Substrate Temperature, Gougeon P., Moreau C., Lamontagne M.
73. Finite Elements Modeling of Liquid Particles Impacting onto Flat Substrates, Feng Z.G., Feng Z.G., Domaszewski M., Montavon G., Coddet C.
74. Numerical Modeling and Simulation of Particle Behaviors in an HVOF Supersonic Flow, Yang Y.-M., Coddet C., Imbert M.

75. Mathematical Modeling of a Plasma Jet Impinging on a Flat Structure, Bolot R., Coddet C., Imbert M., Monin V.
76. Experimental Study on Flattening Process of Molten Droplets, Amada S., Haruyama M., Tomoyasu K.
77. Effects of Gun Nozzle Geometry on High Velocity Oxygen-Fuel (HVOF) Thermal Spraying Process, Sakaki K., Shimizu Y., Gouda Y., Minamida T.
78. Flattening Mechanism in Thermal Sprayed Particle Impinging on Flat Substrate, Fukumoto M., Huang Y., Ohwata M.
79. Numerical Modeling of an Impinging Dusted Plasma Jet Controlled by a Magnetic Field in a Low Pressure, Nishiyama H., Kuzuhara M., Solonenko O.P., Kamiyama S.
80. Nucleation and Phase Selection in Plasma-Sprayed Alumina: Modeling and Experiments, Robert C., Denoirjean A., Vardelle A., Wang G.-X., Sampath S.
81. 3D Modeling of Thermal Spray Droplet Splashing, Bussmann M., Aziz S.D., Chandra S., Mostaghimi J.
82. A Spreading and Solidification Model for Splat Deposition in Thermal Spray Processing, Zhang H., Sampath S., Prasad V.
83. Fe-Simulations of Temperature and Stress Field Distribution in Thermally Sprayed Coatings Due to Deposition Process, Lugscheider E., Barimani C., Eritt U., Kuzmenkov A.
84. The Features of the Modeling of High-Velocity Pulsating Jets, Potapenko A.N., Konstantinov I.S., El-Hammoudani A., Semernin A.N.
85. Plasma Spraying with Atmosphere and Temperature Control: Cryogenic Flux Modeling, Meillot E., Legeay O., Richet J.N.
86. Thermal Spray Quasicrystalline Coatings. Part 1: Relationships among Processing, Phase Structure and Splat Morphology, Sordelet D.J., Besser M.F., Kramer M.J.
87. Processing Effects on Splat Formation, Microstructure and Quenching Stress in Plasma Sprayed Coatings, Matjicek J., Sampath S., Herman H.
88. The Effect of Substrate Preheating and Surface Organic Covering on Splat Formation, Li C.J., Li J.-L., Wang W.-B.
89. Effect of Particle-Substrate Materials Combination on Morphology of Plasma-Sprayed Splits, Li C.J., Li J.-L., Wang W.-B., Ohmori A., Tani K.
90. Comparison of the Behaviour of Copper, Cast Iron and Aluminum Alloy Substrates Heated by a Plasma Transferred Arc, Leylavergne M., Valetoux H., Couder J.F., Fauchais P., Leroux V.
91. PTA Reclamation of Cast Iron and Aluminum Alloys Substrates with NiCu Films Deposited by Tape Casting, Leylavergne M., Grimaud A., Fauchais P., Chartier T., Baumard J.F.
92. Droplet Flattening during Thermal Spraying at Off-Normal Angles, Sobolev V.V., Guilemany J.M.
93. Influence of Mechanical and Thermal Behaviour of Stainless Steel Powder Particles during High Velocity Oxy-Fuel (HVOF) Spraying on Properties of Coatings, Sobolev V.V., Guilemany J.M., Martin A.J.
94. Morphology of Splits of Thermally Sprayed Coatings, Sobolev V.V.
95. Optical Diagnostics and Modeling of Gas and Droplet Flow in Wire Arc Spraying, Kelkar M., Hussary N., Schein J., Heberlein J.
96. An Integrated Mathematical Model of the Plasma Spraying Process, McKelliget J.W., Trapaga G., Gutierrez-Miravete E., Cybulski M.
97. Deposition of Thick Silicon Layers using a Radio-Frequency Thermal Plasma, Morvan D., Krayem F., Magnaval S., Miralai S.F., Amouroux J., Allautaud, Dresvin S., Nguen Kuok Shy S.
98. DC-Plasmajet Diagnostics, Sprayed Particle and Coating Characterization, Steffens H.D., Duda T.
99. Synthesis and Characterization of Nanocrystalline 316-Stainless Steel Coatings by High Velocity Oxy-Fuel Spraying, Lau M.L., Jiang H.G., Lavernia E.J.
100. Effect of Substrate Temperature on the Quench Stress of Plasma Sprayed Borosilicate Glass Coatings on Steel, Zhang T., Bao Y., Gawne D.T.
101. Modeling and Diagnostics of a New High-Velocity Combustion Wire Spray Process, Varacalle D.J., Irons G., Lalumiere R.J., Swank W.D., Lagerquist J.
102. Mathematical and Computer Modeling of Particles Interaction with Plasma Jet in Low Pressure Condition, Ilyuschenko A., Okovity V., Kundas S., Gurevich V.
103. Modeling of Reactive Spray Atomization and Deposition, Dai S., Delplanque J.-P., Lavernia E.J., Rangel R.H.
104. Modeling and Diagnostics of the Praxair HVAF Combustion Spray Process, Varacalle D.J., Irons G., Lalumiere R.J., Swank W.D., Lagerquist J.
105. The Influence of Powder Particle Velocity and Temperature on the Properties of Cr<sub>3</sub>C<sub>2</sub>-25NiCr Coating Obtained by Detonation-Gun, Srinivasa Rao D., Sen D., Somaraju K.R.C., Ravi Kumar S., Ravi N., Sundararajan G.
106. Plasma Spray Jets and Plasma-Particulate Interaction: Modeling and Experiments, Pfender E., Chang C.H.

#### 4. Properties of Coatings and Characterization

107. High Damping Capacity Iron-Chromium-Aluminium Based Coatings for Surface Vibration Control, Karimi A., Giauque P.H., Sagradi M., Barbezat G., Salito A.
108. Impact Evaluation of Plasma Spray Coatings, Shao T.M., Xu D.J., Luo J.G., Wu C.-J.
109. Thermal Shock Resistance of Plasma-Sprayed Ceramic Coatings with Two- and Three-Layers, Kweon Y.-G., Kim H.-J.
110. Mechanical Characterization of Porous Vacuum Plasma Spray Copper Deposits, Verdy C., Montavon G., Coddet C.
111. Formation and Characterization of Thermal Spray Coatings Having Nanocrystalline and Amorphous Structure, Shmyreva T.P.
112. Characteristics of Residual Stress Produced by MoSi<sub>2</sub> Plasma Thermal Spraying and Its Production Mechanism, Kim Y.C., Chang K.H., Horikawa K.
113. Fatigue Strength and Fracture Mechanism of Thermally Sprayed WC-Co Coating on a Medium Carbon Steel by HVOF, Tajiri T., Sakoda N., Watanabe S., Amano J.
114. Molecular and Microstructure of Thermal Sprayed Heat and Corrosion-Resistant Plastic Coatings, Kawase R.

115. Modeling of Elastic Constants of Plasma Spray Deposits with Spheroid-Shaped Voids, Leigh S.-H., Lee G.-C., Berndt C.C.
116. Characterization and High Temperature Behaviour of Thermal Sprayed Coatings Used in Boilers, Higuera Hidalgo V., Carrilez Menendez A., Belzunce Varela F.J.
117. Influence of Process Parameters on the Microstructure and Abrasive Wear of HVOF Sprayed NiCr-Cr<sub>3</sub>C<sub>2</sub> Coatings, Edris H., McCartney D.G., Sturgeon A.J.
118. High Corrosion Resistant Iron-Based Amorphous Coatings Obtained by Thermal Spraying, Otsubo F., Era H., Kishitake K., Matsumoto H.
119. Influence of Powder and Fuel Type on Microstructure of WC-Co Coatings Produced by HVOF Spraying, Harris S.J., Coulson W.
120. Microstructure and Corrosion Behaviour of HVOF Sprayed Nickel-Based Amorphous/Nanocrystalline Alloys, Dent A.H., Horlock A.J., Harris S.J., McCartney D.G.
121. Compressive Behaviour of Plasma Sprayed High-Alloy Steels, Volenik K., Dubsky J., Chraska P., Neufuss K., Novak V.
122. Evaluation of Residual Stresses and Fatigue Life of Tungsten Carbide Thermal Spray Coated in Aircraft Landing Gear Materials, McGrann R.T.R., Shadley J.R., Rybicki E.F., Bodger B.E., Emery W.A., Somerville D.A., Greving D.J.
123. Phase Composition Changes in Plasma Sprayed Zircon-Alumina Tubes, Dubsky J., Kolman B.J., Buchal A.
124. Thermophysical and Mechanical Properties of PSZ Thick Thermal Barrier Coatings, Schwingel D., Taylor R., Haubold T., Wigren J., Gualco C., Ladru F., Lugscheider E., Gourlaouen V.
125. Comparison of Mechanical Properties of WC-Co, WC-CoCr and WC-NiCr Coatings, Seong B.G., Hwang S.Y., Kim M.C.
126. Standardization of Metallographic Practices for Thermally Sprayed Coatings in the Automotive Industry, Blann G.A.
127. Surface Morphology of Plasma Sprayed Ceramic Coatings, Oki S., Gohda S., Yamakawa M.
128. Multi Component Oxides—Opportunities and Related Coating Properties, Beczkowiak J., Keller H., Pross E., Schwier G.
129. Study on the Spray Process and Characteristics of Cr<sub>2</sub>C<sub>3</sub>/NiCr Coating, Liu M., Wang D., Wang J., Dai M., Zhou K.
130. Mechanical Properties of WC-Co/Co-Based Self Fluxing Blending Alloy Coatings by Detonation Spraying, Kim S.B., Kim M.C.
131. Electric and Magnetic Properties of Thermal Spray Coatings with an Amorphous Structure, Borisov Y., Korzhik V., Revo S.
132. Internal Stresses in Plasma Coatings with an Amorphous Structure, Borisov Y., Korzhik V.
133. Comprehensive Methods for Studying Microinhomogeneity in Thermal Spray Coatings with Amorphous-Crystalline Structure, Grigorenko G., Borisova A.
134. In Situ Measurement within Plasma-Sprayed Zirconia Coatings under Industrial Conditions, Baradel N., Bianchi L., Blein F., Freslon A., Jeandin M.
135. Evaluation of Residual Stresses within Plasma Sprayed ZrO<sub>2</sub>-Y<sub>2</sub>O<sub>3</sub> (8% wt), Baradel N., Bianchi L., Blein F., Lucchese P., Jeandin M.
136. Thermal Spray Quasicrystalline Coatings. Part II: Relationships among Processing, Phase Assemblage, and Tribological Response, De Palo S., Usmani S., Kishi K., Sampath S., Sordelet D.J., Besser M.F.
137. Sliding Wear Behavior of Liquid Crystalline Polymer Coatings, Brogan J.A., Berndt C.C., Usmani S., Sampath S., Simon G.P.
138. Improvement of Adhesion Strength and Formation of Veined Structure in Alumina Coating, Era H., Otsubo F., Kishitake K.
139. Characterization of Structure of Thermally Sprayed Coating, Li C.J., He Y., Ohmori A.
140. Effect of WC-Co Addition on Adhesion of HVOF Ni-Based Alloy Coatings, Li C.J., Li H.
141. Microstructure Development during Plasma Spraying of Molybdenum. Part 1: Droplet Spreading and Solidification, Vardelle A., E.N.S.I.L., Vardelle M., Fauchais P., Sampath S.
142. Microstructure Development During Plasma Spraying of Molybdenum. Part 2: Coating Microstructure and Properties, Jiang X.Y., Sampath S., Vardelle A., Vardelle M., Fauchais P.
143. Microstructure and Mechanical Properties of Arc-Sprayed Iron-Chromium Alloy Coatings, Pasquet O., Vardelle A., Le Niniven C., Grimaud A., Ducos M.
144. Study of the Influence of the Elaboration Conditions on the Mechanical Properties of NiCrBSi Coating, Liao H., Hansz B., Normand B., Coddet C.
145. The Use of the Scanning White Light Interferometry to Determine the Damage Produced in Wear Tests, Guilemany J.M., De Paco J.M., Miguel J.R., Calero J.A.
146. Nature and Morphology of the Nickel Alloy-Carbide Composite Layers Made by Plasma Coating, Matei G., Bicsak E., Jumate N.
147. Properties and Characterization of Thermal Spray Coatings, Reiners G., Kreye H., Schwetzke R.
148. A Comparison of Ni and Fe Based Coatings Sprayed by Different Methods, Shmyreva T., Brock C., Miller B., Ivanov A., Smith E., Belashchenko V.
149. The Electrical Properties of HVOF Sprayed Ceramic Coatings, Sturgeon A.J., Harvey D.
150. Peening Action and Residual Stress in HVOF Thermal Spraying of 316L Stainless Steel, Kuroda S., Tashiro Y., Yumoto H., Taira S., Fukunuma H.
151. Physico-Chemical Aspects of Tin Plasma Spray Coatings, Klinskaya N., Jilyaev V., Pankratov A.
152. Quantities and Properties of Layers Sprayed with Cored Wire of Type Fe-Cr-C, Drzeniek H., Milewski W.
153. Microstructure Study of Spinel Plasma Coatings, Lallemand G., Fayeulle S., Treheux D., Esnouf C.

154. Characterization of Graded Ti Silicide Coating Formed by Thermal Diffusion Treatment of Low Pressure Plasma Sprayed Silicon Coating, Ohmori A., Zhou Z., Li C.J.
155. The Effect of Substrate Temperature on the Quality of Glass Coatings, Bao Y., Grawne D.T., Zhang T.
156. A Study on Crack Formation in a Cobalt Alloy PTA Deposit, Chattopadhyay R.
157. Evaluation of Fatigue Strength of WC Cermet- and 13Cr Steel-Sprayed Materials and Their Coatings, Ogawa T., Tokaji K., Ejima T., Kobayashi Y., Harada Y.
158. Properties and Characterization of Thermal Sprayed Coatings—A Review of Recent Research Progress, Kuroda S.
- 5. Diagnostic of Jets and Coatings: Processes and Products Quality Control**
159. Characterisation of Spray Coatings—Overcoming Residual Artifacts, Bousfield B.
160. Oxide Reduction in Wire Arc Spraying, Wen J., Wen S.
161. Measurement Technology for Inflight Particle Diagnosis in Plasma Spraying, Schutz M., Barbezat G., Fluck E.
162. In-Flight Particle Concentration and Velocity Measurements in Thermal Spraying using a Non-Intensified CCD Camera, Vattulainen J., Lehtinen T., Hernberg R., Knuutila J., Mäntylä T.
163. Photothermal Inspection of Plasma Sprayed Cobalt Coatings on Aluminum Substrates, Prystay M., Moreau C., Barbezat G.
164. Influence of Plasma Spray Conditions on In-Flight Characteristics of Zirconia Hollow Sphere Particles, Gougeon P., Moreau C.
165. Evolution of the Acoustic and Voltage Signatures during Plasma Spraying, Xi J., Krishnappa G., Leblanc L., Gougeon P., Moreau C.
166. Embedded Micro-Thermocouples in Vacuum Plasma Sprayed Multi-Layered Structures, Verdy C., Serio B., Coddet C.
167. A Michelson Type of Shear Interferometer for Non Destructive Inspection of Debondings in Structures, Monteiro J., Santos F., Chousal J., Vaz M., Silva Gomes J.F., Lome.
168. Measurement of Spraying Particle Behaviors by Three-Intensified-Sensor Color High Speed Video Camera System, Yamakawa M., Oki S., Gohda S.
169. Alumina Coatings by Plasma Spraying of Monosize Sapphire Particles, Erickson L.C., Troczynski T., Hawthorne H.M., Tai H., Ross D.
170. QS-9000—Using the Automotive Requirements to Improve Existing ISO 9000 Systems, Young J.F.
171. Influence of Plasma Gas (Spiral 22, Ar/H<sub>2</sub>) and Impurities (O<sub>2</sub>, H<sub>2</sub>O) on the Electrode Lifetime during Spraying, Gourlaouen V., Remy F., Leger J.M., Sattonnet J.
172. Comparison of Different Fuel Gases in HVOF, Gourlaouen V., Verna E.
173. Investigation of Substrate Roughness in Thermal Spraying by a Scale-Sensitive 3-D Fractal Analysis Method, Siegmann S.D., Brown C.A.
174. Investigations of the Fracture of Composites Matrix-Coating under Tension, Panin V.E., Klimentov V.A., Panin S.V.
175. In-Situ Observation and AE Analysis of Microscopic Fracture Process of Thermal Spray Coatings, Akita K., Zhang G., Takahashi S., Misawa H., Tobe S.
176. NDT of Thermal Barrier Coatings using Acoustic Emission Spectroscopy, Andrews D.J., Taylor J.A.T.
177. Characterizing the Actual Spray Situation by On-Line Acoustic Emission Analysis, Pantucek P.
178. Research on Heavy-Loading Thermal Spray Turntable with High Precision and Self Controlled Frequency Conversion, Huang X., Xu L., Wang R., Wang J., Yin X.
179. The Influence of Several Powder Feed Parameters on Feed Precision and Continuity, Huang X., Xu L., Ma X., Fan B., Yin X.
180. The Optimization of the Number of Experiments while Developing the Powder Mixtures, Zhelyakov E.G., Korshunov N.I., Rozanov M.S.
181. Influence of Process Variables on Particle Dynamics in High Velocity Non-Combustion Spraying, Smith M.F., Neiser R.A., Dykhuijen R.C., Teets R.E., Smith J.R., Vansteenkiste T.H.
182. Non-Contact Coating Thickness Measurement, Chandler P.E., Quigley M.B.C., Fletcher J.F.
183. Experimental Design Based on McLean & Anderson Modeling Applied to the Prediction of Plasma Properties, Blein F., Roussel E., Freslon A.
184. Acoustic Emission Characteristics on Thermal Spray Coating Produced During Bending, Yokota O., Katada Y., Ohkubo M.
185. Plasma Spraying Using Ar-He-H<sub>2</sub> Gas Mixtures, Janisson S., Vardelle A., Coudert J.F., Pateyron B., Fauchais P., Meillot E.
186. Influence of Injector Geometry on Particle Trajectories: Analysis of Particle Dynamics in the Injector and Plasma Jet, Vardelle M., Vardelle A., Dussoubs B., Fauchais P., Roemer T.J., Neiser R.A., Smith M.F.
187. Influence of Injector Geometry on Particle Trajectories and Velocity Distributions. Part 1: Experimental Investigation of the Effects of Powder and Injector Characteristics, Neiser R.A., Dykhuijen R.C., Roemer T.J., Smith M.F.
188. Residual Stresses during Coating Generation: Plasma Sprayed Alumina Coating on Xc38 Measurements and Calculations, Leger A.C., Haddadi A., Pateyron B., Deluc G., Grimaud A., Nardou F., Fauchais P.
189. Influence of Process Variables in Plasma Spraying on Coating Properties Evaluated by Micro-Mechanical Test, Hirata Y., Hamaguchi A., Sasaki K., Maruo H., Ohji T.
190. Magnetic Probe Measurements in Plasma Spray Torches, Collares M.P., Pfender E., Heberlein J.
191. Controls for Plasma Spraying Based on Plasma Jet Stability Analysis, Beall L., Duan Z., Schein J., Heberlein J., Stachowicz M., Planche M.P.
192. Development of a Thermal Spraying Expert System, Harvey M.D.F., Sturgeon A.J., Wiktorowicz R., Hunt C.S.
193. Deposit Model for Off-Line Programming in a Spray Process, Montillet D., Dombre E., Valentin P.
194. Effect of In-Flight Particle Characteristics on the Properties of Plasma Sprayed NiCrAlY & NiCoCrAlY, Pejryd L., Wigren J., Gougeon P.

195. Effects of Powder Morphology on Pneumatic Feeding and Plasma Spray Deposition, Anderson I.E., Sordelet D.J., Besser M.F., Terpstra R.L.
196. Evaluation of Adhesion and Properties of Sprayed Coating by Ultrasonic Testing Method, Suga Y., Lian D.
197. Diagnostic of Jets and Coatings: Processes and Products Quality Control, Smith M.
- 6. Industrial Applications**
198. The Development and Implementation of Thermal Spray Coatings for Helicopter Components, Guillemette R.
199. Plasma Spraying of HA-Based Composites for Biomedical Devices, Khor K.A., Cheang P., Dong Z., Wang Y.
200. Pulsed Spray Gas Metal Arc Weld Metal Overlay Coatings for Corrosion and Wear Applications, Lai G., Jirinec M., Hulsizer P.
201. The Experimental Study on Arc Sprayed Mouldmaking for Plastic Products, Xu B., Ma S., Liu X., Chen Z.
202. Plasma Spray Ceramic Plunger for Polymer Pump, Wu C.J., Shao T.M., Mu A., Du W.
203. Internal Plasma Spray Process for Cylinder Bores in Automotive Industry, Barbezat G., Keller S., Wuest G.
204. A New Aluminum Silicon-Boron Nitride Abradable for Compressor Components, Boddenberg K., Kock B., Dorfman M., Russo L., Nestler M.
205. Thermal Spray Developments for Piston Ring Coatings To Be Used in Tomorrow's Duty Engines, Delaet M., Coddet C.
206. Coating Applications on Rolls in Steel Mills, Present and Beyond, Fukubayashi H.H.
207. New Coatings for SOFC, Lang M., Janes S., Clasen R., Hempelmann R.
208. Arc Spraying of Cathodic Electrodes for Electrochemical Processes, Legoux J.G., Fournier J., Miousse D.
209. Ca/P Ratios and Biocompatibility of Hydroxyapatite Coatings, Frayssinet P., Tourenne F., Rouquet N., Primout I., Mathon D.
210. Hydroxyapatite-Bond Coat Systems for Improved Mechanical and Biological Performance of Hip Implants, Heimann R.B., Kurzweg H., Vu T.A.
211. Advantages of Induction Heat Treatment in the Application of Self-Fluxing Alloy to Boiler Tubes, Tomiguchi A., Sochi Y., Matsubara Y.
212. Properties of Coated Tools for Improved Performances, Rosso M., Bennani A., Rastrelli R.
213. Component Repair and Chrome Plating Replacement with New Thermal Spray in the United States NAVY: Successes and the Future, Rigney R.W., Grubowski A., Mccaw R., Scandell K.
214. SOFC Components Production—An Interesting Challenge for DC- and RF-Plasma Spraying, Henne R., Schiller G., Borck V., Mueller M., Lang M., Ruckdaschel R.
215. Development of Fabrication Processes for Tubular Solid Oxide Fuel Cell (SOFC) by Plasma Spray, Ju W.T., Hong S.H.
216. Innovative Ceramic Coatings for Biomedical Applications: A Histological Evaluation, Stea S., Visentin M., Savarino L., Donati M.E., Soldati S., Pizzoferrato A., Guzzardella M., Moroni A., Bertini S., Scrivani A.
217. Bone Microstructure at the Interface with Two Innovative Coatings: X-Ray Diffraction Study, Savarino L., Stea S., Cervellati M., Donati M.E., Pizzoferrato A., Moroni A., Viola G., Antolotti N.
218. HVOF-Spraying vs. Hard Chrome Plating—Coating Characteristics and Aircraft Applications, Nestler M.C., Prenzel G., Seitz T.
219. In-Service Mechanical Property Degradation of CoCrAlY Coatings in Land-Based Gas Turbine Blades, Kameda J., Bloomer T.E., Sakurai S.
220. Cr<sub>3</sub>C<sub>2</sub>-NiCr Cermet Coatings by Detonation Spray Process, Chernyshov A., Barykin G., Lakiza S., De Juan J., Fagoaga I., Bronte J.M., Tagle J.A., Izquierdo J.
221. Self Lubricating Mo-Cermet Coatings for Piston Rings, Fagoaga I., Gavin P., Landa J.
222. Wire Arc Thermal Spray Replaces High VOC Coating for Munitions, Champagne V.
223. Coatings for Plasma-Facing Components of Nuclear Fusion Devices, Mallener W., Rauwald K.H., Duwe R.
224. Applications of PTA Powder Welding in Petroleum Chemical Industry, Huang X., Wang R., Xu L., Luo H., Yin X.
225. Applications of New Chromium-Base Alloy Coating, Hidaka K., Tanaka K., Nishimura S., Kawarada K.
226. Thermal Sprayed Coatings for Absorbed Microwave Load, Jia Y.
227. Influences of Metal Sprayed Coating Artificial Dental Root on the Vital Tissue, Magome M., Hara K., Sano K.
228. Combined Metallurgical and Ceramic Coating in the Development of Tubular Ozone Generators, Gadow R., Killinger A., Voss A., Friedrich C.
229. Plasma Sprayed Boron Carbide Coatings as First Wall Material for Laser Fusion Target Chamber, Bianchi L., Brelivet P., Freslon A., Fornier A., Cordillot C., Jequier F., Schirrmann D.
230. FeAl Intermetallic Coating Applications to Thermal Energy Conversion Advanced Systems, Magnee A., Offergeld E., Lefort A.
231. Applications of HVOF Sprayed WC Cermet Coatings for Paper Mills, Tani K., Nakahira A.
232. Unusual Application of Plasma Sprayed Coating for Evaporator Tubes in Oil-Fired Boilers, Tani K., Harada Y., Kobayashi Y.
233. Applications of Thermal Spraying Technology in the Oil and Gas Industry, Price J.C.
234. The Development of Beryllium Plasma Spraying for the International Thermonuclear Experimental Reactor, Castro R.G., Bartlett A.D., Watson R.D.
235. Ceramic-Clad Ceramic System for Ultrasonic Wave Guidance, Voyer J., Marple B.R., Jen C.-K.
236. Fatigue Behavior of Type 316L Stainless Steel Coated with Plasma-Sprayed Alumina in Corrosive Environment, Kisuki H., Sugano M., Oshima T., Nasu Y., Okazaki K., Nakata K.
237. A Contribution to Methodology and Protocol Definition for Thermal Spray Coated Surface Compatibility Analysis in Food Processing Applications, Scrivani A., Antolotti N., Bertini S., Viola G., Groppetti R., Gutema T., Mangia A., Mucchino C.

238. Interface Characterization of Different Apatite Coatings, Antolotti N., Bertini S., Scrivani A., Fanara C., Rustichelli F., Ranz X., Rey C.
239. Wear Resistant Coatings for Radial Shaft Sealing Systems, Haas W., Haiser H., Putzler U., Putzler J.
240. Advanced HVOF Coatings for Quality Valve Applications, Mor F., La Vecchia G.M., Mor G.P., Macmillan I.G.
241. Characterization of Detonation Coatings for the Casting Mold, Kim M.C., Kim S.B., Whang S.Y.
242. Thermal Spraying Applied onto High Energy Railway Braking: Characterization of Friction Performances, Bartys H., Guerin J.D., Bricout J.P., Oudin J.
243. Plasma-Sprayed MCrAlY Coatings in Gas Turbines, Crabos F., Monge-Cadet P., Marin F., Pellerin F.
244. Thermo-Mechanical Characterizations of Plasma-Sprayed MCrAlY Coatings for HP Turbines, Boudot A., Monge-Cadet P., Monceau D., Pieraggi B.
245. The Influence of Coated Mould on Heat Transfer and Microstructure for Horizontal Strip Casting of Aluminium Alloys, Isac M., Netto P., Guthrie R.I.L., Tavares R.
246. Pilot Production of VPS-Sprayed Solid Oxide Fuel Cells (SOFC), Moens J., Gruner H.
247. Surfacing of Cementless Implanted Endoprostheses by VPS, Gruner H.
248. Factors Promoting Amorphous Phases in Hydroxyapatite Coatings, Gross K.A., Berndt C.C.
249. Colouring of Glass with Liquid Flame Spraying, Gross K.A., Tikkanen J., Keskinen J.
250. W and B<sub>4</sub>C Coatings for Nuclear Fusion Reactors, Cavasin A., Brzezinski T., Grenier S., Smagorinski M., Tsantrizos P.
251. Analysis of Retrieved Hydroxyapatite Coated Orthopaedic Implants, Gross K.A., Ben-Nissan B., Walsh W.R., Swarts E.
252. The Place of Thermal Spraying in Industry Today and the Prospects for the Future, Huchin J.P.
- 7. Composite Structures, Free-Standing Shapes, Polymer Coatings and Feedstock**
253. Mechanical Properties of Spray-Formed Composite Structures, Brogan J.A., Berndt C.C., Claudon A., Coddet C.
254. Oxidation Thermo-Mechanical and Novel Lattice-Gas Particle Deposition Modeling Aspects in Plasma Spraying of Ti-6Al-4V/SiC Fiber Composites, Cochelin E., Borit F., Frot G., Jeandin M., Decker L., Jeulin D., Al Taweel B., Michaud V., Noel P.
255. Thermomechanical Effects of a Copper Plasma Sprayed Coating on C.F.R.P., Decla F., Le Maoult Y., Bernhart G., Frety N., Fort P.
256. Novel ZrO<sub>2</sub>-Mullite Composites Produced by Plasma Spraying, Khor K.A., Li Y.
257. A New Aluminum-Silicon/Boron Nitride Powder for Clearance Control Applications, Morrell P., Bettridge D.F., Greaves M.D., Dorfman M.R., Russo L.D., Britton C., Harrison K.
258. Production of High Purity, Spherical Powders by Centrifugal Dispersion in an Inductive Plasma, Bonvalot M., Lacour A.
259. Impact Toughness of Thick Multilayer Thermal Spray Deposits, Verdy C., Coddet C., Martin J.B., Garcia J.C., Pellerin F.
260. Free-Form Processing of Near-Net Shapes using Directed Light Fabrication, Thoma D.J., Lewis G.K., Milewski J.O., Nemec R.B.
261. Nitriding of Metal Droplets in Synthesis of Intermetallic Matrix Composite Coatings by Reactive RF Plasma Spraying, Tsunekawa Y., Hiromura M., Okumiya M.
262. Cladding of Powder by the Spray Drying Process, Comas B., Mateus C., Hansz B., Coddet C.
263. Realization of Mirror Shells for X-Ray Telescope by Plasma Forming, Roussel E., Fromentin J.P., Freslon A.
264. Metallic and Ceramic Powder Spheroidization by Induction Plasmas, Dignard N.M., Boulos M.I.
265. Mechanical and Microstructural Characterisation of a Free Standing Plasma Sprayed Alumina, Damani R.J.
266. VPS Coatings using Nanostructural Iron-Based Alloys, Brandt O., Siegmann S.D.
267. Thermal Spray Coatings for Fiber Reinforced Polymer Composites, Ashari A.A., Tucker R.C.
268. Optimisation of Concurrent Fibre Winding and Low Pressure Plasma Spraying for the Manufacture of Titanium Matrix Composite Rings, Baik K.H., Grant P.S.
269. The Electric Arc Spray Manufacture of Rapid Production Tooling: A Case Study, Newbery A.P., Grant P.S., Jordan R.M., Roche A.D., Carr T.C.
270. Zircon Pigments Prepared by Thermal Plasma Processing, Brozek V., Chraska P., Trojan M.
271. Near-Net-Shape Forming of Thermal Barrier Coated Components for Gas Turbine Engine Applications, Kim G.E., Tsantrizos P.G., Grenier S., Cavasin A., Brzezinski T.
272. Investigations on Thermal Spraying of Silicon Nitride-Based Powders, Berger L.-M., Herrmann M., Nebelung M., Thiele S., Heimann R.B., Schnick T., Wielage B., Vuoristo P.
273. Development of High Temperature Wear Resistant Cermet Powder, Modi S.S.C., Calla E.
274. Morphology and Thermal Stability of Condensed Polyphosphat Pigments Prepared by Water Stabilized Plasma, Brozek V., Chraska P., Trojan M.
275. Thermal Spraying and Properties of Epoxy Polymer Coatings, Borisov Y., Sviridova I., Korzhyk V., Stuchlyak P.
276. WC/Co Components Produced using HVOF Thermal Spray, Tan J.C., Looney L., Hashmi S.M.J.
277. Plasma Spray Forming of Free Standing W-Al Functionally Graded Materials, Blein F., Freslon A.
278. Molybdenum Disilicide Composites Produced by Plasma Spraying, Castro R.G., Kung H., Hollis K.J., Bartlett A.H.
279. Plasma Sprayed Coatings of Mecanofused Alumina-Steel Particles, Ageorges H., Grimaud A., Fauchais P.
280. Study on the Microstructure and Properties of Sprayed PEEK Polymer Coatings, Liao H., Beche E., Coddet C.
281. Obtention and Development of Blends of Powder to Obtain Free-Standing Components Produced by HVOF Spray-Forming, Guilemany J.M., De Paco J.M., Miguel J.R., Llibre J.

282. Structural and Morphological Effects on the Properties of HVOF Sprayed Polymer Nanocomposite Coatings, Petrovicova E., Smith R.W., Knight R., Schadler L.S.
283. Thermal Stability of Nanocrystalline Inconel 718 and Ni Prepared by High Velocity Oxy-Fuel (HVOF) Thermal Spraying, Jiang H.G., Lau M.L., Lavernia E.J.
284. Fabrication of Composite SiC-MoSi<sub>2</sub> Powders Through Plasma Reaction Process, Fan X., Ishigaki T.
285. Increasing Performance of Plasma Spray Formed Components, O'Dell J.S., McKechnie T.N., Holmes R.R.
286. A Method for Producing Glass-Fibre Reinforced Polymer Composites by Thermal Spraying, Zhang T., Younge E., Grawne D.T., Bao Y.
287. New Powdered Silicide Materials for Thermal Spraying Process and Coatings on the Niobium Base Alloys, Terentieva V., Bogatchkova O., Cornu D.
288. VPS Deposition of Spherical Ti-Based Powders Produced by Plasma Atomization, Grenier S., Brzezinski T., Tsantrizos P., Allaire F.
289. Composite Structures, Free Standing Shapes, Polymer Coatings and Feedstock Materials, McKechnie T.
290. Thermal Spray Duplex Coatings Comprising Composite Fluoropolymers with Ceramics or Metals for Wear Resistance and Release, Longo F., Jossick M.A.
- 8. Spraying and Associated Processes**
291. CO<sub>2</sub> Cooling in Thermal Spraying, Gourlaouen V., Remy F., Hansz B., Coddet C.
292. Influence of CO<sub>2</sub> Cooling on Some Coating Properties, Gourlaouen V., Pesme F., Remy F., Hansz B., Liao H., Coddet C.
293. Study on Underwater Thermal Spraying, Minami N., Hонгawa T., Nojiri Y., Nishida M., Araki T., Katsumura M.
294. Low Pressure Carburizing and Nitriding of APS NiCr Coatings, Gaudin C., Jacquot P., Prince P., Rivolet D., Duhamel J.P.
295. Practical Experiences with a New Portable HVOF Spraying and Cutting System, Voronetsky A.V., Jagodnikov D.A., Filimonov L.A., Suchkov S.A., Shirjaeva N.V., Elisseev A.A., Boronin E.V.
296. High Throughput Water Stabilized Plasma Torch, Hrabovsky M.
297. The High-Velocity Plasma Spraying, Klubnikin V.S.
298. The Air Plasma Spraying of the Coating, Klubnikin V.S.
299. Reactive Plasma Spray Forming for Ferromagnetic Materials Synthesis on Al Substrate, Folio F., Lacour A.
300. Improvements of Deposit Cohesion and Bond Strength by Combination of a Pulsed Laser with a Thermal Torch: the Protal Process, Coddet C., Montavon G.
301. On the Use of the Protal Process for the Surface Preparation and Thermal Spray Deposition of a NiCr Coating on Aluminium and Titanium Base Substrates, Montavon G., Ayrault S., Coddet C., Rigollet F., Freneaux O., Barbezat G., Wasen P., Diard A.
302. Refractory Carbide Coatings Sprayed by Electrothermal Explosion of Conductive Ceramic Powders, Soda T., Tamura H., Sawaoka A.B.
303. Core Property Restoration of AISI 4130 Steel during Vacuum Fusion of Thermally Sprayed Self Fluxing Alloys, Walter P.F.
304. Post Treatment of Plasma Sprayed WC-Co-Ni Coatings by High Frequency Induction Heating, Matsubara Y., Tomiguchi A., Haraguchi H., Hayashi H., Ito H.
305. Free Form Fabrication of Metallic Components using the Directed Light Fabrication Process, Lewis G.K., Milewski J.O., Nemec R.B., Thoma D.B.
306. Supersonic Induction Plasma Spraying of Yttria Stabilized Zirconia Films, Mailhot K., Gitzhofer F., Boulos M.I.
307. Ceramic Coatings Obtained on Superalloys Modified by Laser Treatment, Kobylanska-Szkaradek K.
308. Porosity Control of Thermally Sprayed Ceramic Deposits, Chraska P., Brozek V., Kolman B.J., Ilavsky J., Neufuss K., Dubsky J., Volenik K.
309. Laser Shock Processing of Vacuum Plasma Sprayed Fe-Based TiC Composites, Wielage B., Steinhauser S., Jeandin M., Fabbro R., Pawlowski L.
310. Preparation of Perovskite Powders and Coatings by RF Suspension Plasma Spraying, Schiller G., Muller M., Gitzhofer F.
311. An Improvement of Cr<sub>3</sub>C<sub>2</sub>-NiCr Sprayed Coatings Followed by Chromium Diffusion Treatment, Takeuchi J., Murata Y., Harada Y., Tomita T., Nakahama S., Go T.
312. Latest Gas Turbine Repair Techniques using Laser Technology, Williams A.D., Humphries J.
313. Local Laser Treatment of Tribological Plasma Sprayed Coatings, Otmianowski T., Antoszewski B., Zorawski W.
314. A Gas Shroud Nozzle for HVOF Spray Deposition, Pershin V., Mostaghimi J., Chandra S., Coyle T.
315. Investigation of Infrared Methods for Component Preheating during Vacuum Plasma Spraying, Lavers F., Grant P.S., Cantor B., Maloney K., Bettridge D.
316. Natural Gas HVOF Spraying of WC Cermets, Fagoaga I., Gavin P., Gutierrez J.M.
317. High Frequency Detonation Spray Technology, Barykin G., Fagoaga I., Chemyshev A., Lakiza S.
318. Physico-Chemical Treatment of Zirconia Coatings for Thermal Barriers, Troczynski T., Third N., Pawlowski L., Covelli L., Smurov I.
319. Phase Transformations in Laser Treated Hydroxyapatite Coatings, Ranz X., Aslanian T., Pawlowski L., Sabatier L., Fabbro R.
320. Improvement in the Productivity in Plasma Spraying by a Glidarc Preheating Reactor, Pawlowski L., Cernichowski A.
321. Effect of Spray Parameters on the Plasma in High Pressure Plasma Spraying Up to 300 kPa, Sodeoka S., Suzuki M., Inoue T., Ueno K.
322. Basic Research for Reactive Plasma Spraying of TiO<sub>2</sub>, Suzuki M., Sodeoka S., Inoue T., Ueno K.
323. Electron Beam Post-Treatment of Coatings Plasma Sprayed onto Magnesium Alloys, Wielage B., Fleischer K.
324. Characterisation of Molybdenum Coatings by a Newly Developed Flame Spray Process, Calla E., Modi S.S.C.
325. ICP Spray Technologies for Alumina Coatings, Dzur B., Nutsch G.

326. Microplasma Spraying, Yushchenko K., Borisov Y., Pererverz Y., Vojnarovitch S., Ramaekers P., Houben J.
327. Microplasma Spraying of Narrow-Strip Coatings, Borisov Y., Darmochval V., Bobrik V., Raa G.
328. High Pressure Plasma Spraying of Alumina, Bianchi L., Lucchese P., Llorca-Isern N., Borit F., Guiport V., Jeandin M.
329. Structure and Resistance of Sprayed and Strengthening Coatings to Gas Abrasive Wearing and Fretting-Corrosion, Klimenov V.A., Panin V.E.
330. Role of Atmosphere during Plasma Processing for Application to Plasma Spraying of Aluminum onto Polyethyleneterephthalate (PET), Hubert H., Blein F., Freslon A., Jeandin M., Le Paven C., Houdy P.
331. Splat Formation First Step of Multitechnique Deposition Plasma Spraying and Microwave Plasma Enhanced CVD, Denoirjean A., Grimaud A., Fauchais P., Tristant P., Tixier C., Desmaison J.
332. Research and Development of a Magnetoplasmadynamic Arc Jet Generator for Ceramic Coatings, Tahara H., Shibata T., Andoh Y., Yasui T., Kagaya Y., Yoshikawa T.
333. Structure and Properties of Detonation Coatings as a Function of Process Parameters, Kadyrov V., Kadyrov E.
334. Computational Code for Detonation Spraying Process, Gavrilenko T.P., Nikolaev Y.A., Ulianitsky V.Y., Kim M.C., Hong J.W.
335. Preparation of Films for Solid Oxide Fuel Cells by Center-Injection Low Pressure Plasma Spraying, Chen H., Heberlein J., Yoshida T.
336. The Inductive Coating Process for Self-Fluxing Alloys, Grutzner H., Schrage O.
337. Application of Overdriven Gaseous Detonation for Spraying, Gavrilenko T.P., Nikolaev Y.A., Ulianitsky V.Y.
338. A New Arc Spray System to Spray High Density, Low Oxide Coatings, Unger R.H., Belashchenko V.E., Kratochvil W.R., Dunkerley J.P., Sedov V., Smith E.A.
339. Practical Experience with the New Generation of Low-Cost, Portable HVOFs, Heath G.R., Dumola R.J.
340. Developments in the Jp-5000 HP/HVOF System, Thorpe R., Murphy T.
341. Interaction Ni-Cr-B-Si Coatings with the Steel, Klinskaya N., Kapysov V.
342. Heating and Acceleration of Ceramic Particles in 20-Ka Pulsed Plasma, Sakuta T., Tago M., Miyamoto M.
343. Ceramic Coatings on Polymer by High Energy Beam (Plasma Laser), Ayrault S., Chateauminois A., Vannes A.B., Treheux D., Chabert B., Soulier J.P.
344. Thermal Spraying on Graphite, Mesrati N., Ajhrouh H., Du N., Treheux D.
345. Prebrazeing of Ceramics by Plasma Spraying for Metal-Ceramic Joining, Kara Slimane A., Treheux D.
346. High Velocity Arc Spraying—Process Characterization and Coating Formation, Steffens H.D., Wilden J., Duda T., Tegeder G., Bultermann G.F.
347. NiCrAlY Coatings in YAG Laser Combined Low Pressure Plasma Spraying, Eguchi N., Zhou Z., Shirasawa H., Ohmori A.
348. The Mechanism of Adhesion for Alumina Coatings on Grit-Blasted Steel, Gawne D.T., Griffiths B.J., Dong G.
349. Reactive Plasma Spraying of 80:20 Ni/Cr and MCrAlY Powders with Hydrocarbon Reactive Gases, Al-Sabouni O., Stephenson D., Nicholls J., Creffield G.
350. Spraying and Associated Processes, Babiak Z.
351. Radio-Frequency Suspension Plasma Spraying of Cobalt Spinel Anodes for Alkaline Water Electrolysis, Mueller M., Henne R., Schiller G., Boulos M.I., Gitzhofer F., Heimann R.B.
352. Improvement of Flame Sprayed Metal Coating with Electrolytic Heating Treatment, Morimoto J., Yamaguchi A., Tomie M.
353. Triplex—an Innovative Three Cathode Plasma Torch, Zierhut J., Haslbeck P., Landes K.D.

## 9. Thermal Barrier Coatings

354. Plasma Spraying of Functionally Graded ZrO<sub>2</sub>/Ni-CoCrAlY Coating System Using Composite Powders, Khor K.A., Gu Y.W., Dong Z.L.
355. Influence of Bondcoat Surface Characteristics on the Performance of TBC Systems, Knight R., Smith R.W., Zhangxiong D., Kim E.-H., Sahoo P., Mosser M., Bucci D.
356. Thermal Expansion Properties of Plasma-Sprayed Thick Coatings, Lee Y.-K., Kim H.-J., Chang R.-W.
357. Microstructure and Burner Rig Evaluation of Calcia Silica Thermal Barrier Coatings, Prystay M., Gougeon P., Moreau C., Immarigeon J.P., Parameswaran V.R.
358. Thermal and Mechanical Properties of Thermal Barrier Coating on Copper Substrate Prepared by Detonation-Gun Thermal Spray Method, Rhyim Y.M., Kim J.H., Ma X.Q., Park C.G., Kim M.C.
359. Influence of Interfacial Temperature on the Adhesion Properties of Plasma-Sprayed Metal-Ceramic Coatings, Camello Lima C.R., Trevisan R., Da E.
360. A Study on the Physical Properties of the Graded Thermal Barrier Coatings Produced by Plasma Spray Method, Song Y.S., Han J.-C., Park M.-H., Lee K.-H., Ro B.-H., Byun E.-S., Sasaki S.
361. High Heat Flux Thermal Cycling of Multi-Layered Deposits using a HVOF Gun: Modelisation and Experiments, Verdy C., Riad H., Raviart O., Abboudi S., Coddet C., Cornu D., De Monica J.-M.
362. Identification of Heat Flux and Thermal Properties of a Multilayers Coating Under High Heat Flux Thermal Cycling, Riad H., Abboudi S.
363. Study of Damage Processes in Plasma Sprayed Thermal Barrier Coatings Under Thermal Cycling, Bonnet P., Abboudi S., Normand B.
364. Prediction of Thermal Cycling Resistance of YSZ TBC by using Acoustic Emission, Ziane S., Gitzhofer F., Boulos M.I., Dionne J., Durham S.
365. The Control of Crack Microstructure and Phase Transformation in Yttria Stabilised Zirconia Thermal Barrier Coatings using the High Velocity Oxygen Fuel Process with Acetylene and Acetylene Based Mixtures, Cole M.
366. Design and Experiments of Graded Thermal Barrier Coatings by Plasma Sprayings, Ahn H., Hong S.H.
367. Evolution of the Microstructure of Plasma-Sprayed Deposits During Heating, Ilavsky J., Long G.G., Allen A.J.

368. Anisotropic Microstructure of Plasma-Sprayed Deposits, Ilavsky J., Long G.G., Allen A.J., Leblanc L., Prystay M., Moreau C.
369. Quasicrystals—New Efficient Thermal Barrier Coatings, Bucaille B., Fournier P.
370. Enhanced Atmospheric Plasma Spraying of Thick TBCs by Improved Process Control and Deposition Efficiency, Lugscheider E., Ladru F., Gourlaouen V., Gualco C.
371. Comparison of Thermal Cycling Experiments on Thick Thermal Barrier Coatings, Haubold T., Wigren J., Gualco C.
372. Vacuum Plasma Sprayed ZrO<sub>2</sub>-Based Thermal Barrier Coatings for Aerospace Applications, Brzezinski T., Cavasin A., Grenier S., Kharlanova E., Kim G., Tsantrizos P.
373. The Effect of Slurry Aluminized Bond Coats on TBC Performance, Sahoo P., Sabol S.
374. Prediction of Thermal Shock Life of Thick Thermal Barrier Coatings, Persson C., Gualco C., Haubould T., Schwingel D., Wigren J.
375. Influence of Particle Parameters on the Microstructure of Thermally Sprayed Zirconia Coatings, Friis M., Persson C., Wigren J.
376. Stress Intensity Factors for Interfacial Cracks in Thick Thermal Barrier Coatings, Bjerken C., Persson C.
377. Comparison of TBC Coatings Sprayed by Conventional and High Energy Guns, Goubot N., Ducos M.
378. Properties of Functionally Graded Zirconia Coating by Gas Tunnel Type Plasma Spraying, Kobayashi A.
379. Creep Failure Analysis of Some Thermal Barrier Coating Systems in Different Kinds of Aggressive Environments, Toshiba M., Abe K., Sone H., Harada Y.
380. Thermal Insulation for Ariane Launcher Skirts, Bara P., Charlier S., De Vanssay M.
381. Thermal Shocks Resistance Studies of Thermal Barrier Coatings Based on Al<sub>2</sub>O<sub>3</sub> and ZrO<sub>2</sub>, Gorski L.
382. Microstructures and Characterization of Zirconia Coatings Formed by Laser Combined Plasma Spraying, Zhou Z., Eguchi N., Shirasawa H., Ohmori A.
383. New Thermal Barrier Coating System for High Temperature Applications, Brune M., Steffens H.D., Wilden J., Wank M.
384. High Temperature Oxidation of Bond Coats in Thermal Barrier Systems, Peraldi R., Monceau D., Pieraggi B., Malie A.
385. The Effect of Bond Coat Creep on Residual Stresses and Debonding in Plasma Sprayed Thermal Barrier Systems, Tsui Y.C., Thompson J.A., Clyne T.W.
386. Oxygen Transport Through the Zirconia Top Coat in Thermal Barrier Coatings Systems, Fox A.C., Clyne T.W.
387. Thermal Barrier Coatings—Why, How, Where and Where to, Pejryd L., Wigren J.
388. Thermal Expansion of Thermally Sprayed Coatings, Beghini M., Bertini L., Frendo F.
- 10. Thermal Spray for the Next Millennium**
389. Tools, Monitoring and Control, Moreau C.
390. Thermal Spray Applications for the Next Millennium—A Business Development Perspective, Kassabji F., Jacq G., Durand J.P.
391. Keynote Symposium, Moreau C.
392. Regulation, Security and Environment, Smith R.W.