[CONTRIBUTION FROM THE PACIFIC EXPERIMENT STATION, BUREAU OF MINES, UNITED STATES DEPARTMENT OF COMMERCE, IN COOPERATION WITH THE UNIVERSITY OF CALIFORNIA]

# THE HEAT CAPACITIES OF ARSENIC, ARSENIC TRIOXIDE AND ARSENIC PENTOXIDE AT LOW TEMPERATURES<sup>1</sup>

#### By C. TRAVIS ANDERSON<sup>2</sup>

### RECEIVED FEBRUARY 11, 1930 PUBLISHED JUNE 6, 1930

In continuation of its general program of determination of the heat capacities of the various metals and oxides which are important in metallurgical processes, the Pacific Experiment Station of the U. S. Bureau of Mines has studied the metals and oxides of arsenic, antimony and bismuth at low temperatures. The thermodynamic properties of the metals and oxides of this group are of practical importance because they constitute some of the lead smelters' most difficult problems of reduction and refining, and they also have considerable theoretical interest. The present article deals only with the heat capacities of arsenic and its oxides; later papers will discuss the remaining materials in this group.

# Method and Apparatus

With the exception of a few minor details, the methods and apparatus used in this work are identical with those previously described from this laboratory by Millar.<sup>3</sup> The apparatus was provided with a new thermocouple, which was made of wire from the same spool as Thermocouple No. 17 of Giauque, Buffington and Schulze,<sup>4</sup> and which was compared with No. 17 through a secondary standard at the temperature of liquid air, the melting point of toluene crystals and the melting point of ice. The secondary standard was calibrated directly against No. 17 at 28 points by Kelley.<sup>5</sup>

The standard cell was calibrated from time to time against another having a Bureau of Standards certificate.

Using the graphical method of Giauque and Wiebe,<sup>6</sup> a new temperature scale was determined for the resistance thermometer, and it is probably somewhat better than the one previously used in this Laboratory.

The volt-box correction was redetermined by substituting a standard 100ohm resistance for the calorimeter resistance. The volt-box factor was calculated from accurate measurements of current and voltage when small amounts of electrical energy were passed through the volt-box and standard

 $^{\rm 1}$  Published by permission of the Director, U. S. Bureau of Mines. (Not subject to copyright.)

<sup>2</sup> Assistant Physical Chemist, Pacific Experiment Station, U. S. Bureau of Mines, Berkeley, California.

<sup>3</sup> Millar, This Journal, 50, 1876 (1928).

- <sup>4</sup> Giauque, Buffington and Schulze, *ibid.*, 49, 2343 (1927).
- <sup>5</sup> Kelley, *ibid.*, **51**, 180 (1929).

<sup>6</sup> Giauque and Wiebe, *ibid.*, **50**, 101 (1928).

resistance. This value is probably more reliable than that previously obtained directly by measuring the high resistance which the volt-box contains.

The heat capacity of the empty calorimeter was redetermined, using the new temperature scale.

By the use of liquid nitrogen instead of liquid oxygen it was possible to cool down to about  $55^{\circ}$ K. with the present pumping facilities. This temperature is about  $5^{\circ}$  lower than that previously reached in this Laboratory.

## Materials

The sample of arsenic used contained 0.13% antimony, no lead or silica and more than 99.8% arsenic. Its density was found to be 5.48. A 342.9-g. sample was studied.

The arsenic trioxide was of C. P. grade, but was resublimed. Each particle was definitely crystalline and of octahedral structure. It analyzed better than 99.8% arsenic trioxide and had a density of 3.85. The calorimeter was filled with a 267.4-g. sample.

The arsenic pentoxide was a very pure material which was dried at  $550^{\circ}$  after treatment with concentrated nitric acid. It contained more than 99.7% arsenic pentoxide. The only detectable contamination was 0.2% arsenic trioxide. It contained no antimony. The material did not consist of 'separate crystals, as did the arsenic trioxide, but of crystalline aggregates; 179.7 g. of the pentoxide was used. It had a density of 4.32.

Screen tests were made on these materials and the results are shown in Table I.

Screen Sizes of Samples Measured			
Screen size	As, %	$As_2O_3$	$As_2O_6$
+ 35	0.25		80.6
+ 48	• •	4.5	18.0
+ 65	35.0	2.0	
+100	30.0	2.5	0.7
+150	13.5	2.5	
+200	20.0	8.0	0.7
-200	1.25	80.5	

TABLE I

## The Specific Heats

The heat capacities of these substances expressed in gram calories  $(15^{\circ})$  per gram formula weight are given in Table II and are shown graphically in Fig. 1. In changing joules to calories the factor<sup>7</sup> 1/4.184 was used. The calculations were made on the basis of O = 16 and As = 74.96.

**Calculation of Entropies.**—The entropy calculations were made in the usual manner. The experimental heat capacity curves were extended below the lowest measurements, so as to approach and finally coincide with Debye functions having the following parameters ( $\Theta$ ): for As, 275; As<sub>2</sub>O<sub>3</sub>,

<sup>7</sup> "International Critical Tables," Vol. I, p. 24.

	Heat	CAPACITY PER	GRAM FORMULA	Weight	
	-As	<u>~</u>	-As2O3		-As2O5
<i>T</i> , °K.	$C_p$	<i>T</i> , °K.	$C_p$	<i>т</i> , °К.	$C_p$
57.2	2.400	60.2	5.839	63.5	4.511
61.1	2.458	63.9	6.200	67.1	4.947
70.2	2.889	76.9	7.646	80.8	7.101
80.9	3.584	89.0	8.647	91.6	8.266
85.2	3.536	100.0	9.702	101.9	9.713
91.0	3.703	108.1	10.55	114.0	11.57
98.6	3.883	121.1	11.98	127.8	13.31
115.5	4.481	132.0	12.95	143.5	15.10
128.2	4.626	143.0	13.80	160.9	17.01
140.6	4.800	154.9	14.90	173.2	18.41
155.5	4.990	168.9	16.14	184.1	19.29
174.4	5.137	181.0	16.92	168.5	17.91
202.7	5.448	194.7	17.93	181.5	19.28
212.7	5.536	210.4	19.00	196.9	20.70
227.1	5.592	223.0	19.58	209.8	21.89
242.4	5.743	241.9	20.48	222.0	22.87
258.9	5.767	253.7	21.23	239.1	24.10
267.2	5.734	272.2	21.83	251.1	25.08
272.8	5.754	288.7	22.46	270.3	26.50
285.7	5.848	291.6	22.61	287.1	27.45
291.0	5.900	296.6	22.78	291.7	27.69
				296.2	27.68

TABLE II					
Heat	CAPACITY	PER	Gram	Formula	WEIGH

141;  $A_{S_2O_5}$ , 240. In Table III are given the results of the entropy calculations.

		IABLE III		
	Entropie	s from Experime	ental Data	
	As		$As_2O_3$	
Extrap.	(0-56.2) °K. 1	. 20	(0−56.2)°K.	3.54
Graph.	(56.2-298.1)7	.16	(56.2–298.1)	22.04
S298	- 8	.4 = 0.2 E.U.		$25.6 \pm 0.4$ E.U.
	$As_2O_5$			
Extrap	(0−63.1) °K.	1.94		
Graph.	(63.1–298.1)2	3.30		
S298	2	$5.2 \pm 0.4$ E.U.		

It was found possible to fit the molal specific heat curves of the two oxides by the following combinations of Debye and Einstein functions

$$C_{As2O_3} = D\left(\frac{141}{T}\right) + 2D\left(\frac{567}{T}\right) + 2D\left(\frac{1054}{T}\right)$$
$$C_{As2O_5} = D\left(\frac{240}{T}\right) + 2E\left(\frac{368}{T}\right) + 2E\left(\frac{727}{T}\right) + 2D\left(\frac{1600}{T}\right)$$

The arsenic trioxide combination fits the experimental results up to  $298^{\circ}$ K., and that for arsenic pentoxide up to  $125^{\circ}$ K. Above  $125^{\circ}$ K. the

experimental curve for arsenic pentoxide begins to rise above that of the function sum, probably due to  $C_p - C_v$  becoming appreciable. Similarly, it may be that  $C_p$  and  $C_v$  for arsenic trioxide are very nearly equal up to 298°K.

As a means of demonstrating the average agreement between the experimental results and these combinations, the entropies at  $298^{\circ}$ K. were calculated, using these function sums. The results obtained are for arsenic trioxide 25.6 E. U., and for arsenic pentoxide 25.2 E. U., which are identical



Fig. 1.—The heat capacities per gram formula weight of arsenic trioxide and arsenic pentoxide.

with the values previously given. In calculating the entropy of arsenic pentoxide by use of the functions, it was necessary to add an entropy difference of 0.17 unit, representing the difference between the experimental curve and the theoretical curve, in order to obtain the above values.

## **Related Thermal Data**

The heats of formation of the oxides have been determined by Thomsen.<sup>8</sup> For arsenic trioxide he gives -154,700 Cal., and for arsenic pentoxide -219,400 Cal. Berthelot<sup>9</sup> gives -156,400 for the heat of formation of

<sup>&</sup>lt;sup>8</sup> Thomsen, "Thermochemistry," Longmans, Greene and Co., London, **1908**, p. 227.

<sup>&</sup>lt;sup>9</sup> Berthelot, "Thermochemie," Vol. II, 1897, p. 117.

arsenic trioxide. Schuhmann<sup>10</sup> determined the free energy of formation of arsenic trioxide from cell measurements. Correcting Schuhmann's result by the use of Eastman's<sup>11</sup> value for the free energy of formation of liquid water,  $\Delta F_{298}^{\circ}$  for arsenic trioxide was calculated to be -137,000 Cal. Using the integrated Gibbs-Helmholtz equation, Schuhmann calculated from the temperature coefficient of his cells, over a  $20^{\circ}$  temperature range, that the heat of formation of arsenic trioxide was  $\Delta H_{298} = -153,800$ . Previous experience at this Laboratory with oxide cells<sup>12</sup> has shown that free energies may be obtained from oxide cells with high precision, but because of the usually low magnitude of the cell coefficient, and the inherent fluctuations and polarizability of such cells, thermal values from this source are often not entirely satisfactory. It is justifiable, therefore, to calculate heats of formation from free energies and entropies, when these latter quantities have a high probable accuracy. In this way, using the free energy from Schuhmann's cell value, and the entropies of arsenic and arsenic trioxide, the heat of formation of arsenic trioxide was calculated as -156,500 Cal. This value agrees very well with the value of -156,400 given by Berthelot.

In the case of the pentoxide, direct free energy data are unavailable, and the free energy of formation of arsenic pentoxide was calculated from Thomsen's value of -219,400 Cal. for the heat of formation, and the entropies of arsenic and arsenic pentoxide, to be  $\Delta F_{298}^{\circ} = -185,400$  Cal. All of the data are summarized in Table IV.

T	ABLE	Γ	ľ
*	V Drtt	+	,

SUMMARY	of Entropies,	Free Energies and F	IEATS OF FORMATION
	S288	$\Delta F_{298}^{\circ}$	$\Delta H_{298}^{\circ}$
As	8.4		
$As_2O_3$	25.6	-137,100	-156,000
As <sub>2</sub> O <sub>5</sub>	25.2	-185,400	-219,400

In conclusion the author wishes to thank R. W. Millar for making the measurements on arsenic trioxide and arsenic pentoxide, and K. K. Kelley for his assistance in calibrating thermocouples, making the new temperature scale, and in fitting the Debye and Einstein curves to the experimental values.

### Summary

The heat capacities of arsenic, arsenic trioxide and arsenic pentoxide from about 57 to 300° Kelvin have been determined, and the corresponding entropies calculated. The heat of formation of arsenic trioxide and the free energy of formation of arsenic pentoxide have been calculated.

BERKELEY, CALIFORNIA

<sup>&</sup>lt;sup>10</sup> Schuhmann, THIS JOURNAL, 46, 1445 (1924).

<sup>&</sup>lt;sup>11</sup> Eastman, Information Circular, Bureau of Mines, No. 6125, p. 13, May, 1929.

<sup>&</sup>lt;sup>12</sup> Maier, This Journal, **51**, 194 (1929).