H, 4.77; N, 18.1. Found: C, 47.8; H, 4.95; N, 17.7). VIII was treated with HBr-acetic acid and the reaction product isolated as the monohydrobromide (IV).

Compounds III and IV were coupled by the pyrophosphite method and ether added to the reaction mixture. The resulting precipitate was dried and treated with sodium in liquid ammonia. The product in dilute aqueous solution at pH 6.7 was aerated and the solution concentrated and lyophilized. The material from several runs upon assay8 gave a total of 58,000 units of pressor activity. After purification by countercurrent distribution, the active material [K = 0.84 (sec-butyl alcohol-ptoluenesulfonic acid)] was subjected to electrophoresis in a pyridine–acetic acid buffer (pH_4) on a cellulose-supporting medium.⁹ The solution from the segment with peak activity assayed 15,500 pressor units and when lyophilized yielded a powder weighing 37 mg. which indicated a specific activity in solution of 400 units/mg. However, the material suffered partial inactivation 10 upon lyophilization, assaying 175 units/mg.

In countercurrent distribution, electrophoresis and chromatography on partition and ion-exchange

(8) J. Dekanski, Brit. J. Pharmacol., 7, 567 (1952).

(9) H. G. Kunkel in "Methods of Biochemical Analysis," Vol. 1, D. Glick, Ed., Interscience Publishers, Inc., New York, N. Y., p. 141.

(10) Samples of highly purified natural vasopressin have also on some occasions shown a loss in activity on concentration and lyophilization [R. A. Turner, J. G. Pierce and V. du Vigneaud, J. Biol. Chem., 191, 21 (1951); E. A. Popenoe and V. du Vigneaud, J. Biol. Chem., 205, 133 (1953)]. Studies are underway to determine the cause as well as to find means of avoiding such inactivation.

columns, the position of the activity of this final synthetic product was the same as that of the natural arginine-vasopressin. In addition to the assays against the U.S.P. Standard Powder for pressor activity, the product was assayed for antidiuretic¹¹ and avian vasodepressor¹² activities. The ratios between the pressor, antidiuretic and avian vasodepressor activities were the same as those found for natural vasopressin (1:1:0.15).

Further studies on the purification of the synthetic product are underway and it is hoped that an extensive comparison of its chemical and physical properties with those of natural arginine-vasopressin may eventually be carried out. Since the difficulties are considerable in reaching and maintaining maximum activity, it was felt that a report was warranted at the present time that a synthetic product synthesized according to the structure proposed for arginine-vasopressin (I) does possess the expected biological properties.

DEPARTMENT OF BIOCHEMISTRY VINCENT DU VIGNEAUD¹³
CORNELL UNIV. MEDICAL COLLEGE DUANE T. GISH¹⁴
NEW YORK, N. Y. PANAYOTIS G. KATSOYANNIS¹⁵

RECEIVED AUGUST 5, 1954

- (11) The antidiuretic assays utilizing the hydrated normal dog were carried out by Professor H. B. van Dyke, Dr. K. Adamsons, Jr., and Mr. S. L. Engel, to whom we express our appreciation.
 - (12) J. M. Coon, Arch. intern. pharmacodynamie, 62, 79 (1939).
- (13) Appreciation is expressed to the Lederle Laboratories Division, American Cyanamid Company, for a research grant which has aided greatly in this study.
- (14) Lilly Postdoctoral Fellow in the Natural Sciences, National Research Council.
 - (15) Fellow of State Scholarships Foundation of Greece.

BOOK REVIEWS

Dictionary of Organic Compounds, 4 Volumes. By Sir Ian Heilbron, D.S.O., D.Sc., LL.D., F.R.I.C., F.R.S., and H. M. Bunbury, M.Sc., F.R.I.C. Oxford University Press, 114 Fifth Avenue, New York 11, N. Y. 1954. Volume I, xvi + 654 pp.; Volume II, xvi + 845 pp.; Volume III, xvi + 845 pp.; Volume IV, xvi + 694 pp.; Each Volume—20 \times 27 cm. Price, \$78.00 a set.

During the past twenty years Heilbron's "Dictionary of Organic Compounds" has become a standard reference work for chemists concerned with organic compounds. This dictionary has proved especially valuable in connection with research and courses involving the characterization of organic compounds. For these reasons it is fortunate that this valuable reference work has been revised and brought up to date. Over 2500 new entries are included in this revised edition. In addition, the original entries have been brought up to date to the end of 1950 and in some cases to 1953. After a random check of some of the compounds with which this reviewer is familiar it appears that the revision has indeed been comprehensive. The earlier data have in many instances been replaced or supplemented by more accurate and recent data.

The style and format are essentially the same as in the original edition. The compounds are arranged in alphabetical order and each entry contains the following information: structural and molecular formulas, physical properties including solubilities, characteristic chemical properties, functional derivatives and principal references. Am-

biguities which might be anticipated with an alphabetical classification have been minimized by the liberal use of cross references and by carefully stating the nomenclature rules in the introduction.

Although Heilbron's 'Dictionary of Organic Compounds'' is not as comprehensive as Beilstein or Elsevier's 'Encyclopedia of Organic Chemistry,'' and by no means is intended to be, it offers the advantage of being more up to date and convenient to use.

The editors deserve praise for their efforts in making this revised edition available.

DEPARTMENT OF CHEMISTRY UNIVERSITY OF WISCONSIN MADISON 6, WISCONSIN

HARLAN L. GOERING

General Biochemistry. By William H. Peterson, Ph.D., Emeritus Professor of Biochemistry, University of Wisconsin, Madison, and Frank M. Strong, Ph.D., Professor of Biochemistry, University of Wisconsin, Madison. Prentice—Hall, Inc., Englewood Cliffs, New Jersey. 1953. v + 469 pp. 15.5 × 23.5 cm. Price, \$8.65.

Modern biochemistry owes its origins to two sources, agriculture and medicine, and has been nourished and sustained by numerous developments in the fundamental sciences of biology, chemistry and physics. Few scientific areas in recent times include so broad a scope of activity