



Addition/Correction

A Targetable Fluorescent Probe for Imaging Hydrogen Peroxide in the Mitochondria of Living Cells

Bryan C. Dickinson, and Christopher J. Chang

J. Am. Chem. Soc., 2008, 130 (34), 11561-11561 • DOI: 10.1021/ja805448s • Publication Date (Web): 02 August 2008

Downloaded from http://pubs.acs.org on February 8, 2009

More About This Article

Additional resources and features associated with this article are available within the HTML version:

- Supporting Information
- Access to high resolution figures
- Links to articles and content related to this article
- Copyright permission to reproduce figures and/or text from this article

View the Full Text HTML





A Targetable Fluorescent Probe for Imaging Hydrogen Peroxide in the Mitochondria of Living Cells [*J. Am. Chem. Soc.* 2008, 130, 9638–9639]. Bryan C. Dickinson and Christopher J. Chang*

Page 9638: Lippard and co-workers have reported the synthesis of a ring-opened, 2'-chloro-substituted piperazine rhodol/rhodafluor similar to the ring-closed, parent Fmoc-piperazine rhodol/rhodafluor starting material 3.¹ This work should have been cited in our Communication.

Literature Cited

 Clark, M. A.; Hilderbrand, S. A.; Lippard, S. J. Tetrahedron Lett. 2004, 45, 7129–7131.

JA805448S

10.1021/ja805448s Published on Web 08/02/2008