

Correction to Catalytic Enantioselective Protonation of Nitronates Utilizing an Organocatalyst Chiral Only at Sulfur


Kyle L. Kimmel, Jimmie D. Weaver, Melissa Lee, and Jonathan A. Ellman*

J. Am. Chem. Soc. 2012, 134, 9058–9061. DOI: 10.1021/ja3026196

Supporting Information

Page 9060. We recently established that Scheme 5 in the original manuscript contains incorrect structures. The corrected

Scheme 5. Corrected Synthesis of α,γ -Disubstituted γ -Lactams



structures as well as an additional transformation to provide the desired lactams 12 are now provided. α -Carboxy γ -lactams 10 and γ -lactams 11 are now correctly depicted as the *N*-hydroxy derivatives. Reduction of the *N*-hydroxy lactams 11 to the desired lactams 12 is accomplished in high yield by treatment with TiCl₃ under mild conditions. Full experimental details, analytical data, and spectra for 12a–c are provided in the corrected Supporting Information.

ASSOCIATED CONTENT

S Supporting Information

Corrected structures are provided in the procedures to prepare **10** and **11** and on their spectra and HPLC traces. Full experimental procedures, analytical data, and spectra are provided for the additional transformation to prepare **12**. This material is available free of charge via the Internet at http://pubs. acs.org.

Published: July 3, 2012

