

Correction to Controllable Disorder Engineering in Oxygen-Incorporated MoS₂ Ultrathin Nanosheets for Efficient Hydrogen Evolution

Junfeng Xie, Jiajia Zhang, Shuang Li, Fabian Grote, Xiaodong Zhang, Hao Zhang, Ruoxing Wang, Yong Lei, Bicao Pan, and Yi Xie*

J. Am. Chem. Soc. **2013**, *135*, 17881–17888. DOI: 10.1021/ja408329q

Page 17886, Figure 6C. The labeled bars for S180 and S200 in the Nyquist plots were mistakenly transposed. The blue bar should represent the impedance curve for S180, while the purple bar should represent the impedance curve for S200, which are consistent with the colors in the polarization curves, the Tafel plots, and the stability tests. The corrected version of Figure 6 is presented herein, and the incorrect labeling does not

affect the discussion of the results or the conclusions. The authors apologize for this error and for any inconvenience caused.




Figure 6. (A) Polarization curves and (B) corresponding Tafel plots of the oxygen-incorporated MoS₂ ultrathin nanosheets. Inset: enlargement of the region near the onset. (C) Nyquist plots of different samples. The fitted curves are presented by solid lines. (D) Polarization curves revealing that negligible degradation of HER activity is observed for S180 even after 3000 CV cycles. (E) Cycling stability of various catalysts at overpotential of 300 mV. (F) The overpotential required to drive 10 mA cm⁻² in dependence of cycle numbers for various electrocatalysts.

Published: January 14, 2014