

COMMUNICATIONS TO PROCEEDINGS: INDEX OF AUTHORS, 1958.

The following index relates to Scientific Communications published in *Proceedings of the Chemical Society*, 1958.

A

- Abel, E. W., Bennett, M. A., and Wilkinson, G. *cycloheptatriene* metal complexes, 152.
 Addison, C. C., Hathaway, B. J., and Logan, N. The volatility of anhydrous nitrate-iron complexes, 51.
 Akhtar, M., and Weedon, B. C. L. The formation of vinyl-acetylenes from copper acetylides, 303.
 Archer, A. A. P. G., and Harley-Mason, J. Synthesis of 3-3'-indolylglycerol 1-(dihydrogen phosphate), 285.
 Arigoni, D. See Britt, J. J., 224.
 Arnold, Z., and Žemlička, J. A general synthesis of β -chloroacraldehydes, 227.
 Aroney, M., and Le Fèvre, R. J. W. The conformations of piperidine, morpholine, and triethylamine, 82.

B

- Ballantine, J. A., Beer, R. J. S., Crutchley, D. J., Dodd, G. M., and Palmer, D. R. The synthesis of violacein and related compounds, 232.
 Barnard, M., and Yang, N. C. Proximity effect in photochemical reactions, 302.
 Bartocha, B., Brinckman, F. E., Kaesz, H. D., and Stone, F. G. A. Divinylmercury as a reagent for preparing vinyl derivatives of elements of Groups III and V, 116.
 Barton, D. H. R., and Quinkert, G. Photochemical cleavage of *cyclohexadienones*, 197.
 Battersby, A. R., and Hodson, H. F. Studies on toxiferine-I, 287.
 Baxter, J. N., Lythgoe, B., Scales, B., Trippett, S., and Blount, B. K. Taxine-I, the major alkaloid of the yew, *Taxus baccata* L., 9.
 Bayne, S. Osone dithioacetals, 170.
 Beckwith, A. L. J. The oxidation of crystalline cholesterol, 194.
 Beer, R. J. S. See Ballantine, J. A., 232.
 Bennett, M. A. See Abel, E. W., 152.
 Bickel, A. F. See ter Borg, A. P., 283.
 Binks, J. H., and Szwarc, M. Hyperconjugation and methyl affinities, 226.
 Birch, A. J., Fryer, R. I., and Smith, H. The biosynthesis of aurantiogliocladin, rubriogliocladin, and gliorosein: a possible relation to the biosynthesis of ubiquinone (coenzyme Q), 343.
 Birch, A. J., Rickards, R. W., and Smith, H. The biosynthesis of gibberellic acid, 192.
 Birch, A. J., Rickards, R. W., Smith, H., Harris, H., and Whalley, W. B. The biosynthesis of rosenonolactone, a diterpenoid metabolite of *Tricothecium roseum* Link, 223.
 Birch, A. J. See also Law, H. D., 198.
 Blount, B. K. See Baxter, J. N., 9.
 Brinckman, F. E. See Bartocha, B., 116.
 Britt, J. J., and Arigoni, D. The biogenesis of the diterpene rosenonolactone, 224.
 Brown, B. R., and Somerfield, G. A. Hydrogenolysis of ethers and flavans, 7.
 Brown, B. R., and Somerfield, G. A. The relative configuration of catechin and epicatechin, 236.
 Bu'Lock, J. D., and Ryan, A. J. The biogenesis of patulin, 222.
 Butenandt, A., and Hecker, E. Dimethylamine, the supposed sex-attractant of the silkworm moth (*Bombyx mori*), 53.

C

- Carr, M. D., and England, B. D. A new mechanism of electrophilic aromatic chlorination, 350.
 Castells, J., Jones, E. R. H., and Williams, R. W. J. The stereochemistry of lumisterol and pyrocalfiferol, 7.
 Cherniak, E. A., Collinson, E., Dainton, F. S., and Meaburn, G. M. Ferric chloride as a radical scavenger in the radiolysis of organic compounds, 54.
 Clar, E., and Ironside, C. T. Hexabenzocoronene, 150.
 Cocker, W., and McMurry, T. B. H. The absolute configuration of ψ -santonin, 147.
 Cohen, A. D., Sheppard, N., and Turner, J. J. Use of the nuclear magnetic resonance spectra of hydrogen in ^{13}C groups to determine spin-spin coupling constants between equivalent hydrogen atoms, 118.
 Cole, J. E., jun., Johnson, W. S., Robins, P. A., and Walker, J. A stereoselective total synthesis of oestrone, 114.
 Collinson, E. See Cherniak, E. A., 54.
 Cornforth, J. W., Cornforth, R. H., Pelter, A., Horning, M. G., and Popjak, G. Rearrangement of methyl groups in the enzymic cyclisation of squalene to lanosterol, 112.
 Cornforth, R. H. See Cornforth, J. W., 112.
 Cox, J. S. G., High, L. B., and Jones, E. R. H. The determination of steroid side-chains, 234.
 Cross, B. E., Grove, J. F., MacMillan, J., Mulholland, T. P. C., and Sheppard, N. The structure of gibberellic acid, 221.
 Crutchley, D. J. See Ballantine, J. A., 232.
 Cundall, R. B., Driver, J., and Eley, D. D. Sodiomalonic ester as an anionic catalyst, 170.

D

- Dainton, F. S. See Cherniak, E. A., 54.
 Dhar, M. L., Thaller, V., and Whiting, M. C. A new type of macrolide antibiotic, 148.
 Diamond, R. M. See Tuck, D. G., 236.
 Dodd, G. M. See Ballantine, J. A., 232.
 Driver, J. See Cundall, R. B., 170.
 Dunitz, J. D., and Shearer, H. M. M. Structure of the *cyclo*-dodecane molecule, 348.
 Dutta, P. C. See Mukherjee, S. L., 351.
 Dvornik, D., and Edwards, O. E. Ajaconine: an intramolecular Cannizzaro-type reaction and the location of the undefined oxygen [atom], 280.
 Dvornik, D., and Edwards, O. E. The structure of ajaconine: a novel type of internal carbinolamine ether, 305.

E

- Eastham, J. F., and Raaen, V. F. A new *ortho*-substitution reaction of the benzyl-type Grignard reagent, 149.
 Edwards, O. E. See Dvornik, D., 280, 305.
 Eley, D. D. See Cundall, R. B., 170.
 Emeléus, H. J., and Lagowski, J. J. The interaction of perfluoroalkyl mercurials and potassium halides, 231.
 Emsley, J. W., and Smith, J. A. S. Proton magnetic resonance in thiourea, 53.
 Engels, E. J., Lamchen, M., and Wicken, A. J. A limitation of the Ing and Manske reaction, 191.
 Engelsma, J. W., and Kooyman, E. C. The gas-phase halogenation of benzonitrile: a novel substitution pattern, 258.
 England, B. D. See Carr, M. D., 350.

- Enslin, P. R. See Rivett, D. E. A., 301.
 Evans, D. F. Anomalous solvent shifts in high-resolution nuclear magnetic resonance spectra, 115.

F

- Feit, B.-A. See Zilkha, A., 255.
 Frankel, M. See Zilkha, A., 255.
 Fryer, R. I. See Birch, A. J., 343.

G

- Gerrard, W., and Macklen, E. D. The solubility of hydrogen chloride in organic compounds containing oxygen, 200.
 Gill, J. B. See Irving, H., 168.
 Goodwin, S., Shoolery, J. N., and Johnson, L. F. Significance of the non-equivalence of methylenedioxy-hydrogen nuclei in the nuclear magnetic resonance spectra of aporphine alkaloids, 306.
 Grant, M. S., and Hickinbottom, W. J. The disproportionation of mesitylene by methanesulphonic acid, 286.
 Greenwood, N. N., and Thompson, A. Proton-switch as a mechanism for conduction in anhydrous phosphoric acid, 352.
 Greuter, F., Kalvoda, J., and Jeger, O. Thermal decomposition of 20-diazo-5 α -pregnan-20-one, 349.
 Grimison, A., and Ridd, J. H. The significance of a hydrogen-isotope effect in the orientation of electrophilic substitution in glyoxaline, 256.
 Grove, J. F. See Cross, B. E., 221.

H

- Hall, D., and Woulfe, M. D. The structure of the nickel-tris-(2-aminoethyl)amine complex, 346.
 Halsall, T. G., Rodewald, W. J., and Willis, D. The synthesis of *DL*-6 β -hydroxy-5:5:9 β -trimethyl-*trans*-decal-2-one, 231.
 Harley-Mason, J. See Archer, A. A. P. G., 285.
 Harris, A. See Birch, A. J., 223.
 Harris, C. M., and Martin, R. L. A diamagnetic binuclear compound of bivalent copper, 259.
 Hart, H., and Wagner, C. R. Conformation of homochromans, 284.
 Hathaway, B. J. Volatile copper perchlorate, 344.
 Hathaway, B. J. See also Addison, C. C., 51.
 Haworth, R. D., Jones, K., and Rogers, H. J. Ion-exchange chromatography of *Aspergillus niger* extract, 8.
 Hayes, M. J., and Pepper, D. C. The polymerisation of styrene by sulphuric acid: a non-stationary chain reaction, 228.
 Haynes, N. B., and Timmons, C. J. The hydrogenation of some hexahydronaphthalene derivatives as a step in terpene syntheses, 345.
 Hecker, E. See Butenandt, A., 53.
 Henbest, H. B., and Nicholls, B. A remote group directing effect, 225.
 Hickinbottom, W. J. See Grant, M. S., 286.
 High, L. B. See Cox, J. S. G., 234.
 Hill, R. A. W., and Welsh, J. N. A new technique for observing superheating of liquids, 199.
 Hock, A. A., and Mills, O. S. The structure of the but-2-yne complex of iron carbonyl hydride, 233.
 Hodson, H. F. See Battersby, A. R., 287.
 Horning, M. G. See Cornforth, J. W., 112.

I

- Ironside, C. T. See Clar, E., 150.
 Irving, H., and Gill, J. B. Diamagnetism in a quasitetrahedral nickel(II) complex, 168.

J

- Jackman, L. M., and Wiley, R. H. Nuclear magnetic resonance and the stereochemistry of *cis-trans*-isomers. The isolation of pure *trans*- β -methylglutaconic acid, 196.

- Jeger, O. See Greuter, F., 349.
 Johnson, L. F. See Goodwin, S., 306.
 Johnson, R. R., and Lewis, E. S. Isotope effect as a measure of transition-state hindrance, 52.
 Johnson, W. S. See Cole, J. E., jun., 114.
 Jones, E. R. H. See Castells, J., 7, and Cox, J. S. G., 234.
 Jones, K. See Haworth, R. D., 8.

K

- Kaesz, H. D. See Bartocha, B., 116.
 Kalvoda, J. See Greuter, F., 349.
 Knox, G. R., and Pauson, P. L. The direct synthesis of ferrocene derivatives from fulvenes, 289.
 Kooyman, E. C. See Engelsma, J. W., 258.
 Kynaston, W., and Turner, H. S. Ammonium tetrachloroborates, 304.

L

- Lagowski, J. J. See Emeléus, H. J., 231.
 Lahey, F. N., and Leeding, M. V. A new triterpene alcohol, baurenol, 342.
 Lamchen, M. See Engels, E. J., 191.
 Lavie, D., and Shvo, Y. A degradation product of elatericin A, 220.
 Law, H. D., Millar, I. T., Springall, H. D., and Birch, A. J. The structure of evolidine, 198.
 Leeding, M. V. See Lahey, F. N., 342.
 Le Fèvre, R. J. W. Relationship between longitudinal bond polarisability and molecular dimensions, 283.
 Le Fèvre, R. J. W. See also Aroney, M., 82.
 Lewis, E. S. See Johnson, R. R., 52.
 Loewenthal, H. J. E., and Rona, P. The synthesis of 5:6:7:8:9:10:11:12-octahydro-1:2:3-trimethoxybenzo[*a*]heptalene, 114.
 Logan, N. See Addison, C. C., 51.
 Longworth, W. R., and Plesch, P. H. A new class of catalyst for cationic polymerisations, 117.
 Lythgoe, B. See Baxter, J. N., 9.

M

- Maccoll, A., and Stimson, V. R. Catalysis by hydrogen halides in the gas phase, 80.
 Macklen, E. D. See Gerrard, W., 200.
 MacMillan, J. See Cross, B. E., 221.
 McMurry, T. B. H. See Cocker, W., 147.
 Martin, B., and Waind, G. M. Low-valency stabilisation. 2:2'-Dipyridyl complexes of cobalt, rhodium, and iridium, 169.
 Martin, R. L. See Harris, C. M., 259.
 Meaburn, G. M. See Cherniak, E. A., 54.
 Meinwald, J. Some novel oxime reactions: a reinterpretation, 286.
 Millar, I. T. See Law, H. D., 198.
 Mills, O. S. See Hock, A. A., 233.
 Morris, R., Vernon, C. A., and White, R. F. M. Determination of the geometric configuration of substituted crotonic acids and esters by nuclear magnetic resonance, 303.
 Mukherjee, S. L., and Dutta, P. C. Synthesis of 6 β -acetoxy-5:5:9-trimethyldecal-3-one, 351.
 Mulholland, T. P. C. See Cross, B. E., 221.
 Musher, J., and Richards, R. E. High-resolution hydrogen resonance spectra of *cis*- and *trans*-condensed ring systems, 230.

N

- Nicholls, B., and Whiting, M. C. A general method for preparing tricarbonylchromium derivatives of aromatic compounds, 152.
 Nicholls, B. See also Henbest, H. B., 225.
 Norman, R. O. C. 2:4:7-Trinitrofluorenone as a stationary phase in gas chromatography, 151.

P

- Palmer, D. R. See Ballantine, J. A., 232.
 Pauson, P. L. See Knox, G. R., 289.
 Pelter, A. See Cornforth, J. W., 112.
 Pepper, D. C. See Hayes, M. J., 228.
 Philbin, E. M., and Wheeler, T. S. Conformation of chromans and related compounds, 167.
 Pimlott, P. J. E., and Young, G. T. A new method for the protection of thiol groups, 257.
 Plesch, P. H. See Longworth, W. R., 117.
 Popjak, G. See Cornforth, J. W., 112.
 Puri, B. R., Singh, D. D., and Sharma, L. R. Heats of wetting of charcoals in different liquids, 83.

Q

- Quinker, G. See Barton, D. H. R., 197.

R

- Raaen, V. F. See Eastham, J. F., 149.
 Rajbenbach, A., and Szwarc, M. Abstraction of hydrogen atoms from bridgehead positions by methyl radicals, 347.
 Richards, R. E. See Musher, J., 230.
 Rickards, R. W. See Birch, A. J., 192, 223.
 Ridd, J. H. See Grimison, A., 256.
 Rivett, D. E. A., and Enslin, P. R. On the skeletal structure of the cucurbitacins, 301.
 Robins, P. A. See Cole, J. E., jun., 114.
 Rodewall, W. J. See Halsall, T. G., 231.
 Rogers, H. J. See Haworth, R. D., 8.
 Rona, P. See Loewenthal, H. J. E., 114.
 Ryan, A. J. See Bu'Lock, J. D., 222.

S

- Sargeson, A. M., and Sasse, W. H. F. The formation of a pyrrole derivative from pyridine under the influence of degassed Raney nickel, 150.
 Sasse, W. H. F. See Sargeson, A. M., 150.
 Scales, B. See Baxter, J. N., 9.
 Scott, A. I. The oxidation of substituted 2:4'-dihydroxy-benzophenones by alkaline potassium ferricyanide, 195.
 Sharma, L. R. See Puri, B. R., 83.
 Shaw, G., and Warrener, R. N. An unambiguous synthesis of aminoglyoxaline and purine nucleosides, 193.
 Shaw, G., and Warrener, R. N. Synthesis of thymidine, 81.
 Shearer, H. M. M. See Dunitz, J. D., 348.
 Sheppard, N. See Cohen, A. D., 118, and Cross, B. E., 221.
 Shoolery, J. N. See Goodwin, S., 306.
 Shvo, Y. See Lavie, D., 220.
 Sims, A. F. E., and Smith, P. W. G. The structure of diethyl dihydro-1:2:6-trimethylpyridine-3:5-dicarboxylate, 282.
 Singh, D. D. See Puri, B. R., 83.
 Smith, H. See Birch, A. J., 192, 223, 343.
 Smith, J. A. S. See Emsley, J. W., 53.

- Smith, P. W. G. See Sims, A. F. E., 282.
 Somerfield, G. A. See Brown, B. R., 7, 236.
 Springall, H. D. See Law, H. D., 198.
 Stimson, V. R. See Maccoll, A., 80.
 Stone, F. G. A. See Bartocha, B., 116.
 Szwarc, M. See Binks, J. H., 226, and Rajbenbach, 347.

T

- ter Borg, A. P., and Bickel, A. F. A new synthesis of benzocyclobutene, 283.
 Thaller, V. See Dhar, M. L., 148.
 Thompson, A. See Greenwood, N. N., 352.
 Timmons, C. J. See Haynes, N. B., 345.
 Trippett, S. See Baxter, J. N., 9.
 Tuck, D. G., and Diamond, R. M. Hydration of the proton, 236.
 Turner, H. S. See Kynaston, W., 304.
 Turner, J. J. See Cohen, A. D., 118.

V

- Vernon, C. A. See Morris, R., 303.

W

- Wagner, C. R. See Hart, H., 284.
 Waind, G. M. See Martin, E., 169.
 Walker, J. See Cole, J. E., jun., 114.
 Warrener, R. N. See Shaw, G., 81, 193.
 Weedon, B. C. L. See Akhtar, M., 303.
 Welsh, J. N. See Hill, R. A. W., 199.
 Whalley, W. B. See Birch, A. J., 223.
 Wheeler, T. S. See Philbin, E. M., 167.
 White, R. F. M. See Morris, R., 303.
 Whiting, M. C. See Dhar, M. L., 148, and Nicholls, B., 152.
 Wicken, A. J. See Engels, E. J., 191.
 Wiley, R. H. See Jackman, L. M., 196.
 Wilkinson, G. See Abel, E. W., 152.
 Williams, R. W. J. See Castells, J., 7.
 Willis, D. See Halsall, T. G., 231.
 Woulfe, M. D. See Hall, D., 346.

Y

- Yang, N. C. See Barnard, M., 302.
 Young, G. T. See Pimlott, P. J. E., 257.

Z

- Zemlička, J. See Arnold, Z., 227.
 Zilkha, A., Feit, B. A., and Frankel, M. Alkoxides as initiators of anionic polymerisation of vinyl monomers, 255.