

JOURNAL OF THE CHEMICAL SOCIETY

The scale and cost of present day publication make it necessary to ask authors to co-operate with the Society to the full. To facilitate this the Society will publish a sequence of notices to authors within these covers. It is intended to deal with all major aspects of the

preparation, submission, content, and handling of articles intended for the *Journal*. Careful attention to these notices will help authors to have their work published more easily and rapidly.

NOTICES TO AUTHORS—No. 1

General Policy

The *Journal of the Chemical Society* is a medium for reporting selected original and significant contributions to new chemical knowledge. Articles which do not advance knowledge (*e.g.* reviews) will not normally be considered for publication in the *Journal*.

All contributions are judged on the criteria of (i) originality and quality of scientific content and (ii) appropriateness of the length to content of new science. Thus, papers reporting results which would be routinely predicted or result from application of standard procedures or techniques are unlikely to prove acceptable in the absence of other attributes which themselves make publication desirable.

Although short articles are acceptable, the Society strongly discourages fragmentation of a substantial body of work into a number of short publications. Unnecessary fragmentation will be a valid reason for rejection of manuscripts.

The *Journal* is published in five Transactions: Dalton, Inorganic; Perkin I, Organic and Bio-organic; Perkin II, Physical Organic; Faraday I, Physical; Faraday II, Chemical Physics.

Authors are requested to indicate, at the time they submit a typescript, the Transactions for which it is intended. Should this seem unsuitable, the Editor will inform the author.

Conditions Governing Acceptance

Contributions which have appeared or have been accepted for publication with essentially the same content in another journal or which incorporate freely available printed work will not be published in the *Journal* except by permission of the Council. This restriction does not apply to results previously published in materially abbreviated form, as a paper presented at a symposium, as a communication to

Chemical Communications, as a letter to the Editor of other periodicals, or as a patent.

Contributions are accepted by the Society on the understanding that the authors (*a*) have obtained any necessary authority for publication, and (*b*) will, if requested, surrender their copyright to the Society.

Authors are solely responsible for the factual accuracy of their contributions.

Since the Society reserves the right to retain all typescripts sent to it, authors are advised to keep copies. When contributions have been submitted for publication the authors are not at liberty, save by permission of the Society, to withdraw or delay them or to publish them elsewhere until after publication by the Society.*

Submission of Articles

Typescripts should be addressed to: The Manager Journals, The Royal Society of Chemistry, Burlington House, London W1V 0BN.

Three copies of the typescript (a top copy and two good quality carbon or Xerox copies) are required.

Rapid publication is aided by careful preparation of text and illustrations and strict adherence to the format and conventions of individual Transactions; detailed Instructions to Authors are available on request from the Editor.

Particular attention is drawn to the use of (i) SI units and associated conventions, (ii) I.U.P.A.C. nomenclature for compounds, and (iii) standard methods of literature citation.

Administration

Receipt of a contribution for consideration will be acknowledged immediately by the Editorial Office. The acknowledgement will indicate the paper reference number assigned to the contribution. Authors are particularly asked to quote it on all subsequent correspondence.

* Attention is drawn to the following extract from the Society's Bye-Laws:

84. (i) Every Fellow who, with a view to its publication by the Society, submits a paper or other communication shall by so doing undertake:

(a) that his communication has not been published and that he will not permit its publication before it is accepted or declined by the Society, and

(b) that if it is accepted for publication the Society shall thereupon become entitled to the copyright therein and that he will, when called on to do so, assign, insofar as he is permitted to do so, to the Society the said copyright, including the sole right to print and publish in any form, in any language, and in any part of the world, the whole or any part of his communication. The Council shall not refuse any reasonable request from any author to reproduce his own work elsewhere in whole or in part.

The attention of every Fellow who submits a paper or other communication for publication shall be drawn to this Bye-Law.

(ii) Any person other than a Fellow who submits any paper or other communication with a view to its publication shall be required to sign an undertaking in the terms set out above.

NOTICES TO AUTHORS—No. 2/1968

Presentation of Papers

Every latitude, consistent with brevity, in the form and style of papers is permitted, and no pattern for either is prescribed. Certain elements are, however, common to all papers, and these are considered.

Organization of Material

Title.—The choice of a title for a paper is of the greatest importance, since it is from the title that the important key-words used in information retrieval are taken. Not only should the title clearly and accurately indicate the content of that paper but also it should be as specific as the content and emphasis of the work permits. Brevity in a title, though desirable, should be balanced against its accuracy and usefulness.

Abbreviations, symbols, and formulae are generally not permitted, and it is usual to spell out terms where necessary.

Reference to the preceding part of a series must be made as the reference (numbered 1) to the title in the form: 'The Chemistry of Vitamin B₁₂. Part VIII.¹ Controlled Potential Reduction of Vitamin B_{12a}.' [Reference to a preceding part in the references is in the form: Part VII, H. A. O. Hill, B. E. Mann, J. M. Pratt, and R. J. P. Williams, *J. Chem. Soc. (A)*, 1968, 564. If the page number is unknown because the paper has still to be accepted, or is in the press, the paper number should be given.]

Summary.—Every paper for the *Journal* must be accompanied by a summary (50—250 words) setting out briefly and clearly the objects and results of the work. The summary should give a reader a clear idea of what the work has achieved and should be *independent* of the main text. This last point is of particular importance in connection with the names of compounds which, although they may be accompanied by a number which refers to a displayed formula in the body of the text, must be comprehensible without reference to this formula. Thus,

Apetalactone, a new triterpene lactone isolated from *Calophyllum apetalum* Willd. has been shown to be 4,28-dihydroxy-3,4-secofriedelan-3-oic acid lactone (IIa).

or

Reaction of sodium hydride with ω -hydroxyalkyltriphenylphosphonium salts $\text{Ph}_3\text{P}^+[\text{CH}_2]_n\text{OH X}^-$ (I) has been investigated. The salt (I; $n = 1$, $X = 1$) gave triphenylphosphine and formaldehyde. The salt (I; $n = 2$, $X = 1$) gave triphenylphosphine oxide and ethylene. Similar reactions were carried out with ω -hydroxyalkyltriphenylarsonium (XIV) and ω -hydroxyalkyldimethylphenylammonium (XV) salts.

The summary should concern only the main subject of the work and its main conclusions; details of an involved argument or synthesis should not be included and, although classes of compounds prepared or discussed should be given rather than a list of compounds, key compounds in the work should be referred to.

Introduction.—This should give clearly and briefly, with relevant references, both the nature of the problem under investigation and its background.

Results and Discussion.—It is usual for the results to be presented first, and for them to be followed by a

discussion of their significance. Only relevant results should be presented, and figures, tables, and equations should be used only for purposes of clarity and brevity. Data must not be reproduced in more than one form, *e.g.* in both figures and tables.

Experimental Section.—Descriptions of experiments should be given in detail sufficient to enable experienced experimental workers to repeat them; the degree of purity of materials should be given, as should the relative quantities used. Descriptions of established procedures are unnecessary. Standard techniques and methods used throughout the work should be stated at the beginning of the section. Apparatus should be described only if it is non-standard; commercially available instruments are referred to by their stock numbers (*e.g.* Perkin-Elmer 137 or Unicam SP 500 spectrophotometers). The accuracy of primary measurements should be stated. Unexpected hazards encountered during the experimental work should be noted. The detailed treatment of the Experimental section is dealt with in a forthcoming Notice to Authors.

Acknowledgements.—Contributors, other than co-authors, are acknowledged in a separate paragraph at the end of the paper; acknowledgements should be as brief as possible. Titles, Mr., Mrs., Miss, Dr., Professor, *etc.*, are given; degrees are not given. Organizations which operate on a commercial basis are not acknowledged.

Bibliographic References.—These are given on a separate sheet at the end of the manuscript and are referred to in the text by superior roman numerals. They must be distinguished from footnotes which are given at the bottom of the page to which they refer; they are referred to by an asterisk (*), dagger (†), *etc.* Bibliographic references and footnotes are the subject of Notice No. 3.

General Detail

Type Size.—It should be noted that since the Experimental section and the results are printed in smaller type than the theoretical part, division between the two should be clear-cut and frequent alternation is not advisable.

Brevity.—Because of the large volume of work submitted for publication, brevity in the presentation of papers is essential and, for this reason, certain tendencies are discouraged; these are as follows:

- Unnecessary division of work into separate parts of a series. Papers are in no way discouraged solely on grounds of length.
- Submission of fragmentary work when this can be included in a larger communication.
- Historical introductory paragraphs in cases when a simple statement of the accepted present position suffices.
- Undue elaboration of hypotheses.
- Over-detailed and verbose exposition of ideas.
- Excessive use of diagrams, for example, straight-line plots that can be adequately expressed as an equation together with, if necessary, a table of deviations.
- Duplication of data as between text, tables, and figures, *etc.*

- (h) Details of the preparation of simple derivatives such as esters, ethers, semicarbazones, *etc.*, and slight variations of essentially the same technique. (Unless the conditions are critical, quantities are superfluous, and only an indication of reagents and/or conditions is required.)

Spelling.—Standard English spelling is used (*Oxford English Dictionary*), although latitude with respect to alternative spellings for certain words is allowed. Where one form or the other of a particular spelling is adopted it should be used consistently throughout a paper.

Punctuation.—Although punctuation follows standard English practice, the following conventions are observed:

- (a) A comma is placed before 'and' or 'or' in a series such as 'oxygen, sulphur, and selenium' or ' λ_{max} . 237, 295, and 343 nm.'
- (b) Parentheses, square brackets, and braces are used, as necessary, in that order, *i.e.* {{()}}.
- (c) When a word is followed by a punctuation mark the parenthetical phrase must be inserted before the latter, *e.g.* 'm.p. 234° (decomp.)', and not 'm.p. 234°, (decomp.)'.
- (d) A colon is used to separate a ratio, as in 1 : 20—not a solidus 1/20.
- (e) Parenthetical expressions of the same physical quantity in different units are separated by a comma (3.9 g, 0.1 mol) (30 ml, 1 mol); expressions of different physical quantities are separated by a semicolon (2.9N; 30 ml) (d 0.88; 8 ml).

Hyphenation.—Hyphens are used for two purposes: to divide and to compound.

Division. It is common practice to divide words, particularly when in a sequence, when one part is common to several of the words; in such cases, the hyphen, representing the point of attachment to the common part, is always inserted, *e.g.* 'the chloro-, bromo-, and fluoro-naphthalenes,' 'the *o*-, *m*-, or *p*-nitrotoluenes,' or 'the oxo-naphthalenes and -naphthalenes.' It is not good practice, however, to detach both a common prefix and a common suffix in a series, *e.g.* 'the dihydroxy-naphthalene- and phenanthrene-diones,' since confusion can arise.

'Sections' of class names such as diazo-ketone, alkyl-diamine, epoxy-nitro-sulphone, *etc.*, are linked by hyphens.

It is also Society usage to insert a hyphen after a prefix which ends in a vowel or y; the hydroxy-group, the aza-function, the carboxy-compounds, the nitro-derivatives, but the methyl group (note that hydroxy, acetoxy, carboxy, ethoxy, and methoxy are used and not hydroxyl, acetoxyl, carboxyl, ethoxyl, and methoxyl).

It is customary to separate a pair of the same letter when these letters (in the same fount) would not naturally fall together, *e.g.* butyl-lithium, iodo-octane.

Compounding. A hyphen is often necessary when words are compounded to form a single modifying adjective to precede the noun being modified, thus: 'a melting-point determination' or 'a free-radical chain mechanism.' A hyphen is not needed when adverbs are compounded, as in 'an electrically heated oven,' or for two-word chemical names such as 'nitric acid solution.'

Miscellaneous uses of hyphens. Hyphens are used to set apart numbers, configurational letters, Greek

letters, and italicized prefixes: 1,2,5-trimethylcyclohexane, *D*-gluco-hexose, *s*-trinitrobenzene, β -chlorophenethylbenzene, tri- μ -carbonyl-bis(tricarbonyliron), and 3-methylpent-*trans*-2-ene.

Use of Italics.—As described below, italics are indicated in a typescript by single underlining. Particular attention should be paid to the following uses.

(a) Foreign words and phrases and Latin abbreviations are given in italics: *e.g.*, *in toto*, *in vivo*, *ca.*, *cf.*, *i.e.*, *etc.*

(b) In the names of chemical compounds or radicals italics are used for prefixes (other than numerals or symbols) when they define the position of named substituents, or when they define stereoisomers: other prefixes are printed in roman. (*Note:* Initial capital letters are not to be used with italic prefixes or single-letter prefixes: full points are not to be associated with letter prefixes.)

o-, *m*-, and *p*-nitrotoluenes, but *ortho*-, *meta*-, and *para*-compounds (*o*-, *m*-, and *p*- are used only with specific names; *ortho*-, *meta*-, and *para*- are used with classes), *s*-trinitrobenzene, *NN*-dimethylaniline, *trans*- and *cis*-hexane-1,2-diol, *gem*- and *vic*-diols, benzil *anti*-oxime, 3-*O*-methyl-L-*glycero*-tetrulose.

At the beginning of a sentence the first roman letter after the prefix is capitalized: '*D*-*glycero*-*D*-*gluco*-Heptose was subjected . . . ' and ' β -*p*-Tolylchalcone gave . . . '

(c) The scientific names of genera, species, and varieties are italicized.

(d) In references to periodicals their names or abbreviations are set in italics.

Note: Greek letters are not italicized, and should not therefore be underlined in typescripts.

Headings.—(a) Main sections (Experimental, Discussion, *etc.*): side-heading, small capitals, no final fullstop.

(b) Main side-heading: italics, initial capital letter for each noun and adjective, final fullstop and dash.

(c) Subsidiary side-heading: italics, first initial capital only, final fullstop but no dash.

(d) Further subdivision: by italic (*a*), (*b*), *etc.* (no following fullstop), and finally (i), (ii), *etc.* If (*a*), (*b*), *etc.* are used in front of a subsidiary side-heading, then for contrast these letters are not italicized.

Letters and prefixes which are ordinarily printed in italics are transferred for contrast into roman type in italicized phrases (see example below, where *O*-alkyl becomes *O*-alkyl).

Physicochemical symbols, however, remain in their prescribed form, and numerals and Greek letters are not italicized.

Examples:

EXPERIMENTAL

Preparation of Aliphatic Aldoximes and Ketoximes.
—*Acetoxime O-alkyl ethers.* (a) Acetoxime (100 g) was dissolved . . .

Density (d) of the Alcohol at 295 K.—The series of aliphatic alcohols . . .

Note: In the above examples it should be noted that the type of print required to indicate italics, capitals, small capitals, *etc.* is shown by underlining; this convention must be strictly adhered to, *i.e.*

Single underlining for *italic* type

Double underlining for SMALL CAPITALS

Treble underlining for ORDINARY CAPITALS

Wavy underlining for **bold black** type

NOTICES TO AUTHORS—No. 3/1968 (revised 1981)

Bibliographic References and Footnotes

A clear distinction is made between bibliographic references and footnotes. The latter are used to present material which, if included in the body of the text, would disrupt the flow of the argument but which is, nevertheless, of importance in qualifying or amplifying the textual material. Such footnotes are referred to with the following symbols: *, †, ‡, §, ¶, ||, etc. [Note: Since an asterisk is used to indicate the author to whom correspondence should be addressed, its use early on in a paper is not advised; a dagger (†) is preferred.]

Bibliographic References.—Reference to the source of statements in the text is made by use of *superior numerals* at the appropriate place. The references themselves are given at the end of the final printed text. It is essential that they are numbered in the order in which they are cited in the text.

The position of the superior numeral should be chosen with care, particularly when it does not follow an author's name. If placed adjacent to punctuation, the numeral should normally be placed after the punctuation mark, *e.g.* 'This compound was shown to be the dienone,³ which...'. It may be necessary to modify this rule, however, to avoid confusion, thus: 'In this way the method was found to be suitable for lead², tin³, bismuth⁴, and mercury⁵.'

Particular care is necessary where a reference number is likely to be confused with a superscript numeral indicating a power index: '... which gave a value of 2.3 cm³...' should be written as '... which gave a value³ of 2.3 cm' or '... which gave a value of 2.3 cm (ref. 3)'

Since it is difficult to predict the final position of a table in the text, references cited only in the table should be incorporated into the printed footnotes to the table. References which are also cited elsewhere in the text should be referred to in the footnotes by the numbers used in the text citations, *e.g.* ^a Ref. 15.

Journals. Journal titles should be abbreviated as indicated in Notice to Authors No. 4.

Books. Titles of books are cited in quotation marks, in upright letters, and the author(s), title, publisher, town, date (or edition, if more than one has been published), and page number (if required) must be given in that order:

C. J. M. Stirling, 'Radicals in Organic Chemistry,' Oldbourne Press, London, 1965, p. 69.

T. J. Suen, in 'Polymer Processes,' ed. C. E. Schildknecht, Interscience, New York, 1956, vol. X, p. 295.

Patents. Patents should be indicated in the form: B.P. 367 450, 367 455–7. U.S.P. 1 171 230. G.P. 436 112–4. Jap.P.20 101. Dates are indicated thus: B.P. 666 776/1956. Patents which are applied for must always be given a year, *e.g.* B.P. Appl. 102/1968.

Reports and Bulletins, etc.

R. A. Allen, D. B. Smith, and J. E. Hiscott, 'Radioisotope Data,' UKAEA Research Group Report AERE-R 2938, H.M.S.O., London, 1961.

'Collected Papers on Methods of Analysis for Uranium and Thorium,' Geological Survey Bulletin 1006, U.S. Government Printing Office, Washington D.C., 1954.

Material presented at meetings.

N. N. Greenwood, Abstracts, Anniversary Meeting of the Chemical Society, Glasgow, 1965, C1.

N. S. Anderson and D. A. Rees, in 'Proceedings of the Vth International Seaweed Symposium,' ed. E. G. Young and J. L. McLachlan, Pergamon Press, Oxford, 1966, p. 405.

Theses.

A. D. Mount, Ph.D. Thesis, University of London, 1967.

Reference to unpublished material. For material presented at a meeting, congress, or before a society, *etc.*, but not published, the following form is used:

¹ A. R. Jones, presented in part at the XXth Congress of the International Union of Chemistry, Paris, September, 1960.

For material accepted for publication, but not yet published, the following form is used:

² A. R. Jones, *J. Am. Chem. Soc.*, in the press.

If the paper has been submitted to the Society, the paper number should be given:

³ A. R. Jones, *J. Chem. Soc., Dalton Trans.*, in the press (2/556).

For material submitted for publication but not yet accepted the following form is used:

⁴ A. R. Jones, submitted for publication in *Angew. Chem.*

For personal communications the following form is used:

⁵ G. B. Ball, personal communication. (Note: the form, G. B. Ball, private communication, is inappropriate.)

If material is to be published but has yet to be submitted the following form is used:

⁶ Unpublished data.

Names.—The names and initials of all authors are always given in the reference footnote; they must not be replaced by the phrase *et al.* This does not prevent some, or all, of the names being mentioned at their first citation in the cursive text: initials are not necessary in the text.

For Chinese and Spanish authors all names should be given as in the original, since the patronymic is not always given last in these languages. If co-authors are to be collectively cited, as in 'Smith and his co-workers' or 'Smith *et al.*,' the latter form is inappropriate unless the individual name 'Smith' appears first among the authors named in the original.

Composite References.—Whenever possible, composite references should be used rather than a series of individual references. The style for composite references is as follows:

¹ A. B. Jones, *J. Chem. Soc., Dalton Trans.*, 1975, 234.

² A. B. Jones, *J. Chem. Soc., Dalton Trans.*, 1977, 123; 1978, 234.

³ A. B. Jones, *J. Chem. Soc., Dalton Trans.*, 1977, 123; *J. Am. Chem. Soc.*, 1956, 78, 1234.

⁴ A. B. Jones, *J. Chem. Soc.*, 1956, 234; A. B. Jones and C. D. Brown, *J. Chem. Soc. B*, 1967, 234, 1077; 1968, 599.

⁵ A. B. Jones, *J. Am. Chem. Soc.*, 1956, 78, 1234; A. B. Jones and C. D. Brown, *ibid.*, 1957, 79, 567; A. B. Jones and E. F. Green, *ibid.*, p. 999.

If only one paper from a composite reference is required for citation later, then two numbers may be assigned to the first citation (*e.g.* Jones ^{1,2}); alternatively, long composite references may be divided by letters, *e.g.*:

(a) A. B. Jones, *J. Chem. Soc., Dalton Trans.*, 1978, 467; (b) A. B. Jones and C. D. Brown, *J. Chem. Soc., Perkin Trans. 2*, 1979, 234.

A. B. Jones, *J. Chem. Soc. A*, (a) 1953, 267; (b) 1954, 1742; (c) *etc.*

A composite reference may cite a previous reference in the form:

¹² A. B. Jones, *J. Chem. Soc.*, 1956, 234; C. D. Brown, ref. 5.

(*Note: ibid.* is used only within a given reference and not to refer from one reference number to another: the abbreviated title for the journal should be repeated for separate reference numbers.)

Idem, loc. cit., and *op. cit.* are not used in references.

Journal Abbreviations

The style of journal abbreviations to be used in The Society's publications is that defined by the Chemical Abstracts Service in CASSI.* The abbreviations listed in CASSI are based upon internationally recognised systems. The following list of CASSI-style abbreviations covers most of the journals received in The Chemical Society's library. It is not, of course, a full list; CASSI (1974 edition) plus its quarterly supplements run to more than 2000 pages.

If you cannot locate an authoritative abbreviation for a journal, and if it is not obvious how the title should be abbreviated, please cite the full title.

Bibliographic details should be cited in the order: YEAR, VOLUME, PAGE.

- Acc. Chem. Res.*
Acta Acad. Aboensis, Ser. B
Acta Biochim. Biophys. Acad. Sci. Hung.
Acta Biochim. Iran.
Acta Biochim. Pol.
Acta Chem. Scand., Ser. A
Acta Chem. Scand., Ser. B
Acta Chim. Acad. Sci. Hung.
Acta Crystallogr.
Acta Metall.
Acta Phys. Acad. Sci. Hung.
Acta Phys. Chem.
Acta Vitaminol. Enzymol.
Adv. Act. Anal.
Adv. Alicyclic Chem.
Adv. Anal. Chem. Instrumen.
Adv. Carbohydr. Chem. Biochem.
Adv. Catal.
Adv. Chem. Phys.
Adv. Chromatogr.
Adv. Colloid Interface Sci.
Adv. Enzymol. Relat. Areas Mol. Biol.
Adv. Free-Radical Chem.
Adv. Heterocycl. Chem.
Adv. Inorg. Chem. Radiochem.
Adv. Lipid Res.
Adv. Macromol. Chem.
Adv. Magn. Reson.
Adv. Molten Salt Chem.
Adv. Organomet. Chem.
Adv. Org. Chem.
Adv. Photochem.
Adv. Phys. Org. Chem.
Adv. Protein Chem.
Adv. Quantum Chem.
Adv. Struct. Res. Diffr. Methods
Afinsidad
Agric. Biol. Chem.
Agrokem. Talajtan
AIChE J.
Ambix
Am. J. Pharm.
Am. J. Sci.
An. Acad. Bras. Cienc.
Anal. Biochem.
Anal. Chem.
Anal. Chim. Acta
Anal. Lett.
Analisis
Analyst (London)
An. Bromatol.
Angew. Chem.
Angew. Chem., Int. Ed. Engl.
Angew. Makromol. Chem.
Ann. Acad. Sci. Fenn., Sect. AII, Chem.
Ann. Chim. (Paris)
Ann. Chim. (Rome)
Ann. Endocrinol.
Ann. N.Y. Acad. Sci.
Ann. Pharm. Fr.
Ann. Soc. Sci. Bruxelles
Ann. Univ. Mariae Curie-Skłodowska, Sect. A
Annu. Rep. Anal. At. Spectrosc.
Annu. Rep. Med. Chem.
Annu. Rep. Prog. Chem., Sect. A, Phys.
Inorg. Chem.
Annu. Rep. Prog. Chem., Sect. B.
Annu. Rev. Biochem.
Annu. Rev. Ind. Eng. Chem.
Annu. Rev. NMR Spectrosc.
Annu. Rev. Phys. Chem.
Appl. Spectrosc.
Arch. Pharm. Chemi, Sci. Ed.
- Arch. Pharm. (Weinheim, Ger.)*
Arm. Khim. Zh.
Arzneim.-Forsch.
Aspects Homogeneous Catal.
At. Absorpt. Newsl.
Aust. J. Biol. Sci.
Aust. J. Chem.
Aust. J. Phys.
Azerb. Khim. Zh.
- Ber. Bunsenges. Phys. Chem.*
Biochem. Biophys. Res. Commun.
Biochem. Educ.
Biochemistry
Biochemistry (Engl. Transl.)
Biochem. J.
Biochem. Pharmacol.
Biochem. Prep.
Biochem. Soc. Trans.
Biochim. Biophys. Acta
Biochimie
Biofizika
Bioinorg. Chem.
Biokhimiya
Bioorg. Chem.
Bioorg. Khim.
Biopolymers
Biotechnol. Bioeng.
Bochu-Kagaku
Boll. Soc. Ital. Biol. Sper.
Bol. Soc. Quim. Peru
Br. Corros. J.
Br. J. Pharmacol.
Br. Polym. J.
Br. Polym. J.
Bul. Inst. Politeh. Iasi.
Bull. Acad. Pol. Sci., Ser. Sci. Chim.
Bull. Acad. Sci. USSR, Div. Chem. Sci.
Bull. Chem. Soc. Jpn.
Bull. Inst. Chem. Res., Kyoto Univ.
Bull. Sci., Cons. Acad. Sci. Arts RSF
Youngosl., Sect. A
Bull. Soc. Chim. Belg.
Bull. Soc. Chim. Fr.
Bunseki Kagaku
- Can. J. Biochem.*
Can. J. Chem.
Can. J. Chem. Eng.
Can. J. Pharm. Sci.
Can. J. Phys.
Can. J. Spectrosc.
Carbohydr. Res.
Carbon
Catal. Rev.
Cellul. Chem. Technol.
Cereal Chem.
Cesk. Farm.
Chelates Anal. Chem.
Chem. Age (London)
Chem. Anal. (Warsaw)
Chem. Ber.
Chem. Br.
Chem. Can.
Chem. Chron.
Chem. Econ. Eng. Rev.
Chem. Eng. Commun.
Chem. Eng. J. (Lausanne)
Chem. Eng. (London)
Chem. Eng. News
Chem. Eng. Progr.
Chem. Eng. Progr., Monogr. Ser.
Chem. Eng. Progr., Symp. Ser.
- Chem. Eng. Sci.*
Chem. Erde
Chem. Heterocycl. Compd. (Engl. Transl.)
Chem. Ind. (Deusseldorf)
Chem. Ind. Int. (Engl. Transl.)
Chem. Ind. (London)
Chem.-Ing.-Tech.
Chem. Listy
Chem. Nat. Compd. (Engl. Transl.)
Chem. N. Z.
Chem. Pharm. Bull.
Chem. Phys.
Chem. Phys. Carbon
Chem. Phys. Lett.
Chem. Phys. Lipids
Chem. Prum.
Chem. Rev.
Chemsa
Chem. Scr.
Chem. Soc. Rev.
Chem. Soc., Spec. Publ.
Chem. Stosow.
Chem. Tech. (Leipzig)
Chem. Technol.
Chem. Week
Chem. Weekbl.
Chem.-Zig.
Chem. Zvesti
Chim. Acta Turc.
Chim. Actual.
Chimia
Chim. Ind. (Milan)
Chromatographia
Clin. Biochem.
Clin. Chem. (Winston-Salem, N. C.)
Clin. Chim. Acta
Collect. Czech. Chem. Commun.
Colloid J. USSR (Engl. Transl.)
Colloid Polym. Sci.
Combust. Flame
Commun. Fac. Sci. Univ. Ankara
Commun. R. Soc. Edinburgh, Phys. Sci.
Comput. Chem.
Coord. Chem. Rev.
Corrosion Sci.
Cosmet. Perfum.
CRC Crit. Rev. Biochem.
C.R. Hebd. Seances Acad. Sci.
Crit. Rev. Anal. Chem.
Croat. Chem. Acta
C.R. Seances Soc. Biol. Ses Fil.
Curr. Sci.
- DEFAZET-Dtsch. Farben-Z.*
Denki Kagaku Oyobi Kogyo Butsuri Kagaku
Dokl. Akad. Nauk Arm. SSR
Dokl. Akad. Nauk SSSR
Dokl. Bolg. Akad. Nauk
Dokl. Chem. (Engl. Transl.)
Dokl. Chem. Technol. (Engl. Transl.)
Dokl. Phys. Chem. (Engl. Transl.)
Dopo. Akad. Nauk Ukr. RSR, Ser. B
Double-Liaison
Dtsch. Lebensm.-Rundsch.
Dyn. Mass Spectrom.
- Educ. Chem.*
Egypt. J. Chem.
Electroanal. Chem.
Electrochim. Acta
Elektrokhimiya
Endavour
Environ. Sci. Technol.
- Erdol Kohle, Erdgas, Petrochem, Brennst.-Chem.*
Essays Biochem.
Eur. J. Biochem.
Eur. Polym. J.
Experientia
- Faraday Discuss. Chem. Soc.*
Faraday Symp. Chem. Soc.
FEBS Lett.
Ferment. Spirt. Prom.
Fette, Seifen, Anstrichm.
Finn Chem. Lett.
Fix.-Khim. Mekh. Mater.
Fix. Met. Metallized.
Flavour Ind.
Fluorine Chem. Rev.
Food Manuf.
Fortschr. Chem. Org. Naturst.
Fortschr. Hochpolym.-Forsch.
Fresenius Z. Anal. Chem.
Fuel
- Gazz. Chim. Ital.*
Gen. Cytochem. Methods
Geokhimiya
Ger. Chem. Eng. (Engl. Transl.)
Gidrokhim. Mat.
Glas. Hem. Druz., Beograd
Glass Technol.
G. Microbiol.
God. Viss. Khimikotekhnol. Inst., Sofia
Grasas Aceites (Seville)
- Helv. Chim. Acta*
High Energy Chem. (Engl. Transl.)
Hist. Stud. Phys. Sci.
Hoppe-Seyler's Z. Physiol. Chem.
Hua Hsueh
Hua Hsueh Hsueh Pao
Hua Hsueh Tung Pao
Hung. J. Ind. Chem.
Hwahak Kwa Kongop Ui Chinbo
- Ind. Eng. Chem., Fundam.*
Ind. Eng. Chem., Process. Res. Dev.
Ind. Eng. Chem., Prod. Res. Dev.
Indian J. Agric. Chem.
Indian J. Biochem. Biophys.
Indian J. Chem., Sect. A
Indian J. Chem., Sect. B.
Indian J. Pure Appl. Phys.
Ind. Lab. (Engl. Transl.)
Inorg. Chem.
Inorg. Chim. Acta
Inorg. Mater. (Engl. Transl.)
Inorg. Nucl. Chem. Lett.
Inorg. Synth.
Int. Chem. Eng.
Int. Flavours Food Addit.
Int. J. Appl. Radiat. Isot.
Int. J. Chem. Kinet.
Int. J. Mass Spectrom. Ion Phys.
Int. J. Pept. Protein Res.
Int. J. Quantum Chem.
Int. J. Quantum Chem., Symp.
Int. J. Sulfur Chem.
Int. J. Vitam. Nutr. Res.
Intra-Sci. Chem. Rep.
Ins. Chem.
Ion Exch. Solvent Extr.
Isr. J. Chem.
Istanbul Univ. Fen Fak. Mecm., Seri C
Ital. J. Biochem.

* Chemical Abstracts Service Source Index.

- Itsun Kenkyusho Nempo*
Izv. Akad. Nauk Kaz. SSR, Ser. Khim.
Izv. Akad. Nauk SSSR, Neorg. Mater.
Izv. Akad. Nauk SSSR, Ser. Khim.
Izv. Akad. Nauk Turk. SSR, Ser. Fiz. Tekh., Khim. Geol. Nauk
Izv. Sib. Old. Akad. Nauk SSSR, Ser. Khim. Nauk
- J. Agric. Food Chem.*
J. Am. Chem. Soc.
J. Am. Leather Chem. Assoc.
J. Am. Oil Chem. Soc.
J. Anal. Chem. USSR (Engl. Transl.)
J. Appl. Chem. Biotechnol.
J. Appl. Chem. USSR (Engl. Transl.)
J. Appl. Crystallogr.
J. Appl. Polym. Sci.
J. Assoc. Off. Anal. Chem.
J. Assoc. Public Anal.
J. Biochem. (Tokyo)
J. Biol. Chem.
J. Carbohydr., Nucleosides, Nucleotides J. Catal.
J. Chem. Educat.
J. Chem. Eng. Data
J. Chem. Inf. Comput. Sci.
J. Chem. Phys.
J. Chem. Res. (M)
J. Chem. Res. (S)
J. Chem. Soc., Chem. Commun.
J. Chem. Soc., Dalton Trans.
J. Chem. Soc., Faraday Trans. 1
J. Chem. Soc., Faraday Trans. 2
J. Chem. Soc., Perkin Trans. 1
J. Chem. Soc., Perkin Trans. 2
J. Chem. Thermodyn.
J. Chim. Phys. Phys. Chim. Biol.
J. Chin. Chem. Soc. (Taipei)
J. Chromatogr.
J. Chromatogr. Sci.
J. Colloid Interface Sci.
J. Coord. Chem.
J. Cryst. Mol. Struct.
J. Doc.
J. Electroanal. Chem. Interfacial Electrochem.
J. Electrochem. Soc.
J. Electrochem. Soc. India
J. Fac. Sci. Univ. Tokyo
J. Fluorine Chem.
J. Food Sci.
J. Franklin Inst.
J. Gen. Chem. USSR (Engl. Transl.)
J. Hazard. Mater.
J. Heterocycl. Chem.
J. Histochem. Cytochem.
J. Indian Chem. Soc.
J. Indian Inst. Sci.
J. Inorg. Nucl. Chem.
J. Inst. Brewing, London
J. Inst. Chem., Calcutta
J. Inst. Fuel
J. Labelled Comp. Radiopharm.
J. Less-Common Met.
J. Lipid Res.
J. Liq. Chromatogr.
J. Lumin.
J. Macromol. Sci., Chem.
J. Macromol. Sci., Phys.
J. Magn. Reson.
J. Med. Chem.
J. Mol. Biol.
J. Mol. Catal.
J. Mol. Spectrosc.
J. Mol. Struct.
J. Neurochem.
J. Nonmet. Semiconduct.
J. Oil Colour Chem. Assoc.
J. Organomet. Chem.
J. Org. Chem.
J. Org. Chem. USSR (Engl. Transl.)
J. Pharmacol.
J. Pharmacol. Exp. Ther.
J. Pharm. Pharmacol.
J. Pharm. Sci.
J. Photochem.
J. Phys. Chem.
J. Phys. Chem. Ref. Data
J. Phys. Chem. Solids
J. Phys. F
J. Polym. Sci., Macromol. Rev.
J. Polym. Sci., Polym. Chem. Ed.
J. Polym. Sci., Polym. Phys. Ed.
J. Polym. Sci., Polym. Symp.
- J. Prakt. Chem.*
J. Quant. Spectrosc. Radiat. Transfer
J. Radioanal. Chem.
J. Raman Spectrosc.
J. Res. Inst. Catal., Hokkaido Univ.
J. Res. Nat. Bur. Stand., Sect. A
J. Sci. Food Agric.
J. Sci. Hiroshima Univ., Ser. AII, Phys., Chem.
J. Sci. Ind. Res.
J. Soc. Dyers Colour.
J. Soc. Leather Technol. Chem.
J. Solid State Chem.
J. Solution Chem.
J. Steroid Biochem.
J. Struct. Chem. (Engl. Transl.)
J. Text. Inst.
J. Therm. Anal.
Justus Liebig's Ann. Chem.
- Kagaku Kogaku Kanazawa Daigaku Yakugakubu Kenkyu Nempo*
Kem.-Kemi
Kem. Tidskr.
Khim. Geterotsikli. Soedin.
Khim. Ind. (Sofia)
Khim. Neft. Mashinost.
Khim. Prir. Soedin.
Khim. Prom. (Moscow)
Khim. Volokna
Khim. Vys. Energ.
Kinet. Catal. (Engl. Transl.)
Kinet. Katal.
Kjemi
Kobunshi Kagaku Kogyo Kagaku Zasshi
Kolloidn. Zh.
Koord. Khim.
Kristallografiya
Kunstst.-Plast. (Solothurn, Switz.)
- Lab. Pract.*
Latu. PSR Zinat. Vestis, Kim. Ser. Lipids
- Macromolecules*
Macromol. Synth.
Magy. Kem. Foly.
Magy. Kem. Lapja
Makromol. Chem.
Manuf. Chem. Aerosol News
Meded. Vlaam. Chem. Ver.
Mekh. Polim.
Mem. Fac. Sci. Kyushu Univ., Ser. C
Mem. Inst. Protein Res., Osaka Univ.
Mem. Inst. Sci. Ind. Res., Osaka Univ.
Mendeleev Chem. J. (Engl. Transl.)
Methods Biochem. Anal.
Methods Free-Radical Chem.
Microchem. J.
Mikrochim. Acta
Mol. Cell. Biochem.
Mol. Cryst. Liq. Cryst.
Mol. Phys.
Monatsh. Chem.
- Nahrung*
Nature (London)
Naturwissenschaften
Neftekhimiya
Nippon Kagaku Kaishi
Nippon Nogei Kagaku Kaishi
Nouv. J. Chim.
- Oesterr. Chem.-Ztg.*
Online (Weston, Conn.)
Orbital
Org. Magn. Reson.
Org. Mass Spectrom.
Org. Prep. Proced. Int.
Org. React.
Org. React. (USSR)
Org. React. Mech.
Org. Synth.
- Paint Manuf.*
Pak. J. Sci.
Pak. J. Sci. Ind. Res.
Pak. J. Sci. Res.
Periodica Polytech., Chem. Eng.
Pestic. Sci.
Philos. Mag.
Philos. Trans. R. Soc. London, Ser. A
Phosphorus Sulfur
- Photochem. Photobiol.*
Phys. Chem. Glasses
Phys. Rev.
Phys. Rev. Lett.
Phys. Scr.
Phytochemistry
Pigm. Resin Technol.
Pis'ma Zh. Eksp. Teor. Fiz.
Plast. Polym.
Pol. J. Chem.
Polym. Age
Polymer
Polym. Sci. USSR (Engl. Transl.)
Postepy Biochem.
Prikl. Biokhim. Mikrobiol.
Priroda (Moscow)
Proc. Am. Soc. Brew. Chem.
Proc. Anal. Div. Chem. Soc.
Process Biochem.
Processing
Proc. Indian Acad. Sci., Sect. A
Proc. Indian Acad. Sci., Sect. B
Proc., K. Ned. Akad. Wet., Ser. B
Proc., K. Ned. Akad. Wet., Ser. C
Proc. Natl. Acad. Sci., India, Sect. A
Proc. Natl. Acad. Sci. USA
Proc. R. Soc. Edinburgh, Ser. A
Proc. R. Soc. London, Ser. A
Proc. R. Soc. London, Ser. B
Proc. Soc. Exp. Biol. Med.
Prog. Bioorg. Chem.
Prog. Colloid Polym. Sci.
Prog. Inorg. Chem.
Prog. Med. Chem.
Prog. Nucleic Acid Res. Mol. Biol.
Prog. Nucl. Magn. Reson. Spectrosc.
Prog. Phys. Org. Chem.
Prog. React. Kinet.
Prog. Solid State Chem.
Prog. Stereochem.
Prog. Surf. Membr. Sci.
Prog. Surf. Sci.
Prog. Thin-Layer Chromatogr.
Relat. Methods
Przem. Chem.
Pure Appl. Chem.
Pyrethrum Post
- Quad. Ing. Chim. Ital.*
Quim. Nova
- Radiat. Phys. Chem.*
Radiat. Res.
Radiokhim. Acta
Radiokhimiya
React. Kinet. Catal. Lett.
Recent Dev. Chem. Nat. Carbon Compd.
Recent Prog. Horm. Res.
Recherches
Recl. Trav. Chim. Pays-Bas
Rend. Accad. Sci. Fis. Mat., Naples
Rep. Prog. Appl. Chem.
Residue Rev.
Rev. Anal. Chem.
Rev. Assoc. Biochim. Argent.
Rev. Chim. (Bucharest)
Rev. Phys. Chem. Jpn.
Rev. Port. Quim.
Rev. Roum. Biochim.
Rev. Roum. Chim.
Rev. Sci. Instrum.
Rev. Soc. Quim. Mex.
Ric. Sci.
Rubber Chem. Technol.
Russ. Chem. Rev. (Engl. Transl.)
Russ. J. Inorg. Chem. (Engl. Transl.)
Russ. J. Phys. Chem. (Engl. Transl.)
- S. Afr. J. Chem.*
Sankyo Kenkyusho Nempo
Sb. Ved. Pr., Vys. Sk. Chemickotechnol., Pardubice
Sch. Sci. Rev.
Schweiz. Apoth.-Ztg.
Sci. Cult.
Science
Sci. Pap. Coll. Gen. Educ., Univ. Tokyo
Sci. Pap. Inst. Phys. Chem. Res. (Jpn.)
Sci. Rep. Res. Inst., Tohoku Univ.
Sci. Rep. Tohoku Univ., Ser. I
Sci. Sinica
Sel. Annu. Rev. Anal. Sci.
Semicond. Insul
Sep. Purif. Methods
Sep. Sci. Technol.
- Soap. Cosmet., Chem. Spec.*
Sov. Electrochem. (Engl. Transl.)
Sov. J. Bioorg. Chem. (Engl. Transl.)
Sov. J. Coord. Chem. (Engl. Transl.)
Sov. Phys.-Crystallogr. (Engl. Transl.)
Sov. Radiochem. (Engl. Transl.)
Spectrochim. Acta, Part A
Spectrochim. Acta, Part B
Spectrosc. Lett.
Steroids
Steroids Lipids Res.
Struct. Bonding (Berlin)
Stud. Univ. Babeş-Bolyai, Ser. Chem.
Sub-Cell. Biochem.
Surf. Colloid Sci.
Surf. Sci.
Synth. Commun.
Synthesis
Synth. Proced. Nucleic Acid Chem.
Synth. React. Inorg. Metal-Org. Chem.
- Taehan Hwahak Hoechi*
Talanta
Technol. Rep. Osaka Univ.
Teor. Eksp. Khim.
Teor. Osn. Khim. Tekhnol.
Tetrahedron
Tetrahedron Lett.
Text. Inst. Ind.
Text. Res. J.
Theor. Exp. Chem. (Engl. Transl.)
Thermochim. Acta
Tin Its Uses
Tokyo Kogyo Shikensho Hokoku
Top. Curr. Chem.
Top. Stereochem.
Trans. Inst. Chem. Eng.
Trans. Inst. Met. Finish.
Transition Met. Chem.
Trans. J. Br. Ceram. Soc.
Trends Biochem. Sci.
Tr. Inst. Elektrokhim., Ural. Nauchn. Tsentr. Akad. Nauk SSSR
- Ukr. Biokhim. Zh.*
Ukr. Khim. Zh. (Russ. Ed.)
Usp. Khim.
UV Spectrom. Group Bull.
Uzb. Khim. Zh.
- Vestn. Leningr. Univ., Fiz., Khim.*
Vestn. Mosk. Univ., Khim.
Vestn. Slov. Kem. Drus.
Vestsi Akad. Nauk B, SSR. Ser. Khim. Nauk
Vespremi Vegyip, Egy. Kozl.
Vitam. Horm. (N.Y.)
Vopr. Med. Khim.
Vysokomol. Soedin., Ser. A
Vysokomol. Soedin., Ser. B
- Xenobiotica*
Yakugaku Zasshi
Yuki Gosei Kagaku Kyokai Sh
- Z. Anorg. Allg. Chem.*
Zavod. Lab.
Zb. Pr. Chemickotechnol. Fac. SVST
Z. Chem.
Zentralbl. Pharm., Pharmakother. Laboratoriumsdiagn.
Zh. Anal. Khim.
Zh. Eksp. Teor. Fiz.
Zh. Evol. Biokhim. Fiziol.
Zh. Fiz. Khim.
Zh. Nauchn. Prikl. Fotogr. Kinematogr.
Zh. Neorg. Khim.
Zh. Obshch. Khim.
Zh. Org. Khim.
Zh. Prikl. Khim.
Zh. Prikl. Spektrosk.
Zh. Strukt. Khim.
Zh. Vses. Khim. Ova.
Z. Kristallogr., Kristallgeom., Kristallphys., Kristallchem.
Z. Lebensm.-Unters. Forsch.
Z. Naturforsch., Teil A
Z. Naturforsch., Teil B
Z. Naturforsch., Teil C
Z. Phys. Chem. (Frankfurt am Main)
Z. Phys. Chem. (Leipzig)
Z. Vitam. Horm., Fermentforsch.
Z. Wiss. Photogr., Photophys., Photochem.

NOTICES TO AUTHORS—No. 5/1969 (revised 1981)

The International System of Units (SI)

Preamble

For many years the practice of The Society in respect of units has been based on the recommendations of a joint Committee of The Royal Society, The Chemical Society, The Faraday Society, and The Physical Society. The 1951 set of recommendations published by that Committee formed the basis of Chapter 7 of the 'Handbook for Chemical Society Authors' but since their promulgation much effort has been expended in international circles to devise and approve a basic set of coherent units. This having been complete, The Joint Symbols Committee of The Royal Society, of which The Royal Society of Chemistry is a participating member, has produced a set of recommendations in a pamphlet 'Symbols, Signs and Abbreviations' 1975 (copies of this pamphlet or further details can be obtained from the Manager, Journals, The Royal Society of Chemistry, Burlington House, London, W1V 0BN). The basis of the recommendations is the 'Système International d'Unités' (to be abbreviated to SI, in all languages).

The advantages offered by SI are as follows.

(i) It is a truly coherent system, *i.e.* the product or quotient of any two unit quantities in the system is the unit of the resultant quantity. This contrasts with the previous situation where, even in metric systems used within the same discipline, many additional units are arbitrarily and sometimes differently defined.

(ii) SI derives nearly all the quantities needed in all sciences and technologies from a very small set of base-units.

(iii) The variety of multiples and sub-multiples in common use is minimized.

(iv) A more uniform presentation can be ensured.

(v) Presentation is such that the relation of any derived unit, or multiple or sub-multiple of a derived unit, to the coherent unit is always obvious and simple.

Policy

(1) The Society announces its approval and support of SI; SI is the preferred system in its publications.

(2) *Guidelines for the publications of the Society.* An author will not be denied any reasonable usage, but if non-SI units are used for critical data or for quantities measured to a high order of accuracy (as opposed to the rough physical conditions of an experiment), the definitive values will be expressed in SI units as well.

The following will be the guidelines used:

- (a) A metric system will always be used in preference to a non-metric one.
- (b) SI will be the standard usage.
- (c) The units used to record the *definitive* values of 'critical data' or quantities measured to high degree of accuracy will be SI.

(d) When non-SI units are used they must be adequately explained unless their definition is obvious (*e.g.* degree Celsius, mmHg, g, h). The derivation of derived non-SI units will be indicated.

(e) Equations involving electrical quantities should normally be those appropriate for use with SI (rationalized m.k.s.) units. If authors wish to use equations suitable for e.s.u. or e.m.u. the lack of consistency with SI units must be explicitly noted.

(3) *The principal changes.* There are four of these:

(a) Basic units: the metre and the kilogramme replace the centimetre and the gramme of the old metric system.

(b) The unit of force is now the newton (kg m s^{-2}).

(c) The unit of energy is the joule and of power the joule per second (watt); thus the variously defined calories and non-metric units of energy and power are superseded.

(d) 'Electrostatic' and 'electromagnetic' units are replaced by SI electrical units.

Detail

(4) *Definition.* A quantity is expressed as the product of a numerical value and a unit.

(5) *The System.* The fully coherent SI consists of base-units, supplementary units, derived units, and decimal multiples and sub-multiples of these units, formed by use of prefixes only.

(6) *Coherent systems.* A coherent system is one based on a selected set of 'base-units' from which 'derived units' are obtained by multiplication without introducing numerical factors.

(7) *Base-units.* The name International System of Units (SI) was adopted by the Conférence Générale de Poids et Mesures in 1960 for the coherent system now based on the base-units given in Table 1.

TABLE 1

| Physical quantity | Name of base-unit | Symbol for unit |
|---------------------------|-------------------|-----------------|
| length | metre | m |
| mass | kilogramme | kg |
| time | second | s |
| electrical current | ampere | A |
| thermodynamic temperature | kelvin | K |
| luminous intensity | candela | cd |
| amount of substance | mole | mol |

(8) *Supplementary units.* The SI also includes two 'supplementary' *dimensionless* units as follows:

| Physical quantity | Name of unit | Symbol for unit |
|-------------------|--------------|-----------------|
| plane angle | radian | rad |
| solid angle | steradian | sr |

(9) *Multiples and sub-multiples.* In the SI there is one and only one basic unit for each physical quantity. Decimal fractions and multiples of these basic units may, however, be constructed by use of certain prefixes (see Table 2). They may also be used with derived SI units.

TABLE 2

| Fraction | Prefix | Symbol | Multiple | Prefix | Symbol |
|-------------------|--------|--------|------------------|--------|--------|
| 10 ⁻¹ | deci | d | 10 | deka | da |
| 10 ⁻² | centi | c | 10 ² | hecto | h |
| 10 ⁻³ | milli | m | 10 ³ | kilo | k |
| 10 ⁻⁶ | micro | μ | 10 ⁶ | mega | M |
| 10 ⁻⁹ | nano | n | 10 ⁹ | giga | G |
| 10 ⁻¹² | pico | p | 10 ¹² | tera | T |
| 10 ⁻¹⁵ | femto | f | | | |
| 10 ⁻¹⁸ | atto | a | | | |

The combination of a prefix and a unit symbol constitutes a new single unit symbol; compounding of prefixes is not permitted.

Although it will not always be possible, particularly in Tables, the general principle should be to choose a unit (*i.e.* including multiple or sub-multiple) such that the resulting numerical value is between 0.1 and 1000.

(10) *Derived units.* Some derived units have special names and symbols, and these are given in Table 3.

TABLE 3

| Physical quantity | Name of SI unit | Symbol for SI unit | Definition of SI unit |
|-------------------------------|-----------------|--------------------|---|
| energy | joule | J | kg m ² s ⁻² |
| force | newton | N | kg m s ⁻² = J m ⁻¹ |
| power | watt | W | kg m ² s ⁻³ = J s ⁻¹ |
| electric charge | coulomb | C | A s |
| electric potential difference | volt | V | kg m ² s ⁻² A ⁻¹ = J A ⁻¹ s ⁻¹ |
| electric resistance | ohm | Ω | kg m ² s ⁻² A ⁻² = V A ⁻¹ |
| electric capacitance | farad | F | A ² s ⁴ kg ⁻¹ m ⁻² = As V ⁻¹ |
| magnetic flux | weber | Wb | kg m ² s ⁻² A ⁻¹ = V s |
| inductance | henry | H | kg m ² s ⁻² A ⁻² = V A ⁻¹ s |
| magnetic flux density | tesla | T | kg s ⁻² A ⁻¹ = V s m ⁻² |
| luminous flux | lumen | lm | cd sr |
| illumination | lux | lx | cd sr m ⁻² |
| frequency | hertz | Hz | s ⁻¹ |

Others do not

| Physical quantity | SI unit | Symbol for SI unit |
|--|--------------------------------|--------------------------------|
| area | square metre | m ² |
| volume | cubic metre | m ³ |
| density | kilogramme per cubic metre | kg m ⁻³ |
| velocity | metre per second | m s ⁻¹ |
| angular velocity | radian per second | rad s ⁻¹ |
| acceleration | metre per second squared | m s ⁻² |
| pressure | newton per square metre | N m ⁻² |
| kinematic viscosity, diffusion coefficient | square metre per second | m ² s ⁻¹ |
| dynamic viscosity | newton second per square metre | N s m ⁻² |
| electric field strength | volt per metre | V m ⁻¹ |
| magnetic field strength | ampere per metre | A m ⁻¹ |
| luminance | candela per square metre | cd m ⁻² |

(11) *Symbol.* The symbol for a unit will be printed in roman (upright) type, remains unaltered in the plural and does not take a full point, *i.e.* 5 cm not 5 cm. or 5 cms or 5 cms.

The symbol will be separated from the numerical value by a thin space.

(12) *Decimal fractions and multiples of SI units having special names.* These names are not part of the SI, but for the time being their use in The Society's publications may continue. The list given in Table 4 is not exhaustive.

TABLE 4

| Physical quantity | Name of unit | Symbol unit | Definition of unit |
|--|--------------|-------------|---|
| length | ångström | Å | 10 ⁻¹⁰ m = 10 ⁻¹ nm |
| length | micron | μm | 10 ⁻⁶ m |
| area | barn | b | 10 ⁻²⁸ m ² |
| volume | litre | l | 10 ⁻³ m ³ = dm ³ |
| mass | tonne | t | 10 ³ kg = Mg |
| force | dyne | dyn | 10 ⁻⁵ N |
| pressure | bar | bar | 10 ⁵ N m ⁻² |
| pressure | pascal | Pa | N m ⁻² |
| energy | erg | erg | 10 ⁻⁷ J |
| kinematic viscosity | | | |
| diffusion coefficient | stokes | St | 10 ⁻⁴ m ² s ⁻¹ |
| dynamic viscosity | poise | P | 10 ⁻¹ kg m ⁻¹ s ⁻¹ |
| magnetic flux | maxwell | Mx | 10 ⁻⁸ Wb |
| magnetic flux density (magnetic induction) | gauss | G | 10 ⁻⁴ T |
| conductance | siemens | S | Ω ⁻¹ |

(13) *Units defined in terms of the best available experimental values of certain physical constants.* These units are not part of the SI. The factors for conversion of these units to SI units are subject to change in the light of new experimental measurements of the constants involved. Their use outside the restricted contexts to which they are appropriate should be discouraged. The following list is not exhaustive.

| Physical quantity | Name of unit | Symbol for unit | Conversion factor |
|-------------------|--------------------------|-----------------|------------------------------------|
| energy | electronvolt | eV | eV ≈ 1.6021 × 10 ⁻¹⁹ J |
| mass | unified atomic mass unit | u | u ≈ 1.66041 × 10 ⁻²⁷ kg |

(14) *Other units now exactly defined in terms of the SI units.* These units are not part of the SI. It is recognized that their use may be continued for some time but it is recommended that except in special circumstances they should be progressively abandoned in conformity with international recommendations. The list given in Table 5 is by no means exhaustive. Each of the definitions given in the fourth column is exact.

TABLE 5

| Physical quantity | Name of unit | Symbol for unit | Definition of unit |
|---------------------------|------------------------------------|----------------------|---|
| length | inch | in | 2.54 × 10 ⁻² m |
| mass | pound (avoirdupois) | lb | 0.453 592 37 kg |
| time * | minute | min | 60 s |
| time * | hour | h | 3600 s |
| force | kilogramme-force | kgf | 9.806 65 N |
| force | pound-force | lbf | 9.806 65 × 0.453 592 37 N |
| pressure | atmosphere | atm | 101 325 N m ⁻² |
| pressure | conventional millimetre of mercury | mmHg | 13.5951 × 9.806 65 N m ⁻² |
| pressure | torr | Torr | (101 325/760) N m ⁻² |
| pressure | pound-force per square inch | lbf in ⁻² | 9.806 65 × 4535.9237 / 6.4516 N m ⁻² |
| energy | kilowatt hour | kW h | 3.6 × 10 ⁶ J |
| energy | thermochemical calorie | cal(thermochem.) | 4.184 J |
| energy | I.T. calorie | cal _{IT} | 4.1868 J |
| thermodynamic temperature | degree Rankine | °R | (5/9) K |
| radioactivity | curie | Ci | 3.7 × 10 ¹⁰ s ⁻¹ |

* Use of other common units (min, h, day) may continue in normal expressions of intervals of time.

Formulae and Figures

The purpose of all illustrative matter in a paper is to clarify the arguments and descriptions rather than to duplicate them. The Society strongly encourages the use of displayed formulae, particularly in the form of schemes where the details of a reaction sequence are often more easily understood when illustrated than when described in the text.

All formulae and figures should be clearly drawn, and in the case of figures provided with captions; the latter should be typed on a separate sheet. Since all formulae carry a key number by which they are identified, unless they form part of the running text or unless they are part of a scheme which itself has a caption, they are not generally further described. Blocks of formulae do not need a caption.

Illustrative matter is divided, for technical reasons, into figures and formulae, although in many cases (e.g. crystal structures which may be regarded as formulae but which are treated as figures) these divisions overlap.

Structural Formulae.—(a) Only those formulae which are displayed may be given key numbers. In all other cases the compounds concerned are referred to by name only.


(b) Formulae are numbered sequentially with bold arabic numerals in parentheses [(1), (2), and (3) *etc.*] as they are displayed and *not* as they are mentioned in the text.

(c) In complex reaction schemes the formulae should be numbered serially following the reaction sequence. Non-sequential numbering in a collection of formulae can render it hard to locate an individual number.

(d) Structural or displayed formulae must be carefully and accurately drawn or typed on a separate sheet, rather than inserted into the text, although a marginal indication of where they are to go in the text is desirable.

(e) Formulae inserted into the body of the text (as distinct from those displayed separately) should be written on one line if possible, e.g.

HO-CHMe-CO₂H and $\overline{\text{NH} \cdot [\text{CH}_2]_5 \cdot \text{CO}}$ rather than



(f) Points (which may be typed as full stops) are used to indicate bonds between the atoms of the backbone chain of a compound. The symbol of each element of that chain is preceded by a full stop (or colon for a double bond) and followed by the symbols or formulae of the atoms or groups that are attached to it (parentheses being used where necessary to enclose compound groups), e.g. *o*-HO·C₆H₄·CH₂·NH₂ and CH₂Cl·CH(OH)·CO₂H.

Groups that are indicated by a single symbol (e.g. Me and Et *etc.*) do not need use of such full stops.

Repeating sequences of a backbone composite group are enclosed with square brackets and their number is indicated by an inferior multiplier, e.g. HO·[CH₂]₄·NH₂, but HO·[CH₂]₄·N(CH₂·OH)₂.

(g) The use of large circles to represent six delocalized π-electrons in cyclic systems (with or without positive or negative signs as appropriate) is permitted in certain circumstances. Cyclic systems with more or less than six delocalized π-electrons may be represented by formulae containing dotted lines. Both topics are dealt with in *Proceedings*, 1959, 75.

(h) Customary steric conventions must be observed, notably for steroids, triterpenes, and carbohydrates. The Society uses wedges (▲) or heavy lines (—) rather than blocked circles (●) and broken lines in the form - - - - rather than |||.

(i) The symbols Me, Et, Prⁿ, Prⁱ, Buⁿ, Buⁱ, Bu^s, Bu^t, Ph, Ac, Bz (the symbol for PhCO and not for PhCH₂), Alk, Ar, and Hal, should be used but may be written in full when the groups are involved in the reaction described. Other special symbols, if used, require an explanatory footnote. The carboxy-group is written CO₂H (*not* COOH) and similarly CO₂R.

(j) One variable univalent substituent is indicated by R; when more than one independently variable general substituent is present, R¹, R², and R³ should be used (*not* R, R¹, R², R³; or R₁, R₂, and R₃ which indicate 1 × R and multiples of R thereof).

(k) Often it is desirable to use one formula to represent a number of related compounds (or classes of compounds) by the use of one or more independently variable substituents. It is preferable to give each compound thus represented a separate key number rather than to subdivide individual key numbers by alphabetical suffixes [*i.e.* (1a), (1b), (1c) *etc.*].




- (1) R¹ = R² = Ph, R³ = Me, X = O
 (2) R¹ = Me, R² = R³ = Ph, X = S



- (3) R¹ = Me, R² = Ph, R³ = Bz
 (4) R¹R² = CO·O·CO, R³ = Ph

The use of more than four independently variable substituents or atoms on one generalized formula is discouraged.

(1) Once a formula has been displayed it is permissible to employ its key number in later reaction schemes or equations rather than to re-display the formula:



Reagents: i, MeMgI; ii, NaOH; iii, HI

It should be noted that reagents and reaction conditions are given as footnotes to the scheme for economy of space; if present, an equation number is set as far to the right as possible, and if there is likelihood of

confusion with compound key-numbers it is accompanied by the word equation.

(*m*) Displayed formulae, unless they are capable of being typed on one line [see point (*e*) above], should not be included in tables; they should be displayed before the table with a key number for each compound and this should be used in the table.

(*n*) The key number for a compound may be used in the cursive text to avoid repetition of long chemical names; this device must not be used to excess. In general it is preferred if the key number is qualified by a partial name for the compound as in the following example:

‘Pyolin (1) was oxidized by permanganate to the oxo-acid (2), the methyl ester (3) of which with methylmagnesium iodide gave the normal product (4)’.

(*o*) Reference to compounds in the Summary by key number alone is not allowed since a summary should be comprehensible without reference to the body of the paper itself. The reference number should, however, accompany the name of the compound to which it refers.

Figures.—(*a*) Figures must bear on the back the names of the authors, the title of the paper (abbreviated if necessary), and the number of the figure.

(*b*) Figures must be in Indian ink, on Bristol board, white smooth cartridge paper, tracing linen; plastic film (it is essential that the special plastic ink developed for this is used), or graph paper with *faint* blue lines (red or brown lines must not be present as these may be reproduced by the photographic process of block making). Since lines must be black and sharp, photostats or similar prints are often not suitable. If paper is used, it must be strong enough to withstand repeated handling.

(*c*) Lettering and numerals must be in *blue pencil* (not red or black pencil or ink) clearly legible but not so heavily scored as to make a permanent impression on the paper or board.

(*d*) When the figures are large (more than 8 in \times 10 in), smaller copies (which may be rough, as long as they are clear) should be supplied for submission to the referees; editing will not be undertaken, however, before the final figures are received.

(*e*) Figures must be carefully drawn, preferably three times the size (linear) that seems necessary to ensure sharp printing, but excessive reduction is costly and illustrations that exceed five times the size of the finished block may be returned to the author for redrawing.

(*f*) Two-inch margins are essential all round figures. Lettering for insertion at margins should be placed well clear of the ordinate or abscissa line so that it can be copied before erasure.

Lettering and touching-up are done by the Society and clarity of instructions is essential. When there is much lettering, or complicated lettering, and always when tracing linen or plastic film is used, a rough tracing should be added with the lettering shown in ink.

(*g*) Since, for printing, the size is reduced, lines should not be too thin. Given lines must be of even thickness, angles neat, and curves smooth.

(*h*) Graphs should have only the requisite minimum of the scale (not less than three points) marked by numerals, and the scale lines should not normally be continued into the body of the figure.

(*i*) Graphs in any one paper should, when convenient, be drawn to the same scale, and scale markings should, when possible, be identical so that the graphs may be placed adjacent on the page. Contrariwise, two curves drawn to different scales can be shown on one graph by having the appropriate scales on the left-hand and the right-hand side. The use of both right- and left-hand axes and top and bottom axes on figures which have quantitative significance is encouraged.

(*j*) Experimental points must be shown sufficiently large to be distinguishable when reduced in size. Whenever possible, they should be confined to open and closed circles, crosses, squares, and triangles. Partly black circles and similar signs frequently become indistinguishable in print.

(*k*) Curves may be distinguished as full lines (—), broken (---) or dotted lines (···), and dot-dash lines (— · — · —); further differentiation should normally be achieved by labelling the curves, which is, in any case, desirable.

(*l*) For reference in legends, it is preferable to mark curves A, B, C, *etc.* rather than to reproduce the type of line in print.

(*m*) There must be no unnecessary waste space, *e.g.* around curves; ordinates and abscissae should start at zero only if the curve extends to that range. Enlargement of parts of a figure can occasionally be placed in a corner of the complete figure.

(*n*) It is not advisable to insert much or complicated lettering on curves or in blank spaces; mistakes (in copying by the artist) can rarely be rectified once the block is made. It is better to label the curves A, B, C, *etc.* and to use explanatory legends.

(*o*) *Large* solid objects should be represented by hatching rather than by black surfaces, otherwise the ink may smear on printing.

(*p*) Photographs are reproduced by a half-tone process on art paper. The prints supplied must be very clear and of good contrast, as considerable definition may be lost in reproduction.

(*q*) Captions and explanatory legends, to be set by the printer should be typed on a separate page attached to the manuscript, and not given on the figure itself.

(*r*) Figures are numbered consecutively Figure 1, Figure 2, *etc.* (in arabic numerals). Photographs (half-tone reproduction) are numbered consecutively Plate 1, Plate 2, *etc.* but these numbers are independent of the numbering of any figures.

(*s*) Since figures represent an uneconomical use of space their number and size should be kept to a minimum. Figures and tables for the same values are discouraged.

NOTICES TO AUTHORS—No. 7/1970 (revised 1976)

Deposition of Data—Supplementary Publications Scheme

Preamble

The growing volume of research that produces large quantities of data, the increasing facilities for analysing such data mechanically, and the rising cost of printing are all making it very difficult to publish in the *Journal* in the normal way the full details of the experimental data which become available. Moreover, whilst there is a large audience for the general method and conclusions of a research project, the number of scientists interested in the details, and in particular in the data, of any particular case may be quite small. The British Library, Lending Division (B.L.L.D.) in consultation with the Editors of scientific journals, has now developed a scheme whereby such data and detail may be stored and then copies made available on request at the B.L.L.D., Boston Spa. The Chemical Society is a sponsor of this scheme and has indicated to the B.L.L.D. its wish to use the facilities being made available in this 'Supplementary Publications Scheme'.

Bulk information (such as crystallographic structure factor tables, computer programmes and output, evidence for amino-acid sequences, spectra, *etc.*), which accompanies papers published in future issues of the Chemical Society's *Journal* may in future be deposited, free of charge, with the Supplementary Publications Scheme, either at the request of the author and with the approval of the referees or on the recommendation of referees and with the approval of the author.

The Scheme

Under this scheme, authors will submit articles and the supplementary material to the *Journal* simultaneously in the normal way, and both will be refereed. If the paper is accepted for publication the supplementary material will be sent by the Society to the B.L.L.D. where it will be stored. Copies will be obtainable by individuals both in the U.K. and abroad on quoting a supplementary publication number that will appear in the parent article.

Preparation of Material

Authors will be responsible for the preparation of camera-ready copy according to the following specifications (although the Society will be prepared to help in case of difficulty).

- (a) Optimum page size for text or tables in type-script: up to 30 cm × 21 cm.
- (b) Limiting page size for text or tables in type-script: 33 cm × 24 cm.
- (c) Limiting size for diagrams, graphs, spectra, *etc.* :

39 cm × 28.5 cm.

- (d) Tabular matter should be headed descriptively on the first page, with column headings recurring on each page.
- (e) Pages should be clearly numbered.

It is recommended that all material which is to be deposited should be accompanied by some prefatory text. Normally this will be the summary from the parent paper and authors will greatly aid the deposition of the material if a duplicate copy of the summary is provided. If authors have the facilities available the use of a type face designed to be read by computers is encouraged.

Deposition

The Society will be responsible for the deposition of the material with the B.L.L.D. The B.L.L.D. will not receive material direct from authors since the Library wishes to ensure that the material has been properly and adequately refereed.

Action by the Society

The Society will receive a manuscript for publication together with any supplementary material for deposition and will circulate all of this to referees in the normal way. When the edited manuscript is sent to the printers the supplementary material will be sent for deposition to the B.L.L.D. The Society will add to the paper a footnote indicating what material has been deposited in the Supplementary Publications Scheme, the supplementary publication number, and details as to how copies may be obtained.

Availability

Copies of Supplementary Publications may be obtained from the B.L.L.D. on demand by organizations which are registered borrowers. They should use the normal forms and coupons for such requests addressing them as follows:

Mr. J. P. Chillag,
British Library Lending Division,
Boston Spa,
Wetherby,
West Yorkshire, LS23 7BQ, U.K.

Non-registered users may also obtain copies of Supplementary Publications but should first apply for price quotations. These are available from the Loans Office at the above address.

International Collaboration

A similar scheme (known as the National Auxiliary Publications Service) is being operated in the U.S.A. by the American Society for Information Science. Similar schemes are also being contemplated in other

countries. The provision of reciprocal arrangements for the exchange of supplementary data between the various national deposition centres is being investigated.

NOTICES TO AUTHORS—No. 8/1970 X-Ray Crystallographic Structure Factor Tables

The Society has recently taken advice from the members of its Chemical Crystallography Group and as a result of this and of the inception of the National Lending Library Supplementary Publications Scheme (discussed in Notices to Authors No. 7) the following rules are being taken into use forthwith to govern the publication or deposition of X-ray crystallographic structure factor tables.

(i) The Society will no longer publish tables of structure factors in its publications except in accordance with the provision of paragraph (iv) below.

(ii) All authors of crystallography papers will submit along with the manuscript a readable table of such structure factors for the referees' inspection. The table should be prepared in accordance with the detail given in paragraph 3 of Notices to Authors No. 7 so that it may be used for deposition. Computer printout may be used providing that it is top copy in good contrast (see note).

(iii) If the referees accept the paper and its associated structure factor tables then the Society will deposit these structure factor tables in the National Lending Library Supplementary Publications Scheme

(see Notices to Authors No. 7) and will publish as a footnote to the paper the necessary details that will enable any reader to obtain a copy in microfiche or an electrophotographic printoff of the data tables associated with the paper.

(iv) Authors, or the referees, may request publication of such tables of structure factors, *in extenso*, in cases that seem to them to be desirable. It is expected that this will occur only rarely.

(v) The details of the National Lending Library Supplementary Publications Scheme and the methods for obtaining photographic printoff of material deposited with that scheme are given in Notices to Authors No. 7.

Note to paragraph (ii). Structure factors tables prepared from computer printout must be presented in the form indicated in paragraph 3 of Notices to Authors No. 7 and must be arranged with the greatest economy of space possible [*i.e.* not less than two groups of columns (h, k, l, F_o, F_o) to the page (30 cm \times 21 cm)]. All columns must be headed. A 'paste-up' on white card of computer printout will be acceptable providing the quality of the printout is adequate.

NOTICE TO AUTHORS—No. 9/1974 (revised 1981)

Nomenclature

For many years the Society has actively encouraged the use of standard I.U.P.A.C. nomenclature and symbolism in its publications as an aid to the accurate and unambiguous communication of chemical information between authors and readers. Although the I.U.P.A.C. rules for naming organic compounds have now gained wide acceptance amongst chemists, mainly because they have been in existence for a number of years, those for naming inorganic compounds are of more recent origin and for this reason their acceptance is less general.

In order to encourage authors to use I.U.P.A.C. nomenclature rules when drafting papers, attention is drawn to the following publications in which both the rules themselves and guidance on their use are given.

'Nomenclature of Organic Chemistry, Sections A, B, C, D, E, F, and H,' Pergamon, Oxford, 1979 edn.

'Nomenclature of Inorganic Chemistry,' Butterworths, London, 1971.

'Manual of Symbols and Terminology for Physicochemical Quantities and Units,' Pergamon, Oxford, 1979.

'Biochemical Nomenclature and Related Documents,' The Biochemical Society, 1978.

A complete listing of all I.U.P.A.C. nomenclature publications appears in the 1981 Index issues of *J. Chem. Soc.*

It is recommended that where there are no I.U.P.A.C. rules for the naming of particular compounds or authors find difficulty in applying the existing rules, they should seek the advice of the Society's editorial staff.

NOTICE TO AUTHORS—No. 10/1976

Authentication of New Compounds

(1) It is the responsibility of authors to provide fully convincing evidence for the homogeneity and identity of all compounds they claim as new. Evidence of both purity and identity is required to establish that the properties and constants reported are those of the compound with the new structure claimed.

(2) In the context of this Notice a compound is considered as new (*a*) if it has not been prepared before, (*b*) if it has been prepared before but not adequately purified, (*c*) if it has been purified but not adequately characterised, (*d*) if, earlier, it has been assigned an erroneous constitution, or (*e*) if it is a natural product synthesised for the first time. In preliminary communications compounds are often recorded with limited characterising data; in spite of (*c*) above later preparations of such compounds are not considered as new if the properties previously reported are confirmed; the same applies to patents.*

(3) Referees are asked to assess, as a whole, the evidence in support of the homogeneity and structure of all new compounds. No hard and fast rules can be laid down to cover all types of compounds, but the Society's policy remains unchanged in that evidence for the unequivocal identification of new compounds should normally include good elemental analytical data; an accurate mass measurement of a molecular

ion does not provide evidence of purity of a compound and must be accompanied by independent evidence of homogeneity. Low-resolution mass spectroscopy must be treated with even more reserve in the absence of firm evidence to distinguish between alternative molecular formulae. Where elemental analytical data are not available, appropriate evidence which is convincing to an expert in the field will be acceptable, but authors should include, for the referees, a brief explanation of the special nature of their problem.

(4) Spectroscopic information necessary to the assignment of structure should normally be given. Just how complete this information should be must depend upon the circumstances; the structure of a compound obtained from an unusual reaction or isolated from a natural source needs much stronger supporting evidence than one derived by a standard reaction from a precursor of undisputed structure. Authors are reminded that full spectroscopic assignments may always be treated as a Supplementary Publication where their importance does not justify their inclusion in the published paper.

(5) Finally, referees are reminded of the need to be exacting in their standards but at the same time flexible in their admission of evidence. It remains the Society's policy to accept work only of high quality and to permit no lowering of present standards.

* New compounds should be indicated by underlining the name (for italics) at its first mention (excluding headings) in the Experimental section only, and by giving analytical results in the form: (Found: C, 63.1; H, 5.4. $C_{13}H_{13}NO_4$ requires C, 63.2; H, 5.3%). If analytical results for compounds which have been adequately described in the literature are to be included, they should be given in the form: (Found: 62.95; H, 5.4. Calc. for $C_{13}H_{13}NO_4$: C, 63.2; H, 5.3%). Analyses are normally quoted to the nearest 0.05%.

NOTICE TO AUTHORS—No. 11/1976 (revised 1981)

Publication of X-Ray Crystallographic Work in the *Journal*

Preamble

At a meeting of the Primary Journals Committee held in October 1975 a sub-committee was set up to consider policy with regard to publication in the *Journal* of both preliminary communications and substantive papers concerned with X-ray crystallographic work. This step was taken in the light of correspondence received by the Society which indicated concern by many referees on the problems created by the large number of routine X-ray crystallographic studies submitted to the Society as a result of the increasing ease of carrying out such work.

Since the sub-committee's terms of reference were wide it was able to consider both this problem and others relating to publication of X-ray crystallographic work in all sections of the *Journal*. Its recommendations which are outlined below fall into two groups: those concerned with preliminary communications and those with full papers. These recommendations have been endorsed by the Primary Journals Committee and now represent the Society's policy with regard to crystallographic work submitted for publication in its primary journals.

Preliminary Communications

Evidence was presented to the sub-committee that a major problem associated with the publication of preliminary reports of crystallographic work in *Chem. Commun.* arose as a result of the non-availability to interested readers of the atomic co-ordinates associated with this work. Although in the normal course of events such data would be expected to appear in the follow-up paper, many cases were cited where the period between publication of the preliminary report and the substantive paper was many years or the full papers never appeared in print. The evidence

presented suggested that there was considerable disquiet among crystallographers at this state of affairs. The measures taken to improve this situation are outlined in Notices to Authors for *J. Chem. Soc.*, *Chem. Commun.*

Papers in Dalton and Perkin Transactions

The sub-committee considered evidence which indicated that X-ray crystallographic papers submitted to the *Journal* were assessed in a less rigorous fashion than those reporting other areas of work. Although the sub-committee felt that this claim was largely unsubstantiated it was agreed that improvement of both assessment procedure and presentation of work was possible. The following recommendations have, therefore, been adopted.

- (1) Crystallographic papers will be assessed for their chemical as well as their crystallographic interest.
- (2) Unless both specifically requested by the author and recommended by the referees for publication, vibrational parameters will be routinely deposited with the structure factors as a Supplementary Publication. Where vibrational parameters are to be published they should be in the form of U_{ij} with units of Å^2 .
Referees are reminded that they may, at their discretion, recommend other material for deposition where in their view its inclusion in the parent paper is not justified by its interest.
- (3) Each paper should contain a line drawing of the compound under discussion where appropriate in addition to the usual crystallographic figures.

Publication of Theoretical and Computational Papers

The Primary Journals Committee has been considering future policy towards the publication of papers with a heavily computational content, particularly where these involve standard methods, such as semi-empirical or *ab initio* calculations of molecular electronic properties using readily available computer programmes. Many such papers report what would be considered 'routine work' in other areas of chemistry, and have often included extensive detail.

A specialist sub-committee formulated a set of proposals which were circulated to a large representative sample of theoretical chemists and met with general acceptance. These, with the comments on them, form the basis of this notice.

The Primary Journals Committee recognises that computational work can play a valuable role in chemistry, and will probably continue to do so on an increasing scale. It accepts the time-honoured principle that the first criterion for publication of a paper by the Society should be the worthiness of the chemical problem considered, rather than the particular techniques employed by the author. For example, the use of a new computing algorithm, or the modification of a programme, would not usually, on its own, provide sufficient justification for publication.

The Primary Journals Committee recommends to authors the following guidelines for the preparation of computational papers, so that the material can be presented concisely and effectively.

- (i) Papers should be submitted to the appropriate journal: a paper containing innovations in theory to Faraday Transactions II, one in which the computations are incidental to the chemistry to Perkin, Dalton, or Faraday I Transactions. Papers concerned mainly with computational details are unlikely to be accepted.
- (ii) The purpose of the paper and the precise ob-

jectives of the calculations performed should be clearly stated: the results obtained should be reported only in so far as they relate to those objectives.

- (iii) Many papers use a routine procedure based on a well documented method, be it semi-empirical or *ab initio*. It is then sufficient to name the particular variant, referring to key papers in which the method was developed, to cite the computer programme used, and to indicate *briefly* any modification made by the author. A review of theoretical background would be out of place, but an author should say why he considers the method adequate for his purposes.
- (iv) Extensive tabulation of numerical results, such as the magnitudes of atomic orbital coefficients, electron populations, contour maps of molecular orbitals and electron densities, and peripheral material of a similar nature, is normally unnecessary. Lengthy line-by-line discussion of such material is, as a general rule, quite unacceptable. Where an author considers that there is a special need to make such material available to other workers, as with highly accurate computations, for example, then this may be deposited with the British Library as a Supplementary Publication. Such material should be submitted with the main paper, clearly distinguished from it, and referred to in the main text.

Guidelines can never provide sufficient criteria for acceptance or rejection of a paper. Critical assessment of the theoretical methods used in a computation, and of their suitability for the purpose in hand, will continue to be entrusted to specialist referees who must also decide whether the results are new and advance science.

Chemical nomenclature:*

Where to find that name, symbol or unit that you're looking for

Rules for naming, symbolizing and representing chemical compounds have been published in various journals, leaflets and books. IUPAC has compiled much of this information into a few major reference books, but much remains dispersed in the chemical literature. Chemical nomenclature changes constantly, and it is necessary to publish revisions and additions separately (usually, in the IUPAC journal *Pure & Applied Chemistry*). Other nomenclature reports — recommending terminology, symbols and units for reporting of results — deal with a diverse range of subjects. Collecting such reports into a few subject areas is not always possible or practical — although that is precisely what is attempted here.

The following listing is intended to be a comprehensive compilation of all chemical nomenclature published in recent years. It is presented in two main sections. The first deals with nomenclature of chemical compounds. These are subdivided into Analytical Reagents, Biochemical Compounds, Inorganic Substances, Organic Compounds, and Polymers. The second contains terminology, symbols, units and recommendations for presentation of results. These are divided into General Terminology, Terminology for Chemical Analysis, and Terminology for Spectroscopic Techniques.

NOMENCLATURE OF CHEMICAL COMPOUNDS

I. Analytical Reagents

Guide to Trivial Names, Trade Names and Synonyms for Substances used in Analytical Chemistry, *Pure & Appl. Chem.*, Vol. 50, No. 4 (1978) pp. 339 - 370.

II. Biochemical Compounds

AMINO ACIDS AND DERIVATIVES

*Nomenclature of Amino Acids (Provisional Nomenclature Appendix No. 46, September 1975).

*Symbols for Amino Acid Derivatives and Peptides (*Pure & Appl. Chem.*, Vol. 40, No. 3, 1974, pp. 315 - 331).

BIOCHEMICAL EQUILIBRIUM

*Recommendations for measurement and presentation of Biochemical Equilibrium Data (Provisional Nomenclature Appendix No. 61, July 1977, *Info. Bull.*).

CARBOHYDRATES & SUGARS

Conformational Nomenclature for Five and Six-Membered Ring Forms of Monosaccharides and Their Derivatives (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 10, 1981 and also in the *Eur. J. Biochem.*, 111, 295 - 298, 1980).

Abbreviated Terminology of Oligosaccharide Chains (Provisional) (to be published in late 1981 in *Pure & Appl. Chem.* and *J. Biol. Chem.*).

Polysaccharide Nomenclature (Provisional) (to be published in late 1981 in *Pure & Appl. Chem.* and *J. Biol. Chem.*).

Nomenclature of Unsaturated Monosaccharides (Provisional) (to be published in late 1981 in *Pure & Appl. Chem.* and *Eur. J. Biochem.*).

Nomenclature of Branched-chain Monosaccharides (Provisional) (to be published in late 1981 in *Pure & Appl. Chem.* and *Eur. J. Biochem.*).

ENZYMES

Enzyme Nomenclature (1978), published by Academic Press in hardcover and softcover editions. First supplement in *Eur. J. Biochem.*, 104, 1 - 4, 1980. Second supplement published in *Eur. J. Biochem.*, 116, 423 - 435, 1981.

LIPIDS

*Nomenclature of Lipids (Provisional Nomenclature Appendix No. 67, December, 1977).

NUCLEIC ACIDS

*Abbreviations and Symbols for Nuclei Acids, Polynucleotides and their Constituents (*Pure & Appl. Chem.*, Vol. 40, No. 3, 1974, pp. 277 - 290).

* This list of I.U.P.A.C. publications is reprinted from *Chemistry International*, 1981, No. 5, pp. 28—32.

PHOSPHORUS COMPOUNDS

*Nomenclature of Phosphorus-containing Compounds of Biochemical Importance (Provisional Nomenclature Appendix No. 66, December 1977).

PROTEINS & PEPTIDES

*Nomenclature of Peptide Hormones (Provisional Nomenclature Appendix No. 48, September 1975).

*Abbreviations and Symbols for the Description of Conformation of Polypeptide Chains (*Pure & Appl. Chem.*, Vol. 40, No. 3, 1974, pp. 291 - 308).

*Abbreviated Nomenclature of Synthetic Polypeptides (Polymerized Amino Acids) *Pure & Appl. Chem.*, Vol. 33, Nos. 2 - 3, 1973, pp. 437 - 444).

Nomenclature of Iron-Sulfur Proteins (*Eur. J. Biochem.*, 93, 427 - 430, 1979; corrected in *Eur. J. Biochem.*, 102, 315, 1979).

*A One-letter Notation for Amino Acid Sequences (*Pure & Appl. Chem.*, Vol. 31, No. 4, 1972, pp. 639 - 645).

Rules for Naming Synthetic Modifications of Natural Peptides (*Pure & Appl. Chem.*, Vol. 31, No. 4, 1972, pp. 647 - 653).

VITAMINS

*Nomenclature for Vitamin B-6 and Related Compounds (*Pure & Appl. Chem.*, Vol. 33, Nos. 2 - 3, 1973, pp. 445 - 452).

*Also published in "Biochemical Nomenclature and Related Documents", 1978, a 220 page softcover manual published for The Biochemical Society for IUB (available from the Biochemical Society Book Depot, P.O. Box 32, Commerce Way, Colchester, Essex C02 8HP, England).

III. Inorganic Substances

ACIDS

Chapter 5 of "Nomenclature of Inorganic Chemistry".*

ADDITION COMPOUNDS

Chapter 8 of "Nomenclature of Inorganic Chemistry".*

BORON COMPOUNDS

Nomenclature of Inorganic Boron Compounds (*Pure & Appl. Chem.*, Vol. 30, Nos. 3 - 4, 1972, pp. 681 - 710).

CARBON

International cooperation on characterization and terminology of carbon and graphite. (*Pure & Appl. Chem.*, Vol. 51, No. 7, 1979, pp. 1561 - 1574).

COORDINATION COMPOUNDS

Chapter 7 of "Nomenclature of Inorganic Chemistry".*

CRYSTALLINE PHASES

Chapter 9 of "Nomenclature of Inorganic Chemistry".*

ELEMENTS

Recommendations for the Name of Elements of Atomic Numbers Greater than 100 (*Pure & Appl. Chem.*, Vol. 51, No. 2, 1979, p. 381)

Chapter 1 of "Nomenclature of Inorganic Chemistry".*

IONS & RADICALS

"How to name an Inorganic Substance", the companion guide to the use of "Nomenclature of Inorganic Chemistry".

ISOTOPICALLY-MODIFIED COMPOUNDS

Nomenclature of Inorganic Chemistry. Part II.1. Isotopically-modified compounds. (*Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

NITROGEN

Nomenclature of Hydrides of Nitrogen and Derived Cations, Anions and Ligands (*Info. Bull.*, No. 2, 1978).

POLYANIONS

Chapter 4 of "Nomenclature of Inorganic Chemistry".*

SALTS

Chapter 6 of "Nomenclature of Inorganic Chemistry".*

ZEOLITES

Chemical nomenclature and formulation of compositions of synthetic and natural zeolites. (*Pure & Appl. Chem.*, Vol. 51, No. 5, 1979, p. 1091).

*Nomenclature of Inorganic Chemistry" is a 110 page hardcover volume (published 1970) available from Pergamon Press. A 36 page softcover booklet "How to Name an Inorganic Substance" was later published (1977) as a companion guide.

IV. Organic Compounds

ALCOHOLS & PHENOLS

Section C of "Nomenclature of Organic Chemistry".*

ALDEHYDES & KETONES

Section C of "Nomenclature of Organic Chemistry".*

CARBOXYLIC ACIDS

Section C of "Nomenclature of Organic Chemistry".*

CAROTENOIDS

Nomenclature of Carotenoids (*Pure & Appl. Chem.*, Vol. 41, No. 3, 1975, pp. 405 - 431).

COORDINATION COMPOUNDS

Section D of "Nomenclature of Organic Chemistry".*

CORRINOIDS

Nomenclature of Corrinoids (*Pure & Appl. Chem.*, Vol. 48, No. 4, 1976, pp. 495 - 502).

CYCLITOLS

Nomenclature of Cyclitols (*Pure & Appl. Chem.*, Vol. 37, Nos. 1 - 2, 1974, pp. 283 - 297).

HALOGENATED DERIVATIVES

Section C of "Nomenclature of Organic Chemistry".*

HETEROCYCLIC COMPOUNDS

Section B of "Nomenclature of Organic Chemistry".*

Revision of the extended Hantzsch-Widman System of Nomenclature for Heteromonocycles (*Pure & Appl. Chem.*, Vol. 51, No. 9, 1979, pp. 1995 - 2003).

HYDROCARBONS

Section A of "Nomenclature of Organic Chemistry".*

ISOTOPICALLY-MODIFIED COMPOUNDS

Section H of "Nomenclature of Organic Chemistry".* Also published in *Pure & Appl. Chem.*, Vol. 52, No. 2, 1979, pp. 355 - 380

NATURAL PRODUCTS

Section F of "Nomenclature of Organic Chemistry".*

NITROGEN-CONTAINING COMPOUNDS

Section C of "Nomenclature of Organic Chemistry".*

ORGANOMETALLIC COMPOUNDS

Section D of "Nomenclature of Organic Chemistry".*

ORGANOPHOSPHORUS COMPOUNDS

Section D of "Nomenclature of Organic Chemistry".*

ORGANOSILICON COMPOUNDS

Section D of "Nomenclature of Organic Chemistry".*

QUINONES

Nomenclature of Quinones with Isoprenoid Side-Chains (*Pure & Appl. Chem.*, Vol. 38, 1974, pp. 439 - 447).

STEREOCHEMISTRY

Section E of "Nomenclature of Organic Chemistry".*

STEROIDS

Nomenclature of Steroids (*Pure & Appl. Chem.*, Vol. 31, Nos. 1 - 2, 1972, pp. 283 - 322).

SULFUR-CONTAINING COMPOUNDS

Section C of "Nomenclature of Organic Chemistry".*

TETRAPYRROLES

Nomenclature of Tetrapyrroles (*Pure & Appl. Chem.*, Vol. 51, No. 11, 1979, pp. 2251 - 2304).

TOCOPHEROLS

Nomenclature of Tocopherols and Related Compounds (Provisional Nomenclature Appendix No. 47, September 1975).

*"Nomenclature of Organic Chemistry" is a 550 page volume published in 1979. It is available in hardcover and softcover editions from Pergamon Press, Oxford.

Section A: Hydrocarbons.

Section B: Fundamental Heterocyclic Systems.

Section C: Characteristic Groups containing carbon, Hydrogen, oxygen, nitrogen, halogen, sulfur, selenium and Tellurium.

Section D: Organic Compounds containing elements that are not exclusively carbon, hydrogen, oxygen, nitrogen, halogen, sulfur, selenium and tellurium.

Section E: General Principles for the naming of natural products and related compounds.

Section H: Isotopically modified compounds.

V. Polymers

Nomenclature for regular single-strand and quasi single-strand inorganic and coordination polymers (Provisional) (to be published in *Pure & Appl. Chem.*, Vol. 53, late 1981).

Stereochemical definitions and notations relating to polymers (*Pure & Appl. Chem.*, Vol. 53, No. 3, 1981, pp. 733 - 752).

List of Standard Abbreviations (Symbols) for Synthetic Polymers and Polymer Materials (*Pure & Appl. Chem.*, Vol. 40, No. 3, 1974, pp. 473 - 476).

Basic Definitions of Terms Relating to Polymers (*Pure & Appl. Chem.*, Vol. 40, No. 3, 1974, pp. 477- 491).

TERMINOLOGY, SYMBOLS, UNITS AND PRESENTATION OF RESULTS

I. General Chemical Terminology

CATALYSIS

Definitions, Terminology and Symbols in Colloid and Surface Chemistry — II. Heterogenous Catalysis (*Pure & Appl. Chem.*, Vol. 46, No. 1, 1976, pp. 71 - 90).

For enzymes, see Biochemical compounds. For enzyme activity, see *Eur. J. Biochem.*, 97, 319 - 320, 1979; corrected in *Eur. J. Biochem.*, 104, 1, 1980.

CHEMICAL REACTIONS

Nomenclature for straightforward transformations (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 1, 1981, pp. 306 - 321).

Symbolism and terminology in chemical kinetics (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 3, 1981, pp. 753 - 771).

CLINICAL CHEMISTRY

Physicochemical quantities and units in clinical chemistry with special emphasis on activities and activity coefficients (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 8, 1981, pp. 1605 - 1643).

Quantities and Units in Clinical Chemistry (*Pure & Appl. Chem.*, Vol. 51, No. 12, 1979, pp. 2451 - 2480).

List of Quantities in Clinical Chemistry (*Pure & Appl. Chem.*, Vol. 51, No. 12, 1979, pp. 2481 - 2502).

ELECTROCHEMISTRY

Nomenclature for Transport Phenomena in Electrolytic Systems. (*Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

Electrode Reaction Orders, Transfer Coefficients and Rate Constants — Amplification of Definitions and Recommendations for Publication of Parameters. (*Pure & Appl. Chem.*, Vol. 52, No. 1, 1980, pp. 233 - 240).

Recommended terms, symbols and definitions for electroanalytical chemistry. (*Pure & Appl. Chem.*, Vol. 51, No. 5, 1979, pp. 1161 - 1174).

Classification and Nomenclature of Electroanalytical Techniques (*Pure & Appl. Chem.*, Vol. 45, No. 2, 1976, pp. 81 - 97).

Recommendations for Sign Conventions and Plotting of Electrochemical Data (*Pure & Appl. Chem.*, Vol. 45, No. 2, 1976, pp. 131 - 134).

Electrochemical Nomenclature (*Pure & Appl. Chem.*, Vol. 37, No. 4, 1974, pp. 499 - 516).

Electrochemical Nomenclature (*Pure & Appl. Chem.*, Vol. 37, No. 4, 1974, pp. 499 - 516).

PHYSICAL ORGANIC CHEMISTRY

Glossary of terms used in physical organic chemistry (*Pure & Appl. Chem.*, Vol. 51, No. 8, 1979, pp. 1725 - 1802).

PHYSICOCHEMICAL QUANTITIES AND UNITS

Manual of symbols and Terminology for Physicochemical Quantities and Units. (*Pure & Appl. Chem.*, Vol. 51, No. 1, 1979, p. 1.). (Also available from Pergamon Press as a 40 page softcover booklet.)

Selected definitions, terminology and symbols for rheological properties. (Manual of Symbols and Terminology for physicochemical quantities and units. Appendix II) (*Pure & Appl. Chem.*, Vol. 51, No. 5, 1979, pp. 1215 - 1218).

QUANTUM CHEMISTRY

Expression of Results in Quantum Chemistry (*Pure & Appl. Chem.*, Vol. 50, 1978, pp. 75 - 79)

SURFACE CHEMISTRY

Definitions, Terminology and Symbols in Colloid and Surface Chemistry — I. (*Pure & Appl. Chem.*, Vol. 31, No. 4, 1972, pp. 577 - 638). See also CATALYSIS in this section.

THERMODYNAMICS & THERMAL ANALYSIS

Nomenclature for thermal analysis — Part IV (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 8, 1981, pp. 1597 - 1604).

Recommendations for Nomenclature of Thermal Analysis— II. DTA and TG Apparatus and Technique, III. DTA and TG Curves (*Pure & Appl. Chem.*, Vol. 52, No. 10, 1980, pp. 2387 - 2391).

Recommendations for Nomenclature of Thermal Analysis (*Pure & Appl. Chem.*, Vol. 37, No.4, pp. 439 - 444).

Assignment and presentation of uncertainties of the numerical results of thermodynamics measurements (Provisional) (*Pure & Appl. Chem.*, Vol. 53, No. 9, 1981, p. 1805).

Calorimetric measurements on cellular systems: recommendations for measurements and presentation of results (Provisional) (to be published in *Pure & Appl. Chem.*, Vol. 53, late 1981).

A Guide to Procedures for the Publication of Thermodynamics Data (*Pure & Appl. Chem.*, Vol. 29, Nos. 1 - 3, 1972, pp. 395 - 408).

II. Chemical Analysis

AUTOMATIC ANALYSIS

*Recommended Nomenclature for Automatic Analysis (*Pure & Appl. Chem.*, Vol. 21, No. 4, 1970, pp. 527 - 531).

CHROMATOGRAPHY

*Recommendations on Nomenclature for Chromatography (*Pure & Appl. Chem.*, Vol. 37, No. 4, 1974, pp. 445 - 462).

Recommendations for publication of papers on a new analytical method based on ion exchange or ion-exchange chromatography (*Pure & Appl. Chem.*, Vol. 52, No. 11, 1980, pp. 2555 - 2562).

COMPLEXIMETRIC INDICATORS

Recommendations for presentation of data on compleximetric indicators. 1. General (*Pure & Appl. Chem.*, Vol. 51, No. 6, 1979, pp. 1357 - 1336).

GRAVIMETRIC ANALYSIS

Recommendations for Publication of Papers on Precipitation Methods of Gravimetric Analysis (to be published in *Pure & Applied Chemistry*, late 1981 or early 1982).

*Recommendations on Nomenclature for Contamination Phenomena in Precipitation from Aqueous Solutions (*Pure & Appl. Chem.*, Vol. 37, No. 4, 1974, pp. 463 - 468).

ION EXCHANGE

*Recommendations on Ion Exchange Nomenclature (*Pure & Appl. Chem.*, Vol. 29, No. 4, 1972, pp. 617 - 624).

ION SELECTIVE ELECTRODES

Recommendations for Publishing Manuscripts on Ion-Selective Electrodes (*Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

*Recommendations for Nomenclature of Ion-Selective Electrodes (*Pure & Appl. Chem.*, Vol. 48, No. 1, 1976, pp. 127 - 132).

Selectivity coefficients of ion-selective electrodes (*Pure & Appl. Chem.*, Vol. 51, No. 9, 1979, pp. 1913 - 1980).

MICROCHEMICAL ANALYSIS

*Terminology for Scales of Working in Microchemical Analysis (*Pure & Appl. Chem.*, Vol. 51, No. 1, 1979, p. 43).

SOLUTION CONCENTRATION

*Recommendations on the Usage of the Terms "Equivalent" and "Normal" (*Pure & Appl. Chem.*, Vol. 50, 1978, pp. 325 - 338).

SOLVENT EXTRACTION

Proposed Terminology and Symbols for the Transfer of Solutes from One Solvent to Another (*Pure & Appl. Chem.*, Vol. 50, No. 6, 1978, pp. 589 - 591).

*Recommended Nomenclature for Liquid Liquid Distribution (Solvent Extraction): (Provisional Nomenclature Appendix No. 63, July 1977).

TRACE ANALYSIS

General Aspects of Trace Analytical Methods. II. Standard Reference Materials for Trace Analysis (*Pure & Appl. Chem.*, No. 11/12, 1978, pp. 1531 - 1700). III. Contamination in Trace Analysis (*Pure & Appl. Chem.*, No. 11/12, 1978, p. 1519).

*Also published in the hardcover volume, "Compendium of Analytical Chemistry" (1978). It includes terminology and nomenclature for precision balances, scales of working, contamination phenomena in precipitation from aqueous solution, automatic analysis, thermal analysis, mass spectroscopy, titrimetric analysis, standardization of pH, pH measurement in amphiprotic and mixed solutions, solution equilibria, liquid - liquid distribution, gas chromatography, chromatography, ion exchange, atomic emission spectroscopy, data interpretation, flame spectroscopy, electroanalytical techniques, plotting electrochemical data. Published as a 222 page hardcover book available from Pergamon Press.

III. Spectroscopic Terminology & Presentation of Spectra

ABSORPTION SPECTROSCOPY, UV-VISIBLE

Recommendations for Publication of Papers on Methods of Molecular Absorption Spectrophotometry in Solution between 200 and 800 nm (*Pure & Appl. Chem.*, Vol. 50, No. 3, 1978, pp. 237 - 242)

ATOMIC ABSORPTION & EMISSION

*Nomenclature, Symbols, Units and Their Usage in Spectrochemical Analysis — Part I. General Atomic Emission Spectroscopy (*Pure & Appl. Chem.*, Vol. 30, Nos. 3 - 4, 1972, pp. 651 - 679).

*Nomenclature, Symbols, Units and Their Usage in Spectrochemical Analysis — Part III. Analytical Flame Spectroscopy and Associated Non-Flame Procedures (*Pure & Appl. Chem.*, Vol. 45, No. 2, 1976, pp. 105 - 123).

Nomenclature, symbols, units and their usage in spectrochemistry — Part V. Radiation sources (Provisional) (to be published in *Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

ELECTRON SPECTROSCOPY

Nomenclature and Spectral Presentation in Electron Spectroscopy Resulting from Excitation by Photons (*Pure & Appl. Chem.*, Vol. 45, Nos. 3 - 4, 1976, pp. 221 - 224). See also SPECTROSCOPIC ANALYSIS OF SURFACES in this section.

INFRARED SPECTROSCOPY

Recommendations for the Presentation of Infrared Absorption Spectra in Data Collections—A. Condensed Phases (*Pure & Appl. Chem.*, Vol. 50, 1978, pp. 231 - 236).

Definition and Symbolism of Molecular Force Constants (*Pure & Appl. Chem.*, No. 11/12, 1978, pp. 1709 - 1713).

LUMINESCENCE SPECTROSCOPY

Nomenclature, symbols, units and their usage in spectrochemical analysis — Part VI. Molecular luminescence spectroscopy (Provisional) (to be published in *Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

MASS SPECTROMETRY

Recommendations for Symbolism and Nomenclature for Mass Spectrometry (*Pure & Appl. Chem.*, Vol. 50, 1978, pp. 65 - 73).

*Recommendations for Nomenclature of Mass Spectrometry (*Pure & Appl. Chem.*, Vol. 37, No. 4, 1974, pp. 469 - 480).

MOSSBAUER SPECTROSCOPY

Nomenclature and Conventions for Reporting Mossbauer Spectroscopic Data (*Pure & Appl. Chem.*, Vol. 45, Nos. 3 - 4, 1976, pp. 211 - 216).

NMR SPECTROSCOPY

Recommendations for the Presentation of NMR Data for Publication in Chemical Journals—B. Conventions Relating to Spectra from Nuclei Other than protons (*Pure & Appl. Chem.*, Vol. 29, No. 4, 1972, pp. 625 - 628).

Recommendations for the Presentation of NMR Data for Publication in Chemical Journals—B. Conventions Relating to Spectra from Nuclei Other than protons (*Pure & Appl. Chem.*, Vol. 45, Nos. 3 - 4, 1976, pp. 217 - 219).

RAMAN SPECTROSCOPY

Presentation of Raman Spectra in data collections (*Pure & Appl. Chem.*, Vol. 53, No. 10, 1981).

SPECTROSCOPIC ANALYSIS OF SURFACES

Recommendations for nomenclature, standard procedures and reporting of experimental data for surface analysis techniques. Part IV of General Aspects of trace analytical methods. (*Pure & Appl. Chem.*, Vol. 51, No. 11, 1979, pp. 2243 - 2250).

SPECTROSCOPIC DATA, INTERPRETATION

*Nomenclature, Symbols, Units and Their Usage in Spectrochemical Analysis—Part II. Data Interpretation (*Pure & Appl. Chem.*, Vol. 45, No. 2, 1976, pp. 99 - 103).

THERMAL ANALYSIS

See section on General Chemical Terminology.

X-RAY SPECTROSCOPY

Nomenclature, Symbols, Units and Their Usage in Spectrochemical analysis — Part IV. X-Ray Emission Spectroscopy (*Pure & Appl. Chem.*, Vol. 52, No. 11, 1980, pp. 2543 - 2552).

*Also published in the "Compendium of Analytical Nomenclature", (1978), a hardcover volume available from Pergamon Press.