JOURNAL OF THE CHEMICAL SOCIETY

Perkin Transactions 1

Organic and Bio-organic Chemistry

CONTENTS

Perkin Communications

185 A superior procedure for generation of substituted benzyllithiums from the corresponding chlorides

Keith Smith and Duanjie Hou

187 Facile synthesis of dihydrofurans by the cerium(IV) ammonium nitrate mediated oxidative addition of 1,3-dicarbonyl compounds to cyclic and acylic alkenes. Relative superiority over the manganese(III) acetate mediated process

Vijay Nair and Jessy Mathew

Mn(OAc)₃-mediated reaction afforded the product in only 41% yield

Articles

189 PbCl₂/Ga Bimetal redox system-mediated carbon-carbon bond formation reactions between carbonyl compounds and ethyl trichloroacetate and iodoacetonitrile

Xiao-Lin Zhang, Ying Han, Wen-Tien Tao and Yao-Zeng Huang

70-99% yields

193 Synthesis of alkyl and aryl substituted buta- 1,2,3,-trienes	SiMes R1 COAC TABF R1HC CC CC R2 R3
Hak-Fun Chow, Xiao-Ping Cao and Man-kit Leung	Alkyl and aryl substituted buta-1,2,3-trienes can be prepared in good yields via fluoride ion induced 1,4-elimination
197 Studies of chromenes. Part 11. 3-Substitution of 7-methoxy-2,2-dimethylchroman-4-one without ring opening via 3-bromination	MeO Me MeO MeO Me
Robert K. Akuamoah, Philip E. Brown, Wafa Y. Marcus and John E. Steele	∏ Br ∏ Br without ring-opening
203 Azoniaazulenes. Part 7. Functionalisation of 10 <i>H</i> -azepino[1,2- <i>a</i>]indoles	
Gurnos Jones, Michael W. Kempa, Michael B. Hursthouse and K. Abdul Malik	10 <i>H</i> -Azepinoindoles have been directly functionalised at positions 8, 10 and 11; 8 <i>H</i> isomers have been obtained
213 Preparation and enantiomer recognition behaviour of azophenolic crown ethers containing cis-cyclohexane-1,2-diol as the chiral centre	R = N=N NO ₂
Koichiro Naemura, Sachiko Takeuchi, Keiji Hirose, Yoshito Tobe, Takahiro Kaneda and Yoshiteru Sakata	Both enantiomers of the azophenolic crown ether have been prepared from cis-2-benzyloxycyclohexanol and the enantioselectivity in complexation with amines has been examined
221 Excitatory amino acids. Synthesis of (RS)- 2-amino-3-(5-cyclopropyl-3-hydroxyisoxazol- 4-yl)propionic acid, a new potent and specific AMPA receptor agonist	MeO ₂ C CO ₂ Me
Niels Skjærbæk, Bjarke Ebert, Erik Falch, Lotte Brehm and Povl Krogsgaard-Larsen	HO-OH H ₂ N O'N
227 Short synthetic route to congeners of the undecose antibiotic herbicidin	TIPSO BROOT O
John R. Bearder, Mark L. Dewis and Donald A. Whiting	The undecose backbone of the herbicidins has been assembled by direct alkylation, acylation, or hydroxyalkylation of the vinyl anion from 3,4,6-tris(triisopropylsilyl)-D-glucal

235 Facile construction of the 1-phenylnaphthyl skeleton via an ester-mediated nucleophilic aromatic substitution reaction. Applications to the synthesis of phenylnaphthalide lignans	CH ₂ OMOM + MgBr OR ¹ OR ¹
Tetsutaro Hattori, Hideyuki Tanaka, Yoshikazu Okaishi and Sotaro Miyano	$ m \dot{O}R^2$ taiwanin C $R^1R^2 = CH_2$ chinensin $R^1 = R^2 = Me$
243 Preparation of N-hydroxyazoles by oxidation of azoles	Z=\ Ox Z=\ NOH PhCH ₂ Br N=\ NOCH ₂ Ph
Mikael Begtrup and Per Vedsø	Z PhCH ₂ Br N N N N N N N N N N N N N N N N N N N
249 Antitumour imidazotetrazines. Part 31. The synthesis of isotopically labelled temozolomide and a multinuclear (¹ H, ¹³ C, ¹⁵ N) magnetic resonance investigation of temozolomide and mitozolomide	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$
Richard T. Wheelhouse, Derry E. V. Wilman, William Thomson and Malcolm F. G. Stevens	CI N Ph H ₃ C N Ph H ₃ C N = C=O Ph CH ₃ NH ₂ ·HCI Temozolomide has been synthesized singly labelled at three sites and all its ¹³ C and ¹⁵ N resonances have been assigned
253 Reactions of tetrasulfur tetranitride with aryl dibromomethyl ketones: one pot synthesis of 3-aroylformamido-4-aryl-1,2,5-thiadiazoles and their reactions	Ar + S ₄ N ₄ 115 °C Ar O N Ar
Kyongtae Kim, Jaeeock Cho and Sung Cheol Yoon	NaBH ₄ H ₂ N Ar CHCl _b EtOH N S N
261 Regioselectivity in the reductive cleavage of pyrogallol derivatives: reductive electrophilic substitution of acetals of 2,3-dimethoxyphenol	MeO OMe OMe
Ugo Azzena, Giovanni Melloni and Luisa Pisano	P = MOM, 2-THP kunularic acid dimethyl ether

267 Novel preparation of 3-alkyl-5-hydroxy-5-per(poly)fluoroalkyl-4,5-dihydroisoxazoles

Jian Chen and Chang-Ming Hu

271 Stereoselective radical additions of γ-oxy-α,β-unsaturated ester derivatives; 1,2-asymmetric induction in acyclic and cyclisation systems

Tsutomu Morikawa, Yoshiaki Washio, Susumu Harada, Ryo Hanai, Takashi Kayashita, Hisako Nemoto, Motoo Shiro and Takeo Taguchi

vii Conference Diary

AUTHOR INDEX

Akuamoah, Robert K., 197 Azzena, Ugo, 261 Bearder, John R., 227 Begtrup, Mikael, 243 Brehm, Lotte, 221 Brown, Philip E., 197 Cao, Xiao-Ping, 193 Chen, Jian, 267 Cho, Jaeeock, 253 Chow, Hak-Fun, 193 Dewis, Mark L., 227 Ebert, Bjarke, 221 Falch, Erik, 221 Han, Ying, 189 Hanai, Ryo, 271 Harada, Susumu, 271
Hattori, Tetsutaro, 235
Hirose, Keiji, 213
Hou, Duanjie, 185
Hu, Chang-Ming, 267
Huang, Yao-Zeng, 189
Hursthouse, Michael B., 203
Jones, Gurnos, 203
Kaneda, Takashiro, 213
Kayashita, Takashi, 271
Kempa, Michael W., 203
Kim, Kyongtae, 253
Krogsgaard-Larsen, Povl, 221
Leung, Man-kit, 193
Malik, K. Abdul, 203

Marcus, Wafa Y., 197
Mathew, Jessy, 187
Melloni, Giovanni, 261
Miyano, Sotaro, 235
Morikawa, Tsutomu, 271
Naemura, Koichiro, 213
Nair, Vijay, 187
Nemoto, Hisako, 271
Okaishi, Yoshikazu, 235
Pisano, Luisa, 261
Sakata, Yoshiteru, 213
Shiro, Motoo, 271
Skjærbæk, Niels, 221
Smith, Keith, 185
Steele, John E., 197

Stevens, Malcolm F. G., 249
Taguchi, Takeo, 271
Takeuchi, Sachiko, 213
Tanaka, Hideyuki, 235
Tao, Wen-Tien, 189
Thomson, William, 249
Tobe, Yoshito, 213
Vedsø, Per, 243
Washio, Yoshiaki, 271
Wheelhouse, Richard T., 249
Whiting, Donald A., 227
Wilman, Derry E. V., 249
Yoon, Sung Cheol, 253
Zhang, Xiao-Lin, 189

Forthcoming Articles in Perkin Transactions 1

Synthesis of Fluorescent Derivatives of 3'-O-(6-Aminohexanoyl)pyrimidine 5'-Triphosphates that Act as DNA Polymerase Substrates Tagged in 3' R.S. Sarfati, T. Berthod, C. Guerreiro and B. Canard

Synthesis and Stereochemistry of Optically Active Telluronium Ylides N. Kamigata, A. Matsuhisa, H. Taka and T. Shimizu

A Useful Method for Configurational Assignment of Vinyl Sulfides: Stereochemical Reassessment of the Radical Addition of Benzenethiol to Alkynes P.C. Montevecchi, L. Capella, L. Benati and P. Spagnolo

Development of a Synthesis of Lankacidins: an Investigation into 17-Membered Ring Formation E.J. Thomas and E.G. Mata

Radical Cyclisation Route to Furanolignans. Short and Stereoselective Synthesis of (+)-Dihydrosesamin and (+)-Lariciresinol S.C. Roy, G. Maiti and S. Adhikari

Preparation of Oxonanes and Azonanes by Oxidative Ring Expansion. Synthesis of Obtusan D.S. Brown, M.C. Elliott, C.J. Moody and T.J. Mowlem

Cyclopent[b]indoles. Part 1. Synthesis of Cyclopent[b]indoles by Formal [3+2]-Addition of Indolymethyl Cations to Alkenes C.-A. Harrison, P.M. Jackson, C.J. Moody and J.M.J Williams

Cyclopent[b]indoles. Part 2. Model Studies towards the Tremorgenic Mycotoxins C.-A. Harrison, P.M. Jackson, C.J. Moody and J.M.J. Williams

Synthesis of (\pm) - $(4a\alpha,4b\beta,10b\beta,12a\beta)$ -9-Halogeno-2-methyl-1,2,3,4,4a,4b,5,6,10b,11,12,12a-dodecahydronaphtho-[2,1-f]isoquinolines **G.L. Patrick**

S-Phenylacetamidomethyl (Phacm): an Orthogonal Cysteine Protecting Group for Boc and Fmoc Solid-phase Peptide Synthesis Strategies F. Albericio, M. Royo, J. Alsina, E. Giralt and U. Slomczynska

A Ketal Claisen Rearrangement for α-Ketol Isoprene Unit Elongation: Application to a Practical Synthesis of Sarcophytol A Intermediate H. Takayanagi, S. Sugiyama and Y. Morinaka

On the Reactions of (Vinylimino)phosphoranes and Related Compounds. Part 30. A Short New Synthesis of 5-Azaazulene Derivatives. Some Comments on the Reactivities of (Vinylimino)phosphoranes M. Nitta, Y. Iino, S. Mori and T. Takayasu

The Low Temperature Addition of Hydrogen Polysulfides to Olefins: Formation of 2,2-Dialkyl Polysulfides from Alk-1-enes and Cyclic (Poly)sulfides and Polymeric Organic Sulfur Compounds from α-Dienes W. de Graaf, J.S. Sinninghe Damste and J.W. de Leeuw

Synthesis of 6α , 7α - and 6β , 7β -Aziridinylandrost-4-ene-3, 17-diones and Related Compounds: Potential Aromatase Inhibitors C.H. Robinson, V.C.O. Njar and R.W. Hartmann

Syntheses of 2-Ethyl-8-methyl-1,7-dioxaspiro[5.5]undecanols W. Kitching, M.F. Jacobs, B.D. Suthers and A. Hubener

Synthesis of Bridged Thiazolium Salts as Models for Thiamin F.J. Leeper and D.H.C. Smith

Preparation and Oxidative Doping Studies of Bis-thienyl Polyenes Stabilized by Alkyl Group Substitution C.W. Spangler and M. He

Synthesis of the Selective Muscarinic Agonist (3R)-3-(6-Chloropyrazin-2-yl)-1-azabicyclo[2.2.2]octane S.H.B. Wright, M.S. Ashwood, A.W. Gibson, P.G. Houghton, G.R. Humphrey and D.C. Roberts

Purine Isosteres with Bridgehead Nitrogen. Part 1. Two Independent Syntheses of the 1,2,4-Triazolo[1,5-a]-1,3,5-triazine Ring System leading to a Range of Substituents in the 2, 5 and 7 Positions

P.W.R. Caulkett, G. Jones, M. McPartlin, N.D. Renshaw, S.K. Stewart and B. Wright

Stereocontrol in Cyclisation of Dioxolanyl Radicals

A.S. Batsanov, M.J. Begley, R.J. Fletcher, J.-A. Murphy and M.S. Sherburn

JOURNAL OF THE CHEMICAL SOCIETY

Perkin Transactions 1 COMMUNICATIONS

NORTH AMERICAN AUTHORS

Please submit your Perkin Communications and Articles to

Professor Tomas Hudlicky
North American Associate Editor
Department of Chemistry
Virginia Tech
Blacksburg
VA 24061-0212
USA

COPIES OF CITED ARTICLES

The Royal Society of Chemistry Library can usually supply copies of cited articles. For further details contact: The Library, Royal Society of Chemistry, Burlington House, Piccadilly, London UK WIV 0BN. Tel +44 (0) 71 437 8656. Fax: +44 (0) 71 287 9798. Telecom Gold 84: BUR210. Electronic Mailbox (Internet) LIBRARY@RSC.ORG If the material is not available from the Society's Library, the staff will be pleased to advise on its availability from other sources. Please note that copies are not available from the RSC at Thomas Graham House, Cambridge.