

INDEX OF AUTHORS, 1975

A

- Abraham, M. H., and Abraham, R. J.** Application of reaction field theory to the calculation of solvent effects on the Menshutkin reaction of tripropylamine with methyl iodide, 1677.
- Abraham, M. H., and Grellier, P. L.** Substitution at saturated carbon. Part XVIII. The effect of alcoholic solvents on rate constants for S_N and S_E reactions. Part XIX. The effect of alcohols and water on the free energy of solutes and on the free energy of transition states in S_N and S_E reactions, 623, 1856.
- Abraham, M. H., Grellier, P. L., and Hogarth, M. J.** Calculations of steric effects. Part II. The S_N2 halide exchange reactions, 1365.
- Abraham, R. J., Hawkes, G. E., Hudson, M. F., and Smith, K. M.** The nuclear magnetic resonance spectra of porphyrins. Part X. Carbon-13 nuclear magnetic resonance spectra of some *meso*-tetra-arylporphyrins and their metal chelates, 204.
- Abraham, R. J., and Loftus, P.** Rotational isomerism. Part XIX. Nuclear magnetic resonance spectral analysis and conformation of 1,1,1,4,4,4-hexafluorobutane, 535.
- Abraham, R. J., and Monasterios, J. R.** Polar addition to olefins. Part II. Stereochemistry of addition of deuterium bromide to *cis*- and *trans*-*t*-butylstyrene. Rotamer populations of sterically crowded trisubstituted ethanes, 574.
- Rotational isomerism. Part XVIII. Rotamer populations in solution of some polychlorinated butanes: a molecular mechanics and nuclear magnetic resonance study, 699.
- Abraham, R. J.** See Abraham, M. H., 1677.
- Ahmad, M., Cox, A., Kemp, T. J., and Sultana, Q.** Physical and chemical quenching of excited uranyl ion by organic molecules studied by fluorimetric and laser flash photolysis methods, 1867.
- Albasini, A.** See Rastelli, A., 522.
- Albeck, M., Hoz, S., and Rappoport, Z.** $E1cB$ and $E2cB$ mechanisms in the elimination of trifluoroethoxide ion from α,α -dinitro- β,β -diphenyl- β -(trifluoroethoxy)ethanide anion and the non-reactivity of the β -cyano- α,α -dinitro- β,β -diphenylethanide anion, 628.
- Alberti, A.** See Pedulli, G. F., 293.
- Alder, R. W., and Whittaker, G.** Rearrangement of bifluorenylidene to dibenzo[*g,p*]chrysene, 712.
- Alder, R. W., and Whittaker, G.** The thermal rearrangements of azulenes to naphthalenes, 714.
- Alder, R. W., and Wilshire, C.** Thermal rearrangement of some 1- and 2-substituted azulenes to naphthalenes, 1464.
- Alford, R. E.** See Evans, A. G., 1831.
- Al-Mallah, K.** See Collings, P., 1734.
- Al-Showiman, S.** See Jennings, W. B., 1535.
- Al-Rawi, J. M. A., Elvidge, J. A., Jones, J. R., and Evans, E. A.** Tritium nuclear magnetic resonance spectroscopy. Part III. Coupling constants and isotope effects, and calculation of $^2J_{HH}$ coupling constants, 449.
- Alunni, S., Baciocchi, E., Nicoletti, R., and Tingoli, M.** Stereochemistry of elimination reactions of 2-chloro-1-phenylpropane in different solvent-base systems, 1669.
- Amin, H. B., and Taylor, R.** The nature of the transition state in ester pyrolysis. Part III. The Hammett correlation for pyrolysis of *t*-butyl benzoates, 1802.
- Anderson, F., Birchall, J. M., Haszeldine, R. N., and Tyler, B. J.** Carbene chemistry. Part VIII. The thermal decomposition of trichloromethyltrifluorosilane: a kinetic investigation, 1051.
- Andreotti, G. D.** See Del Buttero, P., 809.
- Ansell, G. B.** Tetrazole studies. Part III. Crystal structure of 5-[(3-chlorobenzyl)dimethylammonio]-tetrazolide, 1200.
- Ansell, G. B., and Erickson, J. L.** X-Ray crystal structure of hexahydro-1,4-dimethyl-*s*-tetrazine, 270.
- Anteunis, M. J., and Camerlynck, R.** Nuclear magnetic resonance experiments on acetals. Part LVIII. Conformational studies of 4-methylene-1,3-dioxan, 1434.
- Aoyama, H.** See Kashima, C., 665.
- Ardjomande, S., and Lucken, E. A. C.** ^{35}Cl Nuclear quadrupole resonance of donor-acceptor complexes. Part II, 453.
- Ardrey, R. E., and Cort, L. A.** Halogeno-1,4-dioxans and their derivatives. Part VII. Conformations and 1H nuclear magnetic resonance parameters of some chloro-1,4-dioxans and 5-chloro-2,3-dihydro-1,4-dioxin, 959.
- Aris, V., Brown, J. M., Connelly, J. A., Golding, B. T., and Williamson, D. H.** Synthesis and thermolysis of rhodium and iridium complexes of *endo*-6-vinylbicyclo[3.1.0]hex-2-ene. A metal-promoted vinylcyclopropane to cyclopentene rearrangement, 4.
- Armour, M.-A., Cadogan, J. I. G., and Grace, D. S. B.** Reduction of nitro- and nitroso-compounds by trivalent phosphorus reagents. Part XI. A kinetic study of the effects of varying the reagent and the nitro-compound in the conversion of *o*-nitrobenzylideneamines to 2-substituted indazoles, 1185.
- Armstrong, V. W.** See Cameron, A. F., 1030.
- Aroney, M. J., Filipczuk, S. W., and Radford, D. V.** Dipole moments and dielectric relaxation times of some dialkyl and diaryl disulphides and diphenyl disulphone, 695.
- Ashton, D. S., Shand, D. J., Tedder, J. M., and Walton, J. C.** Free radical addition to olefins. Part XV. Addition of bromoform and carbon tetrabromide to fluoroethylenes, 320.
- Asmus, K.-D.** See Bonifačić, M., 675.
- Astin, K. B., and Mackenzie, K.** Stereoselectivity and stereospecificity in electron deficient diene cycloadditions with norbornadiene and 7-*t*-butoxynorbornadiene: results and MINDO/2 theoretical study, 1004.
- Atalla, R. H.** See Williams, R. M., 1155.
- Atherton, N. M., and Henshaw, P. A.** Electron nuclear double resonance and electron spin resonance studies of anion-radicals derived from *p*-benzoquinone, 258.
- Attallah, O. M.** See Pittman, C. U., jun., 1776.
- Attiga, S. A., and Rochester, C. H.** Enthalpies of ionization

- deduced from the temperature dependence of indicator measurements for amides in concentrated aqueous solutions of perchloric acid, 1411.
- Avaca, L. A., and Utley, J. H. P.** Electro-organic reactions. Part III. Mechanistic aspects of the cathodic hydrogenation of activated carbon-carbon double bonds, 161.
- B**
- Baciocchi, E., and Lillocci, C.** Dehalogenation reactions of vicinal dihalides. Part IV. Kinetics of amine-promoted eliminations of 1-chloro-2-iodo-1,2-diphenylethane in aqueous dioxan, 802.
- Baciocchi, E., Mancini, V., and Perucci, P.** Kinetic study of *E2* eliminations from 2-thienylethyl bromides and toluene-*p*-sulphonates promoted by sodium ethoxide in ethanol, 821.
- Baciocchi, E., Perucci, P., and Rol, C.** Elimination reactions of 1,2-diaryl-1-chloroethanes promoted by sodium ethoxide in ethanol. The kinetic effects of α - and β -phenyl substituents, 329.
- Baciocchi, E.** See **Alunni, S.**, 1669.
- Bahnemann, D.** See **Bonifačić, M.**, 675.
- Baker, M. W.** See **Evans, A. G.**, 1310.
- Baker, R., Onions, A., Popplestone, R. J., and Smith, T. N.** Reactions of amines and active methylene compounds with buta-1,3-diene and isoprene: catalysis by nickel, cobalt, rhodium, and iridium complexes, 1133.
- Baker, V. J., Katritzky, A. R., and Majoral, J.-P.** The conformational analysis of saturated heterocycles. Part LXX. Nitrogen inversions in 1,3,4-oxadiazolidines, 1191.
- Balmain, A.** Photochemical cleavage of the cyclopropane ring of 6,20-epoxyethylol {1,11-diacetoxy-3,6,6,14-tetramethyl-13-phenylacetoxy(tricyclo[10.3.0.0⁶.7]pentadec-3-ene-10-spiro-2'-oxiran)-2-one}, 1253.
- Bardsley, J., Baugh, P. J., and Phillips, G. O.** Radiation chemistry of carbohydrates. Part XIX. Yields of trapped electrons and radicals in γ -irradiated, frozen, concentrated, aqueous solutions of sugars, 614.
- Barlin, G. B., and Benbow, J. A.** Kinetics of reactions in heterocycles. Part XII. Substituted *N*-methylquinolinium and *N*-methylisoquinolinium salts with hydroxide ions. Part XIII. Substituted *N*-methylpyridinium and *N*-methylquinolinium salts with piperidine in water and in ethanol. Part XIV. Reactions of 2- and 4-amino-, -methylamino-, and -dimethylamino-pyridine methiodides and 2-methylthiopyrimidine methiodide with hydroxide ions in water, 298, 1267, 1385.
- Barnes, J. C., Hunter, G., and Lown, M. W.** A dynamic nuclear magnetic resonance study of ring inversion occurring in 1,4-oxa-thian, -selenan, and -telluran, 1354.
- Barnett, C., Marshall, D. R., and Lloyd, D.** Diazepines. Part XIX. Kinetics of addition of bromine to position 6 in 2,3-dihydro-1,4-diazepinium salts, 325.
- Barnett, J. W., Moodie, R. B., Schofield, K., and Weston, J. B.** Electrophilic aromatic substitution. Part XIII. Kinetics, isomer yields, and the consequences of *ipso*-attack in the nitration of toluene and polymethylbenzenes in aqueous sulphuric acid, and their significance for the mechanism of aromatic nitration, 648.
- Barrow, M. J., Currie, M., Muir, K. W., Speakman, J. C., and White, D. N. J.** Crystal structures of some acid salts of monobasic acids. Part XVII. Structure of sodium hydrogen diacetate, redetermined by neutron diffraction, 15.
- Bart, J. C. J.** See **Dini, P.**, 1479.
- Bartoli, G., Ciminale, F., and Todesco, P. E.** Ring opening and closing in heterocyclic compounds. ⁴H Nuclear magnetic resonance studies on the reaction between 6-nitrobenzothiazole and methoxide ion in dimethyl sulphoxide-methanol, 1472.
- Basosi, R., Gaggelli, E., Tiezzi, E., and Valensin, G.** Nitrosyliron complexes with mercapto-purines and -pyrimidines studied by nuclear magnetic and electron spin resonance spectroscopy, 423.
- Bassi, I. W., Scordamaglia, R., and Fiore, L.** X-Ray crystal structure of 1,3,6,8-tetraoxacyclodecane, 1129.
- Battaglia, A.** See **Dondoni, A.**, 1475.
- Battistuzzi, R., Marcotrigiano, G., and Peyronel, G.** Kinetics of desulphuration of ethylthiurea in sodium hydroxide studied by a radiochromatographic method, 169.
- Baugh, P. J.** See **Bardsley, J.**, 614.
- Bayles, J. W.** See **Parbhoo, D. M.**, 1057.
- Beckwith, A. L. J., and Gara, W. B.** Some intramolecular reactions of *ortho*-substituted aryl radicals, 593. Mechanism of cyclization of aryl radicals containing unsaturated *ortho*-substituents, 795.
- Beckwith, A. L. J., and Moad, G.** Cyclization of 3-allylhex-5-enyl radical: mechanism, and implications concerning the structures of cyclo-polymers, 1726.
- Begley, M. J., Gill, G. B., and Woods, D. C.** Adamantane chemistry. Part II. X-Ray structure analysis of 5-chloromethyl-4-oxahomoadamantan-5-ol, 74.
- Begley, M. J., Knight, D. W., and Pattenden, G.** Stereochemistry of freelingyne [(4*Z*,6*E*)-9-(3-furyl)-2,6-dimethylnona-2,4,6-trien-8-yn-4-olide] by X-ray analysis, 1863.
- Bellogono, I. R., Marcandalli, B., Zanderighi, L., and Parini, C.** Kinetics of intramolecular acylation of 3-(2-hydroxybenzylidene)-4,5-dihydrofuran-2(3*H*)-one in concentrated acids, 1525.
- Bellobono, I. R., Zanderighi, L., Omarini, S., Marcandalli, B., and Parini, C.** Photochemical intramolecular acylation of 3-(2-hydroxybenzylidene)-4,5-dihydrofuran-2(3*H*)-one in methanol, 1529.
- Bellanato, J.** See **Sánchez, A. G.**, 1561.
- Benbow, J. A.** See **Barlin, G. B.**, 298, 1267, 1385.
- Bentley, P., McKellar, J. F., and Phillips, G. O.** The photochemistry of benz[*de*]anthracen-7-ones. Part II. Flash photolysis, 1259.
- Bell, R. P., and Covington, A. D.** Intra- and inter-molecular catalysis in the halogenation of some oxocarboxylic acids, 1343.
- Bell, R. P., and Cox, B. G.** A relaxation study of the isomerisation of 2,2,3-trimethyl-levulinic acid, 1349.
- Bernardi, F., and Peduli, G. F.** Theoretical studies on ion pairs. An *ab-initio* investigation of the lithium-formaldehyde ion pair, 194.
- Bertrán, J.** See **Silla, E.**, 366.
- Bethell, D., Fairclough, C. S., and Wilkinson, R. G.** Mechanistic studies in strongly basic media. Part VIII. Kinetic studies on the displacement of halide from benzyl halides by alkali-metal salts of 9-substituted fluorenes in *t*-butyl alcohol solution, 1090.
- Biggi, G.** See **Carazza, M.**, 1636.
- Biggs, I. D., and Williams, D. L. H.** Kinetics and mechanism of the Fischer-Hepp rearrangement and denitrosation. Part V. The mechanism of denitrosation, 107.

- Bigley, D. B., and Gabbott, R. E. The gas-phase pyrolysis of some primary and secondary thionacetates, 317.
- Birchall, J. M., Irvin, G. P., and Boyson, R. A. Reactions of trifluoromethyl radicals. Part I. The photochemical reactions of trifluoriodomethane with benzene and some halogenobenzenes, 435.
- Birchall, J. M. See Anderson, F., 1051.
- Blackwell, L. F., and Woodhead, J. L. The substituent dependence of the primary deuterium kinetic isotope effect in elimination from phenethyl bromides and dimethyl(phenethyl)sulphonium bromides in 50.2 mole % dimethyl sulphoxide-water, 234.
- Solvent dependence of the primary deuterium kinetic isotope effect in the sodium hydroxide-catalysed *E2* elimination of hydrogen bromide from *p*-acetyl- and *p*-nitro-phenethyl bromide, 1218.
- Blair, J. A., and Pearson, A. J. Non-enzymatic, tetrahydrobiopterin-mediated hydroxylation of phenylalanine, 245.
- Blair, J. A., Pearson, A. J., and Robb, A. J. Autoxidation of 5-methyl-5,6,7,8-tetrahydrofolic acid, 18.
- Bloodworth, A. J., and Griffin, I. M. Oxymetallation. Part VIII. The stereochemistry of peroxymercuration of cyclohexene, norbornene, but-2-ene, and stilbene; intramolecular co-ordination in β -peroxyalkylmercury trifluoroacetates, 531.
- Bocelli, G. See Del Buttero, P., 809.
- Bone, J. A., Pritt, J. R., and Whiting, M. C. Classical carbonium ions. Part V. Stereochemistry of substitution in the solvolysis of 2-adamantyl and 2-methyl-2-adamantyl derivatives, 1447.
- Bonifačić, M., Möckel, H., Bahnemann, D., and Asmus, K.-D. Formation of positive ions and other primary species in the oxidation of sulphides by hydroxyl radicals, 675.
- Booth, H., and Griffiths, D. V. Conformational equilibria in *N*-alkyl-*cis*-decahydroquinolines, 111.
- Bortolus, P. See Galvazzo, G., 1712.
- Bouas-Laurent, H. See Thomas, J. M., 84.
- Bowie, J. H., and Ho, A. C. Electron impact studies. Part XCIV. Retro-Diels-Alder reaction in negative-ion mass spectrometry. Nitro-2*H*,4*H*-1,3- and -2,3-dihydro-1,4-benzodioxins, 724.
- Boyd, D. R. See Jennings, W. B., 1535.
- Boyd, G. V., Davies, C. G., Donaldson, J. D., Silver, J., and Wright, P. H. Crystal and molecular structure of 2-(*m*-bromophenyl)-3-methyl-4-(trifluoroacetyl)oxazolium 5-oxide, a mesoionic oxazolone, 1280.
- Boyd, D. R., Neill, D. C., Watson, C. G., and Jennings, W. B. Dynamic stereochemistry of imines and derivatives. Part VI. Stereochemistry of the peroxyacid-imine route to oxaziridines, 1813.
- Boyson, R. A. See Birchall, J. M., 435.
- Bright, A. A. S., Foster, R., and Chudek, J. A. ^1H and ^{13}C Nuclear magnetic resonance shift measurements and association constants of some chloroform, trinitromethane, pentachloroethane, and 1,1,1-trichloro-2,2-bis-(*p*-chlorophenyl)ethane (DDT) complexes in cyclohexane solution, 64.
- Bright, A. A. S., Chudek, J. A., and Foster, R. 1 : 1, 2 : 1, and apparent association constants for a series of electron donor-acceptor complexes involving 1,3,5-trinitrobenzene and tetrafluoro-*p*-benzoquinone (fluoranil), 1256.
- Brindley, P. B., and Nicholson, S. H. Studies on the reactions between nitric oxide and conjugated dienes, 1808.
- Brown, D. R., and Turner, A. B. Applications of high potential quinones. Part IX. A stereoelectronic effect in the rates of quinone dehydrogenation of benzocycloalkenols, 1307.
- Brown, J. M. See Aris, V., 4.
- Bruce, G. T., Cooksey, A. R., and Morgan, K. J. Aryl and heteroaryl substituent effects in reductions and solvolysis reactions, 551.
- Bruck, D., and Rabinovitz, M. Observation of stable arylalkoxycarbonium ions: a nuclear magnetic resonance study, 1656.
- Brückner, S., Pitacco, G., and Valentin, E. 1,2-Cycloaddition of $\alpha\beta$ -unsaturated esters to a biased enamine. Crystal and molecular structure of a *cis*-bicyclo[4.2.0]-octane derivative, 1804.
- Bryan, R. F., and Fallon, III, L. An X-ray study of the *p*-n-alkoxybenzoic acids. Part IV. Crystal structure of *p*-n-butoxybenzoic acid, 1175.
- Bryan, R. F., and Freyberg, D. P. Crystal structures of α -*trans*- and *p*-methoxy-cinnamic acids and their relation to thermal mesomorphism, 1835.
- Bryan, R. F., and Jenkins, J. J. An X-ray study of the *p*-n-alkoxybenzoic acids. Part III. Crystal structure of *p*-ethoxybenzoic acid, 1171.
- Bryan, R. F., and Smith, P. M. X-Ray determination of the structure of podolide, an antileukemic norditerpene dilactone, 1482.
- Bukka, K., and Satchell, S. Quantitative aspects of Lewis acidity. Part XIV. Comparison of the acidity of tin tetrachloride, tellurium tetrachloride, and zirconium tetrabromide towards substituted anilines in dioxan, 1110.
- Bukka, K. See Satchell, R. S., 541.
- Buncel, E., Chuaqui, C., Forsythe, P., Mahoney, S., Raoult, A., and Wiltshire, J. F. Bond scission processes in sulphur compounds. Part IX. Nucleophilic catalysis in the methanolysis of methyl *p*-nitrophenyl sulphate, 478.
- Buncel, E. See Cox, R. A., 471.
- Burlingame, A. L. See Derrick, P. J., 98.
- Burrage, M. E., Cookson, R. C., Gupta, S. S., and Stevens, I. D. R. Substituent and solvent effects on the Diels-Alder reactions of triazolinediones, 1325.
- Burrows, H. D., and Topping, R. M. Intramolecular participation by enolate anions in the cleavage of aryl esters of mesitoic acid; carbon-carbon bond formation in aqueous and alcoholic solvents, 571.
- Burton, A. G. See Katritzky, A. R., 1627.
- Butler, A. R. The Jaffé reaction. Part II. A kinetic study of the Janovsky complexes formed from creatinine (2-imino-1-methylimidazolidin-4-one) and acetone, 853.
- Butler, A. R., and Robertson, I. H. Nucleophilic and general base catalysis by pyridine and methylpyridines in the hydrolysis of aryl acetates, 660.
- Buzzi, B. T., Olivato, P. R., Rittner, R., Trufen, C., Viertler, H., and Wladislaw, B. Interaction between the carbonyl group and a sulphur atom. Part VI. Some 3-thiacycloalkanones, 1294.

C

- Cadogan, J. I. G., Murray, C. D., and Sharp, J. T. Acylaryl-nitrosamines. Part VIII. ^{15}N -Labelling experiments and their relevance to the mechanisms of formation of benzyne from benzenediazonium acetate and of the benzenediazonium ion from hydroxyazo-compounds, 546.

- Cadogan, J. I. G.** See **Armour, M.-A.**, 1185, and **De Boer, T.**, 554.
- Callot, H. J., Giraudeau, A., and Gross, M.** Cyanoporphyrins. Co-ordinating and electrochemical properties, 1321.
- Calzaferrì, G., and Gleiter, R.** Model calculations on thio-carbonyl systems, 559.
- Camerlynck, R.** See **Anteunis, M. J.**, 1434.
- Cameron, A. F., Duncanson, F. D., Freer, A. A., Armstrong, V. W., and Ramage, R.** Structural investigations of ylides. Part VI. Crystal and molecular structures of two resonance-stabilized Wittig reagents 2-carboxy-1-methoxycarbonyl ethyltriphenylphosphorane and its *t*-butyl ester, 1030.
- Cameron, A. F., Ferguson, G., and Hannaway, C.** Absolute configuration of (+)-*trans*-chrysanthemic acid. Crystal structure analysis of a *p*-bromoanilide derivative, 1567.
- Cameron, T. S., and Dahlèn, B.** Investigation of phosphorus-carbon bond lengths in aromatic phosphines. Part I. Crystal and molecular structures of tri-*o*-tolylphosphine, -phosphine oxide, -phosphine sulphide, and -phosphine selenide, 1737.
- Cameron, T. S., Prout, K., Denton, B., Spagna, R., and White, E.** Sulphone structures. Part II. Crystal and molecular structure of *N-p*-tolylsulphonylbenzylamine, 1-methyl-3-*p*-tolylsulphonylaminoindole, 1-methyl-3-*p*-tolylsulphonyliminoindoline-2-spirocyclopentane, and 1,2,3,4-tetrahydro-1,2,4-trimethyl-4-*p*-tolylsulphonylamino-3-*p*-tolylsulphonyliminoquinoline, 176.
- Capov, B., and Nimmo, K.** General acid catalysed hydrolysis of benzaldehyde aryl methyl acetals, 1113.
- Capozzi, G., Lucchini, V., Modena, G., and Rivetti, F.** Dimeric cations from alkanesulphenyl chlorides. The elusive nature of sulphenylium ions, 361.
Reactions of sulphenyl chlorides and disulphides in acidic media. Trapping of alkyl(bisalkylthio)sulphonium ion intermediates, 900.
- Carrell, H. L.** See **Glusker, J. P.**, 64.
- Carter, R. E., Drakenberg, T., and Roussel, C.** Hindered internal rotation in 3,4-di-isopropyl- Δ^4 -thiazoline-2-thione from temperature-dependent nuclear magnetic resonance spectra of five different groups of protons: a methodological study, 1690.
- Carton, P. M., Gilbert, B. C., Laue, H. A. H., Norman, R. O. C., and Sealy, R. C.** Electron spin resonance studies. Part XLVII. Sulphinyl- and sulphonyl-substituted aliphatic radicals, 1245.
- Cavazza, M., Biggi, G., Del Cima, F., and Pietra, F.** Pseudo-aromatic compounds. Part XXII. Reactions of 2-functionalized tropones with sodium toluene-*p*-thiolate, 1636.
- Cerfontain, H., Koeberg-Telder, A., Ris, C., and Schenk, C.** Aromatic sulphonation. Part XLIX. Sulphonation of anthracene and some *meso*-substituted hydrocarbon derivatives: mechanism of methyl side-chain sulphonation, 966.
- Cerfontain, H., Koeberg-Telder, A., Ris, C., and Schaasberg-Nienhuis, Z. R. H.** Aromatic sulphonation. Part L. Sulphonation of the trimethylbenzenes: isomer distributions and hydrogen kinetic isotope effect, 970.
- Cerfontain, H.** See **Koeberg-Telder, A.**, 226, **Ris, C.**, 1438, and **van Wageningen, A.**, 1283.
- Chadwick, D. J., Chambers, J., Meakins, G. D., and Snowden, R. L.** Infrared carbonyl absorptions of 2-oxofurans: Fermi resonance *versus* rotational isomerism as the cause of carbonyl band doubling in furan-2-carbaldehyde and related aldehydes, 13.
The infrared bands of thiophen-2-carbaldehydes in the carbonyl region: multiple absorption caused by Fermi resonance, 604.
- Challis, B. C., and Rzepa, H. S.** The mechanism of diazo-coupling to indoles and the effect of steric hindrance on the rate-limiting step, 1209.
- Challis, B. C., and Higgins, R. J.** The chemistry of nitroso-compounds. Part X. Acid catalysed nitrosation of azulene and 1-nitroazulene, 1498.
- Challis, B. C., and Rzepa, H. S.** Heteroaromatic hydrogen exchange reactions. Part VIII. The ionisation of 1,3-dimethylindolin-2-one, 1822.
- Challis, B. C., and Jones, S. P.** The chemistry of nitroso-compounds. Part IX. General acid catalysed decomposition of *N*-nitroso-2-pyrrolidone, an example of amide hydrolysis *via* S_N2 displacement on the *N*-conjugate acid, 153.
- Chambers, J.** See **Chadwick, D. J.**, 13, 604.
- Chang, S. A.** See **Fendler, E. J.**, 482.
- Chaput, G.** See **Gachon, P.**, 907.
- Cheng, C. L., John, I. G., Ritchie, G. L. D., Gore, P. H., and Farnell, L.** Conformations of some 2-substituted furan and thiophen carbonyl compounds, 744.
- Chetty, D. K.** See **Parbhoo, D. M.**, 1057.
- Chivers, P. J.** See **Takeuchi, Y.**, 51.
- Christoph, G. C., and Fleischer, E. B.** Crystal structure of the photoaddition product of iodoform and 3,4,5-trimethylphenol, 600.
- Chuaqui, C.** See **Buncel, E.**, 478.
- Chudek, J. A.** See **Bright, A. A. S.**, 1256, and **Bright, A. A. S.**, 64.
- Ciminale, F.** See **Bartoli, G.**, 1472.
- Clarke, D., Gilbert, B. C., and Hanson, P.** Heterocyclic free radicals. Part V. An electron spin resonance investigation of the cation-radicals of 10-phenylphenoxazine and 10-phenylphenothiazine, 1078.
- Clarke, P. J., and Pauling, P. J.** Crystal and molecular structure of goniotalamin [(+)-(6*S*)-5,6-dihydro-6-styryl-2-pyrone], 368.
Crystal structure of the reversed carboxy-analogue of acetylcholine [methyl 3-(dimethylamino)propionate methiodide], 1107.
- Clarke, P. J., Pauling, P. J., and Petcher, T. J.** Crystal structure of oxotremorine sesquioxalate, 1-[4-(2-oxopyrrolidin-1-yl)but-2-ynyl]pyrrolidinium sesquioxalate, 774.
- Clarke, P. L.** See **Kennedy, J. D.**, 1234.
- Clementi, S.** See **Katritzky, A. R.**, 1600, 1624.
- Cloyd, J. C., jun.** See **King, R. B.**, 938.
- Cocker, D., and Sinnott, M. L.** Generation of glycopyranosyl cations in the spontaneous hydrolyses of 2,4-dinitrophenyl glycopyranosides. Evidence for the general intermediacy of glycopyranosyl cations in the acid-catalysed hydrolyses of methyl glycopyranosides, 1391.
- Cockerill, A. F.** See **Earls, D. W.**, 54.
- Cohen, J. S.** See **Yeh, H. J. C.**, 928.
- Cohen, L. A.** See **Yeh, H. J. C.**, 928.
- Collings, P., Al-Mallah, K., and Stedman, G.** Kinetics and equilibria of the *S*-nitrosation of alkylthioureas, 1734.
- Collins, J. F., Frey, H. M., and Isaacs, N. S.** The thermal decomposition of *cis*- and *trans*-2-methoxy-4-methyl-3,4-dihydro-2*H*-pyran, 1.
- Colosimo, M., Garvey, J. P., Gold, V., and Leonidou, E.**

- Kinetics of hydrogen isotope exchange reactions. Part XXX. Steric course of γ -radiation-induced exchange between water and tartaric acids, 1595.
- Compton, D. A. C., George, W. O., and Porter, A. J.** Conformations of some $\alpha\beta$ -unsaturated carbonyl compounds. Part VII. Assignments of Raman and infrared spectra of dimethyl, diethyl, and di-*n*-butyl fumarates and maleates, 400.
- Consiglio, G.** See **Spinelli, D.**, 620, 816, 989, 1388.
- Conneely, J. A.** See **Aris, V.**, 4.
- Conti, G., Matteoli, E., Petrongolo, C., Veracini, C. A., and Longeri, M.** Nematic phase nuclear magnetic resonance, ultrasonic relaxation, and theoretical *ab initio* investigation of internal rotation in pyridine-2-carbaldehyde, 1673.
- Cook, D. S., and Turner, M. F.** Crystal and molecular structure of silver sulphadiazine (*N*¹-pyrimidin-2-yl-sulphanilamide), 1021.
- Cooksey, A. R.** See **Bruce, G. T.**, 546.
- Cookson, R. C.** See **Burrage, M. E.**, 1325.
- Corbett, J. F., Pohl, S., and Rodriguez, I.** Benzoquinone imines. Part XII. Reactions of 2-aminoindamines [2-amino-*N*-(4-aminophenyl)-*p*-benzoquinone di-imines] in aqueous solution, 728.
- Cornish, A. J., and Eaborn, C.** Aromatic reactivity. Part LIX. Substituent effects of groups of type CH₂Y in acid cleavage of *p*-YCH₂-C₆H₄SiMe₃ compounds and on the charge-transfer maxima of YCH₂Ph-tetracyanoethylene complexes, 874.
- Corrao, A.** See **Spinelli, D.**, 620.
- Cort, L. A.** See **Ardrey, R. E.**, 959.
- Covington, A. D.** See **Bell, R. P.**, 1343.
- Cowles, J. R., George, W. O., and Fateley, W. G.** Conformations of some $\alpha\beta$ -unsaturated carbonyl compounds. Part VI. Comparison of out-of-plane olefinic CH deformation vibrations, 396.
- Cowley, D. J.** Influence of solvent on the electronic absorption and fluorescence spectra of *trans*-1-(4-*NN*-dimethylaminophenyl)-2-nitroethylene, 287.
- The photoluminescence of some β -nitrostyrenes. Excited state energies in unsaturated nitro-compounds, 1576.
- Cox, A.** See **Ahmad, M.**, 1867.
- Cox, B. G., and De Maria, P.** Salt effects on the rates of protonation of amides, 942.
- Cox, B. G.** See **Bell, R. P.**, 1349.
- Cox, N.** See **Richardson, F. S.**, 1240.
- Cox, P. J., and Sim, G. A.** Sesquiterpenoids. Part XIX. X-Ray crystallographic determination of the stereochemistry and conformation of the germacranolide glaucolide A, 455.
- Cox, P. J., Sim, G. A., and Herz, W.** Sesquiterpenoids. Part XX. X-Ray crystallographic determination of the molecular structure of berlandin, a guaianolide epoxide. Comments on the circular dichroism of sesquiterpenoid α -methylene γ -lactones with $\alpha\beta$ -unsaturated ester side chains, 459.
- Cox, R. A., Dolenko, A. J., and Buncel, E.** The Wallach rearrangement. Part XIV. Rearrangements of azoxy-naphthalenes in sulphuric acid. Kinetics and mechanisms, 471.
- Coy, J. H.** See **Hegarty, A. F.**, 104.
- Cox, B. G., Grieve, D. McL. A., and Porter, A. E. A.** Kinetics of the intramolecular displacement of alcohols from *o*-hydroxyaminobenzoates, 1512.
- Crabb, T. A.** See **Takeuchi, Y.**, 51.
- Crampton, M. R.** A nuclear magnetic resonance study of the addition of methanol and methoxide ions to substituted benzaldehydes, and corresponding J_M acidity function values, 185.
- The stabilities of Meisenheimer complexes. Part X. Association of 1,1-dimethoxy-complexes with cations, 825.
- Cronin, J. D.** See **Hegarty, A. F.**, 429.
- Csizmadia, J. G.** See **Gordon, J. W.**, 1722.
- Curci, R., Di Furia, F., Levi, A., Lucchini, V., and Scorrano, G.** Basic properties of cyclic sulphides and sulphoxides, 341.
- Ring-size effects in the oxidation and reduction of some cyclic sulphoxides, 408.
- Currie, M., Speakman, J. C., Kanters, J. A., and Kroon, J.** Crystal structure of the acid salts of some dibasic acids. Part IX. Potassium hydrogen *meso*-tartrate: a neutron-diffraction study, 1549.
- Currie, M.** See **Barrow, M. J.**, 15.

D

- Dahlèn, B.** See **Cameron, T. S.**, 1737.
- Daly, J. J.** See **Sanz, F.**, 1141, 1146.
- Daum, P. H.** See **Kevill, D. N.**, 963.
- Davies, C. G.** See **Boyd, G. V.**, 1280.
- Davies, D. B., and Rabczenko, A.** Assignment and conformational properties of the exocyclic 5'-hydroxymethyl group of nucleosides by nuclear magnetic resonance spectroscopy, 1703.
- Davis, K. M. C., Deuchar, J. A., and Ibbitson, D. A.** Interaction between phenol and electron donors in cyclohexane and carbon tetrachloride, 793.
- Davies, S. G., and Whitham, G. H.** Carbon-13 nuclear magnetic resonance spectra of some epoxides, 861.
- Davies, R.** Relationship between the magnitude of J_{gem} and the spatial orientation of β -substituents, 1400.
- Davies, R., and Hudec, J.** Relationship between the magnitude of J_{gem} and the spatial orientation of α -substituents, 1395.
- Deacon, T., Steltner, A., and Williams, A.** Reaction of 2-hydroxy-5-nitrotoluene- α -sulphonic acid sultone with nucleophiles, 1778.
- Deady, L. W.** See **Huffadine, 1263.**
- de Benedetti, P. G.** See **Rastelli, A.**, 522.
- de Boer, T., Cadogan, J. I. G., McWilliam, H. M., and Rowley, A. G.** Reduction of nitro- and nitroso-compounds by trivalent phosphorus reagents. Part X. Ring expansion to give 2-diethylamino-3*H*-azepines, 554.
- de Boer, T. J.** See **de Gee, A. J.**, 579, 670.
- de Bruin, A. H. M.** See **van Rossum, A. J. G.**, 1036.
- Dega-Szafran, Z., Grech, E., Naskręć-Barciszewska, M. Z., and Szafran, M.** Hydrogen-bonded species of the complex of 4-methylpyridine with dichloroacetic acid in toluene at 35°, 250.
- de Gee, A. J., Sep, W. J., Verhoeven, J. W., and de Boer, T. J.** Optical activity of intramolecular charge-transfer transitions, 670.
- de Gee, A. J., Verhoeven, J. W., Sep, W. J., and de Boer, T. J.** Through-bond charge-transfer interaction in *N*-(*p*-methoxyphenylalkyl)pyridinium ions, 579.
- de la Mare, P. B. D., O'Connor, C. J., and Wilson, M. A.** The kinetics and mechanisms of additions to olefinic substances. Part XII. Kinetics of addition initiated by chlorine acetate, 1150.

- Del Buttero, P., Maiorana, S., Andreotti, G. D., Bocelli, G., and Sgarabotto, P.** β -Sulphonylenamines. An X-ray and ^1H nuclear magnetic resonance study of the stereochemistry of the isomeric β -chloromethylsulphonyl- β -methyl- α -morpholinostyrenes, 809.
- Del Cima, F.** See Carazza, M., 1636.
- Dell'Erba, C.** See Guanti, G., 212, 389, 1490.
- De Maria, P., Fini, A., and Hall, F. M.** Thermodynamic functions of proton ionisation of *meta*-substituted benzene-thiols, 1540.
- De Maria, P.** See Cox, B. G., 942.
- Dennis, R. W., and Roberts, B. P.** An electron spin resonance study of the structure and reactivity of aminophosphoranyl radicals in solution, 140.
- Denton, B.** See Cameron, T. S., 176.
- Dereli, M., Katritzky, A. R., and Tarhan, H. O.** The kinetics and mechanism of the electrophilic substitution of heteroaromatic compounds. Part XLI. Nitration of 3-hydroxy-1-phenylpyrazoles, 1609.
- Derrick, P. J., Falick, A. M., and Burlingame, A. L.** Unimolecular gas-phase hydrogen randomization within 2-methylpropane radical cations, 98.
- Desvergne, J. P., and Thomas, J. M.** Role of molecular packing and structural defects in reactions of gases with organic solids: ozonolysis of *trans*-stilbene and $\alpha\beta$ -diethyl-4,4'-dihydroxystilbene, 584.
- Desvergne, J.-P.** See Thomas, J. M., 84.
- Deuchar, J. A.** See Davis, K. M. C., 793.
- Diaz, R. R., Selby, K., and Waddington, D. J.** Reactions of oxygenated radicals in the gas phase. Part I. Reaction of peracetyl radicals and but-2-ene, 758.
- Di Furia, F.** See Curci, R., 341, 408.
- Dignam, K. T.** See Hegarty, A. F., 1046.
- Dini, P., Bart, I. C. J., and Giordano, N.** Properties of polyamide-based catalysts. Part I. Hydrodehalogenation of chlorobenzene, 1479.
- Di Nunno, L., Florio, S., and Todesco, P. E.** Nucleophilic reactivity of methoxide ion at C-5 of 4-nitro-7-X-benzofurazans: a kinetic and thermodynamic investigation of Meisenheimer complexes, 1469.
- Dixon, W. T., Moghimi, M., and Murphy, D.** Electron spin resonance study of radicals obtained from the oxidation of naturally occurring hydroxypyrones, 101.
Electron spin resonance study of the stereochemistry of radicals related to cinnamic acid, 1189.
- Dixon, W. T., and Murphy, D.** Triple oxidations of some polyhydric phenols by cerium(IV) in acid solutions as observed by electron spin resonance spectroscopy, 850.
- Dolenko, A. J.** See Cox, R. A., 471.
- Donaldson, J. D.** See Boyd, G. V., 1280.
- Dondoni, A., and Battaglia, A.** Reactions of aryl isothiocyanates with dicyclohexylcarbodi-imide. Search for the mechanism of cycloaddition and cycloreversion, 1475.
- Dou, H. M.** See Katritzky, A. R., 1614.
- Douglas, K. T.** See Williams, A., 1010.
- Drakenberg, T., Jost, R., and Sommer, J. M.** Nuclear magnetic studies on benzaldehydes. Part II. Carbon-13 nuclear magnetic resonance studies of the barrier to internal rotation and the conformational equilibrium in *o*- and *m*-substituted benzaldehydes, 1682.
- Drakenberg, T.** See Carter, R. E., 1690, and Farnier, M., 333, 337.
- Duffy, M. J., Pass, G., Phillips, G. O., and Samee, A.** The reactivity of *O*-acylglycosyl halides. Part XII. Solvent effects on exchange and hydrolysis reactions, 1138.
- Duggan, P. G., and Murphy, W. S.** Intramolecular alkylation of phenols. Part I. Mechanism of phenoxide cyclisation. Part II. *ortho*- versus *para*-Alkylation, 1054, 1291.
- Duncanson, F. D.** See Cameron, A. F., 1030.

E

- Eaborn, C., Sinnatambe, K. L., and Walton, D. R. M.** Organosilicon compounds. Part LIII. Base cleavage of substituted fluorene-9-yltrimethylsilanes and related compounds, 380.
- Eaborn, C.** See Cornish, A. J., 874.
- Earls, D. W., Jones, J. R., Rumney, T. G., and Cockerill, A. F.** The acidities of weak acids. Part I. A new method for determining pK_a values in the range 12–24. Part II. Some acetophenones, 54, 878.
- Elvidge, J. A.** See Al-Rawi, J. M. A., 449.
- Emsley, J. W., Lindon, J. C., and Stephenson, D. S.** Structure of pentafluorobenzaldehyde determined from nuclear magnetic resonance spectra of nematic solutions, 1508.
Structure of 2,3,5,6-tetrafluoroanisole determined from the analysis of a nuclear magnetic resonance spectrum of a nematic solution, 1794.
- Emsley, J. W., Stephenson, D. S., Lindon, J. C., Lunazzi, L., and Pulga, S.** Structure and conformation of 4,4'-bipyridyl by nuclear magnetic resonance spectroscopy of a nematic solution, 1541.
- Erickson, J. L.** See Ansell, G. B., 270.
- Evans, A. G., Alford, R. E., and Rees, N. H.** A study of bipyridyl radical cations. Part II. The reaction of morphamquat {bis-*N*-[(2,6-dimethylmorpholin-4-yl)-carbonylmethyl]-4,4'-bipyridylum} radical cation with oxygen in methanol, 1831.
- Evans, A. G., Evans, J. C., and Baker, M. W.** Bipyridyl radical cations. Part I. Electron spin resonance study of the dimerisation equilibrium of morphamquat radical cation in methanol, 1310.
- Evans, A. G., Evans, J. C., and Sheppard, D.** Reactions of radical anions. Part XV. An electron spin resonance study of the radical anions derived from *cis*- and *trans*-1,2-bis(diphenylphosphinyl)ethylene, 643.
- Evans, E. A.** See Al-Rawi, J. M. A., 449.
- Evans, J. C.** See Evans, A. G., 643, 1310.

F

- Fairclough, C. S.** See Bethell, D., 1090.
- Falick, A. M.** See Derrick, P. J., 98.
- Fallon, L., III.** See Bryan, R. F., 1175.
- Farnell, L.** See Cheng, C. L., 744.
- Farnia, G., Tomat, R., and Vianello, E.** Relative reactivities of aliphatic alcohols and amines towards aminyl radicals, 763.
- Farnier, M., and Drakenberg, T.** Nuclear magnetic resonance conformational studies of *C*-substituted pyrrole-carbaldehydes. Part I. Substituent effects on aldehyde conformations as shown by long range coupling constants. Part II. Barrier to internal rotation in 5-substituted pyrrole-2-carbaldehydes, 333, 337.
- Farrell, P. G.** See Tewfik R., 384.
- Fately, W. G.** See Cowles, J. R., 396.

- Fazakerley, G. V., and Jackson, G. E.** Proton resonance assignments with the aid of paramagnetic relaxation reagents, 567.
- Fendler, E. J., Chang, S. A., and Fendler, J. H.** Interaction of sodium methoxide with 4-nitropyridine *N*-oxide in benzene in the presence of surfactant aggregates, 482.
- Fendler, J. H., Hinze, W. L., and Liu, L.-J.** Intermediates in nucleophilic aromatic substitution. Part XV. Thermodynamic stabilities of hydroxy and methoxy Meisenheimer complexes of substituted arenes, 1768.
- Fendler, J. H.** See Fendler, F. J., 482, and Hinze, W. L., 1751.
- Ferguson, G., and Marsh, W. C.** Crystal structures and absolute stereochemistry of tecomanine methopercchlorate and 'alkaloid C' methiodide: two monoterpene alkaloids from *Tecoma stans*, 1124.
- Ferguson, G., Marsh, W. C., Restivo, R. J., and Lloyd, D.** Conformational studies of 2,3-diacyl-5-nitrocyclopentadienes: delocalized systems with very short intramolecular O...H...O hydrogen bonds. Crystal and molecular structures of 2,3-diacetyl- and 2,3-dibenzoyl-5-nitrocyclopentadiene, 998.
- Ferguson, G., Phillips, S., and Restivo, R. J.** Crystal and molecular structure of *endo, endo*-2,6-bis(phenylcarbamoyloxy)-*cis*-bicyclo[3.3.0]octane, 405.
- Ferguson, G.** See Cameron, A. F., 1567.
- Fernández-Alonso, J. I.** See Silla, E., 366.
- Fiandanese, V., Maffeo, C. V., Marchese, G., and Naso, F.** Dehydrohalogenation of *threo*- and *erythro*-1-chloro- and 1-bromo-1,2-diphenyl-2-*p*-tolylsulphonylethanes. A survey of the stereochemical course, 221.
- Filipczuk, S. W.** See Aroney, M. J., 695.
- Findlay, R. H.** See Palmer, M. H., 841, 974, 1223, 1695.
- Fini, A.** See De Maria, P., 1540.
- Fiore, L.** See Bassi, I. W., 1129.
- Fischer, E.** See Fischer, G., 1569.
- Fischer, G., Seger, G., Muszkat, K. A., and Fischer, E.** Emissions of sterically hindered stilbene derivatives and related compounds. Part IV. Large conformational differences between ground and excited states of sterically hindered stilbenes: implications regarding Stokes shifts and viscosity or temperature dependence of fluorescence yields, 1569.
- Flamini, V., Linda, P., and Savelli, G.** Micellar effects on heteroaromatic compounds. Part I. Nucleophilic substitution of 2-chloroquinoxaline with hydroxide ion, 421.
- Fleischer, E. B.** See Christoph, G. G., 600.
- Florio, S.** See Di Nunno, L., 1469.
- Ford, G. P., Katritzky, A. R., and Topsom, R. D.** Infrared intensities as a quantitative measure of intramolecular interactions. Part XLII. 1,2-Disubstituted ethylenes. Part XLIII. Quantitative estimation of electronic interactions in mono- and di-substituted ethylenes and the prediction of rotational barriers, 1371, 1378.
- Ford, R., Schuchmann, H.-P., and von Sonntag, C.** Radiation chemistry of alcohols. Part XXI. Ultraviolet photolysis (λ 185 nm) of methoxyethanol in the liquid phase, 1338.
- Foster, R.** Charge-transfer contributions to the stabilization of the ground state of organic electron donor-acceptor complexes, 507.
- Foster, R.** See Bright, A. A. S., 64, 1256.
- Forsythe, P.** See Buncel, E., 478.
- Fouad, F. M.** See Tewfik, R., 384.
- Franzen-Sieveling, M.** See Walter, W., 528.
- Fraser, G. W., and Meikle, G. D.** Syntheses of alkoxotellurium(vi) fluorides, (RO)_xTcF_{6-x}: importance of intramolecular electronic effects on the value of x , 312.
- Friatiello, A., Kubo, R., Liu, D., and Vidulich, G.** Direct carbon-13 nuclear magnetic resonance study of boron trifluoride and boron trichloride complexes with ethers, 1415.
- Freer, A.** See Cameron, A. F., 1030.
- Frey, H. M.** See Collins, J. F., 1.
- Freyberg, D. P.** See Bryan, R. F., 1835.

G

- Gabbott, R. E.** See Bigley, D. B., 317.
- Gachon, P., Chaput, G., Jeminet, G., Juillard, J., and Morel, J.-P.** Grisorixin, an ionophorous antibiotic of the nigericin group. Part IV. Complexation of monovalent cations, 907.
- Gaggelli, E.** See Basosi, R., 423.
- Galiazzo, G., Bortolus, P., and Maseti, F.** Synthesis, electronic spectra, and photoisomerization of naphthylpyridylethylenes, 1712.
- Gara, W. B.** See Beckwith, A. L. J., 593, 795.
- Garnett, J. F.** See Long, M. A., 1298.
- Garvey, J. P.** See Colosimo, M., 1595.
- Gaskell, A. J.** See Palmer, M. H., 841.
- Geenevasen, J. A. J.** See van Wageningen, A., 1283.
- George, W. O., Hassid, D. V., Harris, W. C., and Maddams, W. F.** Conformations of some $\alpha\beta$ -unsaturated carbonyl compounds. Part V. Assignments of Raman and infrared spectra of methyl and [²H₃]methyl acrylates and *trans*-crotonates, 392.
- George, W. O.** See Compton, D. A. C., 400, and Cowles, J. R., 396.
- Giffney, C. J., and O'Connor, C. J.** Spectrophotometric determination of basicity constants. Part II. Acetanilides, 706.
- Acid catalysed hydrolysis of *N*-alkyl-4-chlorobenzamides. Part II, 1203.
- Spectrophotometric determination of basicity constants. Part III. Phenylureas, 1206.
- Acid catalysed hydrolysis of substituted acetanilides. Part II, 1357.
- Gilbert, B. C., Laue, H. A. H., Norman, R. O. C., and Sealy, R. C.** Electron spin resonance studies. Part XLVI. Oxidation of thiols and disulphides in aqueous solution: formation of RS[•], RSO[•], RSO₂[•], RSSR[•], and carbon radicals, 892.
- Gilbert, B. C., Norman, R. O. C., Placucci, G., and Sealy, R. C.** Electron spin resonance studies. Part XLV. Reactions of the methyl radical with some aliphatic compounds in aqueous solution, 885.
- Gilbert, B. C., Norman, R. O. C., and Sealy, R. C.** Electron spin resonance studies. Part XLIII. Reaction of dimethyl sulphoxide with the hydroxyl radical. Part XLIV. The formation of alkylsulphonyl radicals by the oxidation of aliphatic sulphoxides with the hydroxyl radical and by the reaction of alkyl radicals with sulphur dioxide, 303, 308.
- Gilbert, B. C., and Trenwith, M.** Investigations of structure and conformation. Part V. Conformational interconversion and ring shape in five- and six-membered alicyclic radicals, 1083.

- Gilbert, B. C. See Carton, P. M., 1245, and Clarke, D., 1078.
- Gill, G. B. See Begley, M. J., 74.
- Giordano, N. See Dini, P., 1479.
- Giraudeau, A. See Callot, H. J., 1321.
- Gitany, R., and McEwen, R. S. Molecular conformation of *S*-4-nitrophenyl *OO*-diphenyl thiophosphate: *X*-ray crystal structure analysis, 57.
- Gittins, V. M., Heywood, P. J., and Wyn-Jones, E. Ultrasonic relaxation associated with nitrogen and ring inversion in some piperidines, piperidones, morpholines, and piperazines, 1642.
- Gleiter, R. See Calzaferri, G., 559.
- Glusker, J. P., Zacharias, D. E., and Carrell, H. L. Structure refinement and molecular packing of *p*-chloro-*trans*-cinnamic acid and β -(*p*-chlorophenyl)propionic acid, 68.
- Glyde, E., and Taylor, R. Electrophilic aromatic reactivities via pyrolysis of 1-arylethyl acetates. Part XI. The σ^+ value for the *m*-methyl substituent. Part XII. Total reactivity of isoquinoline, 1463, 1783.
- Godfrey, M. On the theory of structure-reactivity relationships, 1016.
- Gold, V. See Colosimo, M., 1595.
- Golding, B. T. See Aris, V., 4.
- Gordon, J. W., Schmid, G. H., and Csizmadia, I. G. Molecular orbital calculations on the $C_2H_4SH^+$ cation, 1722.
- Gore, P. H. See Cheng, C. L., 744.
- Gould, S. E. B., Gould, R. O., Rees, D. A., and Scott, W. E. Interactions of cations with sugar anions. Part I. Crystal structures of calcium sodium galacturonate hexahydrate and strontium sodium galacturonate hexahydrate, 237.
- Gould, R. O. See Gould, S. E. B., 234.
- Gowenlock, B. G., Johnson, C. A. F., Keary, C. M., and Pfab, J. The C-N bond dissociation energy in nitrosyl cyanide, 351.
- Grabowski, Z. R. See Rubaszewska, W. R., 417.
- Grace, D. S. B. See Armour, M.-A., 1185.
- Grech, E. See Dega-Szafran, Z., 250.
- Green, C. H., and Hellier, D. G. Chemistry of the S-O bond. Part IV. Conformational analysis of ethylene sulphites, 190.
- Green, R. G., Sutcliffe, L. H., and Preston, P. N. Investigation of photolysis of *o*-nitrophenols by electron spin resonance spectroscopy. Characterisation of 1,2-benzoquinone monohydroxyimine free radicals, 1380.
- Greenacre, G. C., and Young, R. N. Ion-pairing of substituted 1,3-diphenylallyl carbanions with alkali-metal cations, 1661.
- Grellier, P. L. See Abraham, M. H., 623, 1365, 1856.
- Grieve, D. McL. A. See Cox, B. G., 1512.
- Griffin, I. M. See Bloodworth, A. J., 531.
- Griffiths, D. V. See Booth, H., 111.
- Grimshaw, J., and Trocha-Grimshaw, J. Electrochemical reactions. Part XVIII. Reductive cleavage of aromatic carbon-halogen bonds in the presence of deuterium oxide, 215.
- Grindley, T. B., Katritzky, A. R., and Topsom, R. D. Infrared intensities as a quantitative measure of intramolecular interactions. Part XXXV. Conjugation in *para*-substituted benzenes and its relation to strain energies and σ values, 443.
- Gross, M. See Callot, H. J., 1321.
- Grossel, M. C., and Perkins, M. J. Proton nuclear magnetic resonance spectra and conformation in 1,4-dihydrobenzenes and 9,10-dihydroanthracenes, 1544.
- Guanti, G., Novi, M., Dell'Erba, C., and Leandri, G. Substituent effect in the reaction of aryl arylmercury sulphides with picryl iodide, 1490.
- Guanti, G., Dell'Erba, C., Pero, F., and Leandri, G. A kinetic study of the nucleophilicity of substituted arene-thiols in reaction with *p*-nitrophenyl acetate, 212.
- Guanti, G., Dell'Erba, C., Thea, S., and Leandri, G. Reactivity of thiophenoxide ion towards *o*- and *p*-halogeno-nitrobenzenes, 389.
- Guarini, G. See Thomas, J. M., 84.
- Gupte, S. S. See Burrage, M. E., 1325.
- Guy, J. J., and Hamor, T. A. Stereochemistry of anticholinergic agents. Part VI. Crystal and molecular structure of hexasonium iodide. Part VII. Crystal and molecular structure of 3-(2-methyl-piperidino)-1-phenylpropyl phenyl ether methiodide, 467, 1074.
- Guy, M. H. P. See White, D. N. J., 43.

H

- Halmann, M. See Triantaphylides, C., 34.
- Hall, A. J., and Satchell, D. P. N. The kinetics and mechanism of the reaction between mercury(II) ions and thiobenzamides in aqueous solution, 778.
- Kinetics and mechanism of the reaction between copper(II) ions and thiobenzamide in aqueous solution, 953.
- Reactions of silver ions with thiobenzamides in aqueous solution, 1273.
- Reactions between tetrachlorogold(III) ions and *N*-cyclohexylthiobenzamide, 1351.
- Hall, F. M. See De Maria, P., 1540.
- Hallas, G., Hepworth, J. D., Ibbitson, D. A., and Thornton, D. E. Dipole moments of methyl- and trifluoromethyl-substituted methyl benzoates, 1587.
- Hamor, T. A. See Guy, J. J., 467, 1074.
- Hannaway, C. See Cameron, A. F., 1567.
- Hanson, P. See Clarke, D., 1078.
- Haque, M. U., and Rogers, D. Crystal structure and absolute configuration of lycopodine hydrochloride, 93.
- Harris, W. C. See George, W. O., 392.
- Harrison, A. G. See Tsang, C. W., 1718.
- Hassid, D. V. See George, W. O., 392.
- Haszeldine, R. N. See Anderson, F., 1051.
- Haughton, A. R., Laird, R. M., and Spence, M. J. Reactions of organic sulphur compounds. Part I. The hydrolysis of arenesulphonyl chlorides, 637.
- Hawkes, G. E. See Abraham, R. J., 204.
- Hawkins, M. D. Hydrolysis of phthalic and 3,6-dimethylphthalic anhydrides, 282.
- Hydrolysis of 2,2,2-trifluoroethyl hydrogen 3,6-dimethylphthalate, 285.
- Hegarty, A. F., Cronin, J. D., and Scott, F. L. Mechanism of hydrolysis of imidoyl chlorides, 429.
- Hegarty, A. F., Coy, J. H., and Scott, F. L. The oxidative cyclization of formazans to tetrazolium salts, 104.
- Hegarty, A. F., and Dignam, K. J. Sequential displacement of chloride in *N*-aryl- and *N*-aroyl-carbonimidoyl dichlorides, 1046.
- Hegarty, A. F., Hegarty, C. N., and Scott, F. L. The reactivity of phenyl isocyanate in aqueous solution, 1166.
- Hegarty, C. N. See Hegarty, A. F., 1166.
- Hellier, D. G. See Green, C. H., 190.

- Hemmingson, J. A., and Leary, G. The chemistry of reactive lignin intermediates. Part II. Addition reactions of vinyl-substituted quinone methides in aqueous solution, 1584.
- Henshaw, P. A. See Atherton, N. M., 258.
- Hepworth, J. D. See Hallas, G., 1587.
- Herz, W. See Cox, P. J., 459.
- Heywood, P. J. See Gittins, V. M., 1642.
- Higgins, R. J. See Challis, B. C., 1498.
- Hinze, W. L., Liu, L.-J., and Fendler, J. H. Intermediates in nucleophilic aromatic substitution. Part XIV. Interaction of lyate ions with polynitronaphthalenes, 1751.
- Hinze, W. L. See Fendler, J. H., 1768.
- Ho, A. C. See Bowie, J. H., 724.
- Hodgson, P. K. G., and Warren, S. 1,4-Carbonyl participation in solvolysis of alkyl toluene-*p*-sulphonates, 372.
- Hogarth, M. J. See Abraham, M. H., 1365.
- Homer, J., and Whitney, P. M. Molecular complexes. Part XIV. Proton magnetic resonance studies of the interactions of chloroform with benzene and some alkylbenzenes at various temperatures, 956.
- Hook, S. C. W., and Saville, B. The trapping of carbon radicals. The competition of oxygen and iodine for the 1,1-diphenylethyl radical, 589.
- Hooley, S. R., and Williams, D. L. H. Participation by neighbouring groups in addition reactions. Part III. Bromination in acetic acid and trifluoroacetic acid solvents, 503.
- Hopkinson, A. C. See Toone, T. W., 607.
- Horányi, G., and Vértes, G. Kinetics of the liquid-phase hydrogenation of aromatic nitro-compounds in the presence of tungsten carbide catalyst, 827.
- Hoz, S. See Albeck, M., 628, and Rappoport, Z., 272.
- Huang, H. H. Electric dipole moments of some tetra- and penta-fluorobenzenes, 903.
- Hudec, J. See Davies, R., 1395.
- Hudson, M. F. See Abraham, R. J., 204.
- Huffadine, A. S., Peake, B. M., and Deady, L. W. Electron spin resonance studies of aromatic hydrocarbon radical ions. Part IV. γ -Butylacenaphthene anions, 1263.
- Hughes, R. E. See Skarstad, P., 88.
- Humffray, A. A., and Schroeter, D. R. Kinetics and mechanism of iodination of 8-hydroxyquinoline, 1873.
- Hunter, G. See Barnes, J. C., 1354.
- Hvistendahl, G., and Williams, D. H. Partitioning of reverse activation energy between kinetic and internal energy in reactions of some simple organic ions, 881.

I

- Iball, J., Morgan, C. H., and Zacharias, D. E. Refinement of the crystal structure of orthorhombic dibenz[*a,h*]anthracene, 1271.
- Ibbitson, D. A. See Davies, K. M. C., 793, and Hallas, G., 1587.
- Irvin, G. P. See Birchall, J. M., 435.
- Isaacs, N. S., and Rannala, E. Reaction studies at high pressure. Part I. Activation volumes of some [2 + 2] and dipolar cycloadditions, 1555.
- Isaacs, N. S. See Collins, J. F., 1.
- Isukul, E. A., and Tillett, J. G. Mesoionic compounds. Part IV. Acid catalysed hydrolysis and protonation behaviour of 4,5-diarylisosydones, 230.

J

- Jackson, G. E. See Fazakerley, G. V., 567.
- Janssen, E. See von Sontag, C., 171.
- Jeminet, G. See Gachon, P., 907.
- Jenkins, J. J. See Bryan, R. F., 1171.
- Jennings, W. B., Al-Showiman, S., Tolley, M. S., and Boyd, D. R. Dynamic stereochemistry of imines and derivatives. Part V. Acid catalysis of *E-Z* imine interconversion, 1535.
- Jennings, W. B. See Boyd, D. R., 1813.
- John, I. G. See Cheng, C. L., 744.
- Johnson, C. A. F. See Gowenlock, B. G., 351.
- Jones, G. P., and Pauling, P. J. Crystal and molecular structure of *trans*-4-aminocrotonic acid, 1059.
- Jones, J. R., and Patel, S. P. The acidities of weak acids. Part III. Some 3-benzoyl-1,1,1-trifluoroacetones, 1231.
- Jones, J. R. See Al-Rawi, J. M. A., 449, and Earls, D. W., 54, 878.
- Jones, P. R. See Jung, I. N., 500.
- Jones, R. D. G. See Power, L. F., 1818.
- Jones, S. P. See Challis, B. C., 153.
- Jost, R. See Drakenberg, T., 1682.
- Jugie, G., Smith, J. A. S., and Martin, G. J. Nuclear magnetic resonance investigations of carbonium ion intermediates. Part III. A chlorine-35 quadrupole resonance study of several (R-chloromethylene)dimethylammonium salts (Vilsmeier-Haack and Viehe reagents), 925.
- Juillard, J. See Gachon, P., 907.
- Jung, I. N., and Jones, P. R. Radical anions of trimethylsilyl-substituted *NN*-dimethylanilines, 500.

K

- Katritzky, A. R., Clementi, S., and Tarhan, H. O. Discussion of standard nitration rates for benzenoid and heteroaromatic compounds, 1624.
- Katritzky, A. R., Konya, M., Tarhan, H. O., and Burton, A. G. The kinetics and mechanism of the electrophilic substitution of heteroaromatic compounds. Part XLVII. Nitration of phenylisoxazoles, 1627.
- Katritzky, A. R., Ögretir, C., Tarhan, H. O., Dou, H. M., and Metzger, J. V. The kinetics and mechanism of the electrophilic substitution of heteroaromatic compounds. Part XLII. The nitration of thiazoles and thiazolones, 1614.
- Katritzky, A. R., Tarhan, H. O., and Terem, B. The kinetics and mechanism of the electrophilic substitution of heteroaromatic compounds. Part XLIII. The nitration of isothiazoles. Part XLVIII. Nitration of pyrazoles in the 3- and 5-positions, 1620, 1632.
- Katritzky, A. R., Terem, B., Scriven, E. V., Clementi, S., and Tarhan, H. O. The standardization of aromatic and heteroaromatic nitration rates, 1600.
- Katritzky, A. R., and Weiss, D. E. Carbon-13 nuclear magnetic resonance spectroscopy of polymers. Part IV. Peak assignment for styrene-butadiene copolymers. Part V. Monomer sequence in styrene-butadiene copolymers, 21, 27.
- Katritzky, A. R. See Baker, V. J., 1191, Doreli, M., 1609, Ford, G. P., 1371, 1378, and Grindley, T. B., 443.
- Kamiya, Y. See Niki, E., 1221.
- Kanters, J. A. See Currie, M., 1549.

- Kashima, C., Aoyama, H., Yamamoto, Y., Nishio, T., and Yamada, K.** Nuclear magnetic resonance spectral study of β -aminoenones, 665.
- Kasturi, T. R.** See **Row, T. N. G.**, 1597.
- Kawasaki, A.** See **Ogata, Y.**, 134.
- Keary, C. M.** See **Gowenlock, B. G.**, 351.
- Kellie, G. M., and Riddell, F. G.** The von Auwers' boiling point rule. A new approach, 740.
- Kemsley, K., Moore, J. S., and Phillips, G. O.** Radiation effects on aryl glycosides. Part VII. Radiolysis of aqueous solutions of *p*-nitrophenyl β -D-glucopyranoside, 1638.
- Kemp, T. J.** See **Ahmad, M.**, 1867.
- Kennedy, J. D., McFarlane, W., Pyne, G. S., Clarke, P. L., and Wardell, J. L.** Magnetic double resonance studies of tin-119 chemical shifts in compounds with tin-sulphur bonds and related species, 1234.
- Kennedy, S. M. F.** See **Palmer, M. H.**, 1695.
- Kevill, D. N., Daum, P. H., and Sapre, R.** Nucleophilic substitution at trigonal carbon. Part II. Ethanolysis of aliphatic acyl chlorides, 963.
- Kevill, D. N., Likhite, V. V., and Posselt, H. S.** Kinetics and mechanism of the reaction of methyl iodide with silver perchlorate in nitromethane, 911.
- Khazanie, P. G.** See **Toone, T. W.**, 607.
- King, R. B., and Cloyd, J. C., Jun.** Carbon-13 nuclear magnetic resonance spectra of some polyphosphines with ethane bridges between trivalent phosphorus atoms, 938.
- Kirsch, A., von Sonntag, C., and Schulte-Frohlind, D.** Radiation chemistry of carbohydrates. Part V. γ -Radiolysis of *scyllo*-inositol in deoxygenated and oxygenated aqueous solution, 1334.
- Kikuchi, T.** See **Masaki, N.**, 610.
- Kinoshita, T.** See **Okamoto, K.**, 253, 1426.
- Kirk, K. L.** See **Yeh, H. J. C.**, 928.
- Kispert, L. D.** See **Pittman, C. U., jun.**, 1581, 1776.
- Knight, D. W.** See **Begley, M. J.**, 1863.
- Knowles, J. R.** See **Smith, R. A. G.**, 686.
- Koebert-Telder, A., and Cerfontain, H.** Solutes in sulphuric acid. Part VI. A nuclear magnetic resonance study of organic sulphonic acids and ^1H nuclear magnetic resonance standards; pK_{BH} determination of sulphonic acids, 226.
- Koebert-Telder, A.** See **Cerfontain, H.**, 970.
- Koffer, H.** Kinetics of protolytic and keto-enol reactions of some 5-monosubstituted barbituric acids, 819.
- Kondo, K.** See **Takenaka, S.**, 1520.
- Konya, M.** See **Katritzky, A. R.**, 1627.
- Koyama, H.** See **Utsumi-Oda, K.**, 993.
- Kroon, J.** See **Currie, M.**, 1549.
- Kubo, R.** See **Fratiello, A.**, 1415.
- Kuczman, A.** See **Ruff, F.**, 509.
- L**
- Laird, R. M.** See **Haughton, A. R.**, 637.
- Lamaty, G., Maleq, R., Selve, C., Sivade, A., and Wylde, J.** Mechanisms of ring opening of oxirans by acids in aqueous and non-aqueous solvents, 1119.
- Lam, C.-N., and Mellor, J. M.** Mechanism of photo-rearrangement of 6-hydroxybicyclo[3.3.1]nona-3,7-dien-2-ones, 412.
- Influence of a proximate 1,3-diene upon the photoreactivity of some $\alpha\beta$ -unsaturated ketones, 519.
- Lambelet, P., and Lucken, E. A. C.** Electron spin resonance spectrum of the xanthen radical anion, 1652.
- Landini, D., and Maia, A.** Kinetics of α -chlorination of sulphoxides by *N*-chlorobenzotriazole, 218.
- Lang, S., Lincoln, D. N., and Wray, V.** Fourier transform ^{13}C nuclear magnetic resonance studies of steroids. Part I. Some substituted 17 β -(2,5-dihydro-5-oxo-3-furyl) steroids, 344.
- Laue, H. A. H.** See **Carton, P. M.**, 1245, and **Gilbert, B. C.**, 892.
- Leandri, G.** See **Guanti, G.**, 212, 389, 1490.
- Leary, G.** See **Hemmingson, J. A.**, 1584.
- Ledwith, A., and Russell, P. J.** Aromatic chlorination by peroxodisulphate and chloride ions. Cation radical trapping by copper(II) chloride, 1503.
- Lee, K. H., Loke, S. E., and Yeoh, G. H.** Directive effects in benzylic hydrogen atom abstraction. Part VI. Halogenation of arethyl fluorides, 10.
- Lee-Ruff, E.** See **Toone, T. W.**, 607.
- Leonidou, E.** See **Colosimo, M.**, 1595.
- Levi, A.** See **Curci, R.**, 341, 408.
- Likhite, V. V.** See **Kevill, D. N.**, 911.
- Lillocci, C.** See **Baclocchi, E.**, 802.
- Lincoln, D. N.** See **Lang, S.**, 344.
- Linda, P.** See **Flamini, V.**, 421.
- Lindon, J. C.** See **Emsley, J. W.**, 1508, 1541, 1794.
- Liu, D.** See **Fratiello, A.**, 1415.
- Liu, L.-J.** See **Fendler, J. H.**, 1768, and **Hinze, W. L.**, 1751.
- Liu, M. T. H.** See **McGreer, D. G. M.**, 1791.
- Lloyd, D.** See **Barnett, C.**, 325, and **Ferguson, G.**, 998.
- Luby, P.** Substitution effects in kinetically controlled reactions, 1196.
- Lucchini, V.** See **Capozzi, G.**, 361, 900, and **Curci, R.**, 341.
- Lucken, E. A. C.** See **Ardjomande, S.**, 453, and **Lambelet, P.**, 1652.
- Lunazzi, L.** See **Emsley, J. W.**, 1541.
- Loftus, P.** See **Abraham, R. J.**, 535.
- Loke, S. E.** See **Lee, K. H.**, 10.
- Long, M. A., Garnett, J. L., and Vining, R. F. W.** Rapid deuteration and tritiation of organic compounds using organometallic and elemental halides as catalysts, 1298.
- Longeri, M.** See **Conti, G.**, 1673.
- Loran, J. S.** See **Williams, A.**, 1010.
- Lown, M. W.** See **Barnes, J. C.**, 1354.
- M**
- Maccoll, A., and Nagra, S. S.** Catalysis by hydrogen halides in the gas phase. Part XXVII. *N*-t-Butylacetamide and hydrogen chloride, 314.
- Maccoll, A., and Umaña, M.** Gas-phase eliminations. Part XIV. The pyrolysis of 1-(1-chloroethyl)-2-methylbenzene, 1194.
- McEwen, R. S.** See **Gitany, R.**, 57, and **Sundararaman, P.**, 440.
- McFarlane, W.** See **Kennedy, J. D.**, 1234.
- McGreer, D. E., Masters, M. E., and Liu, M. T. H.** Kinetics of the decomposition of some Δ^1 -pyrazolines, 1791.
- McKellar, J. F.** See **Bentley, P. S.**, 1259.
- Mackenzie, K.** See **Astin, K. B.**, 1004.
- McIntyre, P. S.** See **Palmer, M. H.**, 1695.
- McPhail, A. T., and Miller, R. W.** Crystal structure and conformation of 17 α -ethynyl-17 β -hydroxy-6,6-dimethyl-6-sila-5 α -estr-1(10)-en-3-one, 1180.

- McPhail, A. T., and Onan, K. D.** Structure and absolute configuration of plenolin: X-ray analysis of plenolin *p*-iodobenzoate, 487.
- Structure and absolute configuration of florilenalin: X-ray analysis of 4-*O*-acetyl-2-*O*-*p*-iodobenzoylflorilenalin, 492.
- X-Ray determination of the structure and conformation of an oxide from helenalin, 496.
- Crystal and molecular structure of eupatolide, the major cytotoxic principle from *Eupatorium fornosanum* HAY, 1798.
- McWilliam, H. M.** See De Boer, T., 554.
- Maddams, W. F.** See George, W. O., 392.
- Maffeo, C. V.** See Fiandanese, V., 221.
- Mahoney, S.** See Buncel, E., 478.
- Maia, A.** See Landini, D., 218.
- Maiorana, S.** See Del Buttero, P., 809.
- Majoral, J.-P.** See Baker, V. J., 1191.
- Maleq, R.** See Lamaty, G., 1119.
- Mallinson, P. R.** Crystal structures of complexes between alkali-metal salts and cyclic polyethers. Part VIII. Complexes formed by caesium thiocyanate with (7*R*,9*R*,18*S*,20*S*)-6,7,9,10,17,18,20,21-octahydro-7,9,18,20-tetramethyldibenzo[*b,h*][1,4,7,10,13,16]-hexaoxacyclo-octadecin (tetramethyldibenzo-18-crown-6, isomer F) and its (18*R*,20*R*)-isomer (isomer G), 261.
- Crystal structure of (7*R*,9*R*,18*S*,20*S*)-6,7,9,10,17,18,20,21-octahydro-7,9,18,20-tetramethyldibenzo[*b,h*]-[1,4,7,10,13,16]hexaoxacyclo-octadecin (tetramethyldibenzo-18-crown-6, isomer F), 266.
- Mancini, V.** See Baciocchi, E., 821.
- Mangia, A., Nardelli, M., Pelizzi, G., Volrattorni, C. B., Orlacchio, A., and Turano, C.** Crystal structure of *N*-(5-*O*-phosphopyridoxyl)-L-tyrosine heptahydrate, 60.
- Marcandalli, B.** See Bellobono, I. R., 1525, 1529.
- Marchese, G., Naso, F., Santo, D., and Sciacovelli, O.** A nuclear magnetic resonance study of the conformational equilibrium in fluorosulphonyl ethanes, 1100.
- Marchese, G.** See Fiandanese, V., 221.
- Marcotrigiano, G.** See Battistuzzi, R., 169.
- Marsh, W. C.** See Ferguson, G., 998, 1124.
- Marshall, D. R.** See Barnett, C., 325.
- Martin, G. J.** See Jugie, G., 925.
- Masaki, N., Niwa, M., and Kikuchi, T.** Studies on the neutral constituents of *Pachysandra terminalis* Sieb. et Zucc. Part IV. X-Ray structure of 3-*O*-acetyl-16-*O*-*p*-bromobenzoylpachysandiol B: new conformation of a friedelin-type triterpene, 610.
- Masetti, F.** See Galiazzi, G., 1712.
- Maskill, H.** The preparation of *exo*- and *endo*-6-bromo-3-oxabicyclo[3.1.0]hexanes and their stereospecific reactions with butyl-lithium, 197.
- Secondary kinetic isotope effects and the intervention of non-classical ions in the solvolysis of *endo*-bicyclo[3.2.1]octan-2-yl toluene-*p*-sulphonate, 1850.
- Maslen, E. N., Toia, R. F., White, A. H., and Willis, A. C.** Crystal structures of (5*E*,12*E*)-7β-acetoxy-15β-hydroxybertya-5,12-diene-3,14-dione and (5*E*,12*E*)-7β-acetoxybertya-5,12-diene-3,14-dione, 1684.
- Masters, I. M. E.** See McGreer, D. E., 1791.
- Mason, T. J.** Phenyl participation in the generation of carbocations from the reactions of some 1-methyl-ω-phenylalkyl toluene-*p*-sulphonates and ω-phenylalkyl-ones in trifluoroacetic acid, 1664.
- Masoud, N. K., Sakla, A. B., Sawiris, Z., and Yassa, N. A.** Coupling of diazonium salts with acetone, 1312.
- Matteoli, E.** See Conti, G., 1673.
- Meakins, G. D.** See Chadwick, D. J., 13, 604.
- Meikle, G. D.** See Fraser, G. W., 312.
- Meinwald, J.** See Skarstad, P., 88.
- Mellor, J. M.** See Lam, C.-N., 412, 519.
- Metzger, J. V.** See Katritsky, A. R., 1614.
- Miller, R. W.** See McPhail, A. T., 1180.
- Mishra, S. P., and Symons, M. C. R.** Unstable intermediates. Part CLIX. Dihalide anions and related species as products in the radiolysis of organic halides, 1492.
- Moad, G.** See Beckwith, A. L. J., 1726.
- Modena, G.** See Capozzi, G., 361, 900.
- Möckel, H.** See Bonifačić, M., 670.
- Moghimi, M.** See Dixon, W. T., 98, 1189.
- Mohammad, M.** Electron transfer reaction between 1,3-dinitrobenzene and methyl 1-ethylpyridine-4-carboxylate radical, 526.
- Mohanty, T. R., and Nayak P. L.** Kinetics of the reactions of picryl chloride with substituted benzoate ions, 242.
- Monasterios, J. R.** See Abraham, R. J., 574, 699.
- Monti, T.** See Spinelli, D., 816.
- Moodie, R. B., Schofield, K., and Yoshida, T.** Electrophilic aromatic substitution. Part XIV. Kinetics of nitration of some aromatic sulphonic acids in sulphuric acid, 788.
- Moodie, R. B.** See Barnett, J. W., 648.
- Moore, F. H., White, A. H., and Willis, A. C.** 3-Methyl-5-phenylpyrazole: a neutron diffraction study, 1068.
- Moore, J. S.** See Kemsley, K., 1638.
- Morel, J.-P.** See Gachon, P., 907.
- Morgan, C. H.** See Iball, J., 1271.
- Morgan, K. J.** See Bruce, G. T., 551.
- Morris, D. G., and Murray, A. M.** ¹³C Chemical shifts of 1-substituted camphenes, 539.
- Carbon-13 chemical shifts of 4-substituted tricyclenes, 734.
- Morris, E. R., Rees, D. A., Sanderson, G. R., and Thom, D.** Conformation and circular dichroism of uronic acid residues in glycosides and polysaccharides, 1418.
- Moyes, W.** See Palmer, M. H., 841.
- Muir, D. M., and Whiting, M. C.** Kinetics and mechanism of N-H and C-H isotopic exchange in pyrrole and indole: acid-catalysed exchange in aqueous acetonitrile solutions, 1316.
- Muir, K. W.** See Barrow, M. J., 15.
- Mukherjee, P. R.** See Nasipuri, D., 464.
- Muksatirović, M. D., and Tadić, Ž. D.** Thermal dealkylation of 2,4-bisalkylamino-6-chloro-s-triazines. Effect of alkyl group structure on dealkylation, 1701.
- Munnoch, P. J., and Wright, J. D.** Crystal structure of the 1:1 molecular complex of chrysene and tetrafluoro-*p*-benzoquinone (fluoranil), 1071.
- Murphy, D.** See Dixon, W. T., 98, 850, 1189.
- Murphy, W. S.** See Duggan, P. G., 1054, 1291.
- Murray, A. M.** See Morris, D. G., 539, 734.
- Murray, C. D.** See Cadogan, J. I. G., 546.
- Muszkat, K. A., Sharafi-Ozeri, S., Seger, G., and Pakkanen, T. A.** Molecular orbital and strain energy investigations of the photocyclization of 1,2-di-β-naphthylethylene, 1515.
- Muszkat, K. A.** See Fischer, G., 1569.

N

- Nagra**, S. S. See **Maccoll**, A., 314.
Najam, A. A., and **Tillett**, J. G. Nucleophilic substitution at sulphanyl sulphur. Kinetics and oxygen-18 tracer studies of the alkaline hydrolysis of some sulphinate esters, 858.
Nardelli, M. See **Mangia**, A., 60.
Naskręć-Barciszewska, M. Z. See **Dega-Szafran**, Z., 250.
Nasipuri, D., and **Mukherjee**, P. R. Studies in restricted rotation. Part I. Barrier to rotation in some 3-aryl-cyclohexenone derivatives, 464.
Naso, F. See **Fiandanese**, V., 221, and **Marchese**, G., 1100.
Natarajan, M. M., and **Thiagarajan**, V. Kinetics of oxidation of secondary alcohols by chloramine T, 1590.
Nayak, P. L. See **Mohanty**, T. R., 242.
Neil, D. C. See **Boyd**, D. R., 1813.
Neuwald, K. See **von Sonntag**, C., 171.
Nichols, G. D. See **Pittman**, C. U., jun., 1581.
Nicholson, S. H. See **Bridley**, P. B., 1808.
Nicoletti, R. See **Alunni**, S., 1669.
Niki, E., and **Kamiya**, Y. Reactivities of polystyrene and polypropylene toward t-butoxyl radical. Effects of molecular weight, solvent, and temperature, 1221.
Nimmo, K. See **Capon**, B., 1113.
Nishio, T. See **Kashima**, C., 665.
Nivard, R. J. F. See **van Rossum**, A. J. G., 1036, 1042.
Niwa, M. See **Masaki**, N., 610.
Norman, R. O. C. See **Carton**, P. M., 1245, and **Gilbert**, B. C., 303, 308, 885, 892.
Noto, R. See **Spinelli**, D., 620.
Novi, M. See **Guanti**, G., 1490.

O

- O'Connor**, C. J. See **de la Mare**, P. B. D., 1150.
O'Connor, C. J. See **Giffney**, C. J., 706, 1203, 1206, 1357.
Ogata, Y., and **Kawasaki**, A. Equilibrium addition of nucleophiles to carbon-nitrogen double bonds. Kinetics of the addition of propane-thiol to benzylideneanilines in non-aqueous solutions, 134.
Ögretir, C. See **Katritzky**, A. R., 1614.
Okamoto, K., **Kinoshita**, T., and **Osada**, Y. Phenolysis and competing methanolysis of optically active 1-phenylethyl chloride in sterically hindered 2,6-dialkylphenol solvents, 253.
Okamoto, K., **Kinoshita**, T., **Takemura**, Y., and **Yoneda**, H. Retentive solvolysis. Part X. Retentive solvolysis of optically active *para*-substituted 1-phenylethyl *p*-nitrobenzoates in phenolic solvents: rate, steric course, product distribution, and mechanism, 1426.
Olivato, P. R. See **Buzzi**, B. T., 1294.
Omarini, S. See **Bellobono**, I. R., 1525, 1529.
Onan, K. D. See **McPhail**, A. T., 487, 492, 496, 1798.
Onions, A. See **Baker**, R., 1138.
Orlacchio, A. See **Mangia**, A., 60.
Osada, Y. See **Okamoto**, K., 253.

P

- Packer**, J. E., and **Richardson**, R. K. Free-radical reductions of arenediazonium ions in aqueous solution. Part III. Kinetics of reactions of toluene-*p*-diazonium ions with ethanol, propan-2-ol, and acetaldehyde, 751.

- Pakkanen**, T. A. See **Muszkat**, K. A., 1515.
Palmer, M. H., and **Findlay**, R. H. Non-empirical calculations of the electronic structure of some five-membered ring heterocycles containing sulphur and phosphorus: thiophen and phosphole, 974.
 Non-empirical calculations of the nature of the bonding in thiophen, thiophen S-oxide, and thiophen SS-dioxide, 1223.
Palmer, M. H., **Findlay**, R. H., **Kennedy**, S. M. F., and **McIntyre**, P. S. Reactivity of indazoles and benzotriazole towards *N*-methylation and analysis of the ¹H nuclear magnetic resonance spectra of indazoles and benzotriazoles, 1695.
Palmer, M. H., **Findlay**, R. H., **Moyes**, W., and **Gaskell**, A. J. The electronic structure of conjugated molecules. Non-empirical calculations for the benzenium, pyridinium, pyrylium, and thiopyrylium cations and a comparison of the last with phosphorin, 841.
Parbhoo, D. M., **Chetty**, D. K., and **Bayles**, J. W. The acid-base function in non-aqueous solution. Part V. Entropy changes due to intramolecular and solvation effects in aprotic solvents, 1057.
Parini, C. See **Bellobono**, I. R., 1525, 1529.
Parker, V. D. See **Svanholm**, V., 755.
Parker, W., and **Watt**, C. I. F. Solvolytic behaviour of *cis*- and *trans*-[5-²H]₂cyclo-octyl *p*-bromobenzenesulphonate—a stereospecific, remote ε-deuterium isotope effect, 1647.
Pass, G. See **Duffy**, M. J., 1138.
Patel, S. P. See **Jones**, J. R., 1231.
Pattenden, G. See **Gegley**, M. J., 1863.
Pauling, P. J. See **Clarke**, P. J., 368, 774, 1107, and **Jones**, G. P., 1059.
Payne, C. J. See **Satchell**, R. S., 541.
Peake, B. M. See **Huffadine**, A. S., 1263.
Pearson, A. J. See **Blair**, J. A., 18, 245.
Pecorari, P. G. See **Rastelli**, A., 522.
Pedulli, G. F., **Zanirato**, P., **Alberti**, A., and **Tiecco**, M. Structure and conformational properties of some radicals from thiazolyl derivatives, 293.
Pedulli, G. F. See **Bernardi**, F., 194.
Pelizzi, G. See **Mangia**, A., 60.
Perkins, M. J., and **Roberts**, B. P. Electron spin resonance study of the fragmentation of some cyclic and acyclic dialkoxyalkyl radicals. The mechanism of 1,2-rearrangement of β-acyloxyalkyl radicals, 77.
Perkins, M. J. See **Grossel**, M. C., 1544.
Pero, F. See **Guanti**, G., 212.
Perucci, P. See **Baclocchi**, E., 329, 821.
Petcher, T. J. See **Clarke**, P. J., 774.
Petrongolo, C. See **Conti**, G., 1673.
Peyronel, G. See **Battistuzzi**, R., 169.
Pfab, J. See **Gowenlock**, B. G., 351.
Phillips, G. O. See **Bardsley**, J., 614, **Bentley**, P., 1259, **Duffy**, M. J., 1138, and **Kemsley**, K., 1638.
Phillips, S. See **Ferguson**, G., 405.
Pietra, F. See **Cavazza**, M., 1636.
Pinchas, S., and **Shamir**, J. Vibrational M-O bands of acetylacetone-metal complexes, 1098.
Pitacco, G. See **Brückner**, S., 1804.
Pittman, jun., C. U., **Attallah**, O. M., and **Kispert**, L. D. INDO theoretical studies of 4-aminopyridine and protonated 4-aminopyridine, 1776.
Pittman, jun. C. U., **Smith**, M. R., **Nichols**, G. D., **Wuu**, S. K., and **Kispert**, L. D. Theoretical study of the 4-pyridyl-

- methyl and the 2- and 5-pyrimidylmethyl cations and radicals, 1581.
- Pitts**, W. See **Richardson**, F. S., 1276.
- Placucci**, G. See **Gilbert**, B. C., 885.
- Plesch**, P. H., and **Thomas**, F. G. The polarography of some oxonium ions in methylene chloride. Part I. Experimental techniques and results for two tertiary ions, 1532.
- Pletcher**, J. See **Power**, L. F., 1818.
- Prakash**, A. S., **Swann**, W. A., and **Strachan**, A. N. The thermal decomposition of azodicarbonamide (1,1'-azobisformamide), 46.
- Preston**, P. N. See **Green**, R. G., 1380.
- Previtali**, C. M., and **Scaiano**, J. C. The kinetics of photochemical reactions. Part IV. Photoreduction of carbonyl triplets by bonds other than C-H. Semiempirical calculations, 934.
- Pritt**, J. R., and **Whiting**, M. C. Classical carbonium ions. Part VII. Nucleophilic assistance by solvent during acetolysis of secondary alkyl derivatives, 1458.
- Pritt**, J. R. See **Bone**, J. A., 1447.
- Prout**, K. See **Cameron**, T. S., 176.
- Pohl**, S. See **Corbett**, J. F., 728.
- Popplestone**, R. J. See **Baker**, R., 1133.
- Porter**, A. E. A. See **Cox**, B. G., 1512.
- Porter**, A. J. See **Compton**, D. A. C., 400.
- Posselt**, H. S. See **Kevill**, D. N., 911.
- Power**, L. F., **Jones**, R. D. G., **Pletcher**, J., and **Sax**, M. Crystal and molecular structure of the enol form of 1,1'-diphenyl-2,2'-dithiobis(butane-1,3-dione), 1818.
- Pulga**, S. See **Emsley**, J. W., 1541.
- Pyne**, G. S. See **Kennedy**, J. D., 1234.
- R**
- Rabczenko**, A. See **Davies**, D. B., 1703.
- Rabinovitz**, M. See **Bruck**, D., 1656.
- Radford**, D. V. See **Aroney**, M. J., 695.
- Rahamin**, Y. See **Sheinblatt**, M., 784.
- Ramage**, R. See **Cameron**, A. F., 1030.
- Rannala**, E. See **Isaacs**, N. S., 1555.
- Raoult**, A. See **Buncel**, E., 478.
- Rappoport**, Z. See **Albeck**, M., 628.
- Rappoport**, Z., and **Hoz**, S. Nucleophilic attacks on carbon-carbon double bonds. Part XXI. Substitution of (*E*)- α -chloro- β -nitrostyrene by anilines in acetonitrile, 272.
- Rappoport**, Z., and **Topol**, A. Nucleophilic attacks on carbon-carbon double bonds. Part XXII. Base catalysis, leaving group effects, and solvent effects in several nucleophilic vinylic substitutions by amines. Part XXIII. Substitution of β -chloro- α -phenylacrylonitriles, 863, 982.
- Rastelli**, A., **De Benedetti**, P. G., **Albasini**, A., and **Pecorari**, P. G. Physico-chemical behaviour of sulphur drugs. Spectroscopic trends and conjugation in phenylsulphonyl-guanidine derivatives, 522.
- Rees**, D. A., and **Smith**, J. C. Polysaccharide conformation. Part VIII. Test of energy functions by Monte Carlo calculations for monosaccharides. Part IX. Monte Carlo calculation of conformational energies for disaccharides and comparison with experiment, 830, 836.
- Rees**, D. A. See **Gould**, S. E. B., 237, and **Morris**, E. R., 1418.
- Rees**, J. H. Nitration of triptycene in acetic anhydride, 945.
- Rees**, N. H. See **Evans**, A. G., 1831.
- Rendle**, D. F., and **Trotter**, J. Crystal and molecular structure of 17 β -hydroxy-17 α -methyl-2-oxa-5 α -androstan-3-one, 1361.
- Restivo**, R. J. See **Ferguson**, G., 405, 998.
- Richardson**, F. S., and **Cox**, N. Chiroptical properties of lactones. Part I. Rotatory strengths of electronic transitions in substituted and unsubstituted 1,4-dioxan-2,5-diones (dilactones), 1240.
- Richardson**, F. S., and **Pitts**, W. Chiroptical properties of lactones. Part II. Electronic rotatory strengths of the $n \rightarrow \pi^*$ transition in saturated γ - and δ -lactones, 1276.
- Richardson**, R. K. See **Packer**, J. E., 751.
- Riddell**, F. G. See **Kellie**, G. M., 740.
- Ris**, C., and **Cerfontain**, H. Aromatic sulphonation. Part LI. Sulphonation of 1,3,5-tri- and *m*- and *p*-di-*t*-butylbenzene, the three *t*-butylbenzenesulphonic acids, and 3,5-di-*t*-butylbenzenesulphonic acid, 970, 1438.
- Ritchie**, G. L. D. See **Cheng**, C. L., 744.
- Rittner**, R. See **Buzzi**, B. T., 1294.
- Rivetti**, F. See **Capozzi**, G., 361, 900.
- Robb**, A. J. See **Blair**, J. A., 18.
- Roberts**, B. P. See **Dennis**, R. W., 140, and **Perkins**, M. J., 77.
- Robertson**, I. H. See **Butler**, A. R., 660.
- Rochester**, C. H. See **Attiga**, S. A., 1411.
- Rodriguez**, I. See **Corbett**, J. F., 728.
- Rogers**, D. See **Haque**, M. U., 93.
- Rogne**, O. Transition state enthalpies of transfer from propanol to acetonitrile in the reaction of imidazole with benzoyl and benzenesulphonyl chlorides, 1486.
- Rol**, C. See **Baclocchi**, E., 329.
- Roussel**, C. See **Carter**, R. E., 1690.
- Row**, T. N. G., **Venkatesan**, K., **Sharma**, V. K., and **Kasturi**, T. R. Crystal and molecular structure of 8 α -bromo-1,2,3,5,6,7,8,8 α -octahydro-1,3-dioxisoquinoline-4-carbonitrile, 1597.
- Rowley**, A. G. See **de Boer**, T., 554.
- Rubaszewska**, W., and **Grabowski**, Z. R. Excited states of six-membered aza-aromatic rings. Part VIII. Photochemical reactions, fluorescence, and protolytic equilibria in *N*-alkylated phenazinium ion-phenazyl free radical systems, 417.
- Ruff**, F., and **Kucsman**, Á. Mechanism of the reaction of sulphides with *N*-chloroarenesulphonamides, 509.
- Rumney**, T. G. See **Earls**, D. W., 54, 878.
- Russell**, P. J. See **Ledwith**, A., 1503.
- Russell**, P. L., and **Topping**, R. M. Kinetic comparison of the relative susceptibility to steric hindrance of an intra- and an inter-molecular cleavage of the ester bond in a series of 2- and 4-carbamoylphenyl esters of 2,4,6-trialkylated benzoic acids, 1062.
- Rzepa**, H. S. See **Challis**, B. C., 1209, 1822.
- S**
- Sakla**, A. B. See **Masoud**, N. K., 1312.
- Samee**, A. See **Duffy**, M. J., 1138.
- Sánchez**, A. G., and **Bellanato**, J. Infrared and nuclear magnetic resonance absorption and isomerism of 3-aminocrotonic esters. Part III, 1561.

- Sanderson, G. R. See Morris, E. R., 1418.
- Santo, D. See Marchese, G., 1100.
- Sanz, F., and Daly, J. J. Crystal and molecular structure of the 1:2 complex of methyltriphenylphosphonium with $\alpha\alpha\alpha'$ -tetracyano-3,7-naphthoquinodimethane, $(\text{Ph}_3\text{PMe})^+[(\text{tnap})_2]^-$, 1141.
Crystal and molecular structure of the 2:3 complex of *N*-methylphenazinium with $\alpha\alpha\alpha'$ -tetracyanoquinodimethane, $[(\text{nmp})_2]^{2+}[(\text{tcnq})_3]^{2-}$, 1146.
- Sapre, R. See Kevill, D. N., 963.
- Satchell, D. P. N. See Hall, A. J., 778, 953, 1273, 1351.
- Satchell, R. S., Bukka, K., and Payne, C. J. Quantitative aspects of Lewis acidity. Part XIII. Basicity of substituted benzamides towards metal halides. The validity of nuclear magnetic resonance chemical shifts as measures of Lewis acid strength, 541.
- Satchell, R. S. See Bukka, K., 1110.
- Savelli, G. See Flamini, V., 421.
- Saville, B. See Hook, S. C. W., 589.
- Sawiris, Z. See Masoud, N. K., 1312.
- Sax, M. See Power, L. F., 1818.
- Scaiano, J. C. See Previtali, C. M., 934.
- Schaasberg-Nienhuis, Z. R. H. See Cerfontain, H., 970.
- Schaumann, E. See Walter, W., 528.
- Schmid, G. H. See Gordon, J. W., 1722.
- Schöbel, Gy. See Sipos, Gy., 805.
- Schofield, K. See Barnett, J. W., 648, and Moodie, R. B., 788.
- Schroeter, D. R. See Humfray, A. A., 1873.
- Schuchmann, H.-P. See Ford, R., 1338, and von Sonntag, C., 171.
- Schulte-Frohlinde, D. See Kirsch, A., 1334.
- Sciakovelli, O. See Marchese, G., 1100.
- Scordamaglia, R. See Bassi, I. W., 1129.
- Scorrano, G. See Curci, R., 341, 408.
- Scott, F. L. See Hegarty, A. F., 104, 423, 1166.
- Scott, W. E. See Gould, S. E. B., 237.
- Screttas, C. G. Amphielectronic ionization of a π -radical, a basis for correlating radical with nucleophilic and/or electrophilic reactivities, 165.
- Scriven, E. V. See Katritzky, A. R., 1600.
- Sealy, R. C. See Carton, P. M., 1245, and Gilbert, B. C., 303, 308, 885, 892.
- Seger, G. See Fischer, G., 1569, and Muszkat, K. A., 1515.
- Selby, K., and Waddington, D. J. Reactions of oxygenated radicals in the gas phase. Part II. Reactions of peracetyl radicals and butenes, 1715.
- Selby, K. See Diaz, R. R., 758.
- Selve, C. See Lamaty, G., 1119.
- Sep, W. J. See de Gee, A. J., 579, 670.
- Sgarabotto, P. See Del Buttero, P., 809.
- Shamir, J. See Pinchas, S., 1098.
- Shand, D. J. See Ashton, D. S., 317.
- Sharafi-Ozeri, S. See Muszkat, K., 1515.
- Sharma, V. K. See Row, T. N. G., 1597.
- Sharp, J. T. See Cadogan, J. I. G., 546.
- Sheinblatt, M., and Rahamin, Y. Determination of pK values of peptide groups in dipeptides from nuclear magnetic resonance kinetic studies, 784.
- Sheppard, D. See Evans, A. G., 643.
- Shirrell, C. D., and Williams, D. E. Redetermination of the crystal and molecular structure of pteridine, 40.
- Silla, E., Bertrán, J., and Fernández-Alonso, J. I. Semi-empirical all-valence-electron calculations on the reactivity of azulene and benzofuran, 366.
- Silver, J. See Boyd, G. V., 1280.
- Sim, G. A. See Cox, P. J., 455, 459, and White, D. N. J., 1826.
- Sinnatambe, K. L. See Eaborn, C., 380.
- Sinnott, M. L., and Whiting, M. C. Classical carbonium ions. Part IV. Absence of hydride shift in the solvolysis of 1- and 2-adamantyl toluene-*p*-sulphonate, 1446.
- Sinnott, M. L. See Cocker, D., 1391.
- Sipos, Gy., Schöbel, Gy., and Sirokmán, F. The Darzens condensation. Part III. Effects of substituents on the rate of condensation of substituted phenacyl chlorides with benzaldehyde, 805.
- Sirokmán, F. See Sipos, Gy., 805.
- Sivade, A. See Lamaty, G., 1119.
- Skarstad, P., Vuuren, P. J.-v., Meinwald, J., and Hughes, R. E. Crystal and molecular structure of tricarbonyl-(8,8-dibromobicyclo[5.1.0]octa-2,4-diene)iron, 88.
- Sloan, J. P., Tedder, J. M., and Walton, J. C. Free radical addition to olefins. Part XVI. Photolysis of difluoroiodomethane in the presence of olefins. Part XVII. Addition of fluoroiodomethane to fluoroethylenes, 1841, 1846.
- Smith, J. A. S. See Jugie, G., 925.
- Smith, K. M. See Abraham, R. J., 204.
- Smith, M. R. See Pittman, C. U. jun., 1581.
- Smith, P. J. C. See Rees, D. A., 830, 836.
- Smith, P. M. See Bryan, R. F., 1482.
- Smith, R. A. G., and Knowles, J. R. The preparation and photolysis of 3-aryl-3*H*-diazirines, 686.
- Smith, T. N. See Baker, R., 1133.
- Snowden, R. L. See Chadwick, D. J., 13, 604.
- Sommer, J. M. See Drakenberg, T., 1682.
- Spagna, R. See Cameron, T. S., 176.
- Speakman, J. C. See Barrow, M. J., 15, and Currie, M., 1549.
- Spence, M. J. See Haughton, A. R., 637.
- Spinelli, D., and Consiglio, G. Linear free energy relationships in the thiophen series. Part I. Leaving group effect in piperidino-substitution in methanol of some 2-L-3-nitro-5-X-thiophens, 989.
Nucleophilic substitution in five-membered rings. Influence of steric interactions in the reaction area on activation by a nitro-group, 1388.
- Spinelli, D., Consiglio, G., and Monti, T. Nucleophilic substitution in five-membered rings. Primary steric effects in thiophen derivatives, 816.
- Spinelli, D., Consiglio, G., Noto, R., and Corrao, A. Linear free energy *ortho*-correlations in the thiophen series. Part I. The kinetics of piperidinobromination of some 2-bromo-3-X-5-nitrothiophens in methanol, 620.
- Standoli, L. Transmission of electronic effects by the oxiran ring. Ionization constants of *meta*- and *para*-substituted 2,3-epoxy-3-phenylpropionic acids in 50% ethanol, 371.
- Stedman, G. See Collings, P., 1734.
- Steltner, A. See Deacon, T., 1778.
- Stephenson, D. S. See Emsley, J. W., 1508, 1541, 1794.
- Stevens, I. D. R. See Burrage, M. E., 1325.
- Storesund, H. J., and Whiting, M. C. Classical carbonium ions. Part VI. Rearrangement during acetolysis of some 2-adamantyl derivatives, 1452.
- Strachan, A. N. See Prakash, A. S., 46.
- Sultana, Q. See Ahmad, M., 1867.
- Sundaraman, P., and McEwan, R. S. Crystal and molecular structure of parthemollin {3,3a,4,5,6,8a-hexahydro-7-(1-hydroxy-3-oxobutyl)-6-methyl-3-methylene-cyclohepta[*b*]furan-2-one}, 440.

- Sutcliffe, L. H.** See **Green, R. G.**, 1380.
Svanholm, U., and **Parker, V. D.** Relative diffusion coefficients of aromatic cations and aromatic compounds. Justification for directly equating voltammetric potentials to formal potentials, 755.
Swaminathan, K., and **Venkatasubramanian, N.** Reaction of aromatic amides with phenyl iododacetate: an oxidative rearrangement, 1161.
Swann, W. A. See **Prakash, A. S.**, 46.
Symons, M. C. R. See **Mishra, S. P.**, 1492.
Szafran, M. See **Dega-Szafran, Z.**, 250.

T

- Tabner, B. J.**, and **Walker, T.** Radical-anion intermediates. Part VII. Reactions of the 1,2,3,4-tetraphenylcyclopenta-1,3-diene radical anion, 1304.
Tadić, Ž. D. See **Muškatirović, M. D.**, 1701.
Takemura, Y. See **Okamoto, K.**, 1426.
Takenaka, S., **Kondo, K.**, and **Tokura, N.** Induced circular dichroism. Part III. Chiroptical properties and ion-pair equilibria in 2-benzoylbenzoic acid-amphetamine, 1520.
Takeuchi, Y., **Chivers, P. J.**, and **Crabb, T. A.** Conformational analysis by carbon-13 nuclear magnetic resonance spectroscopy. Part I. Hexahydro-3*H*-oxazol[3,4-*a*]pyridines, 51.
Tokura, N. See **Takenaka, S.**, 1520.
Tangerman, A., and **Zwanenburg, B.** Chemistry of sulphines. Part XXVII. Conformational analysis of aryl- and alkyl-thio, aryl- and alkyl-sulphinyl, and aryl- and alkyl-sulphonyl sulphines by means of nuclear magnetic resonance spectra and dipole moments. Part XXVIII. Barriers to rotation in highly substituted arylthio, alkyl- and aryl-sulphinyl, and arylsulphonyl *E*- and *Z*-sulphines, 352, 916.
Tarhan, H. O. See **Dereli, M.**, 1609, and **Katritzky, A. R.**, 1600, 1614, 1620, 1624, 1627, 1632.
Taylor, R. Electrophilic aromatic reactivities *via* pyrolysis of 1-arylethyl acetates. Part X. Pyridine *N*-oxide, 277.
 The nature of the transition state in ester pyrolysis. Part II. The relative rates of pyrolysis of ethyl, isopropyl, and *t*-butyl acetates, phenylacetates, benzoates, phenyl carbonates, and *N*-phenylcarbamates, 1025.
 Electrophilic aromatic substitution. Part XVI. Detritiation and desilylation of 1,6-methano[10]annulene and 11,11-difluoro-1,6-methano[10]annulene, 1287.
Taylor, R. See **Amin, H. B.**, 1802, and **Glyde, E.**, 1463, 1783.
Tedder, J. M. See **Ashton, D. S.**, 320, and **Sloan, J. P.**, 1841, 1846.
Terem, B. See **Katritzky, A. R.**, 1600, 1620, 1632.
Terui, Y. Conformational studies of quaternary ammonium ions. Part II. Molecular mechanical calculation of conformation energies of β -substituted ethyltrimethylammonium ions, 118.
Terui, Y., and **Tori, K.** Conformational studies of quaternary ammonium ions. Part III. Conformational analyses of substituted piperidinium ions by ¹H nuclear magnetic resonance spectroscopy and evaluation of the contribution of electrostatic interaction energy in controlling conformation, 127.
Tewfik, R., **Fouad, F. M.**, and **Farrell, P. G.** Elimination reactions. Part II. Base-catalysed formation of stilbene derivatives from α -phenyl- and α -(4-nitrobenzyl)-substituted 4-nitrobenzyl chloride, 384.
Thea, S. See **Guanti, G.**, 389.
Thiagarajan, V. See **Natarajan, M. M.**, 1590.
Thom, D. See **Morris, E. R.**, 1418.
Thomas, F. G. See **Plesch, P. H.**, 1532.
Thomas, J. M., **Williams, J. O.**, **Desvergne, J.-P.**, **Guarini, G.**, and **Bouas-Laurent, H.** Role of imperfections in the dimerization of substituted anthracenes. Part II. 1,8-Dichloro-10-methyl-anthracene, 84.
Thomas, J. M. See **Desvergne, J. P.**, 584.
Thornton, D. E. See **Hallas, G.**, 1587.
Tiecco, M. See **Pedulli, G. F.**, 293.
Tiezzi, E. Electron paramagnetic resonance parameters and equilibria of manganese(II)-amino-acid complexes in aqueous solution, 769.
Tiezzi, E. See **Basosi, R.**, 423.
Tillett, J. G. See **Isukul, E. A.**, 230, and **Najam, A. A.**, 858.
Tingoli, M. See **Alumni, S.**, 1669.
Toia, R. F. See **Maslen, E. N.**, 1864.
Todesco, P. E. See **Bartoli, G.**, 1472, and **Di Nunno, L.**, 1469.
Tolley, M. S. See **Jennings, W. B.**, 1535.
Tomat, R. See **Farnia, G.**, 763.
Toone, T. W., **Lee-Ruff, E.**, **Khazanie, P.**, and **Hopkinson, A. C.** Substituted diphenylmethyl cations. Part I. Acid-base equilibria, 607.
Topol, A. See **Rappoport, Z.**, 863, 982.
Topping, R. M. See **Burrows, H. D.**, 571, and **Russell, P. L.**, 1062.
Topson, R. D. See **Ford, G. P.**, 1371, 1378, and **Grindley, T. B.**, 449.
Tori, K. See **Terui, Y.**, 127.
Trenwith, M. See **Gilbert, B. C.**, 1083.
Triantaphylides, C., and **Halmann, M.** The photochemistry of phosphorus compounds. Part X. Photolysis of disodium α -D-glucose 6-phosphate in aqueous solution under nitrogen or oxygen, 34.
Trocha-Grimshaw, J. See **Grimshaw, J.**, 215.
Trotter, J. See **Rendle, D. F.**, 1361.
Trufen, C. See **Buzzi, B. T.**, 1294.
Tsang, C. W., and **Harrison, A. G.** Effect of chain length on the chemical ionisation mass spectra of methyl *n*-alkanoates, 1718.
Turano, C. See **Mangia, A.**, 60.
Turner, A. B. See **Brown, D. R.**, 1307.
Turner, C. J. Chlorine-35 nuclear quadrupole resonance spectra of chlorodiazines, 1250.
Turner, M. F. See **Cook, D. S.**, 1021.
Tyler, B. J. See **Anderson, F.**, 1051.

U

- Umaña, M.** See **Maccoll, A.**, 1194.
Utley, J. H. P. See **Araca, L. A.**, 161.
Utsimo-Oda, K., and **Koyama, H.** Crystal structure of 2 α ,3 α -epithio-5 α -androst-6-en-17 β -yl *p*-bromobenzoate, 993.

V

- Valensin, G.** See **Basosi, R.**, 423.
Valentin, E. See **Brückner, S.**, 1804.

- van Rossum, A. J. G., de Bruin, H. M., and Nivard, R. J. F. Iodine atom-catalysed isomerisation of substituted *cis,trans*-1,4-diphenylbutadienes, 1036.
- van Rossum, J. G., and Nivard, R. J. F. Iodine atom-catalysed isomerisations of *cis,trans,trans*- and *trans,cis,trans*-1,6-diphenylhexa-1,3,5-trienes and of *trans,cis,trans,trans*-1,8-diphenylocta-1,3,5,7-tetraene, 1042.
- van Wageningen, A., Cerfontain, H., and (in part) Geenevasen, J. A. J. Photochemistry of non-conjugated dienones. Part V. Photolysis of (*E*)- β -ionone and its isomeric α -pyran, 1283.
- Vasudeva, C. An electron spin resonance study of reactions of carboxylic acids with the sulphate radical-anion, 697.
- Venkatasubramanian, N. See Swaminathan, K., 1161.
- Venkatesan, K. See Row, T. N. G., 1597.
- Veracini, C. A. See Conti, G., 1673.
- Verhoeven, J. W. See de Gee, A. J., 574.
- Vertes, G. See Horányi, G., 827.
- Vianello, E. See Farnia, G., 763.
- Vidulich, G. See Fratiello, A., 1415.
- Viertler, H. See Buzzi, B. T., 1294.
- Vining, R. F. W. See Long, M. A., 1298.
- Volrattorni, C. B. See Mangia, A., 60.
- von Sonntag, C., Neuwald, K., Schuchmann, H.-P., Weeke, F., and Janssen, E. Radiation chemistry of ethers. Part VI. Photolysis at 254 nm of the diethyl ether-oxygen charge transfer complex, 171.
- von Sonntag, C. See Ford, R., 1338, and Kirsch, G., 1334.
- Vuuren, P. J.-V. See Skarstad, P., 88.

W

- Waddington, D. J. See Diaz, R. R., 758, and Selby, K., 1715.
- Walker, T. See Tabrier, B. J., 1304.
- Walter, W., Franzen-Sievekling, M., and Schaumann, E. On the structure of thioamides and their derivatives. Part XXXIII. Kinetics of the acid-catalysed $E \rightarrow Z$ -isomerisation of *N*-neopentylthioformamide in *o*-dichlorobenzene, 528.
- Walton, D. R. M. See Eaborn, C., 380.
- Walton, J. C. See Ashton, D. S., 320, and Sloan, J. P., 1841, 1846.
- Wardell, J. L. See Kennedy, J. D., 1234.
- Warren, S. See Hodgson, P. K. G., 372.
- Watson, C. G. See Boyd, D. R., 1813.
- Watt, C. I. F. See Parker, W., 1647.
- Weeke, F. See von Sonntag, C., 171.
- Weiss, D. E. See Katritzky, A. R., 21, 27.
- Weston, J. B. See Barnett, J. W., 648.
- White, A. H. See Maslen, E. N., 1684, and Moore, F. H., 1068.
- White, D. N. J., and Guy, M. H. P. The molecular conformation of cyclodi- β -alanyl, 43.
- White, D. N. J., and Sim, G. A. Sesquiterpenoids. Part XXI. Conformations of the episantonins: crystal structures of 2-bromo-6-*epi*- α -santonin and 2-bromo-6-*epi*- β -santonin, 1826.
- White, D. N. J. See Barrow, M. J., 15.
- White, E. See Cameron, T. S., 176.
- Whitham, G. H. See Davies, S. G., 861.
- Whiting, M. C. See Bone, J. A., 1447, Muir, D. M., 1316,

- Pritt, J. R., 1458, Sinnott, M. L., 1446, and Storesund, H. J., 1452.
- Whitney, P. M. See Homer, J., 956.
- Whittaker, G. See Alder, R. W., 712, 714.
- Wilkinson, R. G. See Bethell, D., 1090.
- Williams, A. The oxazolinone intermediate in the hydrolysis and aminolysis of *N*-benzoylglycine derivatives, 947.
- Williams, A., Douglas, K. T., and Loran, J. S. Aminolysis and base-catalysed hydrolysis of aryl phenylphosphonamides and amidothionates: reactions close to the *E*1cB-bimolecular nucleophilic mechanistic borderline, 1010.
- Williams, A. See Deacon, T., 1778.
- Williams, D. E. See Shirrell, C. D., 40.
- Williams, D. H. See Hvistendahl, G., 881.
- Williams, D. L. H. Kinetics and mechanism of the Fischer-Hepp rearrangement and denitrosation. Part VI. The relative reactivity of a number of nitrogen-containing species towards nitrosation, and further evidence against an intermolecular mechanism for the rearrangement, 655.
- Williams, D. L. H. See Biggs, I. D., 107, and Hooley, S. G., 503.
- Williams, J. O. See Thomas, J. M., 84.
- Williams, R. M., and Atalla, R. H. Raman spectral investigation of the interactions between Group II cations and ethylene glycol in aqueous solutions, 1155.
- Williamson, D. H. See Aris, V., 4.
- Willis, A. C. See Maslen, E. N., 1684, and Moore, F. H., 1068.
- Wilshire, C. See Alder, R. W., 1464.
- Wilson, M. A. See de la Mare, P. B. D., 1150.
- Wiltshire, J. F. See Buncel, E., 478.
- Wladislaw, B. See Buzzi, B. T., 1294.
- Woodhead, J. L. See Blackwell, L. F., 234, 1218.
- Woods, D. C. See Begley, M. J., 74.
- Wray, V. See Lang, S., 344.
- Wright, J. D. See Munnoch, P. J., 1071.
- Wright, P. H. See Boyd, G. V., 1280.
- Wuu, S. K. See Pittman, C. U., jun., 1581.
- Wylde, J. See Lamaty, G., 1119.
- Wyn-Jones, E. See Gittins, V. M., 1642.

Y

- Yamada, K. See Kashima, C., 665.
- Yamamoto, Y. See Kashima, C., 665.
- Yassa, N. A. See Masoud, N. K., 1312.
- Yeh, H. J. C., Kirk, K. L., Cohen, L. A., and Cohen, J. S. ^{19}F and ^1H Nuclear magnetic resonance studies of ring-fluorinated imidazoles and histidines, 928.
- Yeoh, G. H. See Lee, K. H., 10.
- Yoneda, H. See Okamoto, K., 1426.
- Yoshida, T. See Moodie, R. B., 788.
- Young, R. N. See Greenacre, G. C., 1661.

Z

- Zacharias, D. E. See Glusker, J. P., 68, and Iball, J., 1271.
- Zanderighi, L. See Bellobono, I. R., 1525, 1529.
- Zanirato, P. See Pedulli, G. F., 293.
- Zwanenburg, B. See Tangerman, A., 352, 916.