# INDEX OF SUBJECTS, 1976

A

- Absolute configuration and conformation of isomenthol by X-ray diffraction and nuclear magnetic resonance studies and crystal structure of (+)-isomenthyl p-bromophenylcarbamate, 717.
  - and crystal structure of  $2\alpha,6,6,8$ -tetramethyltricyclo- $[6.2.1.0^{1,5}]$ undecan- $7\beta$ -yl p-bromobenzoate, 1300.
- **Absorption spectra** and dipole moments of heterocyclic diketones, 547.
- Abstraction, homolytic, of enolic hydrogen, 502.
- Acaricides. Part I, crystal structure of Pentac [synclinal 1,1',2,2',3,3',4,4',5,5'-decachloro-1,1'-bis(cyclopenta-2,4-dienyl)], 796.
- Acetaldehyde, hydration of catalysed by micellar Triton X-100 in carbon tetrachloride, 1497.
- Acetals, aryl ethyl, cleavage of carbon-oxygen single bonds in the reaction of with ethylmagnesium bromide in diethyl ether. A kinetic study, 1001.
- OO-Acetals, keten, in aprotic medium, kinetics and mechanism of the reaction of phosphorus acids with. Nucleophilic reactivity of organophosphorus compounds. Part III, 1613.
- Acetals, phosphonated, reaction of. Acid-catalysed hydrolysis of dialkyl 2,2-dialkoxyethylphosphonates, 1210.
  - radiation chemistry of. Part I, photolysis (λ 185 nm) of formaldehyde dimethyl acetal in the liquid phase, 1408.
- Acetamidinium chloride, crystal structure of, 271.
- Acetate ions, evidence for rate-determining attack of on an intermediate mixed anhydride. Kinetics and mechanism of the acetate catalysed hydrolysis of 4-methoxyphenyl chloroformate and 4-methoxyphenyl fluoroformate in aqueous dioxan, 935.
- Acetates, some aryl, kinetics and products of chlorination of.

  The kinetics and mechanisms of aromatic halogen substitution. Part XXXIII, 1389.
- Acetic acid, addition of to cyclic and strained bicyclic olefins catalysed by trifluoromethanesulphonic acid. Kinetics and mechanism of addition of acids to olefins. Part I, 1183.
  - and related solvents, sulphonation in. Studies on the sulphonation of anthracene. Part II, 1560.
  - aqueous, and acetic acid-perchloric acid, the kinetics and reactions of toluene and o- and p-xylene with chlorine acetate in. Some observations relating to substituent effects in halogenation. Part VII, 357.
    - the kinetics and reactions of indane, 9,10-dihydroanthracene, and tetralin with chlorine acetate in. Some observations relating to substituent effects in halogenation. Part VIII, 359.
  - 2,4-dichlorophenoxy-, (2,4-D), crystal structure of. Herbicides. Part I, 791.
- Acetic [2H]acid, formic acid, and halogenated and unsaturated acids, kinetics of gas-phase reactions with. Reactions of keten. Part VI, 1533.

- Acetolysis of 1,1- and 3,3-dimethylallyl 2,4-dinitrophenyl ether. Allylic carbonium ions. Part I, 1157.
  - of 2,4-dinitrophenyl glycopyranosides, 618.
- Acetones, aryl, iodine oxidation of in alkaline methanol, 628. Acetone solvate of NN'-[bis-( $\alpha$ -tosylbenzyl)]urea, crystal and molecular structure. Comparison between solution and solid-state conformation. Folded conformations. Part VII, 483.
- Acetonitrile, anodic oxidation and pyridination of N-methyl-4'-methoxybenzanilide in. Anodic oxidation of carboxamides. Part II, 1180.
  - aqueous, general acid catalysed exchange in. Kinetics and mechanism of N-H and C-H exchange in pyrrole and indole. Part II, 388.
  - fluoren-9-ylidene-, kinetics of hydrogen-deuterium exchange in catalysed by sodium ethoxide. Vinyl carbanions. Part I, 953.
  - the kinetics of the reactions of piperidine, n-butylamine, morpholine, and benzylamine with 1-fluoro- and 1-chloro-2,4-dinitrobenzenes in, 1396.
- Acetophenone, 2'-carboxy-, inter- and intra-molecular catalysis in the enolisation of derivatives of, 39.
  - 3,5-dibromo-, and 3,5-dichloroanisole, conformations of determined from <sup>1</sup>H nuclear magnetic resonance spectra of nematic solutions, 805.
  - 2',6'-dihydroxy-, and 2'-hydroxyacetophenone, intramolecular catalysis in the detritiation of, 45.
  - D-α-methyl-α-phenyl-, the hydroxide-catalysed racemisation of. Transition state enthalpies of transfer in aqueous dimethyl sulphoxide solutions, 102.
  - in highly acidic media, detritiation kinetics of, 1641.
  - kinetics of reduction of by alkali-metal alkoxides, and the mechanism of reduction of ketones by borohydride, 1523.
- Acetylacetone (pentane-2,4-dione), reaction with. Mechanistic studies in the chemistry of urea. Part I, 832.
- Acetylenes, electrophilic additions to. Part VI, addition of t-butyl chloride and benzyl chloride to alkynes, 1517.
- βγ-Acetylenic acids, the gas-phase pyrolysis of. Studies in decarboxylation. Part VIII, 592.
- Acetyl groups, nuclear magnetic resonance studies of. Tetra-acetylcaffeoylputrescine: an acetyl-cinnamoyl diacylamine, 616.
- Acetylsulphuric acid in liquid sulphur dioxide, equilibria and reactions of, 1784.
- Acetyl transfer reactions and methoxycarbonyl transfer reactions, the relative ease of, and kinetics of reaction of p-nitrophenyl methyl carbonate with nucleophiles in aqueous solution, 679.
- Acidic media, moderately concentrated kinetic study of homogeneous acid-catalysed oxidation of certain aminoacids by potsssium permanganate in, 469.
- Acidities of weak acids. Part IV, some methyl styryl ketones, 846.
- Acidity of covalent metal halides towards substituted anilines in dioxan. The validity of  $\Delta H^0$  as a measure of Lewis

- Acidity (contd.)
  - acid strength. Quantitative aspects of Lewis acidity. Part XVI, 1058.
  - of 4-(5-X-hydroxystyryl)-N-methylpyridinium iodides. Linear free energy relationships. Part VI, 196.
- Acids containing two double bonds, the gas-phase pyrolysis of some. Studies in decarboxylation. Part IX, 704.
  - halogenated and unsaturated, formic acid and acetic [2H]acid, kinetics of gas-phase reactions with. Reactions of keten. Part VI, 1533.
  - kinetics and mechanism of addition of to olefins. Part I, addition of acetic acid to cyclic and strained bicyclic olefins catalysed by trifluoromethanesulphonic acid, 1183. Part II, addition of trifluoroacetic acid to (+)-(R)-limonene in weakly polar media, 1374.
  - solution, denitrosation of N-methyl-N-nitrosotoluene-psulphonamide in, 1838.
    - reaction with 4-dimethylaminobenzaldehyde (Ehrlich's reagent) in. Electrophilic substitution in pyrroles. Part I, 696.
    - and aqueous solutions, hydrolysis in. Hydrolysis of phenylureas. Part II, 362.
- Acrylic esters, patterns of reactivity of sodium salts of 9substituted fluorenes with and with molecular oxygen. Mechanistic studies in strongly basic media. Part IX, 55.
- Activation parameters and equilibrium parameters for the interconversion of the conformational isomers of some N-acylprolines, evaluation of by nuclear magnetic resonance spectroscopy, 761.
- Acylation step, electrophilic participation in: proteolytic enzymes, 723.
- Acyl radicals, nucleophilic character of. Absolute rate constant for the acylation of protonated benzothiazole by pivaloyl radical, 1835.
- Adamantane-thiourea solid solutions, electron spin resonance of  $\gamma$ -ray induced radicals in, 1014.
- 1-Adamantyl radical, reaction of with benzene derivatives. Structural effects on the reactivity of carbon radicals in homolytic aromatic substitutions. Part III, 662.
- Addends,  $2\pi$ -electron, kinetic rates and equilibria for the addition of to 3-oxidopyridinium betaines. 1,3-Dipolar character of six-membered aromatic rings. Part XXIX, 1829.
- Addition, mechanisms of. Part II, the stereochemistry of addition of bromine and bromine acetate to some phenyl-substituted olefins, 141.
  - nucleophilic, to linear nitrilium ions ( $-C \equiv \dot{N} \dot{N}$ ) leading to single isomers. Isolation of relatively stable isoimides and their rearrangement to imides limited by substrate Z-E isomerisation, 1701.
  - of acids to olefins, kinetics and mechanism of. Part I, addition of acetic acid to cyclic and strained bicyclic olefins catalysed by trifluoromethanesulphonic acid, 1183. Part II, addition of trifluoroacetic acid to (+)-(R)-limonene in weakly polar media, 1374.
  - of hydroxide ions to substituted benzaldehydes, kinetics of, 1594.
  - electrophilic, to acetylenes. Part VI, addition of t-butyl chloride and benzyl chloride to alkynes, 1517.
  - compounds, role of in the halogenation of benzofurans and benzothiophens, 266.
- Additivity of substituent effects in the alkaline hydrolysis of alkyl benzoates, 1921.

- of substituent effects upon proton-fluorine coupling constants in polysubstituted fluorobenzenes, 1307.
- Adduct formation in the presence of nickel complexes; reactions of allene with amines and active methylene compounds, 443.
- Adducts, methyl radical anion: radiation effects on dimethyl sulphoxide, dimethyl sulphone, and their solutions in water and methanol. Unstable intermediates. Part CLXIII, 908.
- Affinities, the relative gas-phase proton, and polarisabilities of alkyl and silyl ethers, 434.
- Aggregation, charge distribution, and conformation in carbocyanine dyes, application of <sup>13</sup>C chemical shifts and relaxation times to the study of. Part I, 542.
- **DL-Alanine**, kinetic study of homogeneous acid-catalysed oxidation of by potassium permanganate in moderately acidic media, 469.
- Alcohols, aliphatic, the photo-oxidation of as monolayers on aqueous solutions of 1,1'-dimethyl-4,4'-bipyridylium (paraquat) dichloride, 1769.
  - various, and aprotic solvents, kinetics of the reactions of cinnamic acid and *meta*-substituted cinnamic acids with diazodiphenylmethane in. The separation of polar and steric effects. Part XIII, 847.
- Aldehydes and ketones, aliphatic, the Paterno-Büchi reaction of with alkenes and dienes: photochemical oxetan formation, 1902.
  - aromatic, <sup>13</sup>C nuclear magnetic resonance studies on. Torsional barriers and conformational equilibria in pyridinecarbaldehydes, 147.
  - or ketones, mechanism of oxidative cleavage by bromine of diazabutadienes (azines) to, 242.
- Aliphatic acids, structure of gaseous C<sub>2</sub>H<sub>4</sub>O<sub>2</sub><sup>+</sup>· ions formed by McLafferty rearrangement from, 1231.
  - alcohols, the photo-oxidation of as monolayers on aqueous solutions of 1,1'-dimethyl-4,4'-bipyridylium (paraquat) dichloride, 1769.
  - aldehydes and ketones, the Paterno-Büchi reaction of with alkenes and dienes: photochemical oxetan formation, 1902.
  - carboxylic acids. Kinetics of oxidation of organic compounds by silver(II) in aqueous perchloric acid solution. Part II, 1841.
  - diazo-compounds, intermediates in the decomposition of
  - Part XII, chemically induced dynamic polarisation of fluorine-19 and proton nuclei in the insertion of diarylmethylenes into benzyl fluoride, 966.
    - kinetic isotope effects and. Part VII, the decomposition of diazomalonate ions, 473.
  - ketones, various protonated, carbon-13 nuclear magnetic resonance spectra of and their  $pK_{BH_+}$  values. Steroid-acid colour reactions. Part I, 959.
- Alkali metals in ethereal solvents, the reactions of triphenylphosphine oxide with. Reactions of radical anions. Part XVII, 1166.
- **Alkaline solution,** kinetics of the hydrolysis of thioacetamide in, 1062.
- Alkaloid, eupolauramine, a novel type of from *Eupomatia* laurina, molecular and crystal structure, 658.
- Alkane (empirical) shielding parameters, and an absolute scale for carbon shielding. The interpretation of carbon nuclear magnetic resonance shifts. Part II, 1671.
- Alkane-1-sulphonic acids, ω-phenyl-, in sulphuric acid, kinetics and mechanism of sulphonation of. Comparison

- Alkane-1-sulphonic acids (contd.)
  - of the side-chain SO<sub>3</sub>H and OSO<sub>3</sub>H substituent effects. Aromatic sulphonation. Part 53, 1780.
- Alkan-1-ols, ω-phenyl-, in sulphuric acid, ionisation, sulphation, sulphonation and alkylation of. Aromatic sulphonation. Part 52, 1776.
- Alkanethiols, reductive dehalogenation of 2-iodobenzothiazole with, 1371.
- Alkenes and dienes, the Paterno-Büchi reaction of aliphatic aldehydes and ketones with: photochemical oxetan formation, 1902.
  - and 2-methylpropene, reaction of with dinitrogen trioxide. Evidence for electrophilic nitrosation, 828.
- Alkoxides, alkali-metal, kinetics of reduction of acetophenones by, and the mechanism of reduction of ketones by borohydride, 1523.
- Alkoxyl radicals generated from alkyl hydroperoxides and titanium(III) ion in aqueous solution, reactions of. Electron spin resonance studies. Part L, 1047.
- Alkyl aryl ether radical cations, the electron spin resonance spectra of, 1823.
- Alkylamines, some substituted tertiary, and some NN-dimethylphenethylamines with potassium hexacyanoferrate(III). Amine oxidation. Part XI, 1172.
- Alkylation, ionisation, sulphation and sulphonation of ω-phenylalkan-1-ols in sulphuric acid. Aromatic sulphonation. Part 52, 1776.
- Alkylbenzenes, secondary, and cycloalkylbenzenes, protiodetritiation of some. A linear free energy relationship for *ortho*-aromatic substitution. Electrophilic aromatic substitution. Part XVII, 559.
- Alkyl benzoates, additivity of substituent effects in the alkaline hydrolysis of, 1921.
  - carbonates. The carbonyl group frequency. Part VI, 1800.
  - chain length, effects of on the thermodynamics of proton ionisation from arsonic and arsinic acids, 125.
  - ethers and silyl ethers, the relative gas-phase proton affinities and polarisabilities of, 434.
  - furan-2-carboxylates, infrared examination of rotational isomerism in: determination of thermodynamic parameters from infrared data, 597.
  - groups, use of the dienone-phenol rearrangement in measuring migratory aptitudes of. Cyclohexadienones, 1349.
  - hydroperoxides and titanium(III) ion in aqueous solution, reactions of alkoxyl radicals generated from. Electron spin resonance studies. Part L, 1047.
- Alkylhydroxylamines and arylhydroxylamines and aquapentacyanoferrate(3—) anions, [Fe<sup>II</sup>(CN)<sub>5</sub>,H<sub>2</sub>O]<sup>3-</sup>, formation of Baudisch complexes [Fe<sup>II</sup>(CN)<sub>5</sub>,RNO]<sup>3-</sup> from, 732.
- **N-Alkylimines**, the mechanism of E-Z isomerisation in. Dynamic stereochemistry of imines and derivatives. Part IX. 1501.
- Alkyl ketones and cyclic ketones, direct carbon-13 nuclear magnetic resonance study of boron trifluoride complexes with, 1205.
  - radicals, primary, preferential formation of: direction of ring-opening of ring-substituted cyclopropyl(stannyloxy)methyl and cyclopropyl(hydroxy)methyl radicals, 1719.
  - substituent chain length, effect of on the ion-pair dissociation equilibria of quaternary ammonium hexachloroantimonate salts in dichloromethane, 329.

- substituents, effect of. Gas-phase reactions with carboxylic acids. Reactions of keten. Part V, 988.
- vinyl ethers, reactions of catalysed by triethyloxonium hexachloroantimonate and its decomposition products, in particular antimony pentachloride, 1292.
- Alkynes, addition of t-butyl chloride and benzyl chloride to. Electrophilic additions to acetylenes. Part VI, 1517
- Alkynoyl cations and benzoyl cations, theoretical study of charge distribution in, 621.
- Allene, reactions of with amines and active methylene compounds: adduct formation in the presence of nickel complexes, 443.
- Allenes, 1,3-diaryl, mechanism of the electrophilic iodination of, 1322.
- Allylic carbonium ions. Part I, acetolysis of 1,1- and 3,3-dimethylallyl 2,4-dinitrophenyl ether, 1157. Part II, solvolysis and cyclisation of some monoterpene 2,4-dinitrophenyl ethers, 1160.
- Allyl radicals and pentadienyl radicals from dienes and trienes with strained ring structures. Electron spin resonance study of radicals in  $\gamma$ -irradiated mono- and poly-cyclic olefins. Part III, 1017.
- Amidines, N-phenyl-, para-substitution in. Substituent effects in tautomerism. Part II, 211.
- Amine, and a long chain carboxylic acid in benzene, ion-pair aggregation in studied by induced circular dichroism, 555.
  - oxidation. Part IX, the electrochemical oxidation of some tertiary amines: the effect of structure on reactivity, 47. Part X, the oxidation of some 4-substituted NN-dimethylbenzylamines and a selection of other amines with 1-chlorobenzotriazole, 741. Part XI, oxidation of some substituted tertiary alkylamines and some NN-dimethylphenethylamines with potassium hexacyanoferrate(III), 1172.
- Amines and active methylene compounds, reactions of allene with; adduct formation in the presence of nickel complexes, 443.
  - aromatic N-nitroso-, substituent effects on denitrosation of. Kinetics and mechanism of the Fischer-Hepp rearrangement and denitrosation. Part VIII, 691.
  - cyclic, conformational analysis of using carbon-13 chemical shift measurements: dependence of conformation upon ionisation state and solvent, 1585.
- in aqueous dioxan, mechanism of the cyanide ion-induced cleavage of benzils by, 1021.
- Amino-acids and peptides relevant to wool structure, proton magnetic resonance spectra of. Part IV, relative residence times of dipeptides and tripeptides of phenylalanine and tyrosine, 91. Part VI, relative residence time of peptides of histidine, tryptophan and valine, 1190.
- α-Amino-acids, application of a Hammett-Taft relation to kinetics of Strecker degradation of with phenalene-1,2,3-trione hydrate, 128.
- Amino-acids, kinetic study of homogeneous acid-catalysed oxidation of by potassium permanganate in moderately concentrated acidic media, 469.
- Aminobenzaldehyde, 4-dimethyl, (Ehrlich's reagent) in acid solution, reaction with. Electrophilic substitution in pyrroles. Part I, 696.
- Amino-substituents, methylamino-, and dimethylaminosubstituents in cyclohexane, the application of low temperature <sup>13</sup>C nuclear magnetic resonance spectroscopy to the determination of the A values of, 895.

- Ammonium hexachloroantimonate salts, quaternary, in dichloromethane, effect of alkyl substituent chain length on the ion-pair dissociation equilibria of, 329.
- Amylose, derivatives of, and starch, effect of inorganic ions upon the binding of iodine by. Influence of cosolutes upon the conformation of carbohydrates in aqueous solutions. Part III, 215.
- Androst-4-ene-3,17-dione, pregn-4-ene-3,20-dione, and androst-4-ene-3,11,17-trione, protonated, carbon-13 nuclear magnetic resonance and ultraviolet spectra of. Steroidacid colour reactions. Part II, 963.
- Anhydride, an intermediate mixed, evidence for rate-determining attack of acetate ions on. Kinetics and mechanism of the acetate catalysed hydrolysis of 4-methoxyphenyl chloroformate and 4-methoxyphenyl fluoroformate in aqueous dioxan, 935.
- Aniline, N-(p-chlorobenzylidene)-p-chloro-, crystal and molecular structure of the stable form of. Molecular conformation and electronic structure. Part III, 429.
  - the reaction of with arenesulphonyl chlorides,  $\sigma_{\rm Het}$  constants for thia- and oxa-substituents from: substituent effects in five-membered rings, 906.
- **Anilines,** N-alkyl, kinetics and mechanisms of cyanogen bromide reactions with. Structure and reactivity of heterosubstituted nitriles. Part XIV, 524.
  - some meta- and para-substituted dimethyl-, kinetics of the oxidation of with lead tetra-acetate, 1803.
  - substituted, in dioxan, acidity of covalent metal halides towards. The validity of  $\Delta H^0$  as a measure of Lewis acid strength. Quantitative aspects of Lewis acidity. Part XVI, 1058.
- Anions, aryl malonate, evidence for a dianion intermediate in the hydrolysis of. The E1cb mechanism for ester hydrolysis, 1762.
  - hydroxamate, micellar catalysis of proton abstraction by. Nucleophilic ion pairs. Part II, 980.
  - organic. Part I, equilibration of 1,3-diarylpropenes, 1683. Part II, spectroscopic studies of 1,3-diarylpropenide, 1688. Part III, charge control versus product stability control in the protonation of 1,3-diarylpropenide ions, 1695.
  - sugar, interactions of cations with. Part II, crystal structure of strontium 4-O-(4-deoxy-β-L-threo-hexenosyl)-α-D-galacturonate-4.5 water, 392.
- Anisole, 3,5-dichloro-, and 3,5-dibromoacetophenone, conformations of determined from <sup>1</sup>H nuclear magnetic resonance spectra of nematic solutions, 805.
- [12]Annulene, 4,10-dibromo-1,7-methano-, crystal and molecular structure, 822.
- Anthracene, a bridged derivative carrying a nitrogen pole, hydrogen-isotope exchange in. Inductive and field effects in aromatic substitution. Part VII, 285.
  - benz[a]-, and pyromellitic dianhydride (benzene-1,2,4,5-tetracarboxylic dianhydride), crystal structure and nuclear magnetic resonance spectra of a 1:1 complex of, 682.
  - 9,10-dihydro-, indane, and tetralin, the kinetics and reactions of with chlorine acetate in aqueous acetic acid. Some observations relating to substituent effects in halogenation. Part VIII, 359.
  - intramolecular fluorescence quenching of by heterocyclic ligands, 1452.
  - studies on the sulphonation of, Part I, sulphonation in neutral or basic solvents, 1554. Part II, sulphonation in acetic acid and related solvents, 1560.

- Antianxiety agent, crystal, molecular, and electronic structure of an: 7-chloro-5-(2-chlorophenyl)-1,3-dihydro-3-hydroxy-1,4-benzodiazepin-2-one, 413.
- Anticholinergic agents, stereochemistry of. Part VIII, crystal and molecular structure of O-benzoyltropine hydrochloride, 1359.
- Antimony pentachloride, reactions of alkyl vinyl ethers catalysed by triethyloxonium antimonate and its decomposition products, in particular, 1292.
- Antioxidants, sulphur-containing phenolic, an e.s.r. investigation of radical reactions of some, 1267.
- Aprotic medium, kinetics and mechanism of the reaction of keten OO-acetals with phosphorus acids in. Nucleophilic reactivity of organophosphorus compounds. Part III, 1613.
  - solvents and various alcohols, kinetics of the reactions of cinnamic acid and *meta*-substituted cinnamic acids with diazodiphenylmethane in. The separation of polar and steric effects. Part XIII, 847.
  - influence of on the O-D stretching band of methan-[2H]ol, 1627.
- Aqueous dissociation of dihydroxycyclopropenone (deltic acid), 930.
- Aqueous solution, conformation of hydroxy-L-proline in.

  Comparison of results from lanthanide ion probe measurements and proton coupling constants, 167
  - kinetics of reaction of p-nitrophenyl methyl carbonate with nucleophiles in, and the relative ease of acetyl and methoxycarbonyl transfer reactions, 679.
    - of substituted pyridines and oxygen anions with methyl chloroformate in, 68.
  - new data on keto-enol equilibria of 3-alkylpentane-2,4-diones in, 257.
  - radicals derived from oxirans in. Electron spin resonance studies. Part IL, 1044.
  - reactions of alkoxyl radicals generated from alkyl hydroperoxides and titanium(III) in. Electron spin resonance studies. Part L, 1047.
  - and acid solutions, hydrolysis in. Hydrolysis of phenylureas. Part II, 362.
  - influence of cosolutes upon the conformation of carbohydrates in. Part III, effect of inorganic ions upon the binding of iodine by starch and derivatives of amylose, 215.
  - of 1,1'-dimethyl-4,4'-bipyridylium (paraquat) dichloride, the photo-oxidation of aliphatic alcohols as monolayers on, 1769.
- Arenes, vapour-phase chemistry of. Part III, vapourphase chlorination of benzene derivatives catalysed by ultraviolet light, 1815.
- Arenesulphonyl chlorides, the reaction of with aniline,  $\sigma_{\rm Het}$  constants for thia- and oxa-substituents from: substituent effects in five-membered rings, 906.
- Aromatic aldehydes, <sup>13</sup>C nuclear magnetic resonance studies on. Torsional barriers and conformational equilibria in pyridinecarbaldehydes, 147.
- Aromatic compounds, fluorinated and trifluoromethylated, <sup>13</sup>C nuclear magnetic resonance studies of some. Studies on <sup>13</sup>C-<sup>19</sup>F coupling constants, 402.
  - kinetics of thermodynamically unfavourable electron transfer reactions between cation radicals and. Kinetics and mechanisms of the reactions of organic cation radicals and dications. Part V, 1567.
  - nitro-, studies on. Part VII, a nuclear magnetic reson-

- Aromatic compounds (contd.)
  - ance study of the reaction of  $[^2H_3]$ methoxide ion with some polynitrodimethylnaphthalenes, 273.
  - polyhalogeno-. Part XXXVI, mass spectra of octa- and hepta-chloronaphthalenes, 73.
    - nucleophilic displacement in. Part I, kinetics of reaction of polychlorofluorobenzene derivatives, 1541. Part II, kinetics of halogen displacement from bromopolyfluoroaromatic compounds, 1545.
  - the  $S_N$  mechanism in. Part XL, activating effects of groups attached to the ring by a sulphur atom, 1320.
  - halogen substitution, the kinetics and mechanism of. Part XXXII, the directive power of the acetoxygroup, 784. Part XXXIII, kinetics and products of chlorination of some aryl acetates, 1389.
  - nitrile oxides, substituent effect on the rate of dimerisation of to 3,6-diaryl-1,4,2,5-dioxadiazines. Behaviour of nitrile oxides towards nucleophiles. Part II, 626.
  - nitro compounds, reversible hydrogen photoabstraction by. A chemically induced nuclear polarisation study, 1072.
  - some kinetic studies of the reaction of with sodium sulphite in water. Stabilities of Meisenheimer complexes. Part XII, 160.
  - N-nitroso-amines, substituent effects on denitrosation of. Kinetics and mechanism of the Fischer-Hepp rearrangement and denitrosation. Part VIII, 691.
  - nucleophilic substitution, kinetic evidence for a methanolysis intermediate in, 1256.
  - reactivity. Part LXI, reactivities and solvent isotope effects in the base cleavage of triorgano-silicon, -germanium, and -tin groups from furan, thiophen, benzofuran, and benzothiophen rings, 925.
  - rings, six-membered, 1,3-dipolar character of. Part XXIX, kinetic rates and equilibria for the addition of  $2\pi$ -electron addends to 3-oxidopyridinium betaines, 1829.
  - substitution, electrophilic. Part XVII, protiodetritiation of some cycloalkyl- and secondary alkyl-benzenes. A linear free energy relationship for *ortho*-aromatic substitution, 559. Part XV, the kinetics, mechanism, and products of nitrodebromination in sulphuric acid, 1089.
    - inductive and field effects in. Part VII, hydrogenisotope exchange in a bridged anthracene derivative carrying a nitrogen pole, 285. Part VIII, kinetics of nitration and bromination of the 'onium salts of dithia- and diaza-cyclophanes, 290. Part IX, assessment of results, 294.
    - theoretical studies of. Part II, gas-phase protonation of benzene and toluene, 1078.
    - homolytic, structural effects on the reactivity of carbon radicals in. Part III, reaction of the 1-adamantyl radical with benzene derivatives, 662.
  - sulphonation. Part 52, ionisation, sulphonation, sulphation, and alkylation of ω-phenylalkan-1-ols in sulphuric acid, 1776. Part 53, kinetics and mechanism of sulphonation of ω-phenylalkane-1-sulphonic acids in sulphuric acid. Comparison of the side-chain SO<sub>2</sub>H and OSO<sub>2</sub>H substituent effects, 1780.
- Arsonic and arsinic acids, effects of alkyl chain length on the thermodynamics of proton ionisation from, 125.
- Aryl alkyl ether radical cations, the electron spin resonance spectra of, 1823.
- Aryl acetates, kinetics and products of chlorination of some.

  The kinetics and mechanisms of aromatic halogen substitution. Part XXXIII, 1389.

- Arylacetones, iodine oxidation of in alkaline methanol, 628. Arylacylnitrosoamines. Part IX, use of benzyne promoters in the conversion of N-nitrosoacetanilide into benzyne, 583. Part X, an electron spin resonance spectroscopic investigation of the reactions of aryl radicals with tetraphenylcyclopentadienone and 2,3-diarylindenones: detection of 1-oxo-2,2,3-triphenylindenyl and related radicals and their relevance to dienone-promoted formation of benzyne from benzenediazonium acetate, 588.
- Aryl ethyl acetals, cleavage of carbon-oxygen single bonds in the reaction of with ethylmagnesium bromide in diethyl ether. A kinetic study, 1001.
- **Arylhydroxyla**mines and alkylhydroxylamines and aquapentacyanoferrate(3—) anions, [Fe<sup>II</sup>(CN)<sub>5</sub>, H<sub>2</sub>O]<sup>3-</sup>, formation of Baudisch complexes [Fe<sup>II</sup>(CN)<sub>5</sub>, RNO]<sup>3-</sup> from, 732.
- Aryliminoindoline series, acid-catalysed rearrangements in. Part I, crystal and molecular structures of 1-ethyl-2-(1-ethyl-2-phenylindol-3-yl)-2-phenyl-3-phenyliminoindoline and 1-ethyl-3-(1-ethyl-2-phenylindol-3-yl)-3-phenyliminoindoline, 309. Part II, crystal and molecular structure of 2-anilino-3-(1-methyl-2-phenylindol-3-yl)-3-phenyl-3H-indole monohydrate, 317.
- Aryl malonate anions, evidence for a dianion intermediate in the hydrolysis of. The E1cb mechanism for ester hydrolysis, 1762.
- Aryl phosphoramidates and their cyclic analogues, alkaline hydrolysis of, 888.
- Aryl radicals, an electron spin resonance spectroscopic investigation of the reactions of with tetraphenylcyclopentadienone and 2,3-diarylindenones: detection of 1-oxo-2,2,3-triphenylindenyl and related radicals and their relevance to dienone-promoted formation of benzyne from benzenediazonium acetate. Acylarylintrosamines. Part X, 588.
- Assignment, revised, of the electron spin resonance spectrum obtained during photolysis of N-(diphenylmethylene)-methylthiomethylamine N-oxide. The bis(methylthiomethyl) nitroxide radical, 1659.
- Assumptions, extrathermodynamic, the redundance of: enthalpies of transfer involving ionic transition states, 1521
- Attack, rate-determining, of acetate ions on an intermediate mixed anhydride, evidence for. Kinetics and mechanism of the acetate catalysed hydrolysis of 4-methoxyphenyl chloroformate and 4-methoxyphenyl fluoroformate in aqueous dioxan, 935.
- Azetidin-3-ols, 1,3-diaryl, and related compounds, mass spectra of, 1514.
- **Azines** (diazabutadienes), mechanism of oxidative cleavage by bromine of to aldehydes or ketones, 242.
- Aziridine, cyclopropane, oxiran, thiiran, and 1,1-dichlorocyclopropane, semiempirical calculations of the molecular conformation of phenyl derivatives of. Three-membered rings. Part I. 374.
- Azoalkanes, αα'-disubstituted, photochemistry of. Part II, photolytic dechlorination, decomposition, and oxidation of αα'-dichloro- and αα'-diacyloxy-azoalkanes, 1249.
- Azomethines, nuclear magnetic resonance spectra of. Part I, benzylideneanilines, 133.

 $\mathbf{B}$ 

Banfield and Kenyon nitroxide, further spectroscopic investigation of. Nitroxide radicals. Part XVIII, 76.

Barbiturates, oxy-, inductive effect in the relative fluorescence quantum yields of, 844.

- Barbituric acid, kinetics and mechanism of the base catalysed hydrolysis of, 1009.
- Barium methacrylate, anhydrous, crystal structure of, 302
- Barriers to rotation around the carbon-nitrogen bond in imine N-oxides (nitrones). Dynamic stereochemistry of imines and derivatives. Part VIII, 610.
  - torsional, and conformational equilibria in pyridinecarbaldehydes. <sup>13</sup>C Nuclear magnetic resonance studies on aromatic aldehydes, 147.
    - and rotational isomers of pyridinecarbaldehydes. Conformational studies by dynamic nuclear magnetic resonance. Part IV, 1791.
- Base addition and electron transfer in unsaturated systems; competition between: the case of 3-methoxytropone, 180.
  - cleavage of triorgano-silicon, -germanium, and -tin groups from furan, thiophen, benzofuran, and benzothiophen rings, reactivities and solvent isotope effects in. Aromatic reactivity. Part LXI, 925.
  - various, in alcoholic solvents, the isotope effect maximum in the dehydrochlorination of 2,2,2-trichloro-1,1-bis-(p-chlorophenyl)ethane by. The carbanion mechanism of olefin-forming elimination. Part VII, 932.
- π-Basicity and additional strain energy terms as controlling factors. Iodine-induced cycloisomerisation of methylethyland isopropyl-[2,2]metacyclophanes. Mediumsized cyclophanes. Part XVIII, 1195.
- Basicity and nucleophilic reactivity of carbonyl-stabilised sulphimides, 1869.
  - ground and excited state, relevance of, and effect of heavy atom quenchers: photorearrangement of quinoline 1-oxides, 456.
  - of substituted pyridines and quinolines towards metal halides in diethyl ether. Quantitative aspects of Lewis acidity. Part XV, 89.
- Baudisch complexes [Fe<sup>II</sup>(CN)<sub>5</sub>,RNO]<sup>3-</sup>, formation of from alkyl- and aryl-hydroxylamines and aquapentacyanoferrate(3—) anions, [Fe<sup>II</sup>(CN)<sub>5</sub>,H<sub>2</sub>O]<sup>3-</sup>, 732.
- Behaviour, comparative, of σ-complexes in phenylation of 4methylpyridine by benzoyl peroxide in refluxing benzene, 497.
- Benzaldehyde, 2-hydroxy-, kinetics of base-catalysed condensation of 5-methylfuran-2(3H)-one with, 1773.
  - substituted, kinetics of the addition of hydroxide ions to, 1594.
    - rotamers arising from restricted motion in. Conformational studies by dynamic nuclear magnetic resonance. Part III, 1121.
- Benzamide oxime, N-phenyl-2,6-dichloro-, crystal and molecular structure. Stereochemistry of hydroximic acid derivatives, 1036.
- Benzanilide, N-methyl-4'-methoxy-, in acetonitrile, anodic oxidation and pyridination of. Anodic oxidation of carboxamides. Part II, 1180.
- Benzene and toluene, gas-phase protonation of. Theoretical studies of aromatic substitution. Part II, 1078.
  - 5,5'-dichloro-2-hydroxy-2'-(phenylsulphonyl)azoxy-, crystal and molecular structure. Sulphone structures. Part III, 802.
  - hexamethyl-, and 1,3,5-trinitrobenzene, bi- and termolecular electron donor-acceptor complex formation between, and also between NNN'N'-tetra-

- methyl-p-phenylenediamine and 1,3,5-trinitrobenzene in solution, 1590.
- ion-pair aggregation of a long-chain carboxylic acid and and an amine in, studied by induced circular dichroism, 555.
- polychlorofluoro-, derivatives, kinetics of reaction of. Nucleophilic displacement in polyhalogenoaromatic compounds. Part I, 1541.
- refluxing, comparative behaviour of σ-complexes in phenylation of 4-methylpyridine by benzoyl peroxide in, 497.
- 2,4,6-trinitro, 1-(2-mercaptoethylthio)- and 1-(2-hydroxy-ethylthio)- in water, kinetic and equilibrium data for spiro-complex formation from. The stabilities of Meisenheimer complexes. Part XIII, 901.
- derivatives, reaction of the 1-adamantyl radical with. Structural effects on the reactivity of carbon radicals in homolytic aromatic substitutions. Part III, 662.
  - vapour-phase chlorination of catalysed by ultraviolet light. Vapour-phase chemistry of arenes. Part III, 1815.
- -nitromethane, a mechanistic study of mercury(II) cyanide-promoted reactions of 2,3,4,6-tetra-O-methyl-α-D-glucopyranosyl bromide with cyclohexanol in. Koenigs-Knorr reactions. Part II, 1632.
- asymmetrically trisubstituted, indirect <sup>13</sup>C-<sup>1</sup>H coupling in: a carbon-13 nuclear magnetic resonance study, 977.
- 1-fluoro- and 1-chloro-2,4-dinitro-, in acetonitrile, the kinetics of the reactions of piperidine, n-butylamine, morpholine, and benzylamine with, 1396.
- some cycloalkyl- and secondary alkyl-, protiodetritiation of. A linear free energy relationship for *ortho*-aromatic substitution. Electrophilic aromatic substitution. Part XVII, 559.
- Benzenediazonium acetate, dienone-promoted formation of benzyne from, detection of 1-oxo-2,2,3-triphenylindenyl and related radicals and their relevance to: an electron spin resonance spectroscopic investigation of the reactions of aryl radicals with tetraphenylcyclopentadienones and 2,3-diaryldienones. Acylarylnitrosamines. Part X, 588.
- Benzene-1,2,4,5-tetracarboxylic dianhydride (pyromellitic dianhydride) and benz[a]anthracene, crystal structure and nuclear magnetic resonance spectra of a 1:1 complex of, 682.
- Benzene *cis*-trioxide (3,6,9-trioxatetracyclo[6.1.0.0<sup>2,4</sup>.0<sup>5,7</sup>]-nonane, thermal isomerization of, 36.
- Benzenium, 1-halogenocyclopropa-, cations and their 1,1-dihalogeno-precursors, carbon-13 nuclear magnetic resonance spectra of. Cyclopropa-arenium cations. Part II, 958.
- Benzils, mechanism of the cyanide-ion-induced cleavage of by amines in aqueous dioxan, 1021.
- Benzoate esters and naphthoate esters, substituted, electron transfer in the photochemistry of, 1475.
- Benzoates, alkyl, additivity of substituent effects in the alkaline hydrolysis of, 1921.
- 1,4-Benzodiazepin-2-one, 7-chloro-5-(2-chlorophenyl)-1,3-dihydro-3-hydroxy-, crystal, molecular and electronic structure of an antianxiety agent, 413.
- Benzofuran, benzothiophen, furan, and thiophen rings, reactivities and solvent isotope effects in the base cleavage of triorgano-silicon, -germanium, and -tin groups from. Aromatic reactivity. Part LXI, 925.
  - protonations, the role of intermediate complexes in, 1789. and benzothiophens, role of addition compounds in the halogenation of, 266.

- Benzoic acids, o-(N-phenylcarbamoyl)-, (phthalanilic acids), 3'- and 4'-substituted, hydrolysis of. Intramolecular catalysis. Part III, 642.
  - anhydrides in various dioxan-water mixtures, kinetics of the hydrochloric acid-catalysed hydrolyses of, 993.
- Benzophenone and duroquinone, triplet, photodecarboxylation of carboxylic acids sensitised by. A flash photolysis electron spin resonance and chemically induced dynamic nuclear polarisation nuclear magnetic resonance investigation, 915.
- Benzothiazole, protonated, absolute rate constant for the acylation of by pivaloyl radical. Nucleophilic character of acyl radicals, 1835.
- Benzothiophen, benzofuran, thiophen, and furan rings, reactivities and solvent isotope effects in the base cleavage of triorgano-silicon, -germanium, and -tin groups from. Aromatic reactivity. Part LXI, 925.
  - and benzofurans, role of addition compounds in the halogenation of, 266.
- Benzotriazole, 1-chloro-, the oxidation of some 4-substituted NN-dimethylbenzylamines and a selection of other amines with. Amine oxidation. Part X, 741.
- Benzoyl cations and alkynoyl cations, theoretical study of charge distribution in, 621.
  - chloride p-phenoxybenzoyl, and p-methoxybenzoyl chlorides, comparison of methanolysis of a series of p-benzyloxybenzoyl chlorides with that of, 1648.
  - **peroxide** in refluxing benzene, comparative behaviour of σ-complexes in phenylation of 4-methylpyridine by, 497.
- Benzylamine, piperidine, n-butylamine, and morpholine, the kinetics of the reactions of with 1-fluoro- and 1-chloro-2,4-dinitrobenzenes in acetonitrile, 1396.
  - some 4-substituted NN-dimethyl-, and a selection of other amines, the oxidation of with 1-chlorobenzotriazole. Amine oxidation. Part X, 741.
- Benzyl chloride and t-butyl chloride, addition of to alkynes. Electrophilic additions to acetylenes. Part VI, 1517.
  - fluoride, chemically induced dynamic polarisation of fluorine-19 and proton nuclei in the insertion of diarylmethylenes into. Intermediates in the decomposition of aliphatic diazo-compounds. Part XII, 966.
- Benzylideneanilines. Nuclear magnetic resonance spectra of azomethines. Part I, 133.
- Benzylidenemalononitriles,  $^{1}H$  and  $^{13}C$  nuclear magnetic resonance spectra of: a method for the determination of  $\sigma^{+}$  substituent constants, 729.
- Benzyl sulphones and cyanomethyl sulphones, infrared and <sup>1</sup>H nuclear magnetic resonance spectra of some: intramolecular hydrogen bonds involving polar carbon-hydrogen bonds, 1130.
- Benzyne, dienone-promoted formation of from benzenediazonium acetate, detection of 1-oxo-2,2,3-triphenylindenyl and related radicals and their relevance to: an electron spin resonance spectroscopic investigation of the reactions of aryl radicals with tetraphenylcyclopentadienone and 2,3-dienones. Acylarylnitrosamines. Part X, 588.
  - use of benzyne promoters in the conversion of N-nitrosoacetanilide into. Acylarylnitrosamines. Part IX, 583
- Betaines, 3-oxidopyridinium, kinetic rates and equilibria for the addition of  $2\pi$ -addends to. 1,3-Dipolar character of six-membered aromatic rings. Part XXIX, 1829.
- Biacetyl, triplet-triplet energy transfer to. Photochemical

- and photophysical behaviour of benzoylpyridines. Part I, 869.
- Bianthrone analogues, structure of the short wavelength photoisomers of, 1536.
- Bicyclo[4.1.0]heptane- $7\alpha$ -carboxylate, methyl  $2\alpha$ ,  $3\alpha$ ;  $4\alpha$ ,  $5\alpha$ -diepoxy-cis-[1αH,  $2\alpha$ H]-, and methyl 2,5-dihydroxy-bicyclo[4.1.0]heptane-7-carboxylate, crystal and molecular structures of, 532.
- cis-Bicyclo[4.4.0]decane-1,6-diol, perfluoro-, crystal and molecular structure: geometry of the fluorinated cisdecalin system, 383.
- Bicyclo[8.8.8]hexacosane, 4,7,13,16,21-24-hexaoxa-1,10-diaza-, and its bisborohydride,  $C_{18}H_{36}N_2O_6.2BH_3$ , structrue of. Polyoxamacrobicyclic diamines, 423.
- Bifunctional catalysts, potential, steric and electronic effects on self-association of:  $\Delta^4$ -thiazoline-2-thiones, 565.
- **Bi-indane,** (-)-7,7'-dibromo-3,3,3',3',5,5'-hexamethyl-1,1'-spiro-6,6'-diol and  $(\pm)$ -3,3,3',3',5,5'-hexamethyl-1,1'-spiro-, crystal and molecular structure of, 1447.
- Biliverdin dimethyl ester, crystal and molecular structure of, 1457.
- 1,1'-Binaphthyl, optically active nine-membered rings incorporating the 8- and 8'-positions of, 793.
- Binding of iodine by starch and derivatives of amylose, effect of inorganic ions upon. Influence of cosolutes upon the conformation of carbohydrates in aqueous solutions. Part III, 215.
  - sites, lipophilic, for specific and non-specific substrates of α-chymotrypsin: proteolytic enzymes, 686.
- Biphenyl-2-ol, equilibrium study of by infrared spectroscopy, 1663.
- Biphenyls, singly bridged, and *peri*-bridged naphthalenes, an electron spin resonance study of ring inversion in the radical anions of, 173.
  - some 4'-substituted 4-( $\beta$ -p-substituted arylethyl)-, properties of the liquid crystals formed by, 863.
- Bipyridyl radical cations, study of. Part III, reaction of paraquat radical cation with oxygen and with chromic ions in methanol, 859.
- 4,4'-Bipyridylium dichloride, 1,1'-dimethyl-, the photooxidation of aliphatic alcohols as monolayers on aqueous solutions of, 1769.
- 3,3'-Bithienyl, conformational study on the rotamers of. Nematic phase nuclear magnetic resonance investigations of rotational isomerism. Part IV, 1769.
- **Bond,** carbon-nitrogen, barriers to rotation around in imine N-oxides (nitrones). Dynamic stereochemistry of imines and derivatives. Part VIII, 610.
  - dissociation energies, related, and enthalpy of formation of phenyl formate, 1032.
  - double, transmission of substituent effects through.

    Nuclear quadrupole resonance and stereochemistry.

    Part VI, 1867.
  - carbon-oxygen single, cleavage of in the reaction of aryl ethyl acetals with ethylmagnesium bromide in diethyl ether. A kinetic study, 1001.
  - carbon-silicon, evidence for formation of carbanions in cleavage of by methanolic sodium methoxide. Some large kinetic isotope effects for reactions of carbanions with methanol, 1857.
  - double, the gas-phase pyrolysis of some acids containing two. Studies in decarboxylation. Part IX, 704.
  - polar carbon-hydrogen, intramolecular hydrogen bonds involving: infrared and <sup>1</sup>H nuclear magnetic resonance spectra of some cyanomethyl and benzyl sulphones, 1130.

Borohydride, the mechanism of reduction of ketones by, and kinetics of reduction of acetophenones by alkalimetal alkoxides, 1523.

Boron trifluoride complexes with alkyl and cyclic ketones, direct carbon-13 nuclear magnetic resonance study of, 1205

Bromide ions and chloride ions, the different behaviour of. Racemisation of sulphoxides with halide ions anchimerically assisted by a carboxy-group, 1288.

Bromination and nitration of the 'onium salts of dithia- and diaza-cyclophanes, kinetics of. Inductive and field effects in aromatic substitution. Part VIII, 290.

a regio- and stereo-selective free radical of steroidal  $\alpha\beta$ - unsaturated ketones, 247.

liquid-phase, of bromobutane: variation of the ratio of 1.2- to 1,3-dibromobutanes produced, 521.

Bromine and bromine acetate, the stereochemistry of addition of to some phenyl-substituted olefins. Mechanisms of addition. Part II, 141.

mechanism of oxidative cleavage by of diazabutadienes (azines) to aldehydes or ketones, 242.

Brönsted exponents in the proton abstraction from derivatives of ethyl  $\alpha$ -benzylacetoacetate, 3-benzylpentane-2,4-dione, and benzylmalononitrile, 1367.

Buta-1,3-diene and 2-methylbuta-1,3-diene (isoprene), a spectroscopic and thermodynamic study of. Conformations of conjugated hydrocarbons. Part I, 1666.

Butane, bromo-, liquid-phase bromination of: variation of the ratio of 1,2- to 1,3-dibromobutanes produced, 521.

1,3-dione, 1-(4-nitrophenyl), crystal structure of the enol form of, 513.

monohalogeno-, with methyl substituents, conformational equilibria and barriers to rotation in. Methyl-halogen interactions. The size of a halogen atom, 336.

But-1-en-3-ynes, 1,4-diaryl-, photocyclisations of. Part II, mechanism of the reaction, 1111. Part III, scope and limitations of the reaction, 1115.

**Butenynes**, 1,4-diaryl, synthesis and spectroscopic properties, 1104.

n-Butylamine, piperidine, morpholine, and benzylamine, the kinetics of the reactions of with 1-fluoro- and 1-chloro-2,4-dinitrobenzenes in acetonitrile, 1396.

t-Butyl N-arylcarbamates, pyrolysis of in the gas phase, and correlation of the elimination rates with those obtained in solution, 799.

2-t-Butylbut-1-ene, 3,3-dimethyl-1,1-diphenyl-, at -155 °C: crystal structure of a very hindered olefin, 1831.

t-Butyl chloride and benzyl chloride, addition of to alkynes. Electrophilic additions to acetylenes. Part VI, 1517.

4-t-Butyl substituents and other 4-substituents, effect of on rate constants for reactions of 1,1-disubstituted cyclohexanes and piperidines. 4-t-Butyl derivatives as valid reactivity models in the kinetic method of conformational analysis of cyclohexane, 838.

t-Butyl sulphoxide, (αS,SS/αR,SR)-1-(p-bromophenyl)ethyl t-butyl sulphoxide and conformational analysis of diastereoisomeric pairs of 1-phenylethyl t-butyl sulphoxides, 1490.

But-2-ynoic acid, 4-amino-, (4-aminotetrolic acid), crystal and molecular structure, 32.

Calculations, ab initio Gaussian, on the CH<sub>3</sub> and CH<sub>2</sub>F cations, 1193.

quantum chemical, and chlorine-35 nuclear quadrupole resonance frequencies: chlorinated pyridine compounds, 1821.

semiempirical molecular orbital, preferred molecular conformations of benzoyl(diazo)phenylmethane and 1-benzoyl-1-diazoethane by, 538.

of the molecular conformation of compounds of the type PhCH·X·CH<sub>2</sub> (X = CH<sub>2</sub>, O, S, NH<sub>2</sub> or CCl<sub>2</sub>). Three-membered rings. Part I, 374.

(+)-Camphor, 3-bromo- and 3-nitro-, kinetics and isotope effects in proton transfers from, 1606.

Camphor, carvomenthone, and menthone, the cathodic reduction of. Electro-organic reactions. Part VII, 884.
 4-substituted, N-nitrocamphorimines, and diazocamphors, carbon-13 chemical shifts and substituent effects in, 1579.

Carbamates, t-butyl N-aryl-, pyrolysis of in the gas phase, and correlation of the elimination rates with those obtained in solution, 799.

Carbanion, the 1,3-diphenylallyl, relative reactivities of ionpairs of towards fluorene, 1636.

mechanism of olefin-forming elimination. Part VII, the isotope effect maximum in the dehydrochlorination of 2,2,2-trichloro-1,1-bis-(p-chlorophenyl)ethane by various bases in alcoholic solution, 932.

evidence for formation of in cleavage of carbon-silicon bonds by methanolic sodium methoxide. Some large kinetic isotope effects for reactions of carbanions with methanol, 1857.

Carbenium ions, prediction of the unimolecular chemistry of some saturated. The concept of a hierarchy of unimolecular reactions in a homologous series, 1479.

Carbocyanine dyes, application of <sup>13</sup>C chemical shifts and relaxation times to the study of charge distribution, aggregation, and conformation in. Part I, 542.

Carbohydrates in aqueous solution, influence of cosolutes upon the conformation of. Part III, effect of inorganic ions upon the binding of iodine by starch and derivatives of amylose, 215.

Carbonate pyrolysis. Part IV, the stereochemistry of elimination; a <sup>13</sup>C nuclear magnetic resonance study, 701.

Carbon, substitution at saturated. Part XX, the effect of 39 solvents on the free energy of  $Et_3N$ , EtI, and the  $Et_3N-EtI$  transition state. Comparison with solvent effects on the equilibria  $Et_3N+EtI \longrightarrow Et_4N^{\dagger}$  and  $Et_3N+EtI \longrightarrow Et_4N^{\dagger}$ , 1735.

 $\beta\text{-Carbon atom,}$  effects of substituents at. The mechanism of the gas-phase pyrolysis of esters. Part IV, 280.

Carbon shielding, an absolute scale for, and the alkane (empirical) shielding parameters. The interpretation of carbon nuclear magnetic resonance shifts. Part II, 1671.

Carbonates, alkyl. The carbonyl group frequency. Part VI, 1800.

Carbonium ion intermediates, nuclear magnetic resonance investigations of. Part IV, study of the intermediates involved in the reaction between carboxamides and Lewis acids (extended Vilsmeier reaction) by <sup>1</sup>H and <sup>13</sup>C nuclear magnetic resonance spectroscopy, 182.

allylic. Part I, acetolysis of 1,1- and 3,3-dimethylallyl 2,4-dinitrophenyl ether, 1157. Part II, solvolysis and

C

- Carbonium ion (contd.)
  - cyclisation of some monoterpene 2,4-dinitrophenyl ethers, 1160.
  - classical. Part VIII, deamination of cis- and trans-4-t-butylcyclohexylamines, 1462.
- Carbon tetrachloride, hydration of acetaldehyde catalysed by micellar Triton X-100 in, 1497.
  - -nitrogen bond, barriers to rotation around in imine Noxides (nitrones). Dynamic stereochemistry of imines and derivatives. Part VIII, 610.
- radicals in homolytic aromatic substitutions, structural effects on the reactivity of. Part III, reaction of the 1-adamantyl radical with benzene derivatives, 662.
- Carbonylation of organomagnesium compounds: catalysis by hexamethylphosphoric triamide, 1895.
- Carbonyl group frequency. Part VI, alkyl carbonates, 1800. influence of configuration on the transmission of the inductive effect to: (Z) and (E)-3-alkylidene-1,3-dihydroindol-2-ones, 150.
- Carboxamides, anodic oxidation of. Part II, anodic oxidation of pyridination of N-methyl-4'-methoxybenz-anilide in acetonitrile, 1180.
  - and Lewis acids, study of the intermediates involved in the reaction between (extended Vilsmeier reaction) by <sup>1</sup>H and <sup>13</sup>C nuclear magnetic resonance spectroscopy. Nuclear magnetic resonance investigations of carbonium ion intermediates. Part IV, 182.
- Carboxy-group, racemisation of sulphoxides with halide ions anchimerically assisted by. The different behaviour of chloride and bromide ions, 1288.
- Carboxylic acid, a long-chain, and an amine in benzene, ion-pair aggregation of studied by induced circular dichroism, 555.
  - aliphatic. Kinetics of oxidation of organic compounds by silver(II) in aqueous perchloric acid solution. Part II. 1841.
  - gas-phase reactions with. Effect of alkyl substituents. Reactions of keten. Part V, 988.
  - photodecarboxylation of sensitised by triplet benzophenone and duroquinone. A flash photolysis electron spin resonance and chemically induced dynamic nuclear polarisation nuclear magnetic resonance investigation, 915
- Carolenalone, a cycloheptenone sesquiterpene lactone from North Carolina *Helenium autumnale* L, crystal and molecular structure, 322.
- Carvomenthone, menthone, and camphor, the cathodic reduction of. Electro-organic reactions. Part VII, 884.
- Catalysis by hexamethylphosphoric triamide: carbonylation of organomagnesium compounds, 1895.
  - general base, versus nucleophilic catalysis in phosphyl  $(P^V)$  group transfer: application to  $\alpha$ -chymotrypsin action, 515.
  - inter- and intra-molecular, in the enolization of derivatives of 2'-carboxyacetophenone, 39.
  - intramolecular. Part II, hydrolysis of diphenylmethyl hydrogen phthalate: neighbouring group participation and alkyl-oxygen fission, 639. Part III, hydrolysis of 3'- and 4'-substituted phthalanilic acids [o-(N-phenylcarbamoyl)benzoic acids], 642.
    - and enzymic, structure and efficiency in: intramolecular general base catalysis. Hydrolysis of monoaryl malonates, 1753.
    - general base, in the hydrolysis of 3-dimethylaminopropionates, 1748.

- in the detritiation of 2',6'-dihydroxyacetophenone and 2'-hydroxyacetophenone, 45.
- micellar, of proton abstraction by hydroxamate anions. Nucleophilic ion pairs. Part II, 980.
- of ester hydrolysis by cationic micelles of surfactants containing the imidazole ring, 771.
- polyelectrolyte, of the alkaline hydrolysis of neutral and anionic esters, 1074.
- Catalysts, metal, reactions over. Part I, the stereochemistry of hydrogenolysis of 3-acetoxynortricyclene, 595. Part II, hydrogenolysis of 3,3-dimethylnortricyclene and nortricyclene-3-spirocyclopropane, 1412.
  - potentially bifunctional, steric and electronic effects on self-association of:  $\Delta^4$ -thiazoline-2-thiones, 565.
- Catecholamines, kinetics and mechanism of oxidation pathways of some with periodic acid, 1651.
- Cathodic reduction of carvomenthone, menthone, and camphor. Electro-organic reactions. Part VII, 884.
  - stereoselective, of unhindered cyclic ketones. Electroorganic reactions. Part VI, 879.
- Cation, a conformation-locked 1,2-diarylnorbornyl: phenanthronorbornyl cation. Part II, <sup>13</sup>C nuclear magnetic resonance spectroscopy, 1334.
  - the thujan-3-yl, rearrangements of, 1345.
  - exchange, intramolecular, in ion pairs. Part II, isomeric radical ion pairs of dithiolactones, 946.
- Cationic micelles of surfactants containing the imidazole ring, catalysis of ester hydrolysis by, 771.
  - salt, a cyclo-octane molecular, the suggested role of partial dislocations in the single crystal single crystal phase transition of, 836.
- Cation radicals and dications, organic, kinetics and mechanism of the reactions of. Part V, kinetics of thermodynamically unfavourable electron transfer reactions between cation radicals and aromatic compounds, 1567.
  - 10-arylphenoxazine and 10-arylphenothiazine, substituent effects on the distribution of the spin density in. Heterocyclic free radicals. Part VI, 114.
- Cations and radicals, anodically generated cyclohexyl, stereochemistry of reaction of; mechanism of the Kolbe reaction. Part IX, 1709.
  - alkyl aryl ether radical, the electron spin resonance spectra of, 1823.
  - interactions of with sugar anions. Part II, crystal structure of strontium 4-O-(4-deoxy-β-L-threo-hex-4-enosyl α-D-galacturonate-4.5water, 392.
  - the CH<sub>3</sub> and CH<sub>2</sub>F, ab initio Gaussian calculations on, 1193.
- Chain length, alkyl substituent, effect of on the ion-pair dissociation equilibria of quaternary ammonium hexachloroantimonate salts in dichloromethane, 329.
- Charge control versus product stability control in the protonation of 1,3-diarylpropenide ions. Organic anions. Part III, 1695.
  - distribution, aggregation, and conformation in carbocyanine dyes, application of <sup>13</sup>C chemical shifts and relaxation times to the study of. Part I, 542.
  - distribution in the benzoyl and alkynyl cations, theoretical study of, 621.
- Chemical calculations, quantum, and chlorine-35 nuclear quadrupole resonance frequencies: chlorinated pyridine compounds, 1821.
  - shifts, <sup>13</sup>C, and relaxation times, application of to the study of charge distribution, aggregation, and conformation in carbocyanine dyes. Part I, 542.

- Chemical calculations, shifts, (contd.)
  - carbon-13, and substituent effects, in 4-substituted camphors, N-nitrocamphorimines and diazocamphors, 1579.
  - the nitrogen-15, medium effects on of small peptides. Natural abundance nitrogen-15 nuclear magnetic resonance spectroscopy, 1527.
- Chemistry, vapour-phase, of arenes. Part III, vapour-phase chlorination of benzene derivatives catalysed by ultraviolet light, 1815.
- Chiral oxaziridines, thermal epimerisation of. Dynamic stereochemistry of imines and derivatives. Part VII, 606. Chiroptical properties of cyclo-L-cystine, 1818.
  - of lactones. Part III, electronic rotatory strengths of the  $n \longrightarrow \pi^*$  transition in  $\alpha\beta$ -unsaturated  $\gamma$ -lactone systems, 1674.
- Chloride ions and bromide ions, the different behaviour of. Racemisation of sulphoxides with halides anchimerically assisted by a carboxy-group, 1288.
- Chlorination of some aryl acetates, kinetics and products of.

  The kinetics and mechanisms of aromatic halogen substitution. Part XXXIII, 1389.
  - vapour phase, of benzene derivatives catalysed by ultraviolet light. Vapour-phase chemistry of arenes. Part III, 1815.
- Chlorine acetate in aqueous acetic acid and acetic acidperchloric acid, the kinetics and reactions of toluene and o- and p-xylene with. Some observations relating to substituent effects in halogenation. Part VII, 357.
  - the kinetics and reactions of indane, 9,10-dihydroanthracene, and tetralin with. Some observations relating to substituent effects in halogenation. Part VIII, 359.
- Chloroformate, 4-methoxyphenyl, and 4-methoxyphenyl fluoroformate, kinetics and mechanism of the acetate catalysed hydrolysis of in aqueous dioxan. Evidence for rate-determining attack of acetate ions on an intermediate mixed anhydride, 935.
- Chlorpromazine [2-chloro-N-(3-dimethylaminopropyl)-phenothiazine] in propan-2-ol solution, photochemistry of. 25.
- Cholesteric phase and nematic phase, terminal groups in: a thermodynamic study, 713.
- Cholesteryl myristate: structures of the crystalline solid and mesophases, 814.
- Chromic ions, reaction of paraquat radical cation with and with oxygen in methanol. Study of bipyridyl radical cations. Part III, 859.
- Chromium(VI) oxide, kinetics of oxidation of β-substituted cyclopentanols by. Steric effects in five-membered rings. Part VI, 943.
- α-Chymotrypsin, lipophilic binding sites for specific and non-specific substrates of: proteolytic enzymes, 686.
  - action, application to: nucleophilic versus general base catalysis in phosphyl  $(P^{V})$  group transfer, 515.
- trans-Cinnamamides photodimerisation in mixed crystals of, and of trans-stilbenes. Topochemistry. Part XXXIIIV, 1731.
- Cinnamic acid and *meta*-substituted cinnamic acids, kinetics of the reactions of with diazodiphenylmethane in various alcohols and in aprotic solvents. The separation of polar and steric effects. Part XIII, 847.
- Cinnamoyl-acetyl diacylamine: tetra-acetylcaffeoylputrescine. Nuclear magnetic resonance studies of acetyl groups, 616.

Cleavage by electrophiles, mechanism of, and mechanism of formation from  $\beta$ -styryl halides:  $\beta$ -styrylcobaloximes, 1261.

- cyanide ion-induced, of benzils by amines in aqueous dioxan, mechanism of, 1021.
- of carbon-oxygen single bonds in the reaction of aryl ethyl acetals with ethylmagnesium bromide in diethyl ether. A kinetic study, 1001.
  - -silicon bonds by methanolic sodium methoxide, evidence for formation of carbanions in. Some large kinetic isotope effects for reactions of carbanions with methanol, 1857.
- oxidative, by bromine of diazabutadienes (azines) to aldehydes and ketones, mechanism of, 242.
- Clozapine, loxapine, and HUF-2046 monohydrate {8-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4]diazepine, 2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,f][1,4]oxazepine, and 2-chloro-11-(4-methylpiperazin-1-yl)dibenzo-[b,e][1,4]diazepine monohydrate}, crystal structures of. Conformations of some semi-rigid neuroleptic drugs. Part I, 1415.
- Cobaloximes, β-styryl: mechanism of formation from β-styryl halides and mechanism of cleavage by electrophiles, 1261.
- Cobalt(III) acetate, oxidation of cyclic hydrocarbons by, 1285. Colour reactions, steroid-acid. Part I, carbon-13 nuclear magnetic resonance spectra of various protonated aliphatic ketones and their  $pK_{BH^+}$  values, 959. Part II, carbon-13 nuclear magnetic resonance and ultraviolet spectra of protonated androst-4-ene-3,17-dione, pregn-4-ene-3,20-dione, and androst-4-ene-3,11,18-trione, 963.
- Complex, bi- and ter-molecular electron donor-acceptor, formation between hexamethylbenzene and 1,3,5-trinitrobenzene, and also between NNN'N'-tetramethyl-p-phenylenediamine and 1,3,5-trinitrobenzene in solution, 1590.
- σ-Complexes, comparative behaviour of in phenylation of 4-methylpyridine by benzoyl peroxide in refluxing benzene. 497.
- Complexes, intermediate, the role of in benzofuran protonations, 1789.
- Compound, a clathrate inclusion, of hydroquinone and hydrogen sulphide, crystal structure of, 1169.
  - a novel 'double-barrelled' solvatochromic, synthesis and properties of. Linear free energy relationships. Part VII, 1575.
  - aromatic, the  $S_N$  mechanism in. Part XL, activating effects of groups attached to the ring by a sulphur atom, 1320.
- Condensation, base-catalysed, of 5-methylfuran-2(3H)-one with 2-hydroxybenzaldehyde, kinetics of, 1773.
- Configuration, absolute, and conformation of isomenthol by X-ray diffraction and nuclear magnetic resonance studies and crystal structure of (+)-isomenthyl p-bromophenylcarbamate, 717.
  - influence of on the transmission of the inductive effect to the carbonyl group: (Z)- and (E)-3-alkylidene-1,3-dihydroindol-2-ones, 150.
  - of some organosilanes, correlation of, 952.
  - relative, and crystal structure of  $(\pm)$ -11,12-dihydroglaziovine. Stereochemistry of reduced proaporphines, 1218.
- Configurational restriction, retentive phenolysis of optically active secondary and tertiary systems without a group imposing. Retentive solvolysis. Part XI, 1617.

- Configurational restrictions (contd.)
  - studies and conformational studies with derivatives of perhydro-oxazolo[4,3-c][1,4]thiazine. Proton magnetic resonance studies of compounds with bridgehead nitrogen. Part XXIX, 203.
- Conformation, a case of non-chair, of a saturated monocyclic cyclohexane derivative: crystal and molecular structure of cis-2,trans-3-dibromo-t-butylcyclohexyl p-nitrobenzoate, 1213.
  - and absolute configuration of isomenthol by X-ray diffraction and nuclear magnetic resonance studies and crystal structure of (+)-isomenthyl p-bromophenylcarbamate, 717.
  - and structure of ethyl 6-O-benzoyl-4-iodo-2,3,4-trideoxy-α-p-hex-2-enopyranoside, 481.
  - and the stereochemistry of deacetylneotenulin, X-ray crystallographic determination of. Sesquiterpenoids. Part XXII, 990.
  - charge distribution, and aggregation in carbocyanine dyes, application of <sup>13</sup>C chemical shifts and relaxation times to the study of. Part I, 542.
  - molecular, and electronic structure. Part III, crystal and molecular structure of the stable form of N-(p-chlorobenzylidene)-p-chloroaniline, 429.
  - of di-2-pyridyl sulphide. A dipole moment, <sup>1</sup>H nuclear magnetic resonance, and CNDO/2 study, 1234.
  - of carbohydrates in aqueous solutions, influence of cosolutes upon. Part III, effect of inorganic ions upon the binding of iodine by starch and derivatives of amylose, 215.
  - of eight-membered heterocyclic rings. Conformation of NN-diphenyl-3,7-diaza-1,5-dithiacyclo-octane in dioxan solution. Stereochemistry. Part III, 1228.
  - of hydroxy-L-proline in aqueous solution. Comparison of results from lanthanide ion probe measurements and proton coupling constants, 167.
  - of cis-stilbene and some derivatives studied by nuclear magnetic relaxation measurements, 510.
  - folded. Part VII, crystal and molecular structure of NN'-[bis-( $\alpha$ -tosylbenzyl)]urea solvate. Comparison between solution and solid-state conformation, 483.
  - of 3,5-dichloroanisole and 3,5-dibromoacetophenone determined from <sup>1</sup>H nuclear magnetic resonance spectra of nematic solutions, 805.
  - of peptides in solution by nuclear magnetic resonance spectroscopy. Part II, homoallylic coupling in cyclic dipeptides, 187. Part III, cyclic dipeptide ring conformations, 1238. Part IV, conformations of valinomycin determined from homoallylic proton coupling across peptide bonds, 1327.
  - preferred molecular, of benzoyl(diazo)phenylmethane and 1-benzoyl-1-diazoethane by semiempirical molecular orbital calculations, 538.
  - of some semi-rigid neuroleptic drugs. Part I, crystal structures of loxapine, clozapine, and HUF-2046 monohydrate {2-chloro-11-(4-methylpiperazin-1-yl)-dibenzo[b,f][1,4]oxazepine, 8-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4]diazepine, and 2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4]diazepine monohydrate}, 1415.
  - solution and solid-state, comparison between. Crystal and molecular structure of NN'-[bis-( $\alpha$ -tosylbenzyl)]-urea acetone solvate. Folded conformations. Part VII, 483.

Conformational analysis of cyclic amines using carbon-13 chemical shift measurements: dependence of conformation upon ionisation state and solvent, 1585.

- of cyclohexanes, 4-t-butyl derivatives as valid reactivity models in the kinetic method of. Effect of 4-t-butyl and other 4-substituents on rate constants for reactions of 1,1-disubstituted cyclohexanes and piperidines, 838.
- of diastereoisomeric pairs of 1-phenylethyl t-butyl sulphoxides and X-ray study of  $(\alpha S, SS/\alpha R, SR)$ -1-(p-bromophenyl)ethyl t-butyl sulphoxide, 1490.
- of perhydropyrido[1,2-c][1,3]oxazines, perhydropyrido-[1,2-c][1,3]thiazines, and perhydropyrido[1,2-c]-pyrimidines, 418.
  - oxazepines; reversible dimerisation of perhydropyrido-[1,2-c][1,3]oxazepines; X-ray analysis of a fourteenmembered macrocyclic dimer. Proton magnetic resonance studies on compounds with bridgehead nitrogen. Part XXXI, 1312.
- of saturated hereocycles. Part LXXII, tetrahydro-1,3,4-oxadiazines, 1861. Part LXXVI, ring and nitrogen inversion in cis- and trans-1,4,5,8-tetramethyldecahydropyrazino[2,3-b]pyrazine, 1564.
- Conformational equilibria and barriers to rotation in monohalogenobutanes with methyl substituents. Methylhalogen interactions. The size of a halogen atom, 336.
  - in *cis-C*-methyldecahydroquinolines: studies at low temperature using <sup>13</sup>C and <sup>1</sup>H magentic resonance spectroscopy, 751.
  - of acetyldiazomethane, 1-acetyl-1-diazoethane and benzoyl(diazo)phenylmethane, thermodynamic parameters in using infrared spectroscopy, 707.
- Conformational equilibrium, the furan-2-carbaldehyde, dependence of on solvent dielectric constant: direct evidence from pulsed (Fourier transform) nuclear magnetic resonance, 451.
- Conformational stabilities, relative, of some chlorofluoropropanes. Rotational isomerism. Part XX, 1142.
- Conformational studies and configurational studies with derivatives of perhydro-oxazolo[4,3-c][1,4]thiazine. Proton magnetic resonance studies of compounds with bridgehead nitrogen. Part XXIX, 203.
  - by dynamic nuclear magnetic resonance. Part III, rotamers arising from restricted motion in substituted benzaldehydes, 1121. Part IV, rotational isomers and torsional barriers of pyridinecarbaldehydes, 1791.
  - X-ray crystal structure, on r-4,c-6-dimethyl-1,3-dithian and its oxides, r-4,c-6-dimethyl-1,3-dithian t-1-oxide and r-4,c-6-dimethyl-1,4-dithian t-1,t-3-dioxide, 1004.
- Conformational study on the rotamers of 3,3'-bithienyl. Nematic phase nuclear magnetic resonance investigations of rotational isomerism. Part IV, 1796.
- Conformations and structures of the fourteen-membered ring diterpene ovatodiolide and its acid cyclisation product: nuclear Overhauser effect studies in solution and X-ray crystal structure analyses of ovatodiolide and ovatodiolic acid, 1881.
  - of conjugated hydrocarbons. Part I, a spectroscopic and thermodynamic study of buta-1,3-diene and 2-methyl-buta-1,3-diene (isoprene), 1666.
  - of some substituted pentafluorobenzenes. Molecular polarisability, 1854.
- $\sigma_{\text{Het}}$  Constants for thia- and oxa-substituents from the reaction of arenesulphonyl chlorides with aniline: substituent effects in five-membered rings, 906.

- ortho-Correlations, linear free energy, in the thiophen series. Part II, acid dissociation of some 3-substituted thiophen-2-carboxylic acids in water, 747. Part III, the kinetics of piperidino-substitution of some 3-X-5-nitro-2-thienyl phenyl sulphones in methanol, 1495. Part IV, kinetics of alkaline hydrolysis of some methyl 3-substituted thiophen-2-carboxylates in aqueous methanol, 1805.
- Cosolutes, influence of upon the conformation of carbohydrates in aqueous solutions. Part III, effect of inorganic ions upon the binding of iodine by starch and derivatives of amylose, 215.
- Coupling, homoallylic, in cyclic dipeptides. Conformations of peptides in solution by nuclear magnetic resonance spectroscopy. Part II, 187.
  - in 1,4-dihydronaphthalenes, 851.
  - indirect <sup>13</sup>C-1H, in asymmetrically trisubstituted benzenes: a carbon-13 nuclear magnetic resonance study, 977.
- Coupling constant, orientational and substituent effects upon. The carbon-13 nuclear magnetic resonance spectra of the deoxyfluoro-D-glucoses, 2-deoxy-2-fluoro-D-mannose, and 4-deoxy-4-fluoro-D-galactose, 1598.
  - <sup>13</sup>C-H, as a tool in tautomerism studies of 1,2,3-triazole, 1,2,4-triazole, and tetrazole, 736.
  - proton-fluorine, additivity of substituent effects upon in polysubstituted fluorobenzenes, 1307.
  - <sup>13</sup>C-<sup>19</sup>F, studies on. <sup>13</sup>C Nuclear magnetic resonance studies on some fluorinated and trifluromethylated aromatic compounds, 402.
  - the hyperfine, of <sup>31</sup>P nuclei in phosphorus-containing radical anions, interpretation of. Reactions of radical anions. Part XVI, 492.
- Crystal and molecular structure and synthesis of 1-ethylthio-2-(p-nitrophenyl)-2-(triphenylphosphonio)ethenethiolate, 1404.
  - of a carbohydrate-derived oxetan-3-one. Definitive evidence for a novel participation of a pyranose ring oxygen atom, 1678.
  - of N-acetyl-L-glutamine, 768.
  - of 4-aminotetrolic acid (4-aminobut-2-ynoic acid), 32.
  - of an OH  $\cdots \pi$  hydrogen-bonded system: 2,2-bis-(2-hydroxy-5-methyl-3-t-butylphenyl)propane, 1140.
  - of 2-anilino-3-(1-methyl-2-phenylindol-3-yl)-3-phenyl-3H-indole monohydrate. Acid catalysed rearrangements in the aryliminoindoline series. Part II, 317.
  - of O-benzoyltropine hydrochloride. Stereochemistry of anticholinergic agents. Part VIII, 1359.
  - of biliverdin dimethyl ester, 1457.
  - of NN'-[bis-( $\alpha$ -tosylbenzyl]urea acetone solvate. Comparison between solution and solid-state conformation. Folded conformations. Part VII, 483.
  - of (1S,3S,5R,7S,8R,9R)-9-p-bromobenzoyloxy-1,4,4,8-tetramethyltricyclo $[5.4.0.0.^{3,5}]$ undecane, 460.
  - of 15-bromolongibornane-8,9-dione, 1716.
  - of carolenalone, a cycloheptenone sesquiterpene lactone from North Carolina *Helenium autumnale* L, 332.
  - of cis-2,trans-3-dibromo-cis-4-t-butylcyclohexyl p-nitrobenzoate: a case of non-chair conformation of a saturated monocyclic cyclohexane derivative, 1213.
  - of 4,10-dibromo-1,7-methano[12]annulene, 822.
  - of 5,5'-dichloro-2-hydroxy-2'-(phenylsulphonyl)azoxybenzene. Sulphone structures. Part III, 802.
  - of NN-dimethyldiphenylphosphinamide, 1101.
  - of 3,4-diphenyl-6a-thiathiophthen (3,4-diphenyl[1,2]dithiolo[1,5-b][1,2]dithiole-7-S<sup>IV</sup>): a symetrically substi-

- tuted thiathiophthen with unequal sulphur-sulphur bond lengths, 234.
- of 6,7,9,10,12,13,20,21,23,24,26,27-dodecahydrodibenzo-[b,n][1,4,7,10,13,16,19,22]octaoxacyclotetracosin (dibenzo-24-crown-8), 972.
- of eupaformonin, a cytotoxic germacranolide from Eupatorium formosanum HAY, 578.
- of eupolauramine, a novel type of alkaloid from Eupomatia laurine, 658.
- of imidazole-4-acetic acid hydrochloride, 34.
- of 3-mercapto-1,3-diphenylprop-2-en-1-one by X-ray and neutron diffraction, 249.
- of methyl  $2\alpha,3\alpha;4\alpha,5\alpha$ -diepoxy-cis- $(1\alpha H,2\alpha H)$ -bicyclo-[4.1.0]heptane- $7\alpha$ -carboxylate and methyl 2,5-dihydroxybicyclo[4.1.0]heptane-7-carboxylate, 532.
- of 5-methyl-3-[4-methyl-5-(methylthio)thiocarbonyl-2-thienyl]-2-methylthio-6a-thiathiophthen {5-methyl-3-[4-methyl-5-(methylthio)thiocarbonyl-2-thienyl]-2-methylthio[1,2]dithiolo[1,5-b][1,2]dithiole-7-S<sup>IV</sup>}: structure of an unsymmetrically substituted thiathiophthen, 239.
- of parthenolide (4,5-epoxygermacra-1(10),11(13)-dien-12,6-olactone), 465.
- of *cis*-perfluorobicyclo[4.4.0]decane-1,6-diol: Geometry of the fluorinated *cis*-decalin system, 383.
- of N-phenyl-2,6-dichlorobenzamide oxime. Stereochemistry of hydroximic acid derivatives, 1036.
- of potassium hydrogen norborn-5-ene-2-endo, 3-endo-dicarboxylate sesquihydrate, C<sub>9</sub>H<sub>9</sub>KO<sub>4</sub>, 1.5H<sub>2</sub>O, 478.
- of the stable form of N-(p-chlorobenzylidene)-p-chloroaniline. Molecular conformation and electronic structure. Part III, 429.
- of (-)-7,7'-dibromo-3,3,3',5,5'-hexamethyl-1,1'-spirobi-indane-6,6'-diol and  $(\pm)$ -3,3,3',5,5'-hexamethyl-1,1'-spirobi-indane, 1447.
- of 1-ethyl-2-(1-ethyl-2-phenylindol-3-yl)-2-phenyl-3-phenyliminoindoline and 1-ethyl-3-(1-ethyl-2-phenylindol-3-yl)-3-phenyl-2-phenyliminoindoline. Acid catalysed rearrangements in the aryliminoindoline series. Part I, 309.
- Crystal structures of loxapine, clozapine, and HUF-2046 monohydrate {2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,f][1,4]oxazepine, 8-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4]diazepine, and 2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4]diazepine monohydrate}. Conformations of some semi-rigid heuroleptic drugs. Part I, 1415.
- Crystal and molecular structures of silver  $N^{1}$ -(3-pyridyl)-sulphonanilamide, 1379.
  - of thiosemicarbazide hydrochloride, 1808.
- Crystal structure analysis, X-ray, of ovatodiolide and ovatodiolic acid and nuclear Overhauser effect studies in solution: structures and conformations of the fourteenmembered ring diterpene ovatodiolide and its acid cyclisation product, 1881.
  - and absolute configuration of  $2\alpha,6,6,8$ -tetramethyltricy-clo[6.2.1.0<sup>1,5</sup>]undecan-7 $\beta$ -yl p-bromobenzoate, 1300.
  - and infrared and proton magnetic resonance spectra of 3-cyanomethylsulphonyl-2-morpholinocyclohexene: evidence for a C-H···N intramolecular hydrogen bond, 1126.
  - and nuclear magnetic resonance spectra of a 1:1 complex of benz[a]anthracene and puromellitic dianhydride (benzene-1,2,4,5-tetracarboxylic dianhydride), 682.

#### Crystal structure (contd.)

- and relative configuration of  $(\pm)$ -11,12-dihydroglaziovine. Stereochemistry of reduced proaporphines, 1218.
- molecular, and electronic structure of an antianxiety agent: 7-chloro-5-(2-chlorophenyl)1,3-dihydro-3-hydroxy-1,4-benzodiazepin-2-one, 413.
- of acetamidinium chloride, 271.
- of a clathrate inclusion compound of hydroquinone and hydrogen sulphide, 1169.
- of a 1:1 complex between silver iodide and morpholine, 104.
- of anhydrous barium methacrylate, 302.
- of a 1:1 solvate, correlation of the loss of solvent with. Indanetrione 2-(N-p-t-butylbenzoyl-N-phenylhydrazone) acetone solvate, 1873.
- of a very hindered olefin: 1,1-diphenyl-2,2-di-t-butylethylene at  $-155\,^{\circ}\text{C}$ , 1831.
- of NN'-bis-p-bromophenyl-2,2,4,4-tetramethylcyclo-butane-1,3-di-imine, 536.
- of 2,4-D (2,4-dichlorophenoxyacetic acid). Herbicides. Part I, 791.
- of 3,3'-diacetyl-5,5'-dichloro-2,2'-dihydroxydiphenyl-methane, 623.
- ot meso-L-glycero-L-gulo-heptitol, 349.
- of (+)-isomenthyl p-bromophenylcarbamate and absolute configuration and conformation of isomenthol by X-ray diffraction and nuclear magnetic resonance studies, 717.
- of octaethylxanthoporphinogen dihydrate, 453.
- of Pentac[synclinal 1,1',2,2',3,3'4,4',5,5'-decachloro-1,1'-bis(cyclopenta-2,4-dienyl)]. Acaricides. Part I, 796.
- of 10-phenylphenoxaphosphine, 1382.
- of strontium 4-O-(4-deoxy-β-L-hex-4-enosyl)-α-D-galacturonate-4.5 water. Interactions of cations with sugar anions. Part II, 392.
- of syringaresinol, 341.
- of the enol form of 1-(4-nitrophenyl)butane-1,3-dione, 513.
- of the growth inhibitor, 'maleic hydrazide' (1,2-dihydropyridazine-3,6-dione), 1386.
- of the tricyclic diterpene derivative 18-hydroxydecipia-2(4),14-dien-1-oic acid, 263.
- X-ray, conformational studies on r-4,c-6-dimethyl-1,3-dithian and its oxides, r-4,c-6-dimethyl-1,3-dithian t-1 oxide and r-4,c-6-dimethyl-1,3-dithian t-1,t-3-dioxide, 1004.
- of  $\beta$ -(eeeeee)-1,2,3,4,5,6-hexachlorocyclohexane and  $\gamma$ -(aaaeee)-1,2,3,4,5,6-hexachlorocyclohexane (lindane) (redeterminations). Insecticides. Part V, 614.
- Cyanides, alkyl, and 2,6-diarylphenols, infrared spectroscopic study of the interaction between, 178.
- 4'-Cyanobiphenyls, the homologous series of 4-n-alkoxy- and 4-n-alkyl-, trends in the nematic-isotropic liquid transition temperatures for, 97.
- Cyanogen bromide reactions with N-alkylanilines, kinetics and mechanisms of. Structure and reactivity of heterosubstituted nitriles. Part XIV, 524.
- Cyano-group hydrogen bonding abilities, infrared frequencies, and intensities in some  $\alpha$ -alkylthio-nitriles, comparison between, 16.
- Cyanomethyl sulphones and benzyl sulphones, infrared and <sup>1</sup>H nuclear magnetic resonance spectra of some: intramolecular hydrogen bonds involving polar carbon-hydrogen bonds, 1130.

- Cyclic amines, conformational analysis of using carbon-13 chemical shift measurements: dependence of conformation upon ionisation state and solvent, 1585.
  - analogues of aryl phosphoramidates, alkaline hydrolysis of, 888.
  - hydrocarbons, oxidation of by cobalt(III) acetate, 1285.
  - **ketones** and alkyl ketones, direct carbon-13 nuclear magnetic resonance study of boron trifluoride complexes with, 1205.
    - unhindered, stereoselective cathodic reduction of. Electro-organic reactions. Part VI, 879.
- Cyclisation and solvolysis of some monoterpene 2,4-dinitrophenyl ethers. Allylic carbonium ions. Part II, 1160.
  - of unsaturated phorphoranyl radicals, 1066.
- Cyclisation reactions of negative ions. The o-O<sub>2</sub>HC<sub>6</sub>H<sub>4</sub>-(CH=CH)<sub>n</sub>COR system. Electron impact studies. Part CIV, 1656.
- Cycloaddition, 1,3-dipolar, of mesitonitrile oxide to cis- and trans-cyclo-octene. A kinetic investigation, 1030.
- Cycloalkanecarbaldehydes, photoreduction of, 669.
  - the photochemistry of some in inert solvents, 1083.
- Cycloalkyl-benzenes and secondary alkyl-benzenes, protiodetritiation of some. A linear free energy relationship for *ortho*-aromatic substitution. Electrophilic aromatic substitution. Part XVII, 559.
- Cyclobutanecarbaldehyde, the gas-phase photolysis of, 826. Cyclobutane-1,3-di-imine, NN'-bis-p-bromophenyl-2,2,4,4-tetramethyl, crystal structure of, 536.
- Cyclobutanol: fragmentation ratios for the singlet and triplet excited states in the type II photochemistry of some  $\alpha$ -alkylated cyclohexanones, 7.
- Cyclo-L-cystine, chiroptical properties of, 1818.
- Cyclodiene insecticides, some chlorinated, polarisation and polarisability study of, 1645.
- [a,d]Cycloheptene-1-carboxylic acid γ-lactone, (1S\*, 4aS\*,-11aS\*)-2,3,4,4a,5,6,9,11a-octahydro-4a,7-dihydroxy-8-isopropyl-1-methyl-6,9-dioxo-1H-dibenzo-, a diterpene quinone from Salvia ballotaeflorae, structure of, 1728.
- Cyclohexadienones. Use of the dienone-phenol rearrangement in measuring migratory aptitudes of alkyl groups, 1349
- Cyclohexane,  $\beta(eeeeee)$  and  $\gamma$ -(aaaeee)-1,2,3,4,5,6-hexachloro-, crystal structures of (redeterminations). Insecticides. Part V, 614.
  - a saturated monocyclic derivative, a case of non-chair conformation of: crystal and molecular structure of cis-2,trans-3-dibromo-cis-4-t-butyl-cyclohexyl p-nitrobenzoate, 1213.
  - the application of low temperature <sup>13</sup>C nuclear magnetic resonance spectroscopy to the determination of the A values of amino-, methylamino-, and dimethylamino-substituents in, 895.
  - and piperidines, 1,1-disubstituted, effect of 4-t-butyl and other 4-substituents on rate constants for reactions of. 4-t-Butyl derivatives as valid reactivity models in the kinetic method of conformational analysis of cyclohexanes, 838.
- Cyclohexanol, a mechanistic study of mercury(II) cyanidepromoted reactions of 2,3,4,6-tetra-O-α-D-glucopyranosyl bromide with in benzene-nitromethane. Koenigs-Knorr reactions. Part II, 1632.
- Cyclohexanones, some α-alkylated, fragmentation ratios for the singlet and triplet excited states in the type II photochemistry of: cyclobutanol, 7.

- Cyclohexene, 3-cyanomethylsulphonyl-2-morpholino-, crystal structure, and infrared and proton magnetic resonance spectra of: evidence for a C-H...N intramolecular hydrogen bond, 1126.
- Cyclohexylamines, cis- and trans-4-t-butyl-, deamination of. Classical carbonium ions. Part VIII, 1462.
- N-Cyclohexyl methylthiobenzimidate, hydrolysis of in the presence of tetrachlorogold(III) ions and the effects of hydrogen, halide, and other ions, 1278.
- Cyclohexyl p-nitrobenzoate, cis-2,trans-3-dibromo-cis-4-t-butyl-, crystal and molecular structure of: a case of non-chair conformation of a saturated monocyclic cyclohexane derivative, 1213.
- Cyclohexyl radicals and cations, anodically generated, stereochemistry of reaction of; mechanism of the Kolbe reaction. Electro-organic reactions. Part IX, 1709.
- Cycloisomerisation, iodine-induced, of methyl-, ethyl-, and isopropyl-[2,2]metacyclophanes. π-Basicity and additional strain energy terms as controlling factors. Mediumsized cyclophanes. Part XVIII, 1195.
- Cyclo-octane, NN-diphenyl-3,7-diaza-1,5-dithia-, conformation of in dioxan solution. Conformation of eightmembered heterocyclic rings. Stereochemistry. Part III, 1228.
  - molecular cationic salt, the suggested role of partial dislocations in the single crystal single crystal phase transition of, 836.
- cis- and trans-Cyclo-octene, 1,3-dipolar cycloaddition of mesitonitrile oxide to. A kinetic investigation, 1030.
- cis-Cyclo-octene vapour, sensitised photolysis of, 569.
- Cyclopentadiene and ethylene. The kinetics of reversible Diehls-Alder reactions in the gas phase. Part II, 52.
- Cyclopentadienone, tetraphenyl-, and 2,3-diarylindenones, an electron spin resonance spectroscopic investigation of the reactions of aryl radicals with: detection of 1-oxo-2,2,3-triphenylindenyl and related radicals and their relevance to dienone-promoted formation of benzyne from benzenediazonium acetate. Acylarylnitrosamines. Part X, 588.
- Cyclopenta-2,4-dienyl, synclinal 1,1',2,2',3,3',4,4',5,5'-de-cachloro-1,1'-bis, (Pentac), crystal structure of. Acaricides. Part I, 796.
- Cyclopentadithiophenones and cyclopentadithiophens, protonated, proton nuclear magnetic resonance studies of, 323.
- Cyclopentanols, β-substituted, kinetics of oxidation of by chromium(vi) oxide. Steric effects in five-membered rings. Part VI, 943.
- Cyclophanes, dithia- and diaza, kinetics of nitration and bromination of the 'onium salts of. Inductive and field effects in aromatic substitution. Part VIII, 290.
  - medium sized. Part XVIII, iodine-induced cycloisomerisation of methyl-, ethyl-, and isopropyl-[2.2]metacyclophanes. π-Basicity and additional strain energy terms as controlling factors, 1195.
- Cyclopropane, nortricyclene-3-spiro, and 3,3-dimethylnortricyclene, hydrogenolysis of. Reactions over metal catalysts. Part II, 1412.
- Cyclopropa-arenium cations. Part II, carbon-13 nuclear nuclear magnetic resonance spectra of 1-halogenocyclopropabenzenium cations and their 1,1-dihalogeno-precursors, 258.
- Cyclopropane, oxiran, thi-iran, aziridine, and 1,1-dichlorocyclopropane, semiempirical calculations of the molecular

- conformation of phenyl derivatives of. Three-membered rings. Part I, 374.
- Cyclopropenone, dihydroxy-, (deltic acid), aqueous dissociation of, 930.
- Cyclopropylallenes. Photoelectron spectra of molecules. Part VII, 764.
- Cyclopropyl(stannyloxy)methyl and cyclopropyl(hydroxy)methyl radicals, ring-substituted, direction of ring opening of: preferential formation of primary alkyl radicals, 1719.
- Cyclotetracosin, 6,7,9,10,12,13,20,21,23,24,26,27-dodecahydrodibenzo[b,n][1,4,7,10,13,16,19,22]octaoxa-, (dibenzo-24-crown-8), crystal and molecular structure of, 972.

#### $\mathbf{D}$

- 2,4-D (2,4-dichlorophenoxyacetic acid), crystal structure of. Herbicides. Part I, 791.
- **Deamination** of *cis* and *trans*-4-t-butylcyclohexamines. Classical carbonium ions. Part VIII, 1462.
- cis-Decalin system, fluorinated, geometry of: crystal and molecular structure of cis-perfluorobicyclo[4.4.0]decane-1,6-diol, 383.
- **Decarboxylation,** studies in. Part VIII, the gas-phase pyrolysis of  $\beta\gamma$ -acetylenic acids, 592. Part IX, the gas-phase pyrolysis of some acids containing two double bonds, 704.
- Dechlorination, decomposition, and oxidation, photolytic, of αα'-dichloro- and αα'-diacyloxy-azoalkanes. Photochemistry of αα'-disubstituted azoalkanes. Part II, 1249.
- Decipia-2(4),14-dien-1-oic acid, 18-hydroxy-, the tricyclic diterpene derivative, crystal structure of, 263.
- Decomposition and solubilisation of 4-methyl- and 4-nitrophenylurea, micellar effects on. Hydrolysis of phenylureas. Part III, 369.
  - of aliphatic diazo-compounds, intermediates in. Part XII, chemically induced dynamic polarisation of fluorine-19 and proton nuclei in the insertion of diarylmethylenes into benzyl fluoride, 966.
  - of diazomalonate ions. Kinetic isotope effects and aliphatic diazo-compounds. Part VII, 473.
  - thermal, of 2,5-dihydrothiophen 1,1-dioxides. Reaction of 1,3-dienes with sulphur dioxide. Part I, 1470.
  - the thermal, of pentaerythritol tetranitrate, study of, 637. of propanoic and 2-methylpropanoic anhydrides in the gas phase, 986.
- **Dehalogenation,** reductive, of 2-iodobenzothiozole with alkanethiols, 1371.
- Dehydrochlorination of 2,2,2-trichloro-1,1-bis-(p-chlorophenyl)ethane by various bases in alcoholic solution, the isotope effect maximum in. The carbanion mechanism of olefin-forming elimination. Part VII, 932.
- **Deltic acid,** (dihydroxycyclopropenone), aqueous dissociation of, 930.
- **Denitrosation** and the Fischer-Hepp rearrangement, kinetics and mechanism of. Part VII, reactions at high acidity, 601. Part VIII, substituent effects on denitrosation of aromatic N-nitroso-amines, 691.
  - of N-methyl-N-nitrosotoluene-p-sulphonamide in acid solution, 1838.
- Derivatives, 2-methyl-2-t-butyl, of 1,3-dioxan, 1,3-oxathian, and 1,3-dithian, ring distortions in, 345.
- Detritiation kinetics of acetophenones in highly acidic media, 1641.

- Detritiation (contd.)
  - of diethyl[2-3H1]malonate, 353.
  - of 2',6'-dihydroxyacetophenone and 2'-hydroxyacetophenone, intramolecular catalysis in, 45.
- Diacylamine, an acetyl-cinnamoyl: tetra-acetylcaffeoputrescine. Nuclear magnetic resonance studies of acetyl groups, 616.
- Dialkyl 2,2-dialkoxyethyl phosphonates, acid-catalysed hydrolysis of. Reaction of phosphonated acetals, 1210.
- Diamines, polyoxamacrobicyclic. Structure of 4,7,13,16,-21,24-hexaoxa-1,10-diazabicyclo[8,8,8]hexacosane and of its bisborohydride, C<sub>18</sub>H<sub>36</sub>N<sub>2</sub>O<sub>6</sub>.2BH<sub>3</sub>, 423.
- **Dianion intermediate,** evidence for in the hydrolysis of aryl malonate anions. The *E*1cb mechanism for ester hydrolysis, 1762.
- 1,3-Diarylallenes, mechanism of the electrophilic iodination of, 1320.
- 1,4-Diarylbut-1-en-3-ynes, photocyclisations of. Part II, mechanism of the reaction, 1111. Part III, scope and limitations of the reaction, 1115.
- 1,4-Diarylbutenynes, synthesis and spectroscopic properties of, 1104.
- Diarylmethylenes, chemically induced dynamic polarisation of fluorine-19 and proton nuclei in the insertion of into benzyl fluoride. Intermediates in the decomposition of aliphatic diazo-compounds. Part XII, 966.
- 1,3-Diarylpropenes, equilibration of. Organic anions. Part I, 1683.
- 1,3-Diarylpropenide ions, charge control versus product stability control in the protonation of. Organic anions. Part III, 1695.
- spectroscopic studies of. Organic anions. Part II, 1688. Diastereoisomeric halogenosulphonylethanes, mechanistic study of syn- and anti-elimination from, 1303.
- Diastereoisomeric pairs of 1-phenylethyl t-butyl sulphoxides, conformational analysis of, and X-ray study of  $(\alpha S, SS/\alpha R, SR)$ -1-(p-bromophenyl)ethyl t-butyl sulphoxide, 1490.
- Diatretyne 2 (7-cyanohept-trans-2-ene-4,6-diynoic acid), the antibiotic polyacetylenic nitrile, and related compounds, the carbon-13 nuclear magnetic resonance spectra of, 1027.
- Diazabutadienes (azines), mechanism of oxidative cleavage by bromine of to aldehydes or ketones, 242.
- Diazepine, 8- and 2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4], and 2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,f][1,4]oxazepine, (clozapine, HUF-2046 monohydrate, and loxapine) crystal structures of. Conformations of some semi-rigid neuroleptic drugs. Part I, 1415.
- Diazines, 3,6-diaryl-1,4,2,5-dioxa-, substituent effect on the rate of dimerisation of nitrile oxides to. Behaviour of nitrile oxides towards nucleophiles. Part II, 626.
- **Diazocamphors, 4**-substituted camphors, and *N*-nitrocamphorimines, carbon-13 chemical shifts and substituent effects in, 1579.
- Diazo-compounds, aliphatic, intermediates in the decomposition of. Part XII, chemically induced dynamic polarisation of fluorine-19 and proton nuclei in the insertion of diarylmethylenes into benzyl fluoride, 966.
  - kinetic isotope effects and. Part VII, the decomposition of diazomalonate ions, 473.
- Diazomethane, direct N-methylation of 2-pyridylphosphonic acids by, 1444.
- Dibenzo-24-crown-8 (6,7,9,10,12,13,20,21,23,24,26,27-dode-cahydrodibenzo[b,n][1,4,7,10,13,16,19,22]octaoxacyclotetracosin), crystal and molecular structure of, 972.

- Dibromobutane, variation of the ratio of 1,2- to 1,3-produced: liquid-phase bromination of bromobutane, 521.
- Di-t-butyl disulphide. Gas-phase thermolysis of sulphur compounds. Part I, 1421.
- Dications and cation radicals, organic, kinetics and mechanisms of the reactions of. Part V, kinetics of thermodynamically unfavourable electron transfer reactions between cation radicals and aromatic compounds, 1567.
- Dichroism, induced circular, ion-pair aggregation of a longchain carboxylic acid and an amine in benzene studied by, 555.
- Dielectric constant, low, extrathermodynamic relationships for ion-pair equilibria in media of, 874.
  - solvent, dependence of the furan-2-carbaldehyde conformational equilibrium on: direct evidence from pulsed (Fourier transform) nuclear magnetic resonance, 451.
- Diels-Alder reactions, reversible, the kinetics of in the gas phase. Part II, cyclopentadiene and ethylene, 52.
- Dienes, acyclic conjugated, mechanistic investigations in the photochemistry of. Significance of the [1,5] sigmatropic shifts of hydrogen, 647.
  - and alkenes, the Paterno-Büchi reaction of aliphatic aldehydes and ketones with: photochemical oxetan formation, 1902.
  - and trienes with strained ring structures, allyl and pentadienyl radicals from. Electron spin resonance study of radicals in γ-irradiated mono- and poly-cyclic olefins. Part III, 1017.
- 1,3-Dienes, reaction of sulphur dioxide with. Part I, thermal decomposition of 2,5-dihydrothiophen 1,1-dioxides, 1470.
- Dienone-promoted formation of benzyne from benzenediazonium acetate, detection of 1-oxo-2,2,3-triphenylindenyl and related radicals and their relevance to: an electron spin resonance spectroscopic investigation of the reactions of aryl radicals with tetraphenylcyclopentadienone and 2,3-diaryldienones. Acylarylnitrosamines. Part X, 588.
- Diethyl ether, basicity of substituted pyridines and quinolines towards metal halides in. Quantitative aspects of Lewis acidity. Part XV, 89.
  - cleavage of carbon-oxygen single bonds in the reaction of aryl ethyl acetals with ethylmagnesium bromide in. A kinetic study, 1001.
- **Diketones,** heterocyclic, dipole moments and absorption spectra of, 574.
- Dimerisation, reversible, of perhydropyrido[1,2-c][1,3]oxazepines; X-ray analysis of a fourteen-membered macrocyclic dimer; conformational analysis of perhydropyrido[1,2-c][1,3]oxazepines. Proton magnetic resonance studies on compounds with bridgehead nitrogen. Part XXXI, 1312.
  - the rate of, of aromatic nitrile oxides to 3,6-diaryl-1,4,2,5-dioxadiazines, substituent effect on. Behaviour of nitrile oxides towards nucleophiles. Part II, 626.
- Dimethylamino-substituents, amino-, and methylaminosubstituents in cyclohexane, the application of low temperature  $^{13}$ C nuclear magnetic resonance spectroscopy to the determination of the A values of, 895.
- Dimethyl sulphoxide, dimethyl sulphone, and their solutions in water and methanol, radiation effects on: methyl radical anion adducts. Unstable intermediates. Part CLXIII, 908.
  - solutions, aqueous, transition state enthalpies of transfer in. The hydroxide-catalysed racemisation of D-α-methyl-α-phenylacetophenone, 102.

- Dimethyl sulphoxide (contd.)
  - the influence of added. Deuterium kinetic isotope effect in β-elimination from (p-acetylphenethyl)dimethyl-sulphonium bromide, 488.
- Dinitrogen trioxide, reaction of with 2-methylpropene and other alkenes. Evidence for electrophilic nitrosation, 828.
- 2,4-Dinitrophenyl ether, 1,1-and 3,3-dimethylallyl, acetolysis of. Allylic carbonium ions. Part I, 1157.
  - some monoterpene, solvolysis and cyclisation of. Allylic carbonium ions. Part II, 1160.
- Dioxan, acidity of covalent metal halides towards substituted anilines in. The validity of  $\Delta H^0$  as a measure of Lewis acid strength. Quantitative aspects of Lewis acid strength. Part XVI, 1058.
  - aqueous, kinetics and mechanism of the acetate catalysed hydrolysis of 4-methoxyphenyl chloroformate and 4-methoxyphenyl fluoroformate in. Evidence for rate-determining attack of acetate ions on an intermediate mixed anhydride, 935.
    - mechanism of the cyanide ion-induced cleavage of benzils by amines in, 1021.
- 1,3-Dioxan, 1,3-oxathian, and 1,3-dithian, ring distortions in the 2-methyl-2-t-butyl derivatives of, 345.
- 1,4-Dioxan, stabilisation of singlet ethoxycarbonylnitrene by, 1201.
- Dioxan solution, conformation of NN-diphenyl-3,7-diaza-1,5-dithiacyclo-octane in. Conformation of eightmembered heterocyclic rings. Stereochemistry. Part III, 1228.
  - -water-mixtures, various, kinetics of the hydrochloric acid-catalysed hydrolyses of benzoic anhydrides in, 993.
- **Dipeptide ring,** cyclic, conformations. Conformations of peptides in solution by nuclear magnetic resonance spectroscopy. Part III, 1238.
- Dipeptides and tripeptides of phenylalanine and tyrosine, relative residence times of. Proton magnetic resonance spectra of amino-acids and peptides relevant to wool structure. Part IV, 91.
  - cyclic, homoallylic coupling in. Conformations of peptides in solution by nuclear magnetic resonance spectroscopy. Part II, 187.
- Dipole moment, <sup>1</sup>H nuclear magnetic resonance, and CNDO/ 2 study. Molecular conformation of di-2-pyridyl sulphide, 1234.
  - and absorption spectra of heterocyclic diketones, 574.
- Di-2-pyridyl sulphide, molecular conformation of. A dipole moment, <sup>1</sup>H nuclear magnetic resonance, and CNDO/2 study, 1234.
- Di-2-pyridyl sulphones, dipole moment, spectroscopic, and theoretical study of, 1845.
- Directive power of the acetoxy-group. The kinetics and mechanism of aromatic halogen substitution. Part XXXII, 784.
- Dislocations, partial, the suggested role of in the single crystal single crystal phase transition of a cyclo-octane molecular cationic salt, 836.
- Displacement, nucleophilic, in polyhalogenoaromatic compounds. Part I, kinetics of reaction of polychlorofluorobenzene derivatives, 1541. Part II, kinetics of halogen displacement from bromopolyfluoroaromatic compounds, 1545.
- Dissociation, acid, of some 3-substituted thiophen-2-carboxylic acids in water. Linear free energy orthocorrelations in the thiophen series. Part II, 747. aqueous, of dihydroxycyclopropenone (deltic acid), 930.

- Diterpene, the fourteen-membered ring, ovatodiolide and its acid cyclisation product, structures and conformations of: nuclear Overhauser effect studies in solution and X-ray crystal structure analysis of ovatodiolide and ovatodiolic acid, 1881.
- 1,3-Dithian, r-4,c-6-dimethyl-, and its oxides, r-4,c-6-dimethyl-1,3-dithian t-1-oxide, and r-4,c-6-dimethyl-1,3-dithian t-1,t-3-dioxide, X-ray crystal structure conformational studies on, 1004.
  - 1,3-dioxan, and 1,3-oxathian, ring distortions in 2-methyl-2-t-butyl derivatives of, 345.
- Dithiolactones, isomeric radical ion pairs of. Intramolecular cation exchange in ion pairs. Part II, 946.
- **Diathiolates,** OO-dialkyl hydrogen phosphoro-, zinc bis-(OO-di-isopropyl phosphorodithiolate), and related compounds, the use of spin traps to characterise sulphur- and phosphorus-containing radicals from, 650.
- [1,2]Dithiole-7-S<sup>IV</sup>, 3-amino-2-methylthio-5-phenyl[1,2]dithiolo[1,5-b], (3-amino-2-methylthio-5-phenyl-6a-thiathiophthen), X-ray analysis of: Structure of a 3-aminothiathiophthen, 228.
  - 3,4-diphenyl[1,2]dithiolo[1,5-b], (3,4-diphenyl-6a-thia-thiophthen), crystal and molecular structure of: a symmetrically substituted thiathiophthen with unequal sulphur-sulphur bond lengths, 234.
  - 5-methyl-3-[4-methyl-5-(methylthio)thiocarbonyl-2-thienyl]-2-methylthio[1,2]dithiolo[1,5-b], (5-methyl-3-[4-methyl-5-(methylthio)thiocarbonyl-2-thienyl]-2-methylthio-6a-thiathiophthen), crystal and molecular structure of: structure of an unsymmetrically-substituted thiathiophthen, 239.
- Dixanthylidene, reversible photochemistry, photo-oxidation, and fluorescence of: temperature and external spin-orbit perturbation effects, 438.
- **4,6-Diynoic acid,** 7-cyanohept-trans-2-ene, (diatretyne 2), the antibiotic polyacetylenic nitrile, and related compounds, the carbon-13 nuclear magnetic resonance spectra of, 1027.
- Duroquinone and benzophenone, triplet, photodecarboxylation of carboxylic acids sensitised by. A flash photolysis electron spin resonance and chemically induced dynamic nuclear polarisation nuclear magnetic resonance investigation, 915.

E

- Effects, activating, of groups attached to the ring by a sulphur atom. The  $S_{\rm N}$  mechanism in aromatic compounds. Part XL, 1320.
  - configurational, in the  $\alpha$ -scission of phosphoranyl radicals, 808.
  - external spin-orbital, and temperature: reversible photochemistry, photo-oxidation, and fluorescence of dixanthylidene, 438.
  - inductive and field, in aromatic substitution. Part VII, hydrogen-isotope exchange in a bridged anthracene derivative carrying a nitrogen pole, 285. Part VIII, kinetics of nitration and bromination in the 'onium salts of dithia- and diazacyclophanes, 290. Part IX, assessment of results, 294.
  - micellar, on the solubilisation and decomposition of 4-methyl- and 4-nitro-phenylurea. Hydrolysis of phenylureas. Part III, 369.
  - orientational and substituent, upon  ${}^{n}J_{FC}$ . The carbon-

## Effects (contd.)

- 13 nuclear magnetic resonance spectra of the deoxy-fluoro-p-glucoses, 2-deoxy-2-fluoro-p-mannose, and 4-deoxy-4-fluoro-p-galactose, 1598.
- radiation, on dimethyl sulphoxide, dimethyl sulphone, and their solutions in water and methanol: methyl radical anion adducts. Unstable intermediates. Part CLXIII, 908.
- solvent isotope, and reactivities in the base cleavage of triorgano-silicon, -germanium, and -tin groups from furan, thiophen, benzofuran and benzothiophen rings. Aromatic reactivity. Part LXI, 925.
- steric, in five-membered rings. Part VI, kinetics of oxidation of β-substituted cyclopentanols by chromium(vI) oxide, 943.
- structural, on the reactivity of carbon radicals in homolytic aromatic substitutions. Part III, reaction of the 1-adamantyl radical with benzene derivatives, 662.
- the separation of polar and steric. Part XIII, kinetics of the reactions of cinnamic acid and *meta*-substituted cinnamic acids with diazodiphenylmethane in various alcohols and in aprotic solvents, 847.
- Efficiency and structure in intramolecular and enzymic catalysis: intramolecular general base catalysis. Hydrolysis of monoaryl malonates, 1753.
- Ehrlich's reagent (4-dimethylaminobenzaldehyde), reaction with in acid solution. Electrophilic substitution in pyrroles. Part I, 696.
- Electronic effect of XMe<sub>3</sub> and CH<sub>2</sub>XMe<sub>3</sub> (X = Si, Ge, Sn, or Pb) substituents in organometallic sulphides. A kinetic and photoelectron spectroscopic study, 306.
  - and steric effects on self-association of potentially bifunctional catalysts:  $\Delta^4$ -thiazoline-2-thiones, 565.
- Electronic structure and molecular conformation. Part III, crystal and molecular structure of the stable form of N-(p-chlorobenzylidene)-p-chloroaniline, 429.
  - crystal and molecular structure of an antianxiety agent: 7-chloro-5-(2-chlorophenyl)-1,2-dihydro-3-hydroxy-1,4-benzodiazepin-2-one, 413.
  - of the quinonoid bicyclic heterocycles isoindole, benzo[c]-furan, benzo [c]thiophen and 2H-indene, 81.
- Electronic substituent effects, the nature of; the existence of the  $\pi$ -inductive effect, 1486.
- Electron impact, fragmentation paths of hydrazonyl halides upon; simulation of nitrilimine formation, 921.
  - studies. Part CIV, cyclisation reactions of negative ions. The o-O<sub>2</sub>NC<sub>6</sub>H<sub>4</sub> (CH=CH)<sub>n</sub> COR system, 1656.
  - spin resonance, a flash photolysis, and chemically induced dynamic nuclear polarisation nuclear magnetic resonance investigation. Photodecarboxylation of carboxylic acids sensitised by triplet benzophenone and duroquinone, 915.
  - detection of radicals RS, RO, and R<sup>1</sup>-S-R<sup>2+</sup> in irradiated solids, 553.
  - investigation of radical reactions of some sulphurcontaining phenolic antioxidants, 1267.
  - of radicals in γ-irradiated mono- and poly-cyclic olefins. Part III, allyl and pentadienyl radicals from dienes and trienes with strained ring structures, 1017.
  - of  $\gamma$ -ray induced radicals in thiourea-adamantane solid solutions, 1014.
  - spectra of alkyl aryl ether radical cations, 1823.
- spectra of some substituted methyl radicals, 777.
- spectroscopic investigation of the reactions of aryl radicals with tetraphenylcyclopentadienone and 2,3-

- diarylindenones: detection of 1-oxo-2,2,3-triphenylindenyl and related radicals and their relevance to dienone-promoted formation of benzyne from benzene-diazonium acetate. Acylarylnitrosamines. Part X, 588.
- spectrum obtained during photolysis of N-(diphenyl-methylene)methylthiomethylamine N-oxide, revised assignment of. The bis(methylthiomethyl) nitroxide radical, 1659.
- studies. Part XLVIII, radicals derived from organic sulphites and related compounds, 1040. Part IL, radicals derived from oxirans in aqueous solution, 1044. Part L, reactions of alkoxyl radicals generated from alkyl hydroperoxides and titanium(III) ion in aqueous solution, 1047.
- study of phosphoranyl radicals derived from tetra-alkyl esters of phosphorous phosphoric anhydride (RO)<sub>2</sub>-POP(O)(OR)<sub>2</sub>, 1154.
- study of ring inversion in the radical anions of *peri*bridged naphthalenes and singly bridged biphenyls, 173. study of the interaction between radical ion pairs and macrocyclic polyethers, 137.
- Electron transfer and base addition in unsaturated systems, competition between: the case of 3-methoxytropone, 180.
  - in the photochemistry of substituted benzoate and naphthoate esters, 1475.
- Electro-organic reactions. Part VI, stereoselective cathodic reduction of unhindered cyclic ketones, 879. Part VII, the cathodic reduction of carvomenthone, menthone, and camphor, 884. Part IX, mechanism of the Kolbe reaction; stereochemistry of reaction of anodically generated cyclohexyl radicals and cations, 1709.
- Electrophiles, mechanism of cleavage by, and mechanism of formation from  $\beta$ -styryl halides:  $\beta$ -styrylcobaloximes, 1261.
- Electrophilic additions to acetylenes. Part VI, addition of t-butyl chloride and benzyl chloride to alkynes, 1517.
  - aromatic substitution. Part XVII, protiodetritiation of some cycloalkyl- and secondary alkyl-benzenes. A linear free energy relationship for ortho-substitution, 559. Part XV, the kinetics, mechanism and products of nitrodebromination in sulphuric acid, 1089.
  - hydroxylation of the solvent. Decomposition of hydroperoxides by boric acid anhydride in solution, 855.
  - nitrosation, evidence for. Reaction of dinitrogen trioxide with 2-methylpropene and other alkenes, 828.
  - substitution in pyrroles. Part I, reaction with 4-dimethyl-aminobenzaldehyde (Ehrlich's reagent) in acid solution, 696.
    - reactivity of thieno[2,3-b]pyridine towards, 1135.
- Elimination, syn- and anti-, from diastereoisomeric halogenosulphonylethanes, mechanistic study of, 1303.
- β-Elimination from (p-acetylphenethyl)dimethylsulphonium bromide, deuterium kinetic isotope effect in. The influence of added dimethyl sulphoxide, 488.
- Elimination, olefin-forming, the carbanion mechanism of. Part VII, the isotope effect maximum in the dehydrochlorination of 2,2,2-trichloro-1,1-bis-(p-chlorophenyl)-ethane by various bases in alcoholic solution, 932.
  - the stereochemistry of; a <sup>13</sup>C nuclear magnetic resonance study. Carbonate pyrolysis. Part IV, 701.
  - rates, correlation of with those obtained in solution, and pyrolysis of t-butyl *N*-arylcarbamates in the gas phase, 799.

- Elimination (contd.)
  - **reactions** of 1-benzylethyl halides and toluene-p-sulphonate in different base-solvent systems, *trans*: *cis* olefin ratios in, 877.
- Energetics of a readily occurring intramolecular hydride shift, 1549.
- Energies, related bond dissociation, and enthalpy of formation of phenyl formate, 1032.
  - stabilisation, in benzenoid and other conjugated cyclic hydrocarbons, homodesmotic reactions for the assessment of, 1222.
- Energy, linear free, ortho-correlations in the thiophen series. Part II, acid dissociation of some 3-substituted thiophen-2-carboxylic acids in water, 747. Part III, the kinetics of piperidino-substitution of some 3-X-5-nitro-2-thienyl phenyl sulphones in methanol, 1495. Part IV, kinetics of alkaline hydrolysis of some methyl 3-substituted thiophen-2-carboxylates in aqueous methanol, 1805.
  - relationships. Part VI, acidity of 4-(5-X-hydroxy-styryl)-N-methylpyridinium iodides, 196. Part VII, synthesis and properties of a novel 'double-barrelled' solvatochromic compound, 1575.
    - for ortho-aromatic substitution. Protiodetritiation of some cycloalkyl- and secondary alkyl-benzenes. Electrophilic aromatic substitution. Part XVII, 559.
- Energy transfer, triplet-triplet, to biacetyl. Photochemical and photophysical behaviour of benzoyl pyridines. Part I, 869.
- Enol form of 1-(4-nitrophenyl)butane-1,3-dione, crystal structure of, 513.
- Enolic hydrogen, homolytic abstraction of, 502.
- Enolisation of derivatives of 2'-carboxyacetophenone, interand intra-molecular catalysis in, 39.
- Enthalpies of transfer involving ionic transition states: the redundance of extrathermodynamic assumptions, 1531. transition state, of transfer in aqueous dimethyl sulphoxide solutions. The hydroxide-catalysed racemisation of D-α-methyl-α-phenylacetophenone, 102.
- Enthalpy of formation of phenyl formate and related bond dissociation energies, 1032.
- **Enzymes,** proteolytic: electrophilic participation in the acylation step, 723.
- lipophilic binding sites for specific and non-specific substrates for α-chymotrypsin, 686.
- **Epimerisation** of an optically active hexaco-ordinated phosphorus compound: kinetic studies, 955.
  - thermal, of chiral oxaziridines. Dynamic stereochemistry of imines and derivatives. Part VII, 606.
- Equilibria  $\operatorname{Et_3N} + \operatorname{EtI} \longrightarrow \operatorname{Et_4NI}$  and  $\operatorname{Et_3N} + \operatorname{EtI} \longrightarrow \operatorname{Et_4N} + \operatorname{I}$ , comparison with solvent effects on. The effect of 39 solvents on the free energy of  $\operatorname{Et_3N}$ ,  $\operatorname{EtI}$ , and the  $\operatorname{Et_3N-EtI}$  transition state. Substitution at saturated carbon. Part XX, 1735.
  - and kinetic rates for the addition of  $2\pi$ -electron addends to 3-oxidopyridinium betaines. 1,3-Dipole character of six-membered aromatic rings. Part XXIX, 1829.
  - and reactions of acetylsulphuric acid in liquid sulphur dioxide, 1784.
  - conformational, and torsional barriers in pyridinecarbaldehydes. <sup>13</sup>C Nuclear magnetic resonance studies on aromatic aldehydes, 147.
    - of acetyldiazomethane, 1-acetyl-1-diazoethane and

- benzoyl(diazo)phenylmethane, thermodynamic parameters in using infrared spectroscopy, 707.
- ion-pair, in media of low dielectric constant, extrathermodynamic relationships for, 874.
- keto-enol, of 3-alkylpentane-2,4-diones in aqueous solution, new data on, 257.
- pyridone-hydroxypyridine, in solvents of differing polarity. Tautomeric pyridines. Part XV, 1428.
- the ion-pair dissociation, of quarternary ammonium hexachloroantimonate salts in dichloromethane, effect of alkyl substituent chain lengths on, 329.
- Equilibration of 1,3-diarylpropenes. Organic anions. Part I 1683.
- Equilibrium and kinetic data for spiro-complex formation from 1-(2-mercaptoethylthio)- and 1-(2-hydroxyethylthio)-2,4,6-trinitrobenzene in water. The stabilities of Meisenheimer complexes. Part XIII, 901.
  - parameters and activation parameters for the interconversion of the conformational isomers of some *N*acylprolines, evaluation of by nuclear magnetic resonance spectroscopy, 761.
  - study of biphenyl-2-ol by infrared spectroscopy, 1663.
- Ester, the p-bromophenylboronate, of 17α,20β,21-trihydroxypregn-4-en-3-one, X-ray crystallographic determination of the structure of, 110.
  - neutral and anionic, polyelectrolyte catalysis of the alkaline hydrolysis of, 1074.
  - tetra-alkyl, of phosphorous phosphoric anhydrice (RO)<sub>2</sub>-POP(O)(OR)<sub>2</sub>, an electron spin resonance study of phosphoranyl radicals derived from, 1154.
  - the mechanism of the gas-phase pyrolysis of. Part IV, effects of substituents at the  $\beta$ -carbon atom, 280.
- Ester hydrolysis, catalysis of by cationic micelles of surfactants containing the imidazole ring, 771.
  - the Elcb mechanism for. Evidence for a dianion intermediate in the hydrolysis of aryl malonate anions, 1762.
- Ester linkages in the nematic phase: a thermodynamic study, 710.
- Ethane, 1-acetyl-1-diazo-, acetyldiazomethane, and benzoyl(diazo)phenylmethane, thermodynamic parameters in the conformational equilibria of using infrared spectroscopy, 707.
- Ethanol, aqueous, kinetics of solvolysis of substituted  $\omega$ -bromo-2-acetonaphthones in, 1893.
- Ethane, 1-benzoyl-1-diazo-, and benzoyl(diazo)phenylmethane, preferred molecular conformations by semiempirical molecular orbital calculations, 538.
  - 2,2,2-trichloro-1,1-bis-(p-chlorophenyl)-, the isotope effect maximum in the dehydrochlorination of by various bases in alcoholic solvents. The carbanion mechanism of olefin-forming elimination. Part VII, 932.
  - diastereoisomeric halogenosulphonyl-, mechanistic study of syn- and anti-elimination from, 1303.
- Ethenethiolate, 1-ethylthio-2-(p-nitrophenyl)-2-(triphenyl-phosphonio), synthesis and crystal and molecular structure, 1404.
- Ethers, alkyl and silyl, the relative gas-phase proton affinities and polarisabilities of, 434.
- Ethylamines, some NN-dimethylphen-, and some substituted tertiary alkylamines, oxidation of with potassium hexacyanoferrate(III). Amine oxidation. Part XI, 1172.
- Ethyl α-benzylacetoacetate, 3-benzylpentane-2,4-dione, and benzylmalononitrile, Brönsted exponents in the proton abstraction from derivatives of, 1367.

- Ethylene and cyclopentadiene. The kinetics of reversible Diels-Alder reactions in the gas phase. Part II, 52.
  - 1,1-diphenyl-2,2-di-t-butyl-, at  $-155\,^{\circ}\mathrm{C}$ ; crystal structure of a very hindered olefin, 1831.
- Ethyl iodide, Et<sub>3</sub>N, and the Et<sub>3</sub>N-EtI transition state, the effect of 39 solvents on the free energy of. Comparison with solvent effects on the equilibria Et<sub>3</sub>N + EtI

 $\operatorname{Et_3NI}$  and  $\operatorname{Et_3N} + \operatorname{EtI} \Longrightarrow \operatorname{Et_3N} + \overline{\operatorname{I}}$ . Substitution at saturated carbon. Part XX, 1735.

- Ethylmagnesium bromide in diethyl ether, cleavage of carbon—oxygen single bonds in the reaction of aryl ethyl acetals with. A kinetic study, 1001.
- Eupaformonin, a cytotoxic germacranolide from Eupatorium formosanum, HAY, crystal and molecular structure, 578
- Eupolauramine, a novel type of alkaloid from Eupomatia laurina, molecular and crystal structure, 658.
- Exchange, N-H and C-H, in pyrrole and indole, kinetics and mechanism of. Part II, general acid catalysed exchange in aqueous acetonitrile, 388.
  - hydrogen-deuterium, in fluoren-9-ylideneacetonitrile catalysed by sodium ethoxide, kinetics of. Vinyl carbanions. Part I, 253.
  - hydrogen-isotope, in a bridged anthracene derivative carrying a nitrogen pole. Inductive and field effects in aromatic substitution. Part VII, 285.
  - intramolecular cation, in ion pairs. Part II, isomeric radical ion pairs in dithiolactones, 946.
- Excited state basicity, relevance of, and effect of heavy atom quenchers: photorearrangement of quinoline 1-oxides, 456.
- Excited states, the singlet and triplet, in the type II photochemistry of some α-alkylated cyclohexanones, fragmentation ratios for: cyclobutanol, 7.

F

- Ferrate(3-) anions, aquapentacyano-,  $[Fe^{11}(CN)_5, H_2O]^{3-}$ , and alkyl- and aryl-hydroxylamines, formation of Baudisch complexes  $[Fe^{11}(CN)_5, RNO]^{3-}$  from, 732.
- Fischer-Hepp rearrangement and denitrosation, kinetics and mechanism of. Part VII, reactions at high acidity, 601. Part VIII, substituent effects on denitrosation of aromatic N-nitroso-amines, 691.
- Fission, alkyl-oxygen, neighbouring group participation and: hydrolysis of diphenylmethyl hydrogen phthalate. Intramolecular catalysis. Part II, 639.
- Flash photolysis electron spin resonance and chemically induced dynamic nuclear polarisation nuclear magnetic resonance investigation. Photodecarboxylation of carboxylic acids sensitised by triplet benzophenone and duroquinone, 915.
- Fluorene, relative reactivities of ion-pairs of the 1,3-diphenylallyl carbanion towards, 1636.
- Fluorenes, 9-substituted, patterns of reactivity of sodium salts of with molecular oxygen and with acrylic esters.

  Mechanistic studies in strongly basic media. Part IX,
- Fluorescence, reversible photochemistry, and photooxidation of dixanthylidene: temperature and external spin-orbit perturbation effects, 438.
  - quantum yields, the relative, of oxybarbiturates, inductive effect in, 844.

- quenching, intramolecular, of anthracene by heterocyclic ligands, 1452.
- Fluoroalkenes, addition of chloroiodo- and di-iodo-methane to. Free radical addition to olefins. Part XVIII, 63.
- Fluorobenzenes, polysubstituted, additivity of substituent effects upon proton-fluorine coupling constants in, 1307.
- Fluoroformate, 4-methoxyphenyl, and 4-methoxyphenyl chloroformate, kinetics and mechanism of the acetate catalysed hydrolysis of in aqueous dioxan. Evidence for rate-determining attack of acetate on an intermediate mixed anhydride, 935.
- Formaldehyde dimethyl acetal in the liquid phase, photolysis (λ 185 nm) of. Radiation chemistry of acetals. Part I, 1408.
- Formation from  $\beta$ -styryl halides, mechanism of, and mechanism of cleavage by electrophiles:  $\beta$ -styryl-cobaloximes, 1261.
  - of phenyl formate, enthalpy of and related bond dissociation energies, 1032.
- Formic acid, acetic [2H]acid, and halogenated and unsaturated acids, kinetics of gas-phase reactions with. Reactions of keten. Part VI, 1533.
- Fragmentation paths of hydrazonyl halides upon electron impact; simulation of nitrilimine formation, 921.
- ratios for the singlet and triplet excited states in the type II photochemistry of some  $\alpha$ -alkylated cyclohexanones: cyclobutanol, 7.
- Free energy, linear, ortho-correlations in the thiophen series. Part II, acid dissociation of some 3-substituted thiophen-2-carboxylic acids in water, 747. Part III, the kinetics of piperidino-substitution of some 3-X-5-nitro-2-thienyl phenyl sulphones in methanol, 1495. Part IV, kinetics of alkaline hydrolysis of some methyl 3-substituted thiophen-2-carboxylates in aqueous methanol, 1805.
  - relationships. Part VI, acidity of 4-(5-X-hydroxy-styryl)-N-methylpyridinium iodides, 196. Part VII, synthesis and properties of a novel 'double-barrelled' solvatochromic compound, 1575.
  - relationship for *ortho*-aromatic substitution. Protiodetritiation of some cycloalkyl- and secondary alkyl-benzenes. Electrophilic aromatic substitution. Part XVII, 559.
  - of Et<sub>3</sub>N, Et1, and the Et<sub>3</sub>N-Et1 transition state, the effect of 39 solvents on. Comparison with solvent effects on the equilibria Et<sub>3</sub>N + Et1  $\rightleftharpoons$  Et<sub>4</sub>NI and Et<sub>3</sub>N + Et1  $\rightleftharpoons$  Et<sub>4</sub>N . Substitution at saturated carbon. Part XX, 1735.
- Free radical addition to olefins. Part XVIII, addition of chloroiodo- and di-iodo-methane to fluoroalkenes, 63.
  - a regio- and stereo-selective bromination of steroidal αβ-unsaturated ketones, 247.
  - heterocyclic. Part VI, substituent effects on the distribution of the spin density in 10-arylphenoxazine and 10-arylphenothiazine cation radicals, 114.
  - organometal-substituted N-trimethylsilylpyridyl; the reaction with bis(trimethylsilyl)mercury. Group IVB organometal derivatives of pyridine. Part II, 1149.
- Frequencies, chlorine-35 nuclear quadrupole, and quantum chemical calculations: chlorinated pyridine compounds, 1821.
  - the carbonyl group. Part VI, alkyl carbonates, 1800.

- Fumaric acid, methyl-, methylmaleic acid, and dimethylmaleic acid, kinetic investigation of the oxidation of. Mechanism of the permanganate oxidation of unsaturated compounds. Part VI, 939.
- **Furan**, benzo[c], isoindole, benzo[c]thiophen, and 2H-indene, the electronic structure of the quinonoid heterocycles, 81.
  - thiophen, benzofuran, and benzothiophen rings, reactivities and solvent isotope effects in the base cleavage of triorgano-silicon, -germanium, and -tin groups from. Aromatic reactivity. Part LXI, 925.
    - selenophen, and tellurophen, photoelectron spectra of the  $\alpha$ -substituted derivatives of. A comparative study of the molecular orbital energies, 276.
  - -2-carbaldehyde conformational equilibrium, dependence of on solvent dielectric constant: direct evidence from pulsed (Fourier transform) nuclear magnetic resonance, 451.
  - -2-carboxylates, alkyl, infrared examination of rotational isomerism in: determination of thermodynamic parameters from infrared data, 597.
  - halides and thiophen-2-carbonyl halides, investigation of rotational isomerism in by nuclear magnetic resonance and infrared spectrometry, 1.
  - -2(3H)-one, 5-methyl, kinetics of base-catalysed condensation of with 2-hydroxybenzaldehyde, 1773.
- Fused rings, two six-membered, liquid crystal nuclear magnetic resonance investigation on the structure of a molecule formed by: 2,7-naphthyridine, 19.

G

- D-Galactose, 4-deoxy-4-fluoro-, 2-deoxy-2-fluoro-D-mannose, and the deoxyfluoro-D-glucoses, the carbon-13 nuclear magnetic resonance spectra of. Orientational and substituent effects upon \*\*JFC\*, 1598.
- **α-D-Galacturonate-4.5 water,** strontium 4-O-(4-deoxy-β-L-threo-hexenosyl)-, crystal structure of. Interactions of cations with sugar anions. Part II, 392.
- Gas phase, pyrolysis of t-butyl N-arylcarbamates in, and correlation of the elimination rates with those obtained in solution, 799.
  - the kinetics of reversible Diels-Alder reactions in the. Part II, cyclopentadiene and ethylene, 52.
  - the thermal decomposition of propanoic and 2-methylpropanoic anhydrides in, 986.

photolysis of cyclobutanecarbaldehyde, 826.

- pyrolysis of βγ-acetylenic acids. Studies in decarboxylation. Part VIII, 592.
  - of esters, the mechanism of. Part IV, effects of substituents at the  $\beta$ -carbon atom, 280.
- reactions with carboxylic acids. Effect of alkyl substituents. Reactions of keten. Part V, 988.
  - with halogenated and unsaturated acids, formic acid, and acetic [2H]acid, kinetics of Reactions of keten. Part VI, 1533.
- thermolysis of sulphur compounds. Part 1, di-t-butyl disulphide, 1421.
- **Geometry** of the fluorinated *cis*-decalin system: crystal and molecular structure of *cis*-perfluorobicyclo[4.4.0]-decane-1,6-diol, 383.
- Germacra-1(10),11(13)-dien-12,6-olactone, 4,5-epoxy (parthenolide), crystal and molecular structure, 465.

- Germacranolide, a cytotoxic, from Eupatorium formosanum HAY, crystal and molecular structure, 578.
  - containing C(6) and C(8) lactonisable  $\alpha$ -oxygen functions, an interpretation of the preferential C(8) relactonisation of; molecular mechanics calculations on lactones, 1917.
- Germanium, triorgano-, -silicon, and -tin groups from furan, thiophen, benzofuran, and benzothiophen rings, reactivities and solvent isotope effects in the base cleavage of. Aromatic reactivities. Part LXI, 925.
- Glaziovine, (±)-11,12-dihydro-, crystal structure and relative configuration of. Stereochemistry of reduced proaporphines, 1218.
- α-D-Glucopyranosyl bromide, 2,3,4,6-tetra-O-methyl-, a mechanistic study of mercury(II) cyanide-promoted reactions of with cyclohexanol in benzene-nitromethane. Koenigs-Knorr reactions. Part II, 1632.
- D-Glucoses, deoxyfluoro-, 2-deoxy-2-fluoro-D-mannose, and 4-deoxy-4-fluoro-D-galactose, the carbon-13 nuclear magnetic resonance spectra of. Orientational and substituent effects upon  $^nJ_{FC}$ , 1598.
- L-Glutamine, N-acetyl-, crystal and molecular structure, 768.
- Glycine, kinetic study of homogeneous acid-catalysed oxidation of by potassium permanganate in moderately concentrated acidic media, 469.
- Glycopyranosides, 2,4-dinitrophenyl, acetolysis of, 618.
- Glyoxylic acid and pyruvic acid, mechanism of the oxidation of by periodate, 1337.
- Gold(III), tetrachloro-, ions, hydrolysis of N-cyclohexyl methylthiobenzimidate in the presence of and the effects of hydrogen, halide, and other ions, 1278.
- Grignard reaction, kinetics and mechanism of a one-step alternative to, 378.
- Ground state basicity, relevance of, and effect of heavy atom quenchers: photorearrangement of quinoline 1-oxides, 456.
- Groups attached to the ring by a sulphur atom, activating effects of. The  $S_{\rm N}$  mechanism in aromatic compounds. Part XL, 1320.
- **Growth inhibitor,** 'maleic hydrazide' (1,2-dihydropyridazine-3,6-dione), crystal structure of, 1386.
- Ground states of molecules. Part XXXII, a MINDO/3 study of the mesoionic oxazoles and imidazoles, 548.
- Group IVB organometal derivatives of pyridine. Part II, the reaction with bis(trimethylsilyl)mercury; organometal-substituted N-trimethylsilylpyridyl free radicals, 1149.
- Groups bonded to positions 2 and 5 of the thiazole ring, relative reactivities of, 398.
  - terminal, in the nematic and cholesteric phases: a thermodynamic study, 713.
  - transfer, phosphyl ( $P^{V}$ ), nucleophylic *versus* general base catalysis in: application to  $\alpha$ -chymotrypsin action, 515.
- Guanidine, hexamethylguanidinium perchlorate, and tetramethylurea, kinetics and mechanism of the alkaline hydrolysis of, 781.

н

 $\Delta H^{\rm O}$ , the validity of as a measure of Lewis acid strength. Acidity of covalent metal halides towards substituted anilines in dioxan. Quantitative aspects of Lewis acidity. Part XVI, 1058.

- **HUF-2046** monohydrate, loxapine, and clozapine {2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e] [1,4]diaze-pine monohydrate, 2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,f][1,4]oxazepine, and 8-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4]diazepine}, crystal structures of. Conformations of some semi-rigid neuroleptic drugs. Part I, 1415.
- **Halide ions** anchimerically assisted by a carboxy-group, racemisation of sulphoxides with. The different behaviour of chloride and bromide ions, 1288.
- **Halides**, 1-benzylethyl, and toluene-p-sulphonate in different base-solvent systems, *trans*: *cis* olefin ratios in the elimination reactions of, 877.
  - thiophen- and furan-2-carbonyl, investigation of rotational isomerism in by nuclear magnetic resonance and infrared spectrometry, 1.
- Halogenation of benzofurans and benzothiophens, role of addition compounds in, 266.
  - some observations relating to substituent effects in. Part VII, the kinetics and reactions of toluene and o-and p-xylene with chlorine acetate in aqueous acetic acid and acetic acid-perchloric acid, 357. Part VIII, the kinetics and reactions of indane, 9,10-dihydro-anthracene, and tetralin with chlorine acetate in aqueous acetic acid, 359.
- Halogen atom, the size of a. Conformational equilibria and barriers to rotation in monohalogenobutanes with methyl substituents. Methyl-halogen interactions, 336.
  - displacement from bromopolyfluoroaromatic compounds. Nucleophilic displacement in polyhalogenoaromatic compounds. Part II, 1545.
  - substitution, aromatic, the kinetics and mechanism of. Part XXXII, the directive power of the acetoxy-group, 784. Part XXXIII, kinetics and products of chlorination of some aryl acetates, 1389.
- Hammett-Taft relation, application of to kinetics of Strecker degradation of  $\alpha$ -amino-acids with phenalene-1,2,3-trione hydrate, 128.
- **Helenium autumnale** L, North Carolina, crystal and molecular structure of carolenalone, a cycloheptenone sesquiterpene lactone from, 332.
- L-gulo-Heptitol, meso-L-glycero-, crystal structure, 349.
- **Herbicides.** Part 1, crystal structure of 2,4-D (2,4-dichlorophenoxyacetic acid), 791.
- Heterocycles, kinetics of reactions in. Part XV, reactions of 2-, 6-, or 8-methylthio-1-, -3-, -7-, or -9-methylpurines and related compounds with methoxide ions in methanol, 1176.
  - saturated, conformational analysis of. Part LXXII, tetrahydro-1,3,4-oxadiazines, 1861. Part LXXVI, ring and nitrogen inversion in cis- and trans-1,4,5,8-tetramethyldecahydropyrazino[2,3-b]pyrazine, 1564.
  - the quinonoid bicyclic, isoindole, benzo[c]furan, benzo-[c]thiophen, and 2H-indene, the electronic structure of, 81.
- **Heterocyclic diketones,** dipole moments and absorption spectra of, 574.
  - free radicals. Part VI, substituent effects on the distribution of the spin density in 10-arylphenoxazine and 10-arylphenothiazine cation radicals, 114.
  - ligands, intramolecular fluorescence quenching of anthracene by, 1452.
  - rings, eight-membered, conformation of. Conformation of NN-diphenyl-3,7-diaza-1,5-dithiacyclo-octane in dioxan solution. Stereochemistry. Part III, 1228.

- Hierarchy of unimolecular reactions in a homologous series, the concept of. Prediction of the unimolecular chemistry of some saturated carbenium ions, 1479.
- High acidity, reactions at. Kinetics and mechanism of the Fischer-Hepp rearrangement and denitrosation. Part VII, 601.
- Histidine, tryptophan, and valine, relative residence times of peptides of. Proton magnetic resonance spectra of amino-acids and peptides relevant to wool structure. Part VI, 1190.
- Homoallylic coupling in cyclic dipeptides. Conformations of peptides in solution by nuclear magnetic resonance spectroscopy. Part II, 187.
  - in 1,4-dihydronaphthalenes, 851.
- Homodesmotic reactions for the assessment of stabilisation energies in benzenoid and other conjugated cyclic hydrocarbons, 1222.
- Homologous series, the concept of a hierarchy of unimolecular reactions in. Prediction of the unimolecular chemistry of some saturated carbenium ions, 1479.
- Homolytic abstraction of enolic hydrogen, 502.
- Hydration of acetaldehyde catalysed by micellar Triton X-100 in carbon tetrachloride, 1497.
- Hydrazonyl halides, fragmentation paths of upon electron impact; simulation of nitrilimine formation, 921.
- Hydride shift, intramolecular, the energetics of a readily occurring, 1549.
- Hydrocarbons, benzenoid and other conjugated cyclic, homodesmotic reactions for the assessment of stabilisation energies in, 1222.
  - conjugated, conformations of. Part I, a spectroscopic and thermodynamic study of buta-1,3-diene and 2-methylbuta-1,3-diene (isoprene), 1666.
  - cyclic, oxidation of by cobalt(III) acetate, 1285.
- Hydrogen, enolic, homolytic abstraction of, 502.
  - significance of the [1,5] sigmatropic shifts of. Mechanistic investigations in the photochemistry of acyclic conjugated dienes, 647.
  - atom abstraction from alkyl-substituted phenols by polyvinyl acetate radicals, role of hydrogen bonding in the mechanism of, 1913.
- $\beta$ -Hydrogen atoms pyrolysis of S-alkal-S-phenyl-N-p-tolyl-sulphonylsulphimides with no, 1432.
- Hydrogen bond, evidence for a C-H···N intramolecular: crystal structure, and infrared and proton magnetic resonance spectra of 3-cyanomethylsulphonyl-2-morpholinocyclohexene, 1126.
  - intramolecular, involving polar carbon-hydrogen bonds: infrared and <sup>1</sup>H nuclear magnetic resonance spectra of some cyanomethyl and benzyl sulphones, 1130.
  - bonding, role of in the mechanism of hydrogen atom abstraction from alkyl-substituted phenols by polyvinyl acetate radicals, 1913.
    - abilities, the cyano-group, infrared frequencies, and intensities in some  $\alpha$ -alkylthio-nitriles, comparison between, 16.
  - ions, the effects of on thioimidate ester hydrolyses and the products, kinetics and mechanisms of metal ion-promoted hydrolyses of thioimidate esters, 1274.
  - isotope exchange in a bridged anthracene derivative carrying a nitrogen pole. Inductive and field effects in aromatic substitution. Part VII, 285.
- Hydrogenolysis of 3-acetoxynortricyclene, the stereochemistry of. Reactions over metal catalysts. Part I, 595.

- Hydrogenolysis (contd.)
  - of 3,3-dimethylnortricyclene and nortricyclene-3-spirocyclopropane. Reactions over metal catalysts. Part II, 1412.
- Hydrogen sulphide and hydroquinone, crystal structure of a clathrate inclusion compound of, 1169.
- Hydrolyses, hydrochloric acid-catalysed, of benzoic anhydrides in various dioxan—water mixtures, kinetics of, 993.
  - metal ion-promoted, of thioimidate esters, the products, kinetics and mechanisms of, and the effects of hydrogen ions on thioimidate ester hydrolyses, 1274.
- **Hydrolysis**, acid-catalysed, of dialkyl 2,2-dialkoxyethyl-phosphonates. Reaction of phosphonated acetals, 1210.
  - alkaline, of alkyl benzoates, additivity of substituent effects in, 1921.
    - of aryl phosphoramidates and their cyclic analogues, 888.
    - of guanidine, hexamethylguanidinium perchlorate, and tetramethylurea, kinetics and mechanism of, 781.
    - of neutral and anioic esters, polyelectrolyte catalysis of, 1074.
    - of some methyl 3-substituted thiophen-2-carboxylates in aqueous methanol, kinetics of. Linear free energy ortho-correlations in the thiophen series. Part IV, 1805.
  - of aryl malonate anions, evidence for a dianion intermediate in. The  $E1{\rm cb}$  mechanism for ester hydrolysis, 1762.
  - base catalysed, of barbituric acid, kinetics and mechanism of, 1009.
  - of 3-dimethylaminopropionates, intramolecular general base catalysis in, 1748.
  - ester, catalysis of by cationic micelles of surfactants containing the imidazole ring, 771.
  - of N-cyclohexyl methylthiobenzimidate in the presence of tetrachlorogold(III) ions and the effects of hydrogen halide, and other ions, 1278.
  - of diphenylmethyl hydrogen phthalate: neighbouring group participation and alkyl-oxygen fission. Intramolecular catalysis. Part II, 639.
  - of monoaryl malonates. Structure and efficiency in intramolecular and enzymic catalysis: general base catalysis, 1753
  - of phenylureas. Part II, hydrolysis in acid and aqueous solutions, 362. Part III, micellar effects on the stabilisation and decomposition of 4-methyl- and 4-nitro-phenylurea, 369.
  - of phosphonium ylides, the mechanism of, 633.
  - of 3'- and 4'-substituted phthalanilic acids [o-(N-phenyl-carbamoyl)benzoic acids]. Intramolecular catalysis. Part III, 642.
  - the acid catalysed, of 4-methoxyphenyl chloroformate and 4-methoxyphenyl fluoroformate, kinetics and mechanism of in aqueous dioxan. Evidence for ratedetermining attack of acetate ions on an intermediate mixed anhydride, 935.
    - of N-methyl-N-phenylsulphamate, kinetics and mechanism of, 1424.
  - of thioacetamide in alkaline solution, kinetics of, 1062.
- Hydroperoxides, alkyl, and titanium(III) ion in aqueous solution, reactions of alkoxyl radicals generated from. Electron spin resonance studies. Part L, 1047.
- Hydroquinone and hydrogen sulphide, crystal structure of a clathrate inclusion compound of, 1169.

- Hydroxamate anions, micellar catalysis of proton abstraction by. Nucleophilic ion pairs. Part II, 980.
- Hydroxide ions, kinetics of the addition of to substituted benzaldehydes, 1594.
- **Hydroximic acid** derivatives, stereochemistry of. Crystal and molecular structure of *N*-phenyl-2,6-dichlorobenzamide oxime, 1036.
- **Hydroxylation**, electrophilic, of the solvent. Decomposition of hydroperoxides by boric acid anhydride in solution, 855.
- Hymenoxys odorata DC (bitterweed), pseudoguaianolides isolated from: X-ray structures of hymenoxon and hymenolane, 1399.

I

- Icetexone, a diterpene quinone from Salvia ballotaeflorae, structure of, 1728.
- Imidazole-4-acetic acid hydrochloride, crystal and molecular structure, 34.
- Imidazole ring, catalysis of ester hydrolysis by cationic micelles of surfactants containing, 771.
- Imidazoles and oxazoles, mesoionic, a MINDO/3 study of. Ground states of molecules. Part XXXII, 548.
- Imidazolidin-4-one hydriodide, 1,3-dimethyl-2-imino-, general-base-catalysed proton exchange in, 674.
- Imides, isolation of relatively stable isoimides and their rearrangement to limited by substrate Z-E isomerisation.
  - Nucleophilic addition to linear nitrilium ions (-C≡N-) leading to single isomers, 1701.
- Imines and derivatives, dynamic stereochemistry of Part VII, thermal epimerisation of chiral oxaziridines, 606. Part VIII, barriers to rotation around the carbon-nitrogen bond in imine N-oxides (nitrones), 610. Part IX, the mechanism of E-Z isomerisation of N-alkylimines, 1531.
- Indane, 9,10-dihydroanthracene, and tetralin, the kinetics and reactions of with chlorine acetate in aqueous acetic acid. Some observations relating to substituent effects in halogenation. Part VIII, 359.
- Indanetrione 2-(N-p-t-butylbenzoyl-N-phenylhydrazone) acetone solvate. Correlation of the loss of solvent with the crystal structure of a 1:1 solvate, 1873.
- 2H-Indene, isoindole, benzo[c]furan, and benzo[c]thiophen, the electronic structure of the quinonoid bicyclic heterocycles, 81.
- Indenones, 2,3-diaryl, and tetraphenylcyclopentadienonean electron spin resonance spectroscopic investigation of the reactions of aryl radicals with: detection of 1-oxo-2,2,3-triphenylindenyl and related radicals and their relevance to dienone-promoted formation of benzyne from benzenediazonium acetate. Acylarylnitrosamines. Part X, 588.
- Indenyl, 1-oxo-2,2,3-triphenyl-, and related radicals, detection of and their relevance to dienone-promoted formation of benzyne from benzenediazonium acetate: an electron spin resonance spectroscopic investigation of the reactions of aryl radicals with tetraphenylcyclopentadienone and 2,3-diarylindenones. Acylarylnitrosamines. Part X, 588.
- Indole and pyrrole, kinetics and mechanism of N-H and C-H exchange in. Part II, general acid catalysed exchange in aqueous acetonitrile, 388.
- **3H-**Indole, 2-anilino-2-(1-methyl-2-phenylindol-3-yl)-3 phenyl-, monohydrate, crystal and molecular structure of

- 3H-Indole (contd.)
  - Acid-catalysed rearrangements in the aryliminoindoline series. Part II, 317.
- Indoline, 1-ethyl-2-(1-ethyl-2-phenylindol-3-yl)-2-phenyl-3-phenylimino- and 1-ethyl-3-(1-ethyl-2-phenylindol-3-yl)-3-phenyl-2-phenylimino-, crystal and molecular structures of. Acid-catalysed rearrangements in the aryliminoindoline series. Part I, 309.
- Indolizine-2-carboxylate, ethyl octahydro-3-methyl-, stereochemistry of, 107.
- Indol-2-ones, (Z) and (E)-3-alkylidene-1,3-dihydro-: influence of configuration on the transmission of the inductive effect to the carbonyl group, 150.
- Inductive effect, influence of configuration on the transmission of to the carbonyl group: (Z)- and (E)-3-alkylidene-1,3-dihydroindol-2-ones, 150.
  - in the relative fluorescence quantum yields of oxybarbiturates, 844.
- $\pi$ -Inductive effect, the existence of; the nature of substituent electronic effects, 1486.
- Infrared examination of rotational isomerism in alkyl furan-2-carboxylates: determination of thermodynamic parameters from infrared data, 597.
  - frequencies, intensities, and the cyano-group hydrogen bonding abilities in some  $\alpha$ -alkylthio-nitriles, comparison between, 16.
  - spectra and <sup>1</sup>H nuclear magnetic resonance spectra of some cyanomethyl and benzyl sulphones: intramolecular hydrogen bonds involving polar carbonhydrogen bonds, 1130.
    - and proton magnetic resonance spectra, and crystal structure of 3-cyanomethylsulphonyl-2-morpholinocyclohexene: evidence for a C-H···N intramolecular hydrogen bond, 1126.
  - spectroscopic study of the interaction between 2,6-diarylphenols and alkyl cyanides, 178.
  - spectrometry and nuclear magnetic resonance, investigation of rotational isomerism in thiophen- and furan-2-carbonyl halides by, 1.
  - spectroscopy, equilibrium study of biphenyl-2-ol by, 1663. thermodynamic parameters in the conformational equilibria of acetyldiazomethane, 1-acetyl-1-diazoethane, and benzoyl(diazo)phenyl methane using, 707.
- Inorganic ions, effect of upon the binding of iodine by starch and derivatives of amylose. Influence of cosolutes upon the conformation of carbohydrates in aqueous solutions. Part III, 215.
- Insecticides. Part V, crystal structures of  $\beta$ -(eeeeee)-1,2,3,4,-5,6-hexachlorocyclohexane and  $\gamma$ -(aaaeee)-1,2,3,4,5,6-hexachlorocyclohexane (lindane) (redetermination), 614. some chlorinated cyclodiene, polarisation and polarisability study of, 1645.
- Insertion of diarylmethylenes into benzyl fluoride, chemically induced dynamic polarisation of fluorine-19 and proton nuclei in. Intermediates in the decomposition of aliphatic diazo-compounds. Part XII, 966.
- Interactions, methyl-halogen. The size of a halogen atom. Conformational equilibria and barriers to rotation in monohalogenobutanes with methyl substituents, 336.
  - of cations with sugar anions. Part II, crystal structure of strontium 4-O-(4-deoxy- $\beta$ -L-threo-hex-4-enosyl)- $\alpha$ -D-galacturonate-4.5-water, 392.
- Interconversion of the conformational isomers of some N-acylprolines, evaluation of the equilibrium and activ-

- ation parameters for by nuclear magnetic resonance spectroscopy, 761.
- Intermediates in the decomposition of aliphatic diazo-compounds. Part XII, chemically induced dynamic polarisation of fluorine-19 and proton nuclei in the insertion of diarylmethylenes into benzyl fluoride, 966.
- unstable. Part CLXIII, methyl radical anion adducts: radiation effects on dimethyl sulphoxide, dimethyl-sulphone, and their solutions in water and methanol, 908.
- **Iodination**, electrophilic, of 1,3-diarylallenes, mechanism of, 1322.
- Iodine, the binding of by starch and derivatives of amylose, influence of inorganic ions upon. Influence of cosolutes upon the conformation of carbohydrates in aqueous solutions. Part III, 215.
  - oxidation of arylacetones in alkaline methanol, 628.
- Ionisation state and solvent, dependence of conformation upon: conformational analysis of cyclic amines using carbon-13 chemical shift measurements, 1585.
  - sulphation, sulphonation, and alkylation of ω-phenylalkan-1-ols in sulphuric acid. Aromatic sulphonation. Part 52, 1776.
- Ion-pair aggregation of a long-chain carboxylic acid and an amine in benzene studied by induced circular dichroism, 555.
- Ion pairs, intramolecular cation exchange in. Part II, isomeric radical ion pairs of dithiolactones, 946.
- nucleophilic. Part II, micellar catalysis of proton abstraction by hydroxamate anions, 980.
- of the 1,3-diphenylallyl carbanion, relative reactivities of towards fluorene, 1636.
- Ions, allylic carbonium. Part I, acetolysis of 1,1- and 3,3-dimethylallyl 2,4-dinitrophenyl ether, 1157. Part II, solvolysis and cyclisation of some monoterpene 2,4-dinitrophenyl ethers, 1160.
  - 1,3-diarylpropenide, charge control versus product stability control in the protonation of. Organic anions. Part III, 1695.
  - spectroscopic studies of. Organic anions. Part I, 1688. gaseous C<sub>2</sub>H<sub>4</sub>O<sub>2</sub><sup>+</sup>, formed by McLafferty rearrangement from aliphatic acids, structure of, 1231.
  - linear nitrilium ( $-C\equiv N-$ ), nucleophilic addition to leading to single isomers. Isolation of relatively stable isoimides and their rearrangement to imides by substrate E-Z isomerisation, 1701.
- Isodihydroumbellulone ( $4\beta H$ -thujan-2-one) and umbellulone (thuj-3-en-2-one), stereochemistry of the reduction of, 1342.
- Isoimides, relatively stable, isolation of and their rearrangement to imides by substrate E-Z isomerisation. Nucleophilic addition to linear nitrilium ions ( $\neg C = N \neg$ ) leading to single isomers, 1701.
- **Isoindole,** benzo[c]furan, benzo[c]thiophen, and 2H-indene, the electronic structure of the quinonoid bicyclic heterocycles, 81.
- **Isomenthol**, absolute configuration and conformation of by X-ray diffraction and nuclear magnetic resonance studies and crystal structure of (+)-isomenthyl p-bromophenylcarbamate, 717.
- **Isomerisation,** E-Z, in N-alkylimines, the mechanism of. Dynamic stereochemistry of imines and derivatives. Part IX, 1501.
  - substrate E-Z, isolation of relatively stable isoimides and their rearrangement to imides limited by. Nucleo-

# Isomerisation (contd.)

- philic addition to linear nitrilium ions (-C=N-) leading to single isomers, 1701.
- thermal, of benzene *cis*-trioxide (3,6,9-trioxatetracyclo- $[6.1.0.0.^{2,4}.0^{5,7}]$ nonane), 36.
- thermal, of 3,6-dimethyltricyclo[3.1.0.02,4]hexane, 1865.
- Isomerism, rotational, in alkyl furan-2-carboxylates, infrared examination of: determination of thermodynamic parameters from infrared data, 597.
  - nematic-phase nuclear magnetic resonance investigations of. Part IV, conformational study on the rotamers of 3,3'-bithienyl, 1796.
  - Part XX, relative conformational stabilities of some chlorofluoropropanes, 1142.
- Isomers, conformational, of some N-acylprolines, evaluation by nuclear magnetic resonance spectroscopy of the equilibrium and activation parameters for the interconversion of, 761.
  - syn- and anti-, occurrence of in 4-amino-5-formamidopyrimidine derivatives. Purine studies. Part XVI, 29.
  - rotational, and torsional barriers of pyridinecarbaldehydes. Conformational studies by dynamic nuclear magnetic resonance. Part IV, 1791.
  - single, nucleophilic addition to linear nitrilium ions  $(\neg C \equiv N \neg)$  leading to. Isolation of relatively stable isoimides and their rearrangement to imides limited by substrate E-Z isomerisation, 1701.
- Isoprene (2-methylbuta-1,3-diene) and buta-1,3-diene, a spectroscopic and thermodynamic study of. Conformations of conjugated hydrocarbons. Part I, 1666.
- **Isotope effect,** bridgehead β-deuterium secondary kinetic, in the solvolysis of *endo*-norbornan-2-yl *p*-bromobenzene-sulphonate, 1889.
  - deuterium kinetic, in β-elimination from (p-acetylphenethyl)dimethylsulphonium bromide. The influence of added dimethyl sulphoxide, 488.
  - maximum in the dehydrochlorination of 2,2,2-trichloro-1,1-bis-(p-chlorophenyl)ethane by various bases in alcoholic solution. The carbanion mechanism of olefinforming elimination. Part VII, 932.
  - and kinetics in proton transfer from 3-bromo- and 3-nitro-(+)-camphor, 1606.
  - solvent, and reactivities in the base cleavage of triorganosilicon, -germanium, and -tin groups from furan, thiophen, benzofuran, and benzothiophen rings. Aromatic reactivity. Part LXI, 925.
  - some large kinetic, for reactions of carbanions with methanol. Evidence for formation of carbanions in cleavage of carbon-silicon bonds by methanolic sodium methoxide, 1857.

# J

"JFC, orientational and substituent effects upon. The carbon-13 nuclear magnetic resonance spectra of the deoxyfluoro-D-glucoses, 2-deoxy-2-fluoro-D-mannose, and 4-deoxy-4-fluoro-D-galactose, 1598.

#### K

Keten, reactions of. Part V, gas-phase reactions with carboxylic acids. Effect of alkyl substituents, 988.

- Part VI, kinetics of gas-phase reactions with halogenated and unsaturated acids, formic acid, and acetic-[2H]acid, 1533.
- OO-acetals in aprotic medium, kinetics and mechanism of the reaction of phosphorus acids with. Nucleophilic reactivity of organophosphorus compounds. Part III, 1613.
- **Ketones**, alkyl and cyclic, direct carbon-13 nuclear magnetic resonance study of boron trifluoride complexes with, 1205.
  - and aldehydes, aliphatic, the Paterno-Büchi reaction of with alkenes and dienes: photochemical oxetan formation, 1902.
  - or aldehydes, mechanism of oxidative cleavage by bromine of diazabutadienes (azines) to, 242
  - reduction of some using sulphurated sodium borohydride (NaBH<sub>2</sub>S<sub>3</sub>): kinetics and mechanism, 1811.
  - saturated, photosensitisation in the photolysis of, 14.
  - some methyl styryl. The acidities of weak acids. Part IV, 846.
  - steroidal  $\alpha\beta$ -unsaturated, a regio- and stereo-selective freeradical bromination of, 242.
  - the mechanism of reduction of by borohydride, and the kinetics of reduction of acetophenones by alkali-metal alkoxides, 1523.
  - unhindered cyclic, stereoselective cathodic reduction of. Electro-organic reactions. Part VI, 879.
  - various protonated aliphatic, carbon-13 nuclear magnetic resonance spectra of and their pK<sub>BH+</sub> values. Steroid-acid colour reactions. Part I, 959.
- Kinetic and equilibrium data for spiro-complex formation from 1-(2-mercaptoethylthio)- and 1-(2-hydroxyethylthio)-2,4,6-trinitrobenzene in water. The stabilities of Meisenheimer complexes. Part XIII, 901.
  - evidence for a methanolysis intermediate in aromatic nucleophilic substitution, 1256.
  - investigation. 1,3-dipolar cycloaddition of mesitonitrile oxide to cis- and trans-cyclo-octene, 1030.
    - of the oxidation of methylmaleic acid, methylfumaric acid, and dimethylmaleic acid. Mechanism of the permanganate oxidation of unsaturated compounds. Part VI, 939.
  - isotope effect, bridgehead β-deuterium secondary, in the solvolysis of *endo*-norbornan-2-yl *p*-bromobenzene-sulphonate, 1889.
    - deuterium, in β-elimination from (p-acetylphenethyl)-dimethylsulphonium bromide. The influence of added dimethyl sulphoxide, 488.
    - and aliphatic diazo-compounds. Part VII, the decomposition of diazomalonate ions, 473.
    - some large, for reactions of carbanions with methanol. Evidence for formation of carbanions in cleavage of carbon-silicon bonds by methanolic sodium methoxide, 1857.
  - method of conformational analysis of cyclohexanes, 4-t-butyl derivatives as valid reactivity models in. Effect of 4-t-butyl and other 4-substituents on rate constants for reactions of 1,1-disubstituted cyclohexanes and piperidines, 838.
  - rates and equilibria for the addition of 2  $\pi$ -electron addends to 3-oxidopyridinium betaines. 1,3-Dipole character of six-membered aromatic rings. Part XXIX, 1829.
  - and isotope effects in proton transfer from 3-bromo- and 3-nitro(+)-camphor, 1606.

## Kinetic rates (contd.)

- detritiation, of acetophenones in highly acidic media, 1641. mechanism, and products of nitrodebromination in sulphuric acid. Electrophilic aromatic substitution. Part XV, 1089.
- of alkaline hydrolysis of some methyl 3-substituted thiophen-2-carboxylates in aqueous methanol. Linear free energy *ortho*-correlations in the thiophen series. Part IV, 1805.
- of base-catalysed condensation of 5-methylfuran-2(3H)-one with 2-hydroxybenzaldehyde, 1773.
- of desulphonative double Smiles' rearrangement of N-(2-hydroxyalkyl)-p-nitrobenzenesulphonamides, 1741.
- of gas-phase reactions with halogenated and unsaturated acids, formic acid, and acetic [2H]acid. Reactions of keten. Part VI, 1533.
- of halogen displacement from bromopolyfluoroaromatic compounds. Nucleophilic displacement in polyhalogenoaromatic compounds. Part II, 1545.
- of hydrogen-deuterium exchange in fluoren-9-ylideneacetonitrile catalysed by sodium ethoxide. Vinyl carbanions. Part I, 253.
- of nitration and bromination in the onium salts of dithia- and diaza-cyclophanes. Inductive and field effects in aromatic substitution. Part VIII, 290.
- of oxidation of organic compounds by silver(II) in aqueous perchloric acid solution. Part II, aliphatic carboxylic acids, 1841.
  - of β-substituted cyclopentanols by chromium(vi) oxide. Steric effects in five-membered rings. Part VI, 943.
- of piperidino-substitution of some 3-X-5-nitro-2-thienyl phenyl sulphones in methanol. Linear free energy ortho-correlations in the thiophen series. Part III, 1495.
- of reaction of p-nitrophenyl methyl carbonate with nucleophiles in aqueous solution, and the relative ease of acetyl and methoxy-carbonyl transfer reactions, 679.
  - of polychlorofluorobenzene derivatives. Nucleophilic displacement in polyhalogenoaromatic compounds. Part I, 1541.
  - of substituted pyridines and oxygen anions with methyl chloroformate in aqueous solution, 68.
  - in heterocycles. Part XV, reactions of 2-, 6-, or 8-methylthio-1-, -3-, -7-, or -9-methylpurines and related compounds with methoxide ions in methanol, 1176.
- of reduction of acetophenones by alkali-metal alkoxides, and the mechanism of reduction of ketones by borohydride, 1523.
- of reversible Diels-Alder reactions in the gas phase. Part II, cyclopentadiene and ethylene, 52.
- of solvolysis of substituted ω-bromo-2-acetonaphthones in aqueous ethanol, 1893.
- of Strecker degradation of  $\alpha$ -amino-acids with phenalene-1,2,3-trione hydrate, application of a Hammett-Taft relation to, 128.
- of the addition of hydroxide ions to substituted benzaldehydes, 1594.
- of the hydrochloric acid-catalysed hydrolyses of benzoic anhydrides in various dioxan-water mixtures, 993.
- of the hydrolysis of thioacetamide in alkaline solution, 1062.

- of the oxidation of some *meta* and *para*-substituted dimethylanilines with lead tetra-acetate, 1803.
- of the reactions of cinnamic acid and *meta*-substituted cinnamic acids with diazodiphenylmethane in various alcohols and in aprotic solvent. The separation of polar and steric effects. Part XIII, 847.
  - of piperidine, n-butylamine, morpholine, and benzylamine with 1-fluoro- and 1-chloro-2,4-dinitrobenzenes in acetonitrile, 1396.
- Kinetics and mechanism of N-H and C-H exchange in pyrrole and indole. Part II, general acid-catalysed exchange in aqueous acetonitrile, 388.
  - of addition of acids to olefins. Part I, addition of acetic acid to cyclic and strained bicyclic olefins catalysed by trifluoromethanesulphonic acid, 1183. Part II, addition of trifluoroacetic acid to (+)-(R)-limonene in weakly polar media, 1374.
  - of a one-step alternative to the Grignard reaction, 378.
  - of aromatic halogen substitution. Part XXXII, the directive power of the acetoxy-group, 784. Part XXXIII, kinetics and products of chlorination of some aryl acetates, 1389.
  - of base-catalysed hydrolysis of barbituric acid, 1009.
  - of oxidation pathways of some catecholamines with periodic acid, 1651.
  - of sulphonation of  $\omega$ -phenylalkane-1-sulphonic acids in sulphuric acid. Comparison of the side-chain  $SO_3H$  and  $OSO_3H$  substituent effects. Aromatic sulphonation. Part 53, 1780.
  - of the acetate-catalysed hydrolysis of 4-methoxyphenyl chloroformate and 4-methoxyphenyl fluoroformate in aqueous dioxan. Evidence for rate-determining attack of acetate ions on an intermediate mixed anhydride, 935.
  - of the acid-catalysed hydrolysis of N-methyl-N-phenyl-sulphamate, 1424.
  - of the alkaline hydrolysis of guanidine, hexamethylguanidinium perchlorate, and tetramethylurea, 781.
  - of the Fischer-Hepp rearrangement and denitrosation. Part VII, reactions at high acidity, 601. Part VIII, substituent effects on denitrosation of aromatic N-nitroso-amines, 691.
  - of the reaction of phosphorus acids with keten OO-acetals in aprotic medium. Nucleophilic reactivity of organophosphorus compounds. Part III, 1613.
  - reduction of some ketones using sulphurated sodium borohydride (NaBH<sub>2</sub>S<sub>3</sub>), 1811.
  - and the products of metal ion-promoted hydrolyses of thiomidate esters and the effects of hydrogen ions on thioimidate ester hydrolyses, 1274.
  - of cyanogen bromide reactions with N-alkylanilines. Structure and reactivity of heterosubstituted nitriles. Part XIV, 524.
  - of the reactions of organic cation radicals and dications. Part V, kinetics of thermodynamically unfavourable electron-transfer reactions between cation radicals and aromatic compounds, 1567.
- Kinetics and reactions of indane, 9,10-dihydroanthracene, and tetralin with chlorine acetate in aqueous acetic acid. Some observations relating to substituent effects in halogenation. Part VIII, 359.
  - of toluene and o- and p-xylene with chlorine acetate in aqueous acetic acid and acetic acid-perchloric acid. Some observations relating to substituent effects in halogenation. Part VII, 357.

- Kinetic studies: epimerisation of an optically active hexacoordinated phosphorus compound, 955.
  - some, of the reaction of aromatic nitro-compounds with sodium sulphite in water. Stabilities of Meisenheimer complexes. Part XII, 160.
  - Cleavage of carbon—oxygen single bonds in the reaction of aryl ethyl acetals with ethylmagnesium bromide in diethyl ether, 1001.
  - and photoelectron spectroscopic study. The electronic effect of XMe<sub>3</sub> and CH<sub>2</sub>XMe<sub>3</sub> (X = Si, Ge, Sn, or Pb) substituents in organometallic sulphides, 306.
  - of homogeneous acid-catalysed oxidation of certain aminoacids by potassium permanganate in moderately concentrated acidic media, 469.
- Koenigs-Knorr reactions. Part II, a mechanistic study of mercury(II) cyanide-promoted reactions of 2,3,4,6-tetra-()-methyl-α-D-glucopyranosyl bromide with cyclohexanol in benzene-nitromethane, 1632.
- Kolbe reaction, mechanism of; stereochemistry of reaction of anodically generated cyclohexyl radicals and cations. Electro-organic reactions. Part IX, 1709.

L

- Lactone, a cycloheptenone sesquiterpene, carolenalone from North Carolina *Helenium autumnale* L, crystal and molecular structure of, 332.
  - chiroptical properties of. Part III, electronic rotatory strengths of the  $n \longrightarrow \pi^*$  transition in  $\alpha\beta$ -unsaturated  $\gamma$ -lactone systems, 1674.
  - molecular mechanics calculations on: an interpretation of the preferential C(8) relactonisation of germacranolides containing C(6) and C(8) lactonisable  $\alpha$ -oxygen functions, 1917.
- Lanthanide ion probe measurements and proton coupling constants, comparison of results from. Conformation of hydroxy-L-proline in aqueous solution, 167.
- Laser Raman spectra of some non-conjugated steroid olefins, 841.
- Lead tetra-acetate, kinetics of the oxidation of some *meta* and *para*-substituted dimethylanilines with, 1803.
- DL-Leucine, kinetic study of homogeneous acid-catalysed oxidation of by potassium permanganate in moderately acidic media, 469.
- Lewis acidity, quantitative aspects of. Part XV, basicity of substituted pyridines and quinolines towards metal halides in diethyl ether, 89. Part XVI, acidity of covalent metal halides towards substituted anilines in dioxan. The validity of  $\Delta H^0$  as a measure of Lewis acid strength, 1058.
- Lewis acids and carboxamides, study of the intermediates involved in the reaction between (extended Vilsmeier reaction) by <sup>1</sup>H and <sup>18</sup>C nuclear magnetic resonance spectroscopy. Nuclear magnetic resonance investigations of carbonium ion intermediates. Part IV, 182.
- (+)-(R)-Limonene in weakly polar media, addition of trifluoroacetic acid to. Kinetics and mechanism of the addition of acids to olefins. Part II, 1374.
- Lindane [ $\gamma$ -(aaaeee)-1,2,3,4,5,6-hexachlorocyclohexane] and  $\beta$ -(eeeeee)-hexachlorocyclohexane, crystal structures of (redeterminations). Insecticides. Part V, 614.
- Linkages, ester, in the nematic phase: a thermodynamic study, 710.

- Lipophilic binding sites for specific and non-specific substrates of α-chymotrypsin: proteolytic enzymes, 686.
- Liquid crystal nuclear magnetic resonance investigation in the structure of a molecule formed by two fused six-membered rings: 2,7-naphthyridine, 19.
- Liquid crystal thermal stability, nematic, the effect of the terminal trifluoromethyl group on, 300.
- Liquid crystals, formed by some 4'-substituted 4- $(\beta-p$ -substituted arylethyl)biphenyls, properties of, 863.
- Liquid-phase bromination of bromobutane: variation of the ratio of 1,2- to 1,3-dibromobutanes produced, 521.
- Liquid phase, photolysis (λ 185 nm) of formaldehyde dimethyl acetal in. Radiation chemistry of acetals. Part I, 1408.
- Liquid transition temperatures, the nematic-isotropic, for the homologous series of 4-n-alkoxy- and 4-n-alkyl-4'cyanobiphenyls, trends in, 97.
- Longibornane-8,9-dione, 15-bromo-, crystal and molecular structure, 1716.
- Low temperature <sup>13</sup>C nuclear magnetic resonance spectroscopy, the application of to the determination of the A values of amino-, methylamino-, and dimethylamino-substituents in cyclohexane, 895.
  - studies at using <sup>13</sup>C and <sup>1</sup>H magnetic resonance spectroscopy: conformational equilibria in *cis-C*-methyldeca-hydroquinolines, 751.
- Loxapine, clozapine, and HUF-2046 monohydrate {2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,f][1,4]oxazepine, 8-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4]di
  - azepine, and 2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4]diazepine monohydrate}, crystal structures of. Conformations of some semi-rigid neuroleptic drugs. Part I, 1415.
- Luminescence of organic compounds, polar substituents and, 1725.

M

- McLafferty rearrangement, structure of gaseous C<sub>2</sub>H<sub>4</sub>O<sub>2</sub><sup>+•</sup> ions formed by from aliphatic acids, 1231.
- Maleic acid, methyl-, methylfumaric acid, and dimethylmaleic acid, kinetic investigation of the oxidation of. Mechanism of the permanganate oxidation of unsaturated compounds. Part VI, 939.
- 'Maleic hydrazide' (1,2-dihydropyridazine-3,6-dione), the growth inhibitor, crystal structure of, 1386.

Malonate, diethyl[3H1], detritiation of, 353.

- anions, aryl, evidence for a dianion intermediate in the hydrolysis of. The E1cb mechanism for ester hydrolysis, 1762.
- ions, diazo-, decomposition of. Kinetic isotope effects and aliphatic diazo-compounds. Part VII, 473.
- monoaryl, hydrolysis of. Structure and efficiency in intramolecular and enzymic catalysis: intramolecular general base catalysis, 1753.
- Malononitrile, benzyl-, ethyl α-benzylacetoacetate, 3-benzyl-pentane-2,4-dione, Brönsted exponents in the proton abstraction from derivatives of, 1367.
- D-Mannose, 2-deoxy-2-fluoro-, 4-deoxy-4-fluoro-D-galactose, and the deoxyfluoro-D-glucoses, the carbon-13 nuclear magnetic resonance spectra of. Orientational and substituent effects upon  $^nJ_{FC}$ , 1598.
- Mass spectra of 1,3-diarylazetidin-3-ols and related compounds, 1514.

## Mass spectra (contd.)

- of octa- and hepta-chloronaphthalenes. Polyhalogeno-aromatic compounds. Part XXXVI, 73.
- positive and negative ion, of nitro- and polynitro-1,5- and -2,3-dimethylnaphthalenes, 1363.
- Measurements, carbon-13 chemical shift, conformational analysis of cyclic amines using: dependence of comformation upon ionisation state and solvent, 1585.
- Mechanism, kinetics, and products of nitrodebromination in sulphuric acid. Electrophilic aromatic substitution. Part XV, 1089.
  - of formation from  $\beta$ -styryl halides and mechanism of cleavage by electrophiles:  $\beta$ -styrylcobaloximes, 1261.
  - of hydrolysis of phosphonium ylides, 633.
  - of hydrogen atom abstraction from alkyl-substituted phenols by polyvinyl acetate radicals, role of hydrogen bonding in, 1913.
  - of E-Z isomerisation in N-alkylimines. Dynamic stereochemistry of imines and derivatives. Part IX, 1501.
  - of oxidative cleavage by bromine of diazabutadienes (azines) to aldehydes or ketones, 242.
  - of reduction of ketones by borohydride, and kinetics of reduction of acetophenones by alkali-metal alkoxides, 1523.
  - of the cyanide ion-induced cleavage of benzils by amines in aqueous dioxan, 1021.
  - of the electrophilic iodination of 1,3-diarylallenes, 1322.
  - of the gas-phase pyrolysis of esters. Part IV, effects of substituents at the  $\beta$ -carbon atom, 280.
  - of the Kolbe reaction; stereochemistry of reaction of anodically generated cyclohexyl radicals and cations. Electro-organic reactions. Part IX, 1709.
  - of the oxidation of glyoxylic and pyruvic acids by periodate, 1337.
  - of the permanganate oxidation of unsaturated compounds. Part VI, kinetic investigation of the oxidation of methylmaleic acid, methylfumaric acid, and dimethylmaleic acid, 939.
  - of the reaction of N-arylsulphonylsulphimides with trivalent phosphorus compounds, 1438.
    - Photocyclisations of 1,4-diarylbut-1-en-3-ynes. Part II, 1111.
  - the carbanion, of olefin-forming elimination. Part VII, the isotope effect maximum in the dehydrochlorination of 2,2,2-trichloro-1,1-bis-(p-chlorophenyl)-ethane by various bases in alcoholic solution, 932.
  - the E1cb, for ester hydrolysis. Evidence for a dianion intermediate in the hydrolysis of aryl malonate anions, 1762.
  - the  $S_{\rm N}$ , in aromatic compounds. Part XL, activating effects of groups attached to the ring by a sulphur atom, 1320.
  - of addition. Part II, the stereochemistry of addition of bromine and bromine acetate to some phenyl-substituted olefins, 141.
- Mechanistic investigations in the photochemistry of acyclic conjugated dienes. Significance of the [1,5]sigmatropic shifts of hydrogen, 647.
- Mechanistic studies in the chemistry of urea. Part I, reaction with pentane-2,4-dione (acetylacetone), 832.
  - in strongly basic media. Part IX, patterns of reactivity of sodium salts of 9-substituted fluorenes with molecular oxygen and with acrylic esters, 55.
  - of *syn* and *anti*-elimination from diastereoisomeric halogenosulphonylethanes, 1303.

- of mercury(II) cyanide promoted reactions of 2,3,4,6-tetra-O-methyl-α-D-glucopyranosyl bromide with cyclohexanol in benzene-nitromethane. Koenigs-Knorr reactions. Part II, 1632.
- Media, highly acidic, detritiation kinetics of acetophenones in, 1641.
  - of low dielectric constant, extrathermodynamic relationships for ion-pair equilibria in, 874.
  - strongly basic, mechanistic studies in. Part IX, patterns of reactivity of sodium salts of 9-substituted fluorenes with molecular oxygen and with acrylic esters, 55.
  - weakly polar, addition of trifluoroacetic acid to (+)-(R)-limonene in. Kinetics and mechanism of the addition of acids to olefins. Part II, 1374.
- Meisenheimer complexes, stabilities of. Part XI, the effects of ring-size on spiro-complex formation, 155. Part XII, some kinetic studies of the reaction of aromatic nitro-compounds with sodium sulphite in water, 160. Part XIII, kinetic and equilibrium data for spiro-complex formation from 1-(2-mercaptoethylthio)- and 1-(2-hydroxyethylthio)-2,4,6-trinitrobenzene in water, 901.
- Menthone, carvomenthone, and camphor, the cathodic reduction of. Electro-organic reactions. Part VII, 884.
- Mercury, bis(trimethylsilyl)-, the reaction with; organometal-substituted N-trimethylsilylpyridyl free radicals. Group IVB organometal derivatives of pyridine. Part II, 1149.
- Mesitonitrile oxide, the 1,3-dipolar cycloaddition of to cisand trans-cyclo-octene. A kinetic investigation, 1030.
- **Mesophases** and the crystalline solid phase, structures of: cholesteryl myristate, 814.
- [2.2] Metacyclophanes, iodine-induced cycloisomerisation of methyl-, ethyl, and isopropyl-. π-Basicity and additional strain energy terms as controlling factors. Mediumsized cyclophanes. Part XVIII, 1195.
- Metal catalysts, reactions over. Part I, the stereochemistry of hydrogenolysis of 3-acetoxynortricyclene, 595. Part II, hydrogenolysis of 3,3-dimethylnortricyclene and nortricyclene-3-spirocyclopropane, 1412.
- Metal halides, basicity of substituted pyridines and quinolines towards in diethyl ether. Quantitative aspects of Lewis acidity. Part XV, 89.
  - covalent, acidity of towards substituted anilines in dioxan. The validity of  $\Delta H^0$  as a measure of Lewis acid strength. Quantitative aspects of Lewis acidity. Part XVI, 1058.
- Methane, acetyldiazo-, 1-acetyl-1-diazoethane, and benzoyl-(diazo)phenylmethane, thermodynamic parameters in the conformational equilibria of using infrared spectroscopy, 707.
  - benzoyl(diazo)phenyl-, and 1-benzoyl-1-diazoethane, preferred molecular conformations of by semiempirical molecular orbital calculations, 538.
  - chloroiodo- and di-iodo-, addition of to fluoroalkenes. Free-radical addition to olefins. Part XVIII, 63.
  - 3,3'-diacetyl-5,5'-dichloro-2,2'-dihydroxydiphenyl-, crystal structure, 623.
  - diazodiphenyl-, kinetics of the reactions of cinnamic acid and meta-substituted cinnamic acids with in various alcohols and in aprotic solvents. The separation of polar and steric effects. Part XIII, 847.
  - dichloro-, effect of alkyl-substituent chain length on the ion-pair dissociation equilibria of quarternary ammonium hexachloroantimonate salts in, 329.

- Methan[2H]ol, influence of aprotic solvents on the O-D stretching band of, 1627.
- Methanol, alkaline, iodine oxidation of arylacetones in, 628. and water, dimethyl sulphoxide, dimethyl sulphone, and their solutions in, radiation effects on: methyl radical-anion adducts. Unstable intermediates. Part CLXIII, 908.
  - aqueous, kinetics of alkaline hydrolysis of some methyl 3-substituted thiophen-2-carboxylates in. Linear free energy ortho-correlations in the thiophen series. Part IV, 1805.
  - reaction of paraquat radical cation with oxygen and with chromic ions in. Study of bipyridyl radical cations. Part III, 859.
    - of 2-, 6-, or 8-methylthio-1-, -3-, -7-, or -9-methylpurines and related compounds with methoxide ions in. Kinetics of reactions in heterocycles. Part XV, 1176.
  - the kinetics of piperidino-substitution of some 3-X-5nitro-2-thienyl phenyl suphones in. Linear free energy ortho-correlations in the thiophen series. Part III, 1495.
  - some large kinetic isotope effects for reactions of carbanions with. Evidence for formation of carbanions in cleavage of carbon-silicon bonds by methanolic sodium methoxide, 1857.
- Methanolysis of a series of p-benzyloxybenzoyl chlorides, comparison of with that of benzoyl, p-phenoxybenzoyl, and p-methoxybenzoyl chlorides, 1648.
  - intermediate in aromatic nucleophilic substitution, kinetic evidence for, 1256.
- Methoxide ions in methanol, reactions of 2-, 6-, or 8-methylthio-1-, -3-, -7-, or -9-methylpurines and related compounds with. Kinetics of reactions in heterocycles. Part XV, 1176.
- Methoxycarbonyl transfer reactions and acetyl transfer reactions, the relative ease of, and kinetics of reaction of p-nitrophenyl methyl carbonate with nucleophiles in aqueous solution, 679.
- [2H<sub>3</sub>]Methoxide ion, a nuclear magnetic resonance study of the reaction of with some polynitrodimethylnaphthalenes. Studies on nitroaromatic compounds. Part VII, 273.
- Methylamino-substituents, amino-, and dimethylamino-substituents in cyclohexane, the application of low-temperature <sup>13</sup>C nuclear magnetic resonance spectroscopy to the determination of the A values of, 895.
- N-Methylation, direct, of 2-pyridylphosphonic acids by diazomethane, 1444.
- Methyl carbonate, p-nitrophenyl-, kinetics of reaction of with nucleophiles in aqueous solution, and the relative ease of acetyl and methoxycarbonyl transfer reactions, 679.
- Methyl chloroformate in aqueous solution, kinetics of reaction of substituted pyridines and oxygen anions with, 68.
- Methylene compounds, active, and amines, reactions of allene with; adduct formation in the presence of nickel complexes, 443.
  - diaryl-, chemically induced dynamic polarisation of fluorine-19 and proton nuclei in the insertion of into benzyl fluoride. Intermediates in the decomposition of diazo-compounds. Part XII, 966.
- Methyl radical-anion adducts: radiation effects on dimethyl sulphoxide, dimethyl sulphone, and their solutions in water and methanol. Unstable intermediates. Part CLXIII, 908.

- Methyl radicals, electron spin resonance spectra of some substituted, 777.
- Methyl styryl ketones, some. The acidities of weak acids. Part IV, 846.
- Migratory aptitudes of alkyl groups, use of the dienonephenol rearrangement in measuring. Cyclohexadienones, 1349.
- Molecular cationic salt, a cyclo-octane, the suggested role of partial dislocations in the single crystal single crystal phase transition of, 836.
- Molecular conformation and electronic structure. Part III, crystal and molecular structure of the stable form of N-(p-chlorobenzylidene)-p-chloroaniline, 429.
  - of compounds of the type PhCH·X·CH<sub>2</sub> (X = CH<sub>2</sub>, O, S, NH<sub>2</sub>, or CCl<sub>2</sub>), semiempirical calculations of. Three-membered rings. Part I, 374.
  - of di-2-pyridyl sulphide. A dipole moment, <sup>1</sup>H nuclear magnetic resonance, and CNDO/2 study, 1234.
  - preferred, of benzoyl(diazo)phenylmethane and 1-benzoyl-1-diazoethane by semiempirical molecular orbital calculations, 538.
- Molecular mechanics calculations on lactones: an interpretation of the preferential C(8) relactonisation of germacranolides containing C(6) and C(8) lactonisable  $\alpha$ -oxygen functions, 1917.
- Molecular orbital energies, a comparative study of. Photoelectron spectra of the  $\alpha$ -substituted derivatives of furan, thiophen, selenophen and tellurophen, 276.
- Molecular polarisability. The conformations of some substituted pentafluorobenzenes, 1854.
- Molecules, ground states of. Part XXXII, a MINDO/3 study of mesionic oxazoles and imidazoles, 548.
  - photoelectron spectra of. Part VII, cyclopropylallenes, 764.
- Monolayers on aqueous solutions of 1,1'-dimethyl-4,4'-bi-bipyridylium (paraquat) dichloride, the photo-oxidation of aliphatic alcohols as, 1769.
- **Morpholine** and silver iodide, crystal structure of a 1:1 complex between, 104.
  - piperidine, n-butylamine, and benzylamine, the kinetics of the reactions of with 1-fluoro- and 1-chloro-2,4-dinitrobenzenes in acetonitrile, 1396.
- Motion, restricted, in substituted benzaldehydes, rotamers arising from. Conformational studies by dynamic nuclear magnetic resonance. Part III, 1121.

## Ν

- Naphthalenes, peri-bridged, and singly bridged biphenyls, an electron spin resonance study of ring inversion in the radical anions of, 173.
  - 1,4-dihydro-, homoallylic coupling in, 851.
  - nitro- and polynitro-1,5- and -2,3-dimethyl-, positive and negative ion mass spectra of, 1363.
  - octa- and hepta-chloro-, mass spectra of. Polyhalogenoaromatic compounds. Part XXXVI, 73.
  - some polynitrodimethyl-, a nuclear magnetic resonance study of the reaction of [2H<sub>3</sub>]methoxide ion with. Studies on nitroaromatic compounds. Part VII, 273.
- Naphthoate esters and benzoate esters, substituted, electron transfer in the photochemistry of, 1475.
- Naphthones, ω-bromo-2-aceto-, in aqueous ethanol, kinetics of solvolysis of substituted, 1893.

- 2,7-Naphthyridine: liquid crystal nuclear magnetic resonance investigation on the structure of a molecule formed by two fused six-membered rings, 19.
- Negative ions, cyclisation reactions of. The o-O<sub>2</sub>NC<sub>6</sub>H<sub>4</sub>-(CH=CH)<sub>n</sub>COR system. Electron impact studies. Part CIV, 1656.
- Neighbouring group participation and alkyl-oxygen fission: hydrolysis of diphenylmethyl hydrogen phthalate. Intramolecular catalysis. Part II, 639.
- Nematic liquid crystal thermal stability, the effect of the terminal trifluoromethyl group on, 300.
- Nematic phase and cholesteric phase, terminal groups in: a thermodynamic study, 713.
- ester linkages in: a thermodynamic study, 710.
- Nematic solutions, conformations of 3,5-dichloroanisole and 3,5-dibromoacetophenone determined from <sup>1</sup>H nuclear magnetic resonance spectra of, 805.
- Neuroleptic drugs, some semi-rigid, conformations of. Part I, crystal structures of loxapine, clozapine, and HUF-2046 monohydrate. {2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,f][1,4]oxazepine, 8-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4]diazepine, and 2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4]diazepine monohydrate}, 1415.
- Neutron diffraction and X-ray, crystal and molecular structure of 3-mercapto-1,3-diphenylprop-2-en-1-one by, 249.
- Nickel complexes, adduct formation in the presence of; reactions of allene with amines and active methylene compounds, 443.
- Nitration and bromination of the 'onium salts of dithia- and diaza-cyclophanes, kinetics of. Inductive and field effects in aromatic substitution. Part VIII, 290.
- Nitrene, singlet ethoxycarbonyl-, stabilisation of by 1,4-dioxan, 1201.
- Nitrile, the antibiotic polyacetylenic, diatretyne-2-(7-cyano-hept-trans-2-ene-4,6-diynoic acid), and related compounds, the carbon-13 nuclear magnetic resonance spectra of, 1027.
  - oxides, behaviour of towards nucleophiles. Part II, substituent effect on the rate of dimerisation of aromatic nitrile oxides to 3,6-diaryl-1,4,2,5-dioxadiazines, 626.
  - some α-alkylthio, comparison between the cyano-group hydrogen bonding abilities, infrared frequencies, and intensities in, 16.
  - structure and reactivity of heterosubstituted. Part XIV, kinetics and mechanisms of cyanogen bromide reactions with N-alkylanilines, 524.
- Nitrilimine formation, simulation of; fragmentation paths of hydrazonyl halides upon electron impact, 921.
- Nitrilium ions, linear ( $-C\equiv N-$ ), nucleophilic addition to leading to single isomers. Isolation of relatively stable isoimides and their rearrangement to imides limited by substrate E-Z isomerisation, 1071.
- Nitroaromatic compounds, reversible hydrogen photoabstraction by. A chemically induced nuclear polarisation study, 1072.
  - studies on. Part VII, a nuclear magnetic resonance study of the reaction of  $[^2H_3]$ methoxide ion with some polynitrodimethylnaphthalenes, 273.
- p-Nitrobenzenesulphonamides, N-(2-hydroxyalkyl)-, kinetics of desulphonative double Smiles' rearrangement of, 1741.
- N-Nitrocamphorimines, 4-substituted camphors, and diazocamphors, carbon-13 chemical shifts and substituent effects in, 1579.
- Nitro-compounds, aromatic, some kinetic studies of the re-

action of with sodium sulphite in water. Stabilities of Meisenheimer complexes. Part XII, 160.

- Nitrodebromination in sulphuric acid, the kinetics, mechanism, and products of. Electrophilic aromatic substitution. Part XV, 1089.
- Nitrogen, bridgehead, proton magnetic resonance studies of compounds with Part XXIX, configurational and conformational studies with derivatives of perhydro-oxazolo[4,3-c][1,4]thiazine, 203. Part XXXI, reversible dimerisation of perhydropyrido[1,2-c][1,3]oxazepines; X-ray analysis of a fourteen-membered macrocyclic dimer; conformational analysis of perhydropyrido-[1,2-c][1,3]oxazepines, 1312.
  - inversion and ring inversion in *cis* and *trans*-1,4,5,8-tetramethyldecahydropyrazino[2,3-b]pyrazine. The conformational analysis of saturated heterocycles. Part LXXVI, 1564.
  - pole, hydrogen-isotope exchange in a bridged anthracene derivative carrying a. Inductive and field effects in aromatic substitution. Part VII, 285.
- Nitrones (imine N-oxides), barriers to rotation around the carbon-nitrogen bond in. Dynamic stereochemistry of imines and derivatives. Part VIII, 610.
- Nitrosamines, acylaryl. Part IX, use of benzyne promoters in the conversion of N-nitrosoacetanilide into benzyne, 583. Part X, an electron spin resonance spectroscopic investigation of the reactions of aryl radicals with tetraphenylcyclopentadienone and 2,3-diarylindenones: detection of 1-oxo-2,2,3-triphenylindenyl and related radicals and their relevance to dienone-promoted formation of benzyne from benzenediazonium acetate, 588.
- Nitrosation, electrophilic, evidence for. Reaction of dinitrogen trioxide with 2-methylpropene and other alkenes, 828.
- N-nitrosoacetanilide, the conversion of into benzyne, use of benzyne promoters in. Acylarylnitrosamines. Part IX, 583.
- Nitroxide radical, the bis(methylthiomethyl)-. Revised assignment of the electron spin resonance spectrum obtained during photolysis of N-(diphenylmethylene)-methylthiomethylamine N-oxide, 1659.
  - Part XVIII, further spectroscopic investigation of the Banfield and Kenyon nitroxide, 76.
- endo-Norbornan-2-yl p-bromobenzenesulphonate, bridgehead β-deuterium secondary kinetic isotope effect in the solvolysis of, 1889.
- Norborn-5-ene-2-endo,3-endo-dicarboxylate, potassium hydrogen sesquihydrate, C<sub>9</sub>H<sub>9</sub>KO<sub>4</sub>·1.5H<sub>2</sub>O, crystal and molecular structure, 478.
- Norbornyl, phenanthro-, cation: a conformation-locked 1,2-diarylnorbornyl cation. Part II, <sup>13</sup>C nuclear magnetic resonance spectroscopy, 1334.
- Nortricyclene, 3-acetoxy-, the stereochemistry of hydrogenolysis of. Reactions over metal catalysts. Part I, 595. 3,3-dimethyl-, and nortricyclene-3-spirocyclopropane, hydrogenolysis of. Reactions over metal catalysts. Part II, 1412.
- Nuclear magnetic relaxation measurements, conformation of *cis*-stilbene and some derivatives studied by, 510.
- Nuclear magnetic resonance, <sup>1</sup>H, and infrared spectra of some cyanomethyl and benzyl sulphones: intramolecular hydrogen bonds involving polar carbon-hydrogen bonds, 1130.
  - and infrared spectrometry, investigation of rotational isomerism in thiophen- and furan-2-carbonyl halides by, 1.

- Nuclear magnetic resonance (contd.)
  - carbon-13, and ultraviolet spectra of protonated androst-4-ene-3,17-dione, pregn-4-ene-3,20-dione, and androst-4-ene-3,11,17-trione. Steroid-acid colour reactions. Part II, 963.
  - carbon, shifts, the interpretation of. Part II, the alkane (empirical) shielding parameters, and an absolute scale for carbon shielding, 1671.
  - carbon-13, spectra of 1-halogenocyclopropabenzenium cations and their 1,1-dihalogeno-precursors. Cyclopropa-arenium cations. Part II, 258.
    - spectra of various protonated aliphatic ketones and their  $pK_{BH}$ + values. Steroid-acid colour reactions. Part I. 959.
  - <sup>1</sup>H, dipole moment, and CNDO/2 study. Molecular conformation of di-2-pyridyl sulphide, 1234.
  - dynamic, conformational studies by. Part III, rotamers arising from restricted motion in substituted benzal-dehydes, 1121. Part IV, rotational isomers and torsional barriers of pyridinecarbaldehydes, 1791.
    - investigation of phosphonamidothioic and phosphonamidous chlorides, 1052.
  - investigation, a flash-photolysis electron spin resonance and chemically induced dynamic nuclear polarisation. Photodecarboxylation of carboxylic acids sensitised by triplet benzophenone and duroquinone, 915.
    - of carbonium ion intermediates. Part IV, study of the intermediates involved in the reaction between carboxamides and Lewis acids (extended Vilsmeier reaction) by <sup>1</sup>H and <sup>13</sup>C nuclear magnetic resonance spectroscopy, 182.
  - liquid crystal, investigation on the structure of a molecule formed by two fused six-membered rings: 2,7-naph-thyridine, 19.
  - low temperature  $^{13}$ C spectroscopy, the application of to the determination of the A values of amino-, methylamino-, and dimethylamino-substituents in cyclohexane, 895.
  - nematic phase, investigations of rotational isomerism. Part IV, conformational study on the rotamers of 3.3'-biphenyl, 1796.
  - pulsed (Fourier transform), direct evidence from: dependence of the furan-2-carbaldehyde conformational equilibrium on solvent dielectric constant, 451.
  - spectra and crystal structure of a 1:1 complex of benz[a]-anthracene and pyromellitic dianhydride (benzene-1,2,4,5-tetracarboxylic dianhydride), 682.
    - <sup>1</sup>H and <sup>13</sup>C, of benzylidenemalononitriles: a method for the determination of  $\sigma^+$  substituent constants, 729. of azomethines. Part I, benzylideneanilines, 133.
    - <sup>1</sup>H, of nematic solutions, conformations of 3,5-dichloroanisole and 3,5-dibromoacetophenone determined from, 805.
    - the carbon-13, of the antibiotic polyacetylenic nitrile, diatretyne-2-(7-cyanohept-trans-2-ene-4,6-diynoic acid) and related compounds, 1027.
    - of the deoxyfluoro-D-glucoses, 2-deoxy-2-fluoro-D-mannose, and 4-deoxy-4-fluoro-D-galactose. Orientational and substituent effects upon  $^nJ_{\rm FC}$ , 1598.
  - spectroscopy, <sup>13</sup>C and <sup>1</sup>H, studies at low temperature using. Conformational equilibria in *cis-C*-methyldecahydroquinolines, 751.
    - conformations of peptides in solution by. Part II, homoallylic coupling in cyclic dipeptides, 187. Part III, cyclic dipeptide ring conformations, 1238. Part

- IV, conformations of valinomycin determined from homoallylic proton coupling across peptide bonds, 1327.
- evaluation of the equilibrium and activation parameters for the interconversion of the conformational isomers of some N-acylprolines by, 761.
- natural abundance nitrogen-15. Medium effects on the nitrogen-15 chemical shifts of small peptides, 1527.
- <sup>13</sup>C. Phenanthronorbornyl cation: a conformation-locked 1,2-diaryl-norbornyl cation. Part II, 1334.
- studies and X-ray diffraction, absolute configuration and conformation of isomenthol by, and crystal structure of (+)-isomenthyl p-bromophenylcarbamate, 717.
  - of acetyl groups. Tetra-acetylcaffeoputrescine: an acetyl-cinnamoyl diacylamine, 616.
- <sup>13</sup>C, studies of some fluorinated and trifluoromethylated aromatic compounds. Studies on <sup>13</sup>C-<sup>19</sup>F coupling constants, 402.
  - on aromatic aldehydes. Torsional barriers and conformational equilibria in pyridinecarbaldehydes, 147.
- study, carbon-13: indirect <sup>13</sup>C-<sup>1</sup>H coupling in asymmetrically trisubstituted benzenes, 977.
  - direct carbon-13, of boron trifluoride complexes with alkyl and cyclic ketones, 1205.
  - of the reaction of [2H<sub>3</sub>]methoxide ion with some polynitrodimethylnaphthalenes. Studies on nitroaromatic compounds. Part VII, 273.
- <sup>13</sup>C, study; the stereochemistry of elimination. Carbonate pyrolysis. Part IV, 701.
- Nuclear polarisation, chemically induced, study. Reversible hydrogen photoabstraction by nitroaromatic compounds, 1072.
- Nuclear quadrupole resonance and stereochemistry. Part VI, transmission of substituent effects through a double bond, 1867.
  - chlorine-35, frequencies and quantum chemical calculations: chlorinated pyridinium compounds, 1821.
- Nuclei, fluorine-19 and proton, chemically induced dynamic polarisation of in the insertion of diarylmethylenes into benzyl fluoride. Intermediates in the decomposition of aliphatic diazo-compounds. Part XII, 966.
  - <sup>31</sup>P, in phosphorus-containing radical anions, interpretation of the hyperfine coupling constants of. Reactions of radical anions. Part XVI, 492.
- Nucleophiles, behaviour of nitrile oxides towards. Part II, substituent effect on the rate of dimerisation of aromatic nitrile oxides to 3,6-diaryl-I,4,2,5-dioxadiazines, 626.
  - kinetics of reaction of p-nitrophenyl methyl carbonate with in aqueous solution, and the relative ease of acetyl and methylcarbonyl transfer reactions, 679.
- Nucleophilic aromatic substitution, kinetic evidence for a methanolysis intermediate in, 1256.
- Nucleophylic catalysis versus general base catalysis in phosphyl  $(P^{V})$  group transfer: application of  $\alpha$ -chymotrypsin action, 515.
- Nucleophilic character of acyl radicals. Absolute rate constant for the acylation of protonated benzothiazole by pivaloyl radical, 1835.
- Nucleophilic ion pairs. Part II, micellar catalysis of proton abstraction by hydroxamate anions, 980.
- Nucleophilic substitution in  $\alpha$ -halogeno-sulphoxides. Part II, dependence of the reaction mechanism on structural factors and on the nature of nucleophile, 996.

- **Olefin,** a very hindered, crystal structure of: 1,1-diphenyl-2,2-di-t-butyl-ethylene at -155 °C, 1831.
- trans: cis Olefin ratios in the elimination reactions of 1benzylethyl halides and toluene-p-sulphonate in different base-solvent systems, 877.
- Olefins, free radical addition to. Part XVIII, addition of chloroiodo- and di-iodo-methane to fluoroalkenes, 63.
  - γ-irradiated mono- and poly-cyclic, electron spin resonance study of radicals in. Part III, allyl and pentadienyl radicals from dienes and trienes with strained ring structures, 1017.
  - kinetics and mechanism of addition of acids to. Part I, addition of acetic acid to cyclic and strained bicyclic olefins catalysed by trifluoromethanesulphonic acid, 1183. Part II, addition of trifluoroacetic acid to (+)-(R)-limonene in weakly polar media, 1374.
  - some non-conjugated steroid, laser Raman spectra of, 841. some phenyl-substituted, the stereochemistry of addition of bromine and bromine acetate to. Mechanisms of addition. Part II, 141.
- 'Onium salts of dithia- and diaza-cyclophanes, kinetics of the nitration and bromination of. Inductive and field effects in aromatic substitution. Part VIII, 290.
- Organic anions. Part I, equilibration of 1,3-diarylpropenes, 1683. Part II, spectroscopic studies of 1,3-diarylpropenide, 1688. Part III, charge control versus product stability control in the protonation of 1,3-diarylpropenide ions, 1695.
- Organic compounds, kinetics of oxidation of by silver(II) in aqueous perchloric acid solution. Part II, aliphatic carboxylic acids, 1841.
  - polar substituents and the luminescence of, 1725.
- **Organo**magnesium compounds, carbonylation of: catalysis by hexamethylphosphoric triamide, 1895.
- Organometal, group IVB, derivatives of pyridine. Part II, the reaction with bis(trimethylsilyl)mercury; organometal-substituted N-trimethylsilylpyridyl free radicals, 1149.
- Organosilanes, correlation of configuration of some, 952.
- Orientational effects and substituent effects upon  $^nJ_{FC}$ . The carbon-13 nuclear magnetic resonance spectra of the de-oxyfluoro-p-glucoses, 2-deoxy-2-fluoro-p-mannose, and 4-deoxy-4-fluoro-p-galactose, 1598.
- Ovatodiolide and ovatodiolic acid, X-ray crystal structure analyses of and nuclear Overhauser effect studies in solution: structures and conformations of the fourteenmembered ring diterpene ovatodiolide and its acid cyclisation product, 1881.
- **1,3,4-0xadiazines**, tetrahydro-. The conformational analysis of saturated heterocycles. Part LXXII, 1861.
- Oxa-substituents and thia-substituents from the reaction of arenesulphonyl chlorides with aniline,  $\sigma_{\rm Het}$  constants for: substituent effects in five-membered rings, 906.
- 1,3-Oxathian, 1,3-dioxan, and 1,3-dithian, ring distortions in 2-methyl-2-t-butyl derivatives of, 345.
- Oxazepine, 2-chloro-11-(4-methylpiperazin-1-yl)dibenzo-[b,f][1,4]-, 8-chloro-11-(4-methylpiperazin-1-yl)dibenzo-[b,e][1,4]diazepine, and 2-chloro-11-(4-methylpiperazin-1-yl)dibenzo[b,e][1,4]diazepine monohydrate {loxapine, clozapine and HUF-2046 monohydrate} crystal structures of. Conformations of some semi-rigid neuroleptic drugs. Part I, 1415.
- [1,3]Oxazepines, perhydropyrido[1,2-c]-, reversible dimeris-

- ation of; X-ray analysis of a fourteen-membered macrocyclic dimer; conformational analysis of perhydropyrido-[1,2-c][1,3]oxazepine. Proton magnetic resonance studies on compounds with bridgehead nitrogen. Part XXXI, 1312.
- Oxazine, 10-arylphen-, and 10-arylphenothiazine cation radicals, substituent effects on the distribution of the spin density in. Heterocyclic free radicals. Part VI, 114.
  - perhydropyrido[1,2-c][1,3]-, perhydropyrido[1,2-c][1,3]thiazines and perhydropyrido[1,2-c]pyrimidines, the conformational analysis of, 418.
- Oxaziridines, chiral, thermal epimerisation of. Dynamic stereochemistry of imines and derivatives. Part VII, 606. Oxazoles and imidazoles, mesoionic, a MINDO/3 study of.
- Grand states of molecules. Part XXXII, 548.
- Oxetan formation, photochemical: the Paterno-Büchi reaction of aliphatic aldehydes and ketones with alkenes and dienes, 1902.
- Oxetan-3-one, a carbohydrate-derived, crystal and molecular structure of. Definitive evidence for a novel participation of a pyranose ring oxygen atom, 1678.
- Oxidation, amine. Part IX, the electrochemical oxidation of some tertiary amines: the effect of structure on reactivity, 47. Part X, the oxidation of some 4-substituted NN-dimethylbenzylamines and a selection of other amines with 1-chlorobenzotriazole, 741. Part XI, oxidation of some substituted tertiary alkylamines and some NN-dimethylphenethylamines with potassium hexacyanoferrate(III), 1172.
  - anodic, of carboxamides. Part II, anodic oxidation and pyridination of N-methyl-4'-methoxybenzanilide in acetonitrile, 1180.
  - dechlorination, and decomposition, photolytic, of αα'-dichloro- and αα'-diacyloxy-azoalkanes. Photochemistry of αα'-disubstituted azoalkanes. Part II, 1249.
  - homogeneous acid-catalysed, of certain amino-acids by potassium permanganate in moderately concentrated acidic media, kinetic study of, 469.
  - iodine, of arylacetones in alkaline methanol, 628.
  - of cyclic hydrocarbons by cobalt(III) acetate, 1285.
  - of glyoxylic and pyruvic acids by periodate, mechanism of, 1337.
  - of organic compounds by silver(II) in aqueous perchloric acid solution, kinetics of. Part II, aliphatic carboxylic acids, 1841.
  - of some *meta* and *para*-substituted dimethylanilines with lead tetra-acetate, kinetics of, 1803.
  - of β-substituted cyclopentanols by chromium(vi) oxide, kinetics of. Steric effects in five-membered rings. Part VI, 943.
  - permanganate, of unsaturated compounds, mechanism of. Part VI, kinetic investigation of the oxidation of methylmaleic acid, methylfumaric acid, and dimethylmaleic acid, 939.
  - pathways of some catecholamines with periodic acid, kinetics and mechanism of, 1651.
- N-0xides and related compounds. Part XLVI, chemical and physical properties of pyridine 1-nitroimides and comparison with quantum chemical predictions, 1245.
- Oxiran, cyclopropane, thiiran, aziridine, and 1,1-dichloropropane, semiempirical calculations of the molecular conformation of phenyl derivatives of. Three-membered rings. Part I, 374.
  - in aqueous solution, radicals derived from. Electron spin resonance studies. Part IL, 1044.

- Oxygen, molecular, patterns of reactivity of sodium salts of 9-substituted fluorenes with and with acrylic esters. Mechanistic studies in strongly basic media. Part IX, 55
  - reaction of paraquat radical cation with and with chromic ions in methanol. Study of bipyridyl radical cations. Part III, 859.
  - anions and substituted pyridines, kinetics of reaction of with methyl chloroformate in aqueous solution, 68.
  - atom, a pyranose-ring, definitive evidence for a novel participation of. Crystal and molecular structure of a carbohydrate-derived oxetan-3-one, 1678.
- α-Oxygen functions, C(6) and C(8) lactonisable, an interpretation of the preferential C(8) relactonisation of germacranolides containing; molecular mechanics calculations on lactones, 1917.

P

- Parameters, equilibrium and activation, for the interconversion of the conformational isomers of some N-acylprolines by nuclear magnetic resonance spectroscopy, 761
  - thermodynamic, determination of from infrared data: infrared examination of rotational isomerism in alkyl furan-2-carboxylates, 597.
    - in the conformational equilibria of acetyldiazomethane, 1-acetyl-1-diazoethane, and benzoyl(diazo)phenylmethane using infrared spectroscopy, 707.
- Paraquat radical cation, reaction of with oxygen and with chromic ions in methanol. Study of bipyridyl radical cations. Part III, 859.
  - dichloride, the photo-oxidation of aliphatic alcohols as monolayers on aqueous solutions of, 1769.
- Parthenolide (4,5-epoxygermacra-1(10),11(13)-dien-12,6-olactone), crystal and molecular structure, 465.
- Participation, a novel, of a pyranose-ring oxygen atom, definitive evidence for. Crystal and molecular structure of a carbohydrate-derived oxetan-3-one, 1678.
  - electrophilic, in phosphonodiester hydrolysis, 1908. in the acylation step: proteolytic enzymes, 723.
  - neighbouring group, and alkyl-oxygen fission: hydrolysis of diphenylmethyl hydrogen phthalate. Intramolecular catalysis. Part II, 639.
- Paterno-Büchi reaction of aliphatic aldehydes and ketones with alkenes and dienes: photochemical oxetan formation, 1902.
- **Pentac** [synclinal 1,1',2,2',3,3',4,4',5,5'-decachloro-1,1'-bis-(cyclopenta-2,4-diene)], crystal structure of. Acaricides. Part I, 796.
- Pentadienyl radicals and allyl radicals for dienes and trienes with strained ring structures. Electron spin resonance study of radicals in  $\gamma$ -irradiated mono- and poly-cyclic olefins. Part III, 1017.
- Pentaerythritol tetranitrate, study of the thermal decomposition of, 637.
- Pentafluorobenzenes, the conformations of some substituted.
  Molecular polarisability, 1854.
- Pentane-2,4-dione (acetylacetone), reaction with. Mechanistic studies in the chemistry of urea. Part I, 832.
  3-benzyl-, ethyl α-benzylacetoacetate, and benzyl-malononitrile, Brönsted exponents in the proton abstraction from derivatives of, 1367.

3-alkyl-, in aqueous solution, new data on keto-enol equilibria of, 257.

- Peptides and amino-acids relevant to wool structure, proton magnetic resonance spectra of. Part IV, relative residence times of dipeptides and tripeptides of phenylalanine and tyrosine, 91. Part VI, relative residence times of histidine, tryptophan, and valine, 1190.
  - in solution, conformations of by nuclear magnetic resonance spectroscopy. Part II, homoallylic coupling in cyclic dipeptides, 187. Part III, cyclic dipeptide ring conformations, 1238. Part IV, conformations of valinomycin determined from homoallylic proton coupling across peptide bonds, 1327.
  - small, medium effects on the nitrogen-15 chemical shifts of. Natural abundance nitrogen-15 nuclear magnetic resonance spectroscopy, 1527.
- Perchloric acid—acetic acid and aqueous acetic acid, the kinetics and reactions of toluene and o- and p-xylene with chlorine acetate in. Some observations relating to substituent effects in halogenation. Part VII, 357.
  - solution, aqueous, kinetics of oxidation of organic compounds by silver(II) in. Part II, aliphatic carboxylic acids, 1841.
- **Periodate**, mechanism of the oxidation of glyoxylic and pyruvic acids by, 1337.
- **Periodic acid**, kinetics and mechanism of oxidation pathways of some catecholamines with, 1651.
- **Peroxides**, hydro-, decomposition of by boric acid anhydride in solution. Electrophilic hydroxylation of the solvent, 855.
- Phase transition, the single crystal  $\Rightarrow$  single crystal, of a cyclo-octane molecular cationic salt, the suggested role of partial dislocations in, 836.
- Phenalene-1,2,3-trione hydrate, application of a Hammett-Taft relation to kinetics of Strecker degradation of  $\alpha$ -amino-acids with, 128.
- Phenols, alkyl-substituted, role of hydrogen bonding in the mechanism of hydrogen-atom abstraction from by polyvinyl acetate radicals, 1913.
  - 2,6-diaryl-, and alkyl cyanides, infrared spectroscopic study of the interaction between, 178.
- Phenolysis, retentive, of optically active secondary and tertiary systems without a group imposing configurational restriction. Retentive solvolysis. Part XI, 1617.
- Phenylalanine and tyrosine, relative residence times of dipeptides and tripeptides of. Proton magnetic resonance spectra of amino-acids and peptides relevant to wool structure. Part IV, 91.
- Phenylation of 4-methylpyridine by benzoyl peroxide in refluxing benzene, comparative behaviour of  $\sigma$ -complexes in, 497.
- p-Phenylenediamine, NNN'N'-tetramethyl-, and 1,3,5-trinitrobenzene, bi- and ter-molecular electron donoracceptor complex formation between, and also between hexamethylbenzene and 1,3,5-trinitrobenzene in solution, 1590.
- Phenyl formate, enthalpy of formation of and related bond dissociation energies, 1032.
- Phenylphosphinic acid and related compounds, electron-loss and -capture processes in. Radiation mechanisms. Part VII, 21.
- **N-Phenylsulphamate,** N-methyl-, kinetics and mechanism of the acid-catalysed hydrolysis of, 1424.
- Phenyl sulphones, some 3-X-5-nitro-2-thienyl, in methanol, the kinetics of piperidino-substitution of. Linear free

- Phenyl sulphones (contd.)
  - energy ortho-correlations in the thiophen series. Part III, 1495.
- Phenylureas, hydrolysis of. Part II, hydrolysis in acid and aqueous solutions, 362. Part III, micellar effects on the stabilisation and decomposition of 4-methyl- and 4-nitrophenylureas, 369.
- **Phosphinamide**, NN-dimethyldiphenyl-, crystal and molecular structure, 1101.
- Phosphine, 10-phenylphenoxa-, crystal structure of, 1383.
  oxide, triphenyl-, the reactions of with alkali metals in ethereal solvents. Reactions of radical anions. Part XVII, 1166.
- Phosphonamidothioic chloride and phosphonamidous chlorides, dynamic nuclear magnetic resonance investigation of, 1052.
- Phosphonates, dialkyl 2,2-dialkoxyethyl-, acid-catalysed hydrolysis of. Reaction of phosphonated acetals, 1210.
- Phosphondiester hydrolysis, electrophilic participation in, 1908.
- Phosphonic acids, 2-pyridyl-, direct N-methylation of by diazomethane, 1444.
- Phosphonium ylides, the mechanism of hydrolysis of, 633.
- Phosphoramidates, aryl, and their cyclic analogues, alkaline hydrolysis of, 888.
- Phosphoranyl radicals, configurational effects in the  $\alpha$ -scission of, 808.
  - derived from tetra-alkyl esters of phosphorous phosphoric anhydride (RO)<sub>2</sub>POP(O)(OR)<sub>2</sub>, an electron spin resonance study of, 1154.
  - unsaturated, cyclisation of, 1066.
- Phosphoric triamide, hexamethyl-, catalysis by: carbonylation of organomagnesium compounds, 1895.
- Phosphorus compound, optically active hexaco-ordinated, epimerisation of: kinetic studies, 955.
  - organo-, nucleophilic reactivity of. Part III, kinetics and mechanism of the reaction of phosphorus acids with keten OO-acetals in aprotic medium, 1613.
  - trivalent, mechanism of the reaction of N-arylsulphonyl-sulphimides with, 1438.
- Photoabstraction, reversible hydrogen, by nitroaromatic compounds. A chemically induced nuclear polarisation study, 1072.
- Photochemical behaviour and photophysical behaviour of benzoylpyridines. Part I, triplet-triplet energy transfer to biacetyl, 869.
- Photochemistry of acyclic conjugated dienes, mechanistic investigations in the. Significance of the [1,5]sigmatropic shifts of hydrogen, 647.
  - of benz[de]anthracen-7-ones. Part III, fluorescence quantum yield and continuous photolysis studies, 1850.
  - of chlorpromazine [2-chloro-N-(3-dimethylaminopropyl)-phenothiazine] in propan-2-ol solution, 25.
  - of  $\alpha\alpha'$ -disubstituted azoalkanes. Part II, photolytic dechlorination, decomposition, and oxidation of  $\alpha\alpha'$ -dichloro- and  $\alpha\alpha'$ -diacyloxy-azoalkanes, 1249.
  - of some cycloalkanecarbaldehydes in inert solvents, 1083. of substituted benzoate and naphthoate esters, electron transfer in, 1475.
  - reversible, photo-oxidation, and fluorescence of dixanthylidene: temperature and external spin-orbit perturbation effects, 438.
  - the type II, of some α-alkylated cyclohexanones, fragmentation ratios for the singlet and triplet excited states in: cyclobutanol, 7.

- Photocyclisations of 1,4-diarylbut-1-en-3-ynes. Part II, mechanism of the reaction, 1111. Part III, scope and limitations of the reaction, 1115.
- Photodecarboxylation of carboxylic acids sensitised by triplet benzophenones and duroquinone. A flash-photolysis electron spin resonance and chemically induced dynamic nuclear polarisation nuclear magnetic resonance investigation, 915.
- **Photodimerisation** in mixed crystals of *trans*-cinnamamides and of *trans*-stilbenes. Topochemistry. Part XXXVIII, 1731.
- Photoelectron spectra of molecules. Part VII, cyclopropylallenes, 764.
  - of the α-substituted derivatives of furan, thiophen, selenophen and tellurophen. A comparative study of the molecular orbital energies, 276.
- Photoelectron study and kinetic spectroscopic study. The electronic effect of  $XMe_3$  and  $CH_2XMe_3$  (X = Si, Ge, Sn, or Pb) substituents in organometallic sulphides, 306.
- Photoisomers, the short wavelength, of bianthrone analogues, structure of, 1536.
- **Photolysis** of N-(diphenylmethylene)methylthiomethylamine N-oxide, revised assignment of the electron spin resonance spectrum obtained during. The bis(methylthiomethyl)nitroxide radical, 1659.
  - (λ 185 nm) of formaldehyde dimethyl acetal in the liquid phase. Radiation chemistry of acetals. Part I, 1408. of saturated ketones, photosensitisation in, 14.
- sensitised, of cis-cyclo-octene vapour, 569.
- the gas-phase, of cyclobutanecarbaldehyde, 826.
- studies, continuous, and fluorescence quantum yield. The photochemistry of benz[de]anthracen-7-ones. Part III, 1850.
- Photo-oxidation of aliphatic alcohols as monolayers on aqueous solutions of 1,1'-dimethyl-4,4'-bipyridylium (paraquat) dichloride, 1769.
  - reversible photochemistry, and fluorescence of dixanthylidene: temperature and external spin-orbit perturbation effects, 438.
- Photophysical behaviour and photochemical behaviour of benzoylpyridines. Part I, triplet-triplet energy transfer to biacetyl, 869.
- Photorearrangement of quinoline 1-oxides: relevance of ground- and excited-state basicity and effect of heavy-atom quenchers, 456.
- Photoreduction of cycloalkanecarbaldehydes, 669.
- Photosensitisation in the photolysis of saturated ketones, 14.
- Phthalanilic acids [o-(N-phenylcarbamoyl)benzoic acids], 3'-and 4'-substituted, hydrolysis of. Intramolecular catalysis. Part III, 642.
- Phthalate, diphenylmethyl hydrogen, hydrolysis of: neighbouring group participation and alkyl-oxygen fission. Intramolecular catalysis. Part II, 639.
- Piperidine, n-butylamine, morpholine, and benzylamine, the kinetics of the reactions of with 1-fluoro- and 1-chloro-2,4-dinitrobenzenes in acetonitrile, 1396.
  - and cyclohexanes, 1,1-disubstituted, effect of 4-t-butyl and other 4-substituents on rate constants for reactions of. 4-t-Butyl derivatives as valid reactivity models in the kinetic method of conformational analysis of cyclohexanes, 838.
- Pivaloyl radical, absolute rate constant for the acylation of protonated benzothiazole by. Nucleophilic character of acyl radicals, 1835.

- **Polar effects** and steric effects, the separation of. Part XIII, kinetics of the reactions of cinnamic acid and *meta*-substituted cinnamic acids with diazodiphenylmethane in various alcohols and in aprotic solvents, 847.
- **Polarisabilities** and the relative gas-phase proton affinities of alkyl and silyl ethers, **434**.
- Polarisability, molecular. The conformations of some substituted pentafluorobenzenes, 1854.
- **Polarisation** and polarisability study of some chlorinated cyclodiene insecticides, 1645.
  - chemically induced dynamic, of fluorine-19 and proton nuclei in the insertion of diarylmethylenes into benzyl fluoride. Intermediates in the decomposition of aliphatic diazo-compounds. Part XII, 966.
    - nuclear, and a flash photolysis, electron spin resonance, and nuclear magnetic resonance investigation. Photo-decarboxylation of carboxylic acids sensitised by triplet benzophenone and duroquinone, 915.
- **Polar substituents** and the luminescence of organic compounds, 1725.
- Polyethers, macrocyclic, and radical ion pairs, electron spin resonance study of the interaction between, 137.
- Polyhalogenoaromatic compounds. Part XXXVI, mass spectra of octa- and hepta-chloronaphthalenes, 73.
  - nucleophilic displacement in. Part I, kinetics of reaction of polychlorofluorobenzene derivatives, 1541. Part II, kinetics of halogen displacement with bromopolyfluoroaromatic compounds, 1545.
- Polyvinyl acetate radicals, role of hydrogen bonding in the mechanism of hydrogen-atom abstraction from alkylsubstituted phenols by, 1913.
- Positions 2 and 5 of the thiazole ring, relative reactivities of groups bonded to, 398.
- Positions 8 and 8' of 1,1'-binaphthyl, optically active nine-membered rings incorporating, 793.
- **Potassium hexacyanoferrate**(III), oxidation of some substituted tertiary alkylamines and some *NN*-dimethylphenethylamines with. Amine oxidation. Part XI, 1172.
- Potassium permanganate in moderately concentrated acidic media, kinetic study of homogeneous acid-catalysed oxidation of certain amino-acids by, 469.
- **Prediction** of the unimolecular chemistry of some saturated carbenium ions. The concept of a hierarchy of unimolecular reactions in a homologous series, 1479.
  - quantum chemical, comparison with chemical and physical properties of pyridine 1-nitroimides. N-Oxides and related compounds. Part XLVI, 1245.
- Pregn-4-ene-3,20-dione, androst-4-ene-3,17-dione, and androst-4-ene-3,11,17-trione, protonated, carbon-13 nuclear magnetic resonance and ultraviolet spectra of. Steroid-acid colour reactions. Part II, 963.
- Pregn-4-en-3-one,  $17\alpha,20\beta,21$ -trihydroxy-, X-ray crystallographic determination of the structure of the p-bromophenylboronate ester of, 110.
- **Proaporphines,** reduced, stereochemistry of. Crystal structure and relative configuration of  $(\pm)$ -11,12-dihydroglaziovine, 1218.
- **Processes,** electron-loss and -capture, in phenylphosphinic acid and related compounds. Radiation mechanisms. Part VII, 21.
- **Product analysis.** Solvolysis of *endo-* and *exo-*bicyclo[3.2.1]- octan-3-yl toluene-*p*-sulphonates. Part I, 1506.
- **Products**, kinetics, and mechanisms of metal-ion-promoted hydrolyses of thioimidate ester and the effects of hydrogen ions on thioimidate ester hydrolyses, 1274.

Product stability control versus charge control in the protonation of 1,3-diarylpropenide ions. Organic anions. Part III, 1695.

- L-Proline, hydroxy-, in aqueous solution, conformation of. Comparison of results from lanthanide-ion probe measurements and proton coupling constants, 167.
- **Prolines,** some *N*-acyl, evaluation of the equilibrium and activation parameters for the interconversion of the conformational isomers of by nuclear magnetic resonance spectroscopy, 761.
- Propane, 2,2-bis(2-hydroxy-5-methyl), crystal and molecular structure of an OH  $\cdots \pi$  hydrogen-bonded system, 1140.
  - some chlorofluoro-, relative conformational stabilities of. Rotational isomerism. Part XX, 1142.
- Propanoic anhydride and 2-methylpropanoic anhydride, the thermal decomposition of in the gas phase, 986.
- **Propan-2-ol solution**, photochemistry of chlorpromazine [2-chloro-*N*-(3-dimethylaminopropyl)phenothiazine] in, 25
- Propene, 2-methyl-, and other alkenes, reaction of dinitrogen trioxide with. Evidence for electrophilic nitrosation, 828.
  - 1,3-diaryl, equilibration of. Organic anions. Part I, 1683.
- **Prop-2-en-1-one,** 3-mercapto-1,3-diphenyl-, crystal and molecular structure by X-ray and neutron diffraction, 249.
- **Propenide ions, 1,3-**diaryl-, spectroscopic studies of. Organic anions. Part II, 1688.
  - charge control versus product stability control in the protonation of. Organic anions. Part III, 1695.
- Properties and synthesis of a novel 'double-barrelled' solvatochromic compound. Linear free energy relationships. Part VII, 1575.
  - chiroptical, of lactones. Part III, electronic rotatory strengths of the  $n \longrightarrow \pi^*$  transition in  $\alpha\beta$ -unsaturated  $\gamma$ -lactone systems, 1674.
- Propionates, 3-dimethylamino-, intramolecular general base catalysis in the hydrolysis of, 1748.
- Proton abstraction from derivatives of ethyl  $\alpha$ -benzylaceto-acetate, 3-benzylpentane-2,4-dione, and benzylmalononitrile, Brönsted exponents in, 1367.
- **Protonation** of 1,3-diarylpropenide ions, charge control versus product control in. Organic anions. Part III, 1695.
  - benzofuran, the role of intermediate complexes in, 1789.
- Proton coupling, homoallylic, across peptide bonds, conformations of valinomycin determined from. Conformations of peptides in solution by nuclear magnetic resonance spectroscopy. Part IV, 1327.
- **Proteolytic enzymes:** electrophilic participation in the acylation step, 723.
- lipophilic binding sites for specific and non-specific substrates of  $\alpha$ -chymotrypsin, 686.
- Protiodetritiation of some cycloalkyl- and secondary alkylbenzenes. A linear free-energy relationship for *ortho-*aromatic substitution. Electrophilic aromatic substitution. Part XVII, 559.
- Proton abstraction by hydroxamate anions, micellar catalysis of. Nucleophilic ion pairs. Part II, 980.
- **Proton affinities,** the relative gas-phase, and polarisabilities of alkyl and silyl ethers, **434**.
- Protonation, gas-phase, of benzene and toluene. Theoretical studies of aromatic substitution. Part II, 1078.

- **Proton coupling constants** and lanthanide-ion probe measurements, comparison of results from. Conformation of hydroxy-L-proline in aqueous solution, 167.
- Proton exchange, general-base-catalysed, in 1,3-dimethyl-2-iminoimidazolidin-4-one hydriodide, 674.
- Proton ionisation from arsonic and arsinic acids, effects of alkyl chain length on the thermodynamics of, 125.
- Proton magnetic resonance and infrared spectra, and crystal structure of 3-cyanomethylsulphonyl-2-morpholinocyclohexane: evidence for a C-H··· N intramolecular hydrogen bond, 1126.
  - spectra of amino-acids and peptides relevant to wool structure. Part IV, relative residence times of dipeptides and tripeptides of phenylalanine and tyrosine, 91. Part VI, relative residence times of peptides of histidine, tryptophan, and valine, 1190.
  - studies of compounds with bridgehead nitrogen. Part XXIX, configurational and conformational studies with derivatives of perhydro-oxazolo[4,3-c][1,4]thiazine, 203. Part XXXI, reversible dimerisation of perhydropyrido-[1,2-c][1,3]oxazepines; X-ray analysis of a fourteenmembered macrocyclic dimer; conformational analysis of perhydropyrido[1,2-c][1,3]oxazepine, 1312.
- **Proton** nuclear magnetic resonance studies of protonated cyclopentadithiophenones and cyclopentadithiophens, 323.
- Proton transfers from 3-bromo- and 3-nitro-(+)-camphor, kinetics and isotope effects in, 1606.
- **Pseudoguaianolides** isolated from *Hymenoxys odorata* DC (bitterweed): X-ray structures of hymenoxon and hymenolane, 1399.
- Purines, 2-, 6-, or 8-methylthio-1-, -3-, -7-, or -9-methyl-, and related compounds, reactions of with methoxide ions in methanol. Kinetics of reactions in heterocycles. Part XV, 1176.
- Purine studies. Part XVI, occurrence of syn- and antiisomers in 4-amino-5-formamidopyrimidine derivatives, 29.
- Putrescine, tetra-acetyl-caffeoyl: an acetyl-cinnamoyl diacylamine. Nuclear magnetic resonance studies of acetyl groups, 616.
- Pyranoside, ethyl 6-O-benzoyl-4-iodo-2,3,4-trideoxy-α-D-hex-2-eno-, structure and conformation, 481.
- [2,3-b]Pyrazine, cis-and trans-1,4,5,8-tetramethyldecahydropyrazino-, ring and nitrogen inversion in. The conformational analysis of saturated heterocycles. Part LXXVI, 1564.
- Pyridazine-3,6-dione, dihydro-, ('maleic hydrazide'), the growth inhibitor, crystal structure of, 1386.
- **Pyridination** and anodic oxidation of N-methyl-4'-methoxy-benzanilide in acetonitrile. Anodic oxidation of carboxamides. Part II, 1180.
- **Pyridine**, group IVB organometal derivatives of. Part II, the reaction with bis(trimethylsilyl)mercury; organometal-substituted N-trimethylsilylpyridyl free radicals, 1149.
  - 4-methyl-, comparative behaviour of σ-complexes in phenylation of by benzoyl peroxide in refluxing benzene, 497.
  - thieno[2,3-b], reactivity of towards electrophilic substitution, 1135.
- Pyridinecarbaldehydes, rotational isomers and torsional barriers of. Conformational studies by dynamic nuclear magnetic resonance. Part IV, 1791.
  - torsional barriers and comformational equilibria in. 13C

- Nuclear magnetic resonance studies on aromatic aldehydes, 147.
- Pyridine compounds, chlorinated: quantum chemical calculations and chlorine-35 nuclear quadrupole resonance frequencies, 1821.
- Pyridine 1-nitroimides, chemical and physical properties of, and comparison with quantum chemical predictions. N-Oxides and related compounds. Part XLVI, 1245.
- Pyridines and quinolines, substituted, basicity of towards metal halides in diethyl ether. Quantitative aspects of Lewis acidity. Part XV, 89.
  - benzoyl-, photochemical and photophysical behaviour. Part I, triplet-triplet energy transfer to biacetyl, 869.
  - substituted, and oxygen anions, kinetics of reaction of with methyl chloroformate in aqueous solution, 68.
  - tautomeric. Part XV, pyridone-hydroxypyridine equillibria in solvents of differing polarity, 1428.
- Pyridinium, 4-(5-X-hydroxystyryl)-N-methyl-, iodides, acidity of. Linear free energy relationships. Part VI, 197.
- Pyrimidine, 4-amino-5-formamido-, derivatives, occurrence of syn- and anti- isomers in. Purine studies. Part XVI. 29.
  - diazido-, tautomerism of. Molecular structure of 2,4-diazido-5-iodopyrimidine, 1610.
  - perhydropyrido[1,2-c], perhydropyrido[1,2-c][1,3]oxazines, and perhydropyrido[1,2-c][1,3]thiazines, the conformational analysis of, 418.
- Pyrolysis, carbonate. Part IV, the stereochemistry of elimination; a <sup>13</sup>C nuclear magnetic resonance study, 701.
  - of S-alkyl-S-phenyl-N-p-tolylsulphonylsulphimides with no β-hydrogen atoms, 1432.
  - of t-butyl N-arylcarbamates in the gas phase, and correlation of the elimination rates with those obtained in solution, 799.
  - the gas-phase, of βy-acetylenic acids. Studies in decarboxylation. Part VIII, 592.
  - of esters, the mechanism of. Part IV, effects of substituents at the  $\beta$ -carbon atom, 280.
- of some acids containing two double bonds. Studies in decarboxylation. Part IX, 704.
- **Pyromellitic dianhydride** (benzene-1,2,4,5-tetracarboxylic dianhydride) and benz[a]anthracene, crystal structure and nuclear magnetic resonance spectra of a 1:1 complex of, 682.
- Pyrrole and indole, kinetics and mechanism of N-H and C-H exchange in. Part II, general acid-catalysed exchange in aqueous acetonitrile, 388.
- electrophilic substitution in. Part I, reaction with 4-dimethylaminobenzaldehyde (Ehrlich's reagent) in acid solution, 696.
- Pyruvic acid and glyoxylic acid, mechanism of the oxidation of by periodate, 1337.

# Q

- Quenchers, heavy atom, effect of and relevance of ground and excited state basicity: photorearrangement of quinoline 1-oxides, 146.
- Quinoline 1-oxides, photorearrangement of: relevance of ground and excited state basicity and effect of heavy atom quenchers, 456.
- Quinolines and pyridines, substituted, basicity of towards

# Quinolines (contd.)

metal halides in diethyl ether. Quantitative aspects of Lewis acidity. Part XV, 89.

cis-C-methyldecahydro-, conformational equilibria in: studies at low temperature using <sup>13</sup>C and <sup>1</sup>H magnetic resonance spectroscopy, 751.

Quinone, a diterpene from Salvia ballotaeflorae, structure of icetexone, 1728.

#### R

- Racemisation of sulphoxides with halide ions anchimerically assisted by a carboxy-group. The different behaviour of chloride and bromide ions, 1288.
  - the hydroxide-catalysed, of  $D-\alpha$ -methyl- $\alpha$ -phenylaceto-phenone. Transition state enthalpies of transfer in aqueous dimethyl sulphoxide solutions, 102.
- Radiation chemistry of acetals. Part I, photolysis (λ 185 nm) of formaldehyde dimethyl acetal in the liquid phase, 1408.
- Radiation effects on dimethyl sulphoxide, dimethyl sulphone, and their solutions in water and methanol: methyl radical anion adducts. Unstable intermediates. Part CLXIII, 908.
- Radiation mechanisms. Part VII, electron-loss and -capture processes in phenylphosphinic acid and related compounds, 21.
- Radical, the bis(methylthiomethyl) nitroxide. Revised assignment of the electron spin resonance spectrum obtained during photolysis of N-(diphenylmethylene)-methyl-thiomethylamine N-oxide, 1659.
  - anion of thioxanthen SS-dioxide and its 9-substituted derivatives, 164.
    - methyl, adducts: radiation effects on dimethyl sulphoxide, dimethyl sulphone, and their solutions in water and methanol. Unstable intermediates. Part CLXIII, 908.
    - of *peri*-bridged naphthalenes and singly bridged biphenyls, an electron spin resonance study of ring inversion in, 173.
  - reactions of. Part XVI, interpretation of the hyperfine coupling constants of <sup>31</sup>P nuclei in phosphorus-containing radical anions, 492. Part XVII, the reactions of triphenylphosphine oxide with alkali metals in ethereal solvents, 1166.
  - cations, alkyl aryl ether, the electron spin resonance spectra of, 1823.
    - bipyridyl, study of. Part III, reaction of paraquat radical cation with oxygen and with chromic ions in methanol, 859.
  - ion pairs and macrocyclic polyethers, electron spin resonance study of the interaction between, 137.
  - reactions of some sulphur-containing phenolic antioxidants, an e.s.r. investigation of, 1267.
  - and cations, anodically generated cyclohexyl, stereochemistry of reactions of; mechanism of the Kolbe reaction. Electro-organic reactions. Part IX, 1709.
  - aryl, an electron spin resonance spectroscopic investigation of the reactions of, with tetraphenylcyclopentadienone and 2,3-diarylindenones: detection of 1-oxo-2,2,3-triphenylindenyl and related radicals and their relevance to dienone-promoted formation of benzyne from benzenediazonium acetate. Acylarylnitrosamines. Part X, 588.

- RS, RO, and R¹S-R²+ in irradiated solids, electron spin resonance detection of, 553.
- derived from organic sulphites and related compounds.

  Electron spin resonance studies. Part XLVIII, 1040.
  from oxirans in aqueous solution. Electron spin

resonance studies. Part IL, 1044.

- in  $\gamma$ -irradiated mono- and polycyclic olefins, electron spin resonance of. Part III, allyl and pentadienyl radicals from dienes and trienes with strained ring structures, 1017.
- nitroxide. Part XVIII, further spectroscopic investigation of the Banfield and Kenyon nitroxide, 76.
- nucleophilic character of acyl. Absolute rate constant for the acylation of protonated benzothiazole by pivaloyl radical, 1835.
- phosphoranyl, derived from tetra-alkyl esters of phosphorous phosphoric anhydride (RO)<sub>2</sub>POP(O)(OR)<sub>2</sub>, an electron spin resonance study of, 1154.
- polyvinyl acetate, role of hydrogen bonding in the mechanism of hydrogen-atom abstraction from alkyl-substituted phenols by, 1913.
- $\gamma$ -ray induced, electron spin resonance of in thiourea-adamantane solid solutions, 1014.
- ring-substituted cyclopropyl(stannyloxy)methyl and cyclopropyl(hydroxy)methyl, direction of ring opening of: preferential formation of primary alkyl radicals, 1719.
- sulphur- and phosphorus-containing, from OO-dialkyl hydrogen phosphorodithiolates, zinc bis(OO-diisopropyl phosphorodithiolate), and related compounds, the use of spin traps to characterise, 650.
- Raman spectra, laser, of some non-conjugated steroid olefins, 841.
- Rate of dimerisation of aromatic nitrile oxides to 3,6-diaryl-1,4,2,5-dioxadiazines, substituent effects on. Behaviour of nitrile oxides towards nucleophiles. Part II, 626.
  - constant, absolute, for the acylation of protonated benzothiazole by pivaloyl radical. Nucleophilic character of acyl radicals, 1835.
  - constants for reactions of 1,1-disubstituted cyclohexanes and piperidines, effect of 4-t-butyl and other 4-substituents on. 4-t-Butyl derivatives as valid reactivity models in the kinetic method of conformational analysis of cyclohexane, 838.
- X-Ray and neutron diffraction, crystal and molecular structure of 3-mercapto-1,3-diphenylprop-2-en-1-one by, 249.
  - analysis of a fourteen-membered macrocyclic dimer; reversible dimerisation of perhydropyrido[1,2-c]-[1,3]oxazepines; conformational analysis of perhydropyrido[1,2-c][1,3]oxazepines. Proton magnetic resonance studies on compounds with bridgehead nitrogen. Part XXXI, 1312.
    - of 3-amino-2-methylthio-5-phenyl-6a-thiathiophthen {3-amino-2-methylthio-5-phenyl[1,2]dithiolo[1,5-b]-[1,2]-dithiole-7-S<sup>IV</sup>}: structure of a 3-aminothiathiophthen, 228.
  - crystallographic determination of the stereochemistry and conformation of deacetylneotenulin. Sesquiterpenoids. Part XXII, 990.
    - of the structure of the p-bromophenylboronate ester of  $17\alpha,20\beta,21$ -trihydroxypregn-4-en-3-one, 110.
  - crystal structure analyses of ovatodiolide and ovatodiolic acid and nuclear Overhauser effect studies in solution:

## X-Ray (contd.)

- structures and conformations of the fourteen-membered diterpene ovatodiolide and its acid cyclisation product, 1881.
- conformational studies on r-4,c-6-dimethyl-1,3-dithian and its oxides, r-4,c-6-dimethyl-1,3-dithian t-1-oxide, and r-4,c-6-dimethyl-1,3-dithian t-1,t-3-dioxide, 1004.
- diffraction and nuclear magnetic resonance studies, absolute configuration and conformation of isomenthol by, and crystal structure of (+)-isomenthyl p-bromophenylcarbamate, 717.
- structures of hymenoxon and hymenolane: pseudoguaianolides isolated from *Hymenoxys odorata* DC (bitterweed), 1399.
- study of  $(\alpha S, SS/\alpha R, SR)$ -1-(p-bromophenyl)ethyl t-butyl sulphoxide and conformational analysis of diastereo-isomeric pairs of 1-phenylethyl t-butyl sulphoxides, 1490.
- Reactions and equilibria of acetylsulphuric acid in liquid sulphur dioxide, 1784.
  - cyclisation, of negative ions. The o-O<sub>2</sub>NC<sub>6</sub>H<sub>4</sub>(CH=CH)<sub>n</sub>-COR system. Electron impact studies. Part CIV, 1656.
  - electron transfer, between cation radicals and aromatic compounds, kinetics of thermodynamically unfavourable. Kinetics and mechanisms of the reactions of organic cation radicals and dications. Part V, 1567.
  - electro-organic. Part VI, stereoselective cathodic reduction of unhindered cyclic ketones, 879. Part VII, the cathodic reduction of carvomenthone, menthone, and camphor, 884. Part IX, mechanism of the Kolbe reaction: stereochemistry of reaction of anodically generated radicals and cations, 1709.
  - elimination, of 1-benzylethyl halides and toluene-p-sulphonate in different base-solvent systems, trans: cis olefin ratios in, 877.
  - gas-phase, with carboxylic acids. Effect of alkyl substituents. Reactions of keten. Part V, 988.
    - with halogenated and unsaturated acids, formic acid and acetic [2H]acid. Reactions of keten. Part VI, 1533.
  - homodesmotic, for the assessment of stabilisation energies in benzenoid and other conjugated cyclic hydrocarbons, 1222.
  - mercury(II) cyanide-promoted, of 2,3,4,6-tetra-O-methylα-D-glucopyranosyl bromide with cyclohexanol in benzene-nitromethane. Koenigs-Knorr reactions. Part II, 1632.
  - transfer, the relative ease of acetyl and methoxycarbonyl, and the kinetics of the reaction of *p*-nitrophenyl methyl carbonate with nucleophiles in aqueous solution, 679.
  - unimolecular, in a homologous series, the concept of a hierarchy of. Prediction of the unimolecular chemistry of some saturated carbenium ions, 1479.
  - mechanism, dependence of on structural factors and on the nature of nucleophile. Nucleophilic substitution in  $\alpha$ -halogenosulphoxides. Part II, 996.
- Reactivities, relative, of ion-pairs of the 1,3-diphenylallyl carbanion towards fluorene, 1636.
- Reactivity and structure of heterosubstituted nitriles. Part XIV, kinetics and mechanisms of cyanogen bromide reactions with N-alkylanilines, 524.
  - aromatic. Part LXI, reactivities and solvent isotope effects in the base cleavage of triorgano-silicon,

- -germanium, and -tin groups from furan, thiophen, benzofuran, and benzothiophen rings, 925.
- nucleophilic, and basicity of carbonyl-stabilised sulphimides, 1869.
  - of organophosphorus compounds. Part III, kinetics and mechanism of the reaction of phosphorus acids with keten *OO*-acetals in aprotic medium, 1613.
- of carbon radicals in homolytic aromatic substitutions, structural effects on. Part III, reaction of the 1-adamantyl radical with benzene derivatives, 662.
- of thieno[2,3-b]pyridine towards electrophilic substitution, 1135.
- patterns of, of sodium salts of 9-substituted fluorenes with molecular oxygen and with acrylic esters. Mechanistic studies in strongly basic media. Part IX, 55.
- relative, of groups bonded to positions 2 and 5 of the thiazole ring, 398.
- the effect of structure on: the electrochemical oxidation of some tertiary amines. Amine oxidation. Part IX, 47.
- models, valid, 4-t-butyl derivatives as in the kinetic method of conformational analysis of cyclohexanes. Effect of 4-t-butyl and other 4-substituents on rate constants for reactions of 1,1-disubstituted cyclohexanes and piperidines, 838.
- **Rearrangement,** desulphonative double Smiles', of N-(2-hydroxyalkyl)-p-nitrobenzenesulphonamides, kinetics of, 1741.
  - McLafferty, structure of gaseous C<sub>2</sub>H<sub>4</sub>O<sub>2</sub><sup>+</sup> ions formed by from aliphatic acids, 1231.
  - the Fischer-Hepp, and denitrosation, kinetics and mechanism of. Part VII, reactions at high acidity, 601. Part VIII, substituent effects on denitrosation of aromatic N-nitroso-amines, 691.
  - to imides limited by substrate E-Z isomerisation, isolation of relatively stable isoimides and. Nucleophilic addition to linear nitrilium ions ( $-C \equiv N-$ ) leading to single isomers, 1701.
  - the dienone-phenol, use of in measuring migratory aptitude of alkyl groups. Cyclohexadienones, 1349.
  - acid-catalysed, in the aryliminoindoline series. Part I, crystal and molecular structures of 1-ethyl-2-(1-ethyl-2-phenylindol-3-yl)-2-phenyl-3-phenyliminoindoline and 1-ethyl-3-(1-ethyl-2-phenyl-indol-3-yl)-3-phenyl-2-phenyliminoindoline, 309. Part II, crystal and molecular structure of 2-anilino-3-(1-methyl-2-phenyl-indol-3-yl)-3-phenyl-3*H*-indole monohydrate 317.
  - of the thujan-3-yl cation, 1345.
- Reduction of acetophenones by alkali-metal alkoxides, kinetics of, and the mechanism of reduction of ketones by borohydride, 1523.
- of some ketones using sulphurated sodium borohydride (NaBH<sub>2</sub>S<sub>3</sub>): kinetics and mechanism, 1811.
- of umbellulone (thuj-3-en-2-one) and isodihydroumbellulone (4β*H*-thujan-2-one), stereochemistry of, 1342.
- stereoselective cathodic, of unhindered cyclic ketones. Electro-organic reactions. Part VI, 879.
- the cathodic, of carvomenthone, menthone, and camphor. Electro-organic reactions. Part VII, 884.
- Redundance of extrathermodynamic assumptions: enthalpies of transfer involving ionic transition states, 1531.
- Relactonisation, the preferential C(8), of germacranolides containing C(6) and C(8) lactonisable  $\alpha$ -oxygen functions, an interpretation of; molecular mechanics calculations on lactones, 1917.

- Relationships, extrathermodynamic, for ion-pair equilibria in media of low dielectric constant, 874.
- **Relaxation,** nuclear magnetic, measurements, conformation of *cis*-stilbene and some derivatives studied by, 510.
  - times and <sup>13</sup>C chemical shifts, application of to the study of charge distribution, aggregation and conformation in carbocyanine dyes. Part I, 542.
- Residence times, relative, of dipeptides and tripeptides of phenylalanine and tyrosine. Proton magnetic resonance spectra of amino-acids and peptides relevant to wool structure. Part IV, 91.
  - of peptides of histidine, tryptophan, and valine. Proton magnetic resonance spectra of amino-acids and peptides relevant to wool structure. Part VI, 1190.
- Ring, activating effects of groups attached to by a sulphur atom. The  $S_{\rm N}$  mechanism in aromatic compounds. Part XL. 1320.
  - cyclic dipeptide, conformations. Conformations of peptides in solution by nuclear magnetic resonance spectroscopy. Part III, 1238.
- Ring-opening, direction of, of ring-substituted cyclopropyl-(stannyloxy)methyl and cyclopropyl(hydroxy)methyl radicals: preferential formation of primary alkyl radicals, 1719.
- Rings, eight-membered heteroxyclic, conformation of Conformation of NN-diphenyl-3,7-diaza-1,5-dithiacyclo-octane in dioxan solution. Stereochemistry. Part III, 1228.
  - five-membered, steric effects in. Part VI, kinetics of oxidation of  $\beta$ -substituted cyclopentanols by chromium(vi) oxide, 943.
    - substituent effects in:  $\sigma_{Het}$  constants for thia- and oxasubstituents from the reaction of arenesulphonyl chlorides with aniline, 906.
  - optically active nine-membered, incorporating the 8- and 8'-positions of 1,1'-binaphthyl, 793.
  - six-membered aromatic, 1,3-dipole character of. Part XXIX, kinetic rates and equilibria for the addition of 2π-electron addends to 3-oxidopyridinium betaines, 1829.
  - three-membered. Part I, semiempirical calculations of the molecular conformation of compounds of the type  $Ph\dot{C}H\cdot\dot{X}\cdot\dot{C}H_2$  (X =  $CH_2$ , O, S, NH, or  $CCl_2$ ), 374.
  - distortions in 2-methyl-2-t-butyl derivatives of 1,3-dioxan, 1,3-oxathian, and 1,3-dithian, 345.
  - inversion and nitrogen inversion in cis- and trans-1,4,5,8-tetramethyldecahydropyrazino[2,3-b]pyrazine. The conformational analysis of saturated heterocycles. Part LXXVI, 1564.
  - inversion in the radical anions of *peri*-bridged naphthalenes and singly bridged biphenyls, an electron spin resonance study of, 173.
  - size, the effects of on spiro-complex formation. The stabilities of Meisenheimer complexes. Part XI, 155.
  - structures, strained, allyl and pentadienyl radicals from dienes and trienes with. Electron spin resonance study of radicals in γ-irradiated mono- and polycyclic olefins. Part III, 1017.
- Rotamers arising from restricted motion in substituted benzaldehydes. Conformational studies by dynamic nuclear magnetic resonance. Part III, 1121.
  - of 3,3'-bithienyl, conformational study on. Nematic phase nuclear magnetic resonance investigations of rotational isomerism. Part IV, 1796.

- Rotation, around the carbon-nitrogen bond, barriers to in imine-N-oxides (nitrones). Dynamic stereochemistry of imines and derivatives. Part VIII, 610.
  - barriers to and conformational equilibria in monohalogenobutanes with methyl substituents. Methyl-halogen interactions. The size of a halogen atom, 336.
- Rotational isomerism. Part XX, relative conformational stabilities of some chlorofluoropropanes, 1142.
  - in alkyl furan-2-carboxylates, infrared examination of: determination of thermodynamic parameters from infrared data, 597.
  - in thiophen- and furan-2-carbonyl halides by nuclear magnetic resonance and infrared spectrometry, investigation of, 1.
- Rotatory strengths, electronic, of the  $n \longrightarrow \pi^*$  transition in  $\alpha\beta$ -unsaturated  $\gamma$ -lactone systems. Chiroptical properties of lactones. Part III, 1674.

S

- Salvia ballotaeflorae, structure of icetexone, a diterpene quinone from, 1728.
- α-Scission of phosphoranyl radicals, configurational effects in 808.
- Self-association of potentially bifunctional catalysts, steric and electronic effects on:  $\Delta^4$ -thiazoline-2-thiones, 565.
- Selenophen, furan, thiophen, and tellurophen, photoelectron spectra of the α-substituted derivatives of. A comparative study of the molecular orbital energies, 276.
- Sesquiterpenoids. Part XXII, X-Ray crystallographic determination of the stereochemistry and conformation of deacetylneotenulin, 990.
- Shielding parameters, alkane (empirical), and an absolute scale for carbon shielding. The interpretation of carbon nuclear magnetic resonance shifts. Part II, 1671.
- Shifts, carbon-13 chemical and substituent effects, in 4-substituted camphors, N-nitrocamphorimines, and diazocamphors, 1579.
  - nitrogen-15 chemical, medium effects on of small peptides. Natural abundance nitrogen-15 nuclear magnetic resonance spectroscopy, 1527.
- [1,5] Sigmatropic shifts of hydrogen, significance of. Mechanistic investigations in the photochemistry of acyclic conjugated dienes, 647.
- Silicon, triorgano-, -germanium, and -tin groups from furan, thiophen, benzofuran, and benzothiophen rings, reactivities and solvent isotope effects in the base cleavage of. Aromatic reactivity. Part LXI, 925.
- Silver(II) in aqueous perchloric acid solution, kinetics of oxidation of organic compounds by. Part II, aliphatic carboxylic acids, 1841.
- Silver iodide and morpholine, crystal structure of a 1:1 complex between, 104.
- Silver  $N^1$ -(3-pyridy) sulphanilamide, crystal and molecular structures of, 1379.
- Silyl ethers and alkyl ethers, the relative gas-phase proton affinities and polarisabilities of, 434.
- Silylpyridyl, organometal-substituted N-trimethyl-, free radicals; the reaction with bis(trimethylsilyl)mercury. Group IVB organometal derivatives of pyridine. Part II, 1149.
- Smiles' rearrangement, desulphonative double, of N-(2-hydroxyalkyl)-p-nitrobenzenesulphonamides, kinetics of, 1741.

- Sodium borohydride, sulphurated, (NaBH<sub>2</sub>S<sub>3</sub>), reduction of some ketones using: kinetics and mechanism, 1811.
- Sodium ethoxide, kinetics of hydrogen-deuterium exchange in fluoren-9-ylideneacetonitrile catalysed by. Vinyl carbanions. Part I, 953.
- Sodium methoxide, methanolic, evidence for formation of carbanions in cleavage of carbon-silicon bonds by. Some large kinetic isotope effects for reactions of carbanions with methanol, 1857.
- Sodium salts of 9-substituted fluorenes, patterns of reactivity of with molecular oxygen and with acrylic esters. Mechanistic studies in strongly basic media. Part IX, 55.
- Sodium sulphite, some kinetic studies of the reaction of aromatic nitro-compounds with in water. Stabilities of Meisenheimer complexes. Part XII, 160.
- Solid phase, crystalline and mesophases, structures of: cholesteryl myristate, 814.
- Solids, irradiated, electron spin resonance detection of radicals RS, RO, and RIS-R2+ in, 553.
- Solubilisation and decomposition of 4-methyl- and 4-nitrophenylurea, micellar effects on. Hydrolysis of phenylureas. Part III, 369.
- 1:1 Solvate, correlation of the loss of solvent with the crystal structure of. Indanetrione 2-(N-p-t-butylbenzoyl-N-phenylhydrazone)acetone solvate, 1873.
- Solvatochromic compound, a novel 'double-barrelled', synthesis and properties of. Linear free energy relationships. Part VII, 1575.
- Solvent and ionisation state, dependence of conformation upon: conformational analysis of cyclic amines using carbon-13 chemical shift measurements, 1585.
  - effects on the equilibria  $\operatorname{Et_3N} + \operatorname{EtI} \Longrightarrow \operatorname{Et_4NI}$  and  $\operatorname{Et_3N} + \operatorname{EtI} \Longrightarrow \operatorname{Et_4N}$ , comparison with. The effect of 39 solvents on the free energy of  $\operatorname{Et_3N}$ ,  $\operatorname{EtI}$ , and the  $\operatorname{Et_3N-EtI}$  transition state. Substitution at saturated carbon. Part XX, 1735.
  - alcoholic, the isotope effect maximum in the dehydrochlorination of 2,2,2-trichloro-1,1-bis(p-chlorophenyl)ethane by various bases in. The carbanion mechanism of olefin-forming elimination. Part VII, 932.
  - ethereal, the reactions of triphenylphosphine oxide with alkali metals in. Reactions of radical anions. Part XVII, 1166.
  - inert, the photochemistry of some cycloalkanecarbaldehydes in, 1083.
  - neutral or basic, sulphonation in. Studies on the sulphonation of anthracene. Part I, 1554.
  - of differing polarity, pyridone-hydroxypyridine equilibria in. Tautomeric pyridines. Part XV, 1428.
- Solvolysis and cyclisation of some monoterpene 2,4-dinitrophenyl ethers. Allylic carbonium ions. Part II, 1160.
  - of *endo-* and *exo-*bicyclo[3.2.1]octan-3-yl toluene-*p*-sulphonates. Part I, product analysis, 1506.
  - of endo-norbornan-2-yl p-bromobenzenesulphonate, bridgehead β-deuterium secondary kinetic isotope effect in the, 1889.
  - of substituted  $\omega$ -bromo-2-acetonaphthones in aqueous ethanol, kinetics of, 1893.
  - retentive. Part XI, retentive phenolysis of optically active secondary and tertiary systems without a group imposing configurational restriction, 1617.
- Spectroscopic investigation, further, of the Banfield and Kenyon nitroxide. Nitroxide radicals. Part XVIII, 76.

- properties and synthesis of 1,4-diarylbutenynes, 1104.studies of 1,3-diarylpropenide ions. Organic anions.Part II, 1688.
- study and thermodynamic study of buta-1,3-diene and 2-methylbuta-1,3-diene (isoprene). Conformations of conjugated hydrocarbons. Part I, 1666.
  - a kinetic and photoelectron. The electronic effect of XMe<sub>3</sub> and CH<sub>2</sub>XMe<sub>3</sub> (X = Si, Ge, Sn, or Pb) substituents in organometallic sulphides, 306.
- infrared, of the interaction between 2,6-diarylphenols and alkyl cyanides, 178.
- Spin density in 10-arylphenoxazine and 10-arylphenothiazine cation radicals, substituent effects on the distribution of. Heterocyclic free radicals. Part VI, 114.
- Spin traps, the use of to characterise sulphur- and phosphorus-containing radicals from OO-dialkyl hydrogen phosphorodithiolates, zinc bis(OO-di-isopropylphosphorodithiolate), and related compounds, 650.
- Spiro-complex formation from 1-(2-mercaptoethylthio)- and 1-(2-hydroxyethylthio)-2,4,6-trinitrobenzene in water, kinetic and equilibrium data for. The stabilities of Meisenheimer complexes. Part XIII, 901.
  - the effects of ring-size on. The stabilities of Meisenheimer complexes. Part XI, 155.
- Stabilisation of singlet ethoxycarbonylnitrene by 1,4-dioxan, 1201.
- Stabilities of Meisenheimer complexes. Part XI, the effects of ring-size on spiro-complex formation, 155. Part XII, some kinetic studies of the reaction of aromatic nitro-compounds with sodium sulphite in water, 160. Part XIII, kinetic and equilibrium data for spirocomplex formation from 1-(2-mercaptoethylthio)- and 1-(2-hydroxyethylthio)-2,4,6-trinitrobenzene in water, 901.
  - relative conformational, of some chlorofluoropropanes. Rotational isomerism. Part XX, 1142.
- Starch and derivatives of amylose, effect of inorganic ions upon the binding of iodine by. Influence of cosolutes upon the conformation of carbohydrates in aqueous solutions. Part III, 215.
- Stereochemistry. Part III, conformation of eight-membered heterocyclic rings. Conformation of NN-diphenyl-3,7-diaza-1,5-dithiacyclo-octane in dioxan solution, 1228.
  - and conformation of deacetylneotenulin, X-ray crystallographic determination of. Sesquiterpenoids. Part XXII, 990.
  - and nuclear quadrupole resonance. Part VI, transmission of substituent effects through a double bond, 1867.
  - dynamic, of imines and derivatives. Part VII, thermal epimerisation of chiral oxaziridines, 606. Part VIII, barriers to rotation around the carbon-nitrogen bond in imine N-oxides (nitrones), 610. Part IX, the mechanism of E-Z isomerisation in N-alkylimines, 1501.
  - of addition of bromine and bromine acetate to some phenyl-substituted olefins. Mechanisms of addition. Part II, 141.
  - of anticholinergic agents. Part VIII, crystal and molecular structure of O-benzoyltropine hydrochloride, 1359.
  - of elimination; a <sup>13</sup>C nuclear magnetic resonance study. Carbonate pyrolysis. Part IV, 701.
  - of ethyl octahydro-3-methylindolizine-2-carboxylate, 107.
  - of hydrogenolysis of 3-acetoxytricyclene. Reactions over metal catalysts. Part I, 595.
  - of hydroximic acid derivatives. Crystal and molecular

- Stereochemistry (contd.)
  - structure of N-phenyl-2,6-dichlorobenzamide oxime, 1036.
  - of reaction of anodically generated cyclohexyl radicals and cations; mechanism of the Kolbe reaction. Electro-organic reactions. Part IX, 1709.
  - of reduced proaporphines. Crystal structure and relative configuration of  $(\pm)$ -11,12-dihydroglaziovine, 1218.
  - of reduction of umbellulone (thuj-3-en-2-one) and isodihydroumbellulone (4βH-thujan-2-one), 1342.
- Steric effects and electronic effects of self-association of potentially bifunctional catalysts:  $\Delta^4$ -thiazoline-2-thiones, 565.
  - and polar effects, the separation of. Part XIII, kinetics of the reactions of cinnamic acid and *meta*-substituted cinnamic acids with diazodiphenylmethane in various alcohols and in aprotic solvents, 847.
  - in five-membered rings. Part VI, kinetics of oxidation of β-substituted cyclopentanols by chromium(vi) oxide, 943.
- Steroid-acid colour reactions. Part I, carbon-13 nuclear magnetic resonance spectra of various protonated aliphatic ketones and their  $pK_{BH^+}$  values, 958. Part II, carbon-13 nuclear magnetic resonance and ultraviolet spectra of protonated androst-4-ene-3,17-dione, pregn-4-ene-3,20-dione, and androst-4-ene-3,11,17-trione, 963.
- Steroid olefins, some non-conjugated, laser Raman spectra of, 841.
- cis-Stilbene and some derivatives, conformation of studied by nuclear magnetic relaxation measurements, 510.
- trans-Stilbenes, photodimerisation in mixed crystals of, and of trans-cinnamamides. Topochemistry. Part XXXVIII, 1731.
- Strain energy, additional, terms and  $\pi$ -basicity as controlling factors. Iodine-induced cycloisomerisation of methyl, ethyl-, and isopropyl-[2,2]metacyclophanes. Medium-sized cyclophanes. Part XVIII, 1195.
- Strecker degradation of α-amino-acids with phenalene-1,2,3trione hydrate, application of a Hammett-Taft relation to kinetics of, 128.
- Stretching band, the O-D, of methan[2H]ol, influence of aprotic solvents on, 1627.
- Strontium 4-O-(4-deoxy-β-L-threo-hex-4-enosyl)-α-D-galacturonate-4.5 water, crystal structure of. Interactions of cations with sugar anions. Part II, 392.
- Structural effects on the reactivity of carbon radicals in homolytic aromatic substitutions. Part III, reaction of the 1-adamantyl radical with benzene derivatives, 662.
- Structural factors, dependence of the reaction mechanism on and on the nature of the nucleophile. Nucleophilic substitution of  $\alpha$ -halogeno-sulphoxides. Part II, 996.
- Structure and conformation of ethyl 6-O-benzoyl-4-iodo-2,3,4-trideoxy-α-D-hex-2-enopyranoside, 481.
  - and efficiency in intramolecular and enzymic catalysis: intramolecular general base catalysis. Hydrolysis of monoaryl malonates, 1753.
  - and reactivity of heterosubstituted nitriles. Part XIV, kinetics and mechanisms of cyanogen bromide reactions with N-alkylanilines, 524.
  - electronic, and molecular conformation. Part III, crystal and molecular structure of the stable form of N-(p-chlorobenzylidene)-p-chloroaniline, 429.
  - molecular, of 2,4-diazido-5-iodopyrimidine. Tautomerism of diazidopyrimidines, 1610.
  - of a 3-aminothiathiophthen: X-ray analysis of a 3-amino-

- 2-methylthio-5-phenyl-6a-thiathiophthen {3-amino-2-methylthio-5-phenyl[1,2]dithiolo[1,5-b][1,2]dithiole-7- $S^{IV}$ }, 228.
- of a molecule formed by two fused six-membered rings, liquid crystal muclear magnetic resonance investigation on: 2,7-naphthyridine, 19.
- of gaseous C<sub>2</sub>H<sub>4</sub>O<sub>2</sub><sup>+</sup>· ions formed by McLafferty rearrangement from aliphatic acids, 1231.
- of 4,7,13,16,21,24-hexaoxa-1,10-diazabicyclo[8.8.8]hexacosane and of its bisborohydride, C<sub>18</sub>H<sub>36</sub>N<sub>2</sub>O<sub>6</sub>·2BH<sub>3</sub>. Polyoxamacrobicyclic diamines, 423.
- of Icetexone, a diterpene quinone from Salvia ballotae-florea, 1728.
- of the p-bromophenylboronate ester of 17α,20β,21-trihydroxypregn-4-en-3-one, X-ray crystallographic determination of, 110.
- of the short wavelength photoisomers of bianthrone analogues, 1536.
- the effect of on reactivity: the electrochemical oxidation of some tertiary amines. Amine oxidation. Part IX, 47.
- the electronic, of the quinonoid bicyclic heterocycles isoindole, benzo[c]furan, benzo[c]thiophen, and 2H-indene. 81.
- and conformations of the fourteen-membered ring diterpene ovatodiolide and its acid cyclisation product: nuclear Overhauser effect studies in solution and X-ray crystal structure analyses of ovatodiolide and ovatodiolic acid, 1881.
- X-ray, of hymenoxon and hymenolane: pseudoguaianollides isolated from *Hymenoxys odorata* DC (bitterweed), 1399.
- of the crystalline solid and mesophases: cholesteryl myristate, 814.
- Studies, conformational, by dynamic nuclear magnetic resonance. Part III, rotamers arising from restricted motion in substituted benzaldehydes, 1121. Part IV, rotational isomers and torsional barriers of pyridine-carbaldehydes, 1791.
  - theoretical, of aromatic substitution. Part II, gas-phase protonation of benzene and toluene, 1078.
- Study, a MINDO/3, of mesoionic oxazoles and imidazoles. Ground states of molecules. Part XXXII, 548.
  - conformational, on the rotamers of 3,3'-bithienyl. Nematic phase nuclear magnetic resonance investigations of rotational isomerism. Part IV, 1796.
- CNDO/2, dipole moment, and <sup>1</sup>H nuclear magnetic resonance. Molecular conformation of di-2-pyridyl sulphide, 1234.
  - dipole moment, spectroscopic, and theoretical, of di-2pyridyl sulphones, 1845.
  - equilibrium, of biphenyl-2-ol by infrared spectroscopy, 1663.
  - polarisability, and polarisation of some chlorinated cyclodiene insecticides, 1645.
  - spectroscopic and thermodynamic, of buta-1,3-diene and 2-methylbuta-1,3-diene (isoprene). Conformations of conjugated hydrocarbons. Part I, 1666.
  - theoretical, of charge distribution in the benzoyl and alkynoyl cations, 621.
- β-Styryl halides, mechanism of formation from and mechanism of cleavage by electrophiles: β-styrylcobaloximes, 1261.
- σ<sup>+</sup> Substituent constants, a method for the determination of. <sup>1</sup>H and <sup>13</sup>C nuclear magnetic resonance spectra of benzylidenemalononitriles, 729.

- Substituent effect on the rate of dimerisation of aromatic nitrile oxides to 3,6-diaryl-1,4,2,5-dioxadiazines. Behaviour of nitrile oxides towards nucleophiles. Part II, 626.
  - additivity of in the alkaline hydrolysis of alkyl benzoates, 1921.
    - of upon proton-fluorine coupling constants in polysubstituted fluorobenzenes, 1307.
  - and carbon-13 chemical shifts, in 4-substituted camphors, N-nitrocamphorimines, and diazocamphors, 1579.
  - and orientational effects upon  ${}^{n}J_{FC}$ . The carbon-13 nuclear magnetic resonance spectra of the deoxy-fluoro-D-glucoses, 2-deoxy-2-fluoro-D-mannose, and 4-deoxy-4-fluoro-D-galactose, 1598.
  - comparison of the side-chain SO<sub>3</sub>H and OSO<sub>3</sub>H. Kinetics and mechanism of sulphonation of ω-phenylalkane-1-sulphonic acids in sulphuric acid. Aromatic sulphonation. Part 53, 1780.
  - in five-membered rings:  $\sigma_{Het}$  constants for thia- and oxasubstituents from the reaction of arenesulphonyl chlorides with aniline, 906.
  - in Halogenation, some observations relating to. Part VII, the kinetics and reactions of toluene and o- and p-xylene with chlorine acetate in aqueous acetic acid and acetic acid-perchloric acid, 357. Part VIII, the kinetics and reactions of indane, 9,10-dihydroanthracene, and tetralin with chlorine acetate in aqueous acetic acid, 359.
  - in tautomerism. Part II, para-substitution in N-phenylamidines, 211.
  - on denitrosation of aromatic N-nitroso-amines. Kinetics and mechanism of the Fischer-Hepp rearrangement and denitrosation. Part VIII, 691.
  - on the distribution of the spin density in 10-arylphenoxazine, and 10-arylphenoxazine and 10-arylphenothiazine cation radicals. Heterocyclic free radicals. Part VI, 114.
  - transmission of through a double bond. Nuclear quadrupole resonance and stereochemistry. Part VI, 1867.
- Substituent electronic effects, the nature of; the existence of the  $\pi$ -inductive effect, 1486.
- **4-Substituents,** 4-t-butyl and others, effect of on rate constants for reactions of 1,1-disubstituted cyclohexanes and piperidines. 4-t-Butyl derivatives as valid reactivity models in the kinetic method of conformational analysis of cyclohexanes, 838.
- Substituents, XMe<sub>3</sub> and CH<sub>2</sub>XMe<sub>3</sub> (X = Si, Ge, Sn, or Pb), in organometallic sulphides, the electronic effect of. A kinetic and photoelectron spectroscopic study, 306.
  - methyl, conformational equilibria and barriers to rotation in monohalogenobutanes with. Methyl-halogen interactions. The size of a halogen atom, 336.
  - polar, and the luminescence of organic compounds, 1725.
- Substitution, aromatic halogen, the kinetics and mechanism of. Part XXXII, the directive power of the acetoxygroup, 784. Part XXXIII, kinetics and products of chlorination and some aryl acetates, 1389.
  - inductive and field effects in. Part VII, hydrogenisotope exchange in a bridged anthracene derivative carrying a nitrogen pole, 285. Part VIII, kinetics of nitration and bromination in the 'onium salts of dithia- and diaza-cyclophanes, 290. Part IX, assessment of results, 294.

- nucleophilic, kinetic evidence for a methanolysis intermediate in, 1256.
- theoretical studies of. Part II, gas-phase protonation of benzenes and toluene, 1078.
- at saturated carbon. Part XX, the effect of 39 solvents on the free energy of Et<sub>3</sub>N, EtI, and the Et<sub>3</sub>N-EtI transition state. Comparison with solvent effects on
  - the equilibria  $Et_3N + EtI \longrightarrow Et_4NI$  and  $Et_3N + EtI \longrightarrow Et.N + I$  1735
- EtI Et<sub>4</sub>N + I, 1735.
  electrophilic, in pyrroles. Part I, reaction with 4-dimethylaminobenzaldehyde (Ehrlich's reagent) in acid solution, 696.
  - reactivity of thieno[2,3-\rho]pyridine towards, 1135.
- nucleophilic, in α-halogeno-sulphoxides. Part II, dependence of the reaction mechanism on structural factors and on the nature of nucleophile, 996.
- piperidino-, of some 3-X-5-nitro-2-thienyl phenyl sulphones in methanol. Linear free energy orthocorrelations in the thiophen series. Part III, 1495.
- homolytic aromatic, structural effects on the reactivity of carbon radicals in. Part III, reaction of the 1adamantyl radical with benzene derivatives, 662.
- **para-Substitution** in N-phenylamidines. Substituent effects in tautomerism. Part II, 211.
- Substrates of  $\alpha$ -chymotrypsin, lipophilic binding sites for specific and non-specific: proteolytic enzymes, 686.
- Sugar anions, interactions of cations with. Part II, crystal structure of strontium 4-O-(4-deoxy-β-L-threo-hex-enosyl)-α-D-galacturonate-4.5 water, 392.
- Sulphation, ionisation, sulphonation, and alkylation of ω-phenylalkan-1-ols in sulphuric acid. Aromatic sulphonation. Part 52, 1776.
- Sulphides, organometallic, the electronic effect of XMe<sub>3</sub> and CH<sub>2</sub>XMe<sub>3</sub> (X = Si, Ge, Sn, or Pb) substituents in. A kinetic and photoelectron spectroscopic study, 306.
- Sulphimides, S-alkyl-S-phenyl-N-p-tolylsulphonyl, with no  $\beta$ -hydrogen atoms, pyrolysis of, 1432.
  - N-arylsulphonyl-, mechanism of the reaction of with trivalent phosphorus compounds, 1438.
  - carbonyl-stabilised, basicity and nucleophilic reactivity of, 1869.
- Sulphites, organic, and related compounds, radicals derived from. Electron spin resonance studies. Part XLVIII, 1040.
- Sulphonation, aromatic. Part 52, ionisation, sulphation, sulphonation, and alkylation of  $\omega$ -phenylalkan-1-ols in sulphuric acid, 1776. Part 53, kinetics and mechanism of sulphonation of  $\omega$ -phenylalkane-1-sulphonic acids in sulphuric acid. Comparison of the side-chain  $SO_3H$  and  $OSO_3H$  substituent effects, 1780.
  - of anthracene, studies on. Part I, sulphonation in neutral or basic solvents, 1554. Part II, sulphonation in acetic acid and related solvents, 1560.
- Sulphone structures. Part III, crystal and molecular structure of 5,5'-dichloro-2-hydroxy-2'-(phenylsulphonyl)-azoxybenzene, 802.
- Sulphonium bromide, (p-acetylphenethyl)dimethyl-, deuterium kinetic isotope effect in β-elimination from. The influence of added dimethyl sulphoxide, 488.
- Sulphoxides, α-halogeno-, nucleophilic substitution in. Part II, dependence of the reaction mechanism on structural factors and on the nature of nucleophile, 996.
  - racemisation of with halide ions anchimerically assisted

- Sulphoxides (contd.)
  - by a carboxy-group. The different behaviour of chloride and bromide ions, 1288.
- Sulphur atom, activating effects of groups attached to the ring by. The  $S_{\rm N}$  mechanism in aromatic compounds. Part XL, 1320.
- Sulphur compounds, gas-phase thermolysis of. Part I, di-t-butyl disulphide, 1421.
- Sulphur dioxide, liquid, equilibria and reactions of acetylsulphuric acid in, 1784.
  - reaction of 1,3-dienes with. Part I, thermal decomposition of 2,4-dihydrothiophen 1,1-dioxides, 1470.
- Sulphur-sulphur bond lengths, unequal, a symetrically substituted thiathiophthen with: crystal and molecular structure of 3,4-diphenyl-6a-thiathiophthen  $\{3,4$ -diphenyl-1,2-dithiolo[1,5-b][1,2]dithiole-7- $S^{IV}$ }, 234.
- Sulphuric acid, ionisation, sulphation, sulphonation, and alkylation of  $\omega$ -phenylalkan-1-ols in. Aromatic sulphonation. Part 52, 1776.
  - kinetics and mechanism of sulphonation of ω-phenylalkane-1-sulphonic acids in. Comparison of the sidechain SO<sub>3</sub>H and OSO<sub>3</sub>H substituent effects. Aromatic sulphonation. Part 53, 1780.
  - the kinetics, mechanism, and products of nitrodebromination in. Electrophilic aromatic substitution. Part XV, 1089.
- Surfactants containing the imidazole ring, ester hydrolysis by cationic micelles of, 771.
- Synthesis and crystal and molecular structure of 1-ethylthio-2-(p-nitrophenyl)-2-(triphenylphosphonio)ethenethiolate, 1404.
  - and properties of a novel 'double-barrelled' solvatochromic compound. Linear free energy relationships. Part VII, 1575.
  - and spectroscopic properties of 1,4-diarylbutenynes, 1104.
- Syringaresinol, crystal structure of, 341.
- System, an OH  $\cdots \pi$  hydrogen-bonded, crystal and molecular structure of: 2,2-bis(2-hydroxy-5-methyl)propane, 1140.
  - the o-O<sub>2</sub>NC<sub>6</sub>H<sub>4</sub>(CH=CH)<sub>n</sub>COR. Cyclisation reactions of negative ions. Electron impact studies. Part CIV, 1656.
  - different base-solvent, trans:cis olefin ratios in the elimination reactions of 1-benzylethyl halides and toluene-p-sulphonate in, 877.
  - optically active secondary and tertiary, without a group imposing configurational restriction, retentive phenolysis of. Retentive solvolysis. Part XI, 1617.

T

- Tautomerism of diazidopyrimidines. Molecular structure of 2,4-diazido-5-iodopyrimidine, 1610.
  - substituent effects in. Part II, para-substitution in N-phenylamidines, 211.
  - studies of 1,2,3-triazole, 1,2,4-triazole, and tetrazole, <sup>13</sup>C-H coupling constants as a tool in, 736.
- Tellurophen, furan, thiophen, and selenophen, photoelectron spectra of the  $\alpha$ -substituted derivatives of. A comparative study of the molecular orbital energies, 276.
- Temperature and external spin-orbit perturbation effects: reversible photochemistry, photo-oxidation, and fluor-escence of dioxanthylidene, 438.

- **Tenulin**, deacetylneo-, X-ray crystallographic determination of the stereochemistry and conformation of. Sesquiterpenoids. Part XXII, 990.
- Terminal groups in the nematic and cholesteric phases: a thermodynamic study, 713.
- Tetracyclo-[6.1.0.0<sup>2,4</sup>.0<sup>5,7</sup>]nonane, 3,6,9-trioxa- (benzene *cis*-trioxide), thermal isomerization of, 36.
- Tetralin, indane, and 9,10-dihydroanthracene, the kinetics and reactions of with chlorine acetate in aqueous acetic acid. Some observations relating to substituent effects in halogenation. Part VIII, 359.
- Tetrazole, 1,2,3-triazole, and 1,2,4-triazole, <sup>13</sup>C-H coupling constants as a tool in tautomerism studies of, 736.
- Tetrolic acid, 4-amino-, (4-amino-but-2-ynoic acid), crystal and molecular structure, 32.
- Thermal epimerisation of chiral oxaziridines. Dynamic stereochemistry of imines and derivatives. Part VII, 606.
- Thermal stability, nematic liquid crystal, the effect of the terminal trifluoromethyl group on, 300.
- Thermodynamic parameters, determination of from infrared data: infrared examination of rotational isomerism in alkyl furan-2-carboxylates, 597.
  - in the conformational equilibria of acetyldiazomethane, 1-acetyl-1-diazoethane, and benzoyl(diazo)phenylmethane using infrared spectroscopy, 707.
- Thermodynamics of proton ionisation from arsonic and arsinic acids, effects of alkyl chain length on, 125.
  - study and spectroscopic study of buta-1,3-diene and 2-methylbuta-1,3-diene (isoprene). Conformations of conjugated hydrocarbons. Part I, 1666.
    - ester linkages in the nematic phase, 710.
    - terminal groups in the nematic and cholesteric phases, 713.
- Thermolysis, gas-phase, of sulphur compounds, Part I, di-t-butyl disulphide, 1421.
- **Thia-substituents** and oxa-substituents from the reaction of arenesulphonyl chlorides with aniline,  $\sigma_{\text{Het}}$  constants for: substituent effects in five-membered rings, 906.
- Thiazine, 10-arylpheno-, and 10-arylphenoxazine cation radicals, substituent effects on the distribution of the spin density in. Heterocyclic free radicals. Part VI, 114.
- 2-chloro-N-(3-dimethylaminopropyl)-pheno-[chlorpromazine] in propan-2-ol solution, photochemistry of, 25.
- [1,4]Thiazine, perhydro-oxazolo[4,3-c]-, configurational and conformational studies with derivatives of. Proton magnetic resonance studies of compounds with bridgehead nitrogen. Part XXIX, 203.
- **Thiazines,** perhydropyrido[1,2-c][1,3]-, perhydropyrido-[1,2-c][1,3]oxazines, and perhydropyrido[1,3-c]pyrimidines, the conformational analysis of, 413.
- Thiazole, 2-iodobenzo-, reductive dehalogenation of with alkanethiols, 1371.
  - ring, relative reactivity of groups bonded to positions 2 and 5 of, 398.
- Δ4-Thiazoline-2-thiones: steric and electronic effects on selfassociation of potentially bifunctional catalysts, 565.
- Thiiran, cyclopropane, aziridine, 1,1-dichloropropane, and oxiran, semiempirical calculations of the molecular conformation of phenyl derivatives of. Three-membered rings. Part I, 374.
- **Thioacetamide** in alkaline solution, kinetics of the hydrolysis of, 1062.
- Thioimidate esters, the products, kinetics, and mechanisms

- Thioimidate esters (contd.)
  - of metal ion-promoted hydrolyses of, and the effects of hydrogen ions on thioimidate ester hydrolyses, 1274.
- Thiols, alkane-, reductive dehalogenation of 2-iodobenzothiazole with, 1371.
- Thiomethylamine N-oxide, N-(diphenylmethylene)methyl-, revised assignment of the electron spin resonance spectrum obtained during photolysis of. The bis(methylthiomethyl) nitroxide radical, 1659.
- Thiophen, benzo[c]-, isoindole, benzo[c]furan, and 2H-indene, the electronic structure of the quinonoid bicyclic heterocycles, 81.
  - furan, benzofuran, and benzothiophen rings, reactivities and solvent isotope effects in the base cleavage of triorgano-silicon, -germanium, and -tin groups from. Aromatic reactivity. Part LXI, 925.
    - selenophen, and tellurophen, photoelectron spectra of the  $\alpha$ -substituted derivatives of. A comparative study of the molecular orbital energies, 276.
  - 1,1-dioxides, 2,5-dihydro-, thermal decomposition of. Reaction of 1,3-dienes with sulphur dioxide. Part I, 1470.
  - halides, and furan-2-carbonyl halides, investigation of rotational isomerism in by nuclear magnetic resonance and infrared spectrometry, 1.
  - series, linear free energy ortho-correlations in. Part II, acid dissociation of some 3-substituted thiophen-2-carboxylic acids in water, 747. Part III, the kinetics of piperidino-substitution of some 3-X-5-nitro-2-thienyl phenyl sulphones in methanol, 1495. Part IV, kinetics of alkaline hydrolysis of some methyl 3-substituted thiophen-2-carboxylates in aqueous methanol, 1805.
- Thiophthen, 3-aminothia-, structure of a: X-ray analysis of 3-amino-2-methylthio-5-phenyl-6a-thiathiophthen {3-amino-2-methylthio-5-phenyl[1,2]dithiolo[1,5-b]-[1,2]dithiole-7-S<sup>IV</sup>}, 228.
  - thia-, a symetrically substituted with unequal sulphur-sulphur bond lengths: crystal and molecular structure of 3,4-diphenyl-6a-thiathiophthen {3,4-diphenyl-[1,2]dithiolo[1,5-b][1,2]dithiole-7-S<sup>IV</sup>}, 234.
  - structure of an unsymmetrically-substituted: crystal and molecular structure of 5-methyl-3-[4-methyl-5-(methylthio)thiocarbonyl-2-thienyl]-2-methylthio-6a-thiathiophthen {5-methyl-3-[4-methyl-5-(methylthio)thiocarbonyl-2-thienyl]-2-methylthio[1,2]dithiolo[1,5-b][1,2]dithiole-7-S<sup>IV</sup>}, 239.
- Thiosemicarbazide hydrochloride, crystal and molecular structure, 1808.
- Thioxanthen SS-dioxide and its 9-substituted derivatives, the radical-anion of, 164.
- Thiourea-adamantane solid solutions, electron spin resonance of  $\gamma$ -ray induced radicals in, 1014.
- Thujan-3-yl cation, rearrangements of, 1345.
- Thuj-3-en-2-one (umbellulone) and 4βH-thujan-2-one (iso-dihydroumbellulone), stereochemistry of reduction of, 1342.
- Tin, triorgano-, -silicon, and -germanium groups from furan, thiophen, benzofuran and benzothiophen rings, reactivities and solvent isotope effects in the base cleavage of. Aromatic reactivity. Part LXI, 925.
- Titanium(III) ion and alkyl hydroperoxides in aqueous solution, reactions of alkoxyl radicals generated from. Electron spin resonance studies. Part L, 1047.

- Toluene and benzene, gas-phase protonation of. Theoretical studies of aromatic substitution. Part II, 1078.
  - and o- and p-xylene, the kinetics and reactions of with chlorine acetate in aqueous acetic acid and acetic acid-perchloric acid. Some observations relating to substituent effects in halogenation, 357.
  - p-sulphonate and 1-benzylethyl halides in different base solvent systems, trans:cis olefin ratios in the elimination reactions of, 877.
    - endo- and exo-bicyclo[3.2.1]octan-3-yl, solvolysis of. Part I, product analysis, 1506.
  - p-sulphonamide, N-methyl-N-nitroso-, denitrosation of in acid solution, 1838.
- **Topochemistry.** Part XXXVIII, photodimerisation in mixed crystals of *trans*-cinnamamides and of *trans*-stilbenes, 1731.
- Transfer, enthalpies of involving ionic transition states: the redundance of extrathermodynamic assumptions, 1531.
  - transition state enthalpies of, in aqueous dimethyl sulphoxide solution. The hydroxide-catalysed racemisation of D- $\alpha$ -methyl- $\alpha$ -phenylacetophenone, 102.
- reactions, the relative ease of acetyl and methoxycarbonyl, and kinetics of reaction of p-nitrophenyl methyl carbonate with nucleophiles in aqueous solution, 679.
- Transition, the  $n \longrightarrow \pi^*$  in  $\alpha\beta$ -unsaturated  $\gamma$ -lactone systems, electronic rotatory strengths of. Chiroptical properties of lactones. Part III, 1674.
- state, the Et<sub>3</sub>N-EtI, the effect of 39 solvents in the free energy of Et<sub>3</sub>N, EtI, and. Comparison with solvent effects on the equilibria Et<sub>3</sub>N + EtI = Et<sub>4</sub>NI and
  - effects on the equilibria  $Et_3N + EtI \longrightarrow Et_4N\bar{I}$  and  $Et_3N + EtI \longrightarrow Et_4N + \bar{I}$ . Substitution at saturated carbon. Part XX, 1735.
  - ionic, enthalpies of transfer involving: the redundance of extrathermodynamic assumptions, 1531.
- **Transmission** of the inductive effect to the carbonyl group, influence of configuration on: (Z) and (E)-3-alkylidene-1,3-dihydroindol-2-ones, 150.
- Triazole, 1,2,3- and 1,2,4-, and tetrazole, <sup>13</sup>C-H coupling constants as a tool in tautomerism studies of, 736.
- Tricyclo[3.1.0.0<sup>2,4</sup>]hexane, 3,6-dimethyl-, thermal isomerisation of, 1865.
- **Tricyclo**[5.4.0.0.<sup>3,5</sup>]undecane, (1*S*,3*S*,5*R*,7*S*,8*R*,9*R*)-9-*p*-bromobenzoyloxy-1,4,4,8-tetramethyl-, crystal and molecular structure, 460.
- Tricyclo[6.2.1.0<sup>1,5</sup>]undecan- $7\beta$ -yl p-bromobenzoate,  $2\alpha$ ,6,6,8-tetramethyl-, crystal structure and absolute configuration, 1300
- Tricyclo[5.3.1.0<sup>2,8</sup>]undecane-3,4-dione, 1-bromomethyl-2,6,6-trimethyl, crystal and molecular structure, 1716.
- **Trienes** and dienes with strained ring structures, allyl and pentadienyl radicals from. Electron spin resonance study of radicals in  $\gamma$ -irradiated mono- and poly-cyclic olefins. Part III, 1017.
- Triethylamine, ethyl iodide and the  $Et_3N$ -EtI transition state, the effect of 39 solvents on the free energy of. Comparison with solvent effects on the equilibria  $Et_3N$  +
- EtI  $\rightleftharpoons$  Et<sub>4</sub>NI and Et<sub>3</sub>N + EtI  $\rightleftharpoons$  Et<sub>4</sub>N + I. Substitution at saturated carbon. Part XX, 1735.
- Triethyloxonium hexachloroantimonate and its decomposition products, in particular antimony pentachloride, reactions of alkyl vinyl ethers catalysed by, 1292.

- **Trifluoroacetic acid,** addition of to (+)-(R)-limonene in weakly polar media. Kinetics and mechanism of addition of acids to olefins. Part II, 1374.
- Trifluoromethanesulphonic acid, addition of acetic acid to cyclic and strained bicyclic olefins catalysed by. Kinetics and mechanism of addition of acids to olefins. Part I, 1183.
- **Trifluoromethyl group,** the effect of on nematic liquid crystal thermal stability, 300.
- 1,3,5-Trinitrobenzene and hexamethylbenzene, bi- and termolecular electron donor-acceptor complex formation between, and also between NNN'N'-tetramethyl-pphenylenediamine in solution, 1590.
- **Tripeptides** and dipeptides of phenylalanine and tyrosine, relative residence times of. Proton magnetic resonance spectra of amino-acids and peptides relevant to wool structure. Part IV, 91.
- Triton X-100, micellar, in carbon tetrachloride, hydration of acetaldehyde catalysed by, 1497.
- **Tropine**, O-benzoyl-, hydrochloride, crystal and molecular structure. Stereochemistry of anticholinergic agents. Part VIII, 1359.
- **Tropone, 3**-methoxy-, the case of: competition between base addition and electron transfer in unsaturated systems, 180.
- Tryptophan, histidine, and valine, relative residence times of peptides of. Proton magnetic resonance spectra of amino-acids and peptides relevant to wool structure. Part VI, 1190.
- Tyrosine and phenylalanine, relevant residence times of dipeptides and tripeptides of. Proton magnetic resonance spectra of amino-acids and peptides relevant to wool structure. Part IV, 91.

# $\mathbf{U}$

- Ultraviolet light, vapour-phase chlorination of benzene derivatives catalysed by. Vapour-phase chemistry of arenes. Part III, 1815.
- Umbellulone (thuj-3-en-2-one) and isodihydroumbellulone  $(4\beta H$ -thujan-2-one), stereochemistry of reduction of, 1342.
- Ultraviolet spectra and carbon-13 nuclear magnetic resonance spectra of protonated androst-4-ene-3,17-dione, pregn-4-ene-3,20-dione, and androst-4-ene-3,11,17-trione. Steroid-acid colour reactions. Part II, 963.
- Unimolecular chemistry of some saturated carbenium ions, prediction of. The concept of a hierarchy of unimolecular reactions in a homologous series, 1479.
- Unsaturated systems, competition between base addition and electron transfer in: the case of 3-methoxytropone,
- Urea, NN'-[bis-( $\alpha$ -tosylbenzyl)]-, acetone solvate, crystal and molecular structure of. Comparison between solution and solid-state conformation. Folded conformations. Part VII, 483.
  - mechanistic studies in the chemistry of. Part I, reaction with pentane-2,4-dione (acetylacetone), 832.
  - tetramethyl-, guanidine, and hexamethylguanidinium perchlorate, kinetics and mechanism of the alkaline hydrolysis of, 781.

#### V

- DL-Valine, kinetic study of homogeneous acid-catalysed oxidation of by potassium permanganate in moderately acidic media, 469.
- Valine, histidine, and tryptophan, relative residence times of peptides of. Proton magnetic resonance spectra of amino-acids and peptides relevant to wool structure. Part VI, 1190.
- Valinomycin, conformations of determined from homoallylic proton coupling across peptide bonds. Conformations of peptides in solution by nuclear magnetic resonance spectroscopy. Part IV, 1327.
- A Values of amino-, methylamino-, and dimethylaminosubstituents in cyclohexane, the application of low temperature <sup>13</sup>C nuclear magnetic resonance spectroscopy to the determination of, 895.
- $pK_{\rm BH^+}$  Values of various protonated aliphatic ketones and their carbon-13 nuclear magnetic resonance spectra. Steroid-acid colour reactions. Part I, 959.
- Vilsmeier reaction, extended, (the reaction between carboxamides and Lewis acids), study of the intermediates involved in by <sup>1</sup>H and <sup>13</sup>C nuclear magnetic resonance spectroscopy. Nuclear magnetic resonance investigations of carbonium ion intermediates. Part IV, 182.
- Vinyl carbanions. Part I, kinetics of hydrogen-deuterium exchange in fluoren-9-ylideneacetonitrile catalysed by sodium ethoxide, 253.
- Vinyl ethers, alkyl, reactions of catalysed by triethyloxonium hexachloroantimonate and its decomposition products, in particular antimony pentachloride, 1292.

## W

- Water, acid dissociation of some 3-substituted throphen-2-carboxylic acids in. Linear free energy ortho-correlations in the thiophen series. Part II, 747.
  - and methanol, dimethyl sulphoxide and dimethyl sulphone and their solutions in, radiation effects on: methyl radical anion adducts. Unstable intermediates. Part CLXIII, 908.
  - 1-(2-mercaptoethylthio)- and 1-(2-hydroxyethylthio)-2,4,6-trinitrobenzene in, kinetic and equilibrium data for spiro-complex formation from. The stabilities of Meisenheimer complexes. Part XIII, 901.
  - some kinetic studies of the reaction of aromatic nitrocompounds with sodium sulphite in. Stabilities of Meisenheimer complexes. Part XII, 160.
- Weak acids, the acidities of. Part IV, some methyl styryl ketones. 846.
- Wool structure, proton magnetic resonance spectra of amino-acids and peptides relevant to. Part IV, relative residence times of dipeptides and tripeptides of phenylalanine and tyrosine, 91. Part VI, relative residence times of peptides of histidine, tryptophan, and valine, 1190.

#### $\mathbf{x}$

- Xanthoporphinogen, octaethyl-, dihydrate, crystal structure of, 451.
- **Xylene**, o- and p-, and toluene, the kinetics and reaction of with chlorine acetate in aqueous acetic acid and acetic

Xylene (contd.)

acid-perchloric acid. Some observations relating to substituent effects in halogenation. Part VII, 357.

Ylides, phosphonium, the mechanism of hydrolysis of, 633.

Y

Yield, fluorescence quantum, and continuous photolysis studies. The photochemistry of benz[de]anthracen-7-ones. Part III, 1850.

quantum, the relative fluorescence, of oxybarbiturates, inductive effect in, 844.

Z

Zinc bis(OO-di-isopropyl phosphorodithiolate), OO-dialkyl hydrogen phosphorodithiolates, and related compounds, the use of spin traps to characterise sulphur- and phosphorus-containing radicals from, 650.