

Contents

Volume 19 Number 1 1999

- 1 Plastic forming of preceramic polymers
R. HAUG, M. WEINMANN, J. BILL & F. ALDINGER (Germany)
- 7 Stability of α -sialons in low temperature annealing
M. MITOMO & A. ISHIDA (Japan)
- 17 Mechanical and microstructural change in 0–90° SiC/MAS-L composites after thermal ageing: Vacuum, Ar and CO atmosphere
C. LABRUGÈRE, L. GUILLAUMAT, A. GUETTE & R. NASLAIN (France)
- 33 Optimizing mechanical properties and thermal stability of Ln- α - β -sialon by using duplex Ln elements (Dy and Sm)
C. ZHANG, W. Y. SUN & D. S. YAN (People's Republic of China)
- 41 The influence of lignosulphonate on the properties of single and mixed Si_3N_4 and ZrO_2 suspensions
H. BYMAN-FAGERHOLM, P. MIKKOLA, J. B. ROSENHOLM (Finland), E. LIDÉN & R. CARLSSON (Sweden)
- 49 Colloidal filtration of silicon nitride aqueous slips, Part II: Slip casting and pressure casting performance
R. MORENO (Spain), A. SALOMONI, I. STAMENKOVIC (Italy) & S. M. CASTANHO (Spain)
- 61 *In situ* incorporation of sintering additives in Si_3N_4 powder by a combustion process
L. WANG (Germany), S. ROY (India), W. SIGMUND & F. ALDINGER (Germany)
- 67 UV curable systems for tape casting
T. CHARTIER, C. HINCZEWSKI & S. CORBEL (France)
- 75 Effects of H_2O in EtOH– H_2O disperse medium on the electrophoretic deposition of CaSiO_3 fine powder
S. HAYASHI, Z. NAKAGAWA, A. YASUMORI & K. OKADA (Japan)
- 81 Hydrothermal zirconia powders: A bibliography
S. SÖMIYA & T. AKIBA (Japan)
- 89 Nitrogen porosimetry on ancient ceramics
N. ZOURIDAKIS & K. TZEVELEKOS (Greece)
- 93 Trapping of nickel and cobalt in $\text{CaNiSi}_2\text{O}_6$ and $\text{CaCoSi}_2\text{O}_6$ diopside-like phases in heat-treated cement
S. MASSE, P. BOCH & N. VAISSIÈRE (France)
- 99 Comparative ^{27}Al NMR and LAXS studies on rapidly quenched aluminosilicate glasses
M. SCHMÜCKER, H. SCHNEIDER (Germany), K. J. D. MACKENZIE (New Zealand) & M. OKUNO (Japan)
- 105 The effect of water vapour atmospheres on the thermal transformation of kaolinite investigated by XRD, FTIR and solid state MAS NMR
J. TEMUUJIN (Mongolia), K. OKADA (Japan), K. J. D. MACKENZIE (New Zealand) & T. S. JADAMBAA (Mongolia)
- 113 The optimization of the microstructure and phase assemblage of high chromia refractories
Z.-Q. GUO & H. ZHANG (People's Republic of China)
- 119 Analysis of near-tip crack bridging in WC/Co cermet
G. PEZZOTTI (Japan), H. HUEBNER (Germany), H. SUENOBU (Japan), O. SBAIZERO (Italy) & T. NISHIDA (Japan)
- 125 Textured YBCO-film formation by sol-gel process and post annealing
G. RISSE, B. SCHLOBACH, W. HÄBLER, D. STEPHAN, T. FAHR & K. FISCHER (Germany)
- 131 Non-ohmic behaviour and switching phenomena in YMnO_3 -based ceramic materials
C. MOURE, J. F. FERNANDEZ, M. VILLEGAS & P. DURAN (Spain)
- 139 Dielectric characteristics of ceramics in $\text{BaO-Nd}_2\text{O}_3-\text{TiO}_2-\text{Ta}_2\text{O}_5$ system
X. M. CHEN & J. S. YANG (People's Republic of China)

Volume 19 Number 2 1999

- 143 Thick film cermet of $\text{ZrO}_2-\text{Y}_2\text{O}_3-\text{TiO}_2/\text{Ni}$: Anodic polarization study
M. T. COLOMER & J. R. JURADO (Spain)
- 149 Microstructural design of sensor materials using the core-shell concept
C. R. BOWEN, A. W. TAVERNOR, J. LUO & R. STEVENS (UK)
- 155 A modified two-stage mixed oxide synthetic route to lead magnesium niobate and lead iron niobate
S. ANANTA & N. W. THOMAS (UK)
- 165 Fabrication of pure YBaCuO powders with controlled microstructure
C. LEGROS, C. HAUT, L. PONSONNET-MORA & J. AYACHE (France)

- 175 Carbothermal preparation of β -SiAlON powder at elevated nitrogen pressures
J. ZHENG & B. FORSLUND (Sweden)
- 187 Carbothermal synthesis of vanadium and chromium carbides from solution-derived precursors
H. PREISS, D. SCHULTZE & K. SZULZEWSKY (Germany)
- 195 Studies on the carbothermal preparation of titanium carbide from different gel precursors
H. PREISS, L.-M. BERGER & D. SCHULTZE (Germany)
- 207 Fatigue damage accumulation in 3-dimensional SiC/SiC composites
V. KOSTOPOULOS, Y. Z. PAPPAS & Y. P. MARKOPOULOS (Greece)
- 217 Effect of long-term oxidation on creep and failure of Si_3N_4 and $\text{Si}_3\text{N}_4/\text{SiC}$ nanocomposites
P. RENDTEL, A. RENDTEL, H. HÜBNER, H. KLEMM & M. HERRMANN (Germany)
- 227 Asymmetric tensile and compressive creep deformation of hot-isostatically-pressed Y_2O_3 -doped - Si_3N_4
A. A. WERESZCZAK, M. K. FERBER, T. P. KIRKLAND, A. S. BARNES, E. L. FROME & M. N. MENON (USA)
- 239 The influence of the indenter tip-radius on indentation testing of brittle materials
M. CIAVARELLA & D. A. HILLS (UK)
- 247 Strengthening contribution arising from residual stresses in $\text{Al}_2\text{O}_3/\text{ZrO}_2$ composites: A piezo-spectroscopy investigation
G. PEZZOTTI (Japan), V. SERGO, O. SBAIZERO (Italy), N. MURAKI (Japan), S. MERIANI & T. NISHIDA (Italy)
- 255 The role of residual stresses in layered composites of $\text{Y}-\text{ZrO}_2$ and Al_2O_3
H. TOMASZEWSKI, J. STRZESZEWSKI & W. GĘBICKI (Poland)
- 263 Low pressure lamination of ceramic green tapes by gluing at room temperature
M. A. PIWONSKI & A. ROOSEN (Germany)
- 271 Alumina casting based on gelation of gelatine
Y. CHEN, Z. XIE, J. YANG & Y. HUANG (People's Republic of China)

Volume 19 Number 3 1999

- 277 Stresses developed in reaction-bonded ceramics
W. B. LI, B. Q. LEI, T. LINDBÄCK & R. WARREN (Sweden)
- 285 Comparison of two processes for manufacturing ceramic matrix composites from organometallic precursors
M. F. GONON & S. HAMPSHIRE (Ireland)
- 293 Reaction synthesis and mechanical properties of $\text{TiB}_2-\text{AlN}-\text{SiC}$ composites
X.-M. YUE, G. J. ZHANG & Y. M. WANG (People's Republic of China)
- 299 Phase composition of TiO_2 -coated $\text{ZrO}_2/\text{Si}_3\text{N}_4$ composite
H. X. LI, J. K. YU, K. HIRAGUSHI, Y. KAYANO & Y. MIZOTA (Japan)
- 305 Carbon fiber-reinforced (YMAS) glass-ceramic matrix composites. II. Structural changes in the matrix with temperature
W. SINKLER (USA), M. MONTHIOUX, V. BIANCHI, P. GOURLAT & E. MÉNESSIER (France)
- 317 Carbon fiber-reinforced (YMAS) glass-ceramic matrix composites. III. Interfacial aspects
V. BIANCHI, P. GOURLAT (France), W. SINKLER (USA), M. MONTHIOUX & E. MÉNESSIER (France)
- 329 Simulation of crack propagation in alumina particle-dispersed SiC composites
M.-O. NANDY, S. SCHMAUDER (Germany), B.-N. KIM, M. WATANABE & T. KISHI (Japan)
- 335 Formation of porous aggregations composed of Al_2O_3 platelets using potassium sulfate flux
S. HASHIMOTO & A. YAMAGUCHI (Japan)
- 341 Effect of size distribution of the starting powder on the pore size and its distribution of tape cast alumina microporous membranes
N. DAS & H. S. MAITI (India)
- 347 Innovative milling of ceramic powders: influence on sintering zirconia alloys
G. FARNÈ, F. G. RICCIARDIELLO, L. K. PODDA & D. MINICHELLI (Italy)
- 355 Synthesis formation and characterisation of MgNb_2O_6 powder in a Columbite-like phase
S. ANANTA, R. BRYDSON & N. W. THOMAS (UK)
- 363 Influence of the precursors on the formation and the properties of ZnFe_2O_4
F. J. GUAITA, H. BELTRÁN, E. CORDONCILLA, J. B. CARDÀ & P. ESCRIBANO (Spain)
- 373 Time temperature stability of magnetic properties of ceramic magnetic temperature transducers
C. TĂNĂSOIU, C. MICLEA, C. N. PLĂVITU, I. SPĂNULESCU, C. F. MICLEA & E. BARNA (Romania)
- 381 Microwave processing and properties of ceramics with different dielectric loss
Z. XIE, J. YANG, X. HUANG & Y. HUANG (People's Republic of China)
- 389 Characterization and sintering of gels in the system $\text{MgO}-\text{Al}_2\text{O}_3-\text{SiO}_2$
M.-A. EINARSrud, S. PEDERSEN, E. LARSEN & T. GRANDE (Norway)
- 399 Sintering of Cr_2O_3 in $\text{H}_2/\text{H}_2\text{O}$ gas mixtures
T. LI, R. J. BROOK & B. DERBY (UK)
- 407 Erratum: Ultrafine titania by flame spray pyrolysis of a titanatrane complex
C. R. BICKMORE, K. F. WALDNER, R. BARANWAL, T. HINKLIN, D. R. TREADWELL & R. M. LAINÉ

- 409 Erratum: Probabilistic-statistical approach to matrix damage and stress-strain behavior of 2-D woven SiC/SiC ceramic matrix composites
J. LAMON, B. THOMMERET & C. PERCEVAULT

Volume 19 Number 4 1999

- 411 Relaxation patterns in powder injection mouldings made with repeated flow reversals
T. ZHANG, J. R. G. EVANS & M. J. BEVIS (UK)
- 419 Elastic after-effect in WC/Co cemented carbide
G. PEZZOTTI, K. OTA (Japan), O. SBAZERO (Italy) & T. NISHIDA (Japan)
- 427 SiC material produced by carbothermal reduction of a freeze gel silica-carbon artefact
C. VIX-GUTERL (France), B. McEnaney (UK) & P. EHREBURGER (France)
- 433 Pressureless sinterability of slip cast silicon nitride bodies prepared from coprecipitation-coated powders
J. YANG, F. J. OLIVEIRA, R. F. SILVA & J. M. F. FERREIRA (Portugal)
- 441 Quantitative evaluation by fractal analysis of indentation crack paths in Si_3N_4 -SiC_w composites
A. CELLI, A. TUCCI & L. ESPOSITO (Italy)
- 451 Effect of residual microstresses at crystalline multigrain junctions on the toughness of silicon nitride
G. PEZZOTTI (Japan) & H.-J. KLEEVE (Germany)
- 457 Mechanical properties of TiO₂-coated ZrO₂/Si₃N₄ composite
H. X. LI, J. K. YU, K. HIRAGUSHI, Y. KAYANO & Y. MIZOTA (Japan)
- 463 Pressureless sintering of Al₂O₃/Ni nanocomposites
R. Z. CHEN & W. H. TUAN (Taiwan)
- 469 Rheological characteristics of alumina platelet-hydroxyapatite composite suspensions
S. GAUTIER, E. CHAMPION, D. BERNACHE-ASSOLLANT & T. CHARTIER (France)
- 479 Selection of suitable dispersants for aqueous suspensions of zirconia and titania powders using acoustophoresis
R. GREENWOOD & K. KENDALL (UK)
- 489 Synthesis, formation and characterisation of FeNbO₄ powders
S. ANANTA, R. BRYDSON & N. W. THOMAS (UK)
- 497 Characterization of Nd_{1-x}Sr_xMnO_{3±δ} SOFC cathode materials
G. Ch. KOSTOGLOUDIS & CH. FTIKOS (Greece)
- 507 Oxide ionic conductivity of apatite type Nd_{9.33}(SiO₄)₆O₂ single crystal
S. NAKAYAMA, M. SAKAMOTO, M. HIGUCHI, K. KODAIRA, M. SATO, S. KAKITA, T. SUZUKI & K. ITOH (Japan)
- 511 Effects of the sintering temperature on the oxygen adsorption in ZnO ceramics
M. S. CASTRO & C. M. ALDAO (Argentina)
- 517 Synthesis of mullite precursors in molten salts. Influence of the molten alkali nitrate and additives
L. SAADI, R. MOUSSA, A. SAMDI (Morocco) & A. MOSSET (France)
- 521 Anisotropic grain growth in boria-doped diphasic mullite gels
S.-H. HONG & G. L. MESSING (USA)
- 527 Kinetics of phase formation in jarosite glass-ceramic
A. KARAMANOV, C. CANTALINI, M. PELINO & A. HREGLICH (Italy)

Volume 19 Number 5 1999

- 535 Silicothermal synthesis and densification of X-sialon in the presence of metal oxide additives
C. M. SHEPPARD & K. J. D. MACKENZIE (New Zealand)
- 543 $\alpha \rightarrow \beta$ Sialon transformation in calcium-containing α -SiAlON ceramics
H. MANDAL (Turkey) & D. P. THOMPSON (UK)
- 553 Characteristics of Ca- α -sialon—phase formation, microstructure and mechanical properties
P. L. WANG, C. ZHANG, W. Y. SUN & D. S. YAN (China)
- 561 Microstructural and mechanical characterization of SiC-submicron TiB₂ composites
C. BLANC, F. THEVENOT & D. GOEURIOT (France)
- 571 Wear resistance of α SiC-TiB₂ composites prepared by reactive sintering
C. BLANC, F. THEVENOT & D. TREHEUX (France)
- 581 Carbon fibre-reinforced (YMAS) glass-ceramic matrix composites: dry friction behaviour
V. BIANCHI, P. FOURNIER, F. PLATON & P. REYNAUD (France)
- 591 Crack closure stresses in fiber reinforced brittle matrix composites
H. XU & C. P. OSTERTAG (USA)
- 601 *In-situ* determination of bridging stresses in Al₂O₃/Al₂O₃-platelet composites by fluorescence spectroscopy
G. PEZZOTTI, H. OKUDA, N. MURAKI & T. NISHIDA (Japan)
- 609 Mechanical properties and microstructure of nano-SiC-Al₂O₃ composites densified by spark plasma sintering
L. GAO, H. Z. WANG, J. S. HONG (Peoples Republic of China), H. MIYAMOTO, K. MIYAMOTO, Y. NISHIKAWA & S. D. D. L. TORRE (Japan)

- 615 Liquid phase sintering of $\text{Al}_2\text{O}_3/\text{SiC}$ nanocomposites
C. E. BORSA, H. S. FERREIRA & R. H. G. A. KIMINAMI (Brazil)
- 623 Thermally activated step for densification and creep of high-porosity MgO compacts in the intermediate sintering stage
D. BERUTO, M. CAPURRO & R. BOTTER (Italy)
- 629 Relationships between sintering conditions, microstructure and dielectric properties of lead magnesium niobate
S. ANANTA & N. W. THOMAS (UK)
- 637 Visible rays cutoff and infrared transmission properties of $\text{TeO}_2-\text{GeO}_2-\text{V}_2\text{O}_5-\text{PbF}_2$ glass systems
K. KOBAYASHI & H. SASAKI (Japan)
- 641 The effects of the NaF flux on the oxidation state and localisation of praseodymium in Pr-doped zircon pigments
M. OCAÑA, A. CABALLERO, A. R. GONZÁLEZ-ELIPE, P. TARTAJ, C. J. SERNA & R. I. MERINO (Spain)
- 649 Evaluation of the degree of crystallisation in glass-ceramics by density measurements
A. KARAMANOV & M. PELINO (Italy)

Volume 19 Numbers 6–7 1999**ELECTROCERAMICS VI '98, Montreux, Switzerland, 24–27 August 1998**

- iii Preface

I Plenary Papers

- 655 Modeling of electroceramics—applications and prospects
R. WASER (Germany)
- 665 Structure and composition of grain boundaries in ceramics
F. ERNST, O. KIENZLE & M. RÜHLE (Germany)

II Surface and Grain Boundary Phenomena

- 675 Mass and charge transport involving interfaces
J. MAIER (Germany)
- 683 Detailed temperature dependence of the space charge layer width at grain boundaries in acceptor-doped SrTiO_3 -ceramics
R. HAGENBECK & R. WASER (Germany)
- 687 High temperature transport properties at metal/ SrTiO_3 interfaces
T. KAWADA, N. IIZAWA, M. TOMIDA, A. KAIMAI, K.-I. KAWAMURA, Y. NIGARA & J. MIZUSAKI (Japan)
- 693 The impedance of ceramics with highly resistive grain boundaries: validity and limits of the brick layer model
J. FLEIG & J. MAIER (Germany)
- 697 Equilibrium-thickness amorphous films on $\{11\bar{2}0\}$ surfaces of Bi_2O_3 -doped ZnO
J. LUO & Y.-M. CHIANG (USA)
- 703 The influence of grain boundary misorientation on ionic conductivity in YSZ
C. A. J. FISHER & H. MATSUBARA (Japan)
- 709 Influence of $\text{Bi}_2\text{O}_3/\text{TiO}_2$, Sb_2O_3 and Cr_2O_3 doping on low-voltage varistor ceramics
S. BERNIK, P. ZUPANCIC & D. KOLAR (Slovenia)
- 715 Humidity sensitive electrical properties of a novel ceramic heterocontact structure $\text{ZnO}/\text{BaPb}_{0.8}\text{Bi}_{0.2}\text{O}_3$
A. GLOT, E. DI BARTOLOMEO & E. TRAVERSA (Italy)
- 721 Characterisation of $\text{Zn}_3(\text{VO}_4)_2$ phases in V_2O_5 -doped ZnO varistors
H. H. HNG & K. M. KNOWLES (UK)
- 727 Direct measurements of voltage–current characteristics of single grain boundary of ZnO varistors
S. TANAKA & K. TAKAHASHI (Japan)

III Electrical Conductivity in Electroceramics

- 731 The effect of cation place exchange on the electrical conductivity of $\text{SrBi}_2\text{M}_2\text{O}_9$ ($\text{M}=\text{Ta}, \text{Nb}$)
C. A. PALANDUZ & D. M. SMYTH (USA)
- 737 Electrical conductivity and nonstoichiometry in doped $\text{Sr}_3\text{Ti}_2\text{O}_7$
C. NAVAS, H. L. TULLER & H.-C. ZUR LOYE (USA)
- 741 Low temperature defect chemistry of oxides
K. SASAKI & J. MAIER (Germany)
- 747 Physical and quasi-chemical study of point defects in aluminium or niobium-doped polycrystalline tin dioxide
L. POUPE, P. IACCONI & C. PIJOLAT (France)
- 753 Electrical humidity response of sol–gel processed undoped and alkali-doped $\text{TiO}_2-\text{Al}_2\text{O}_3$ thin films
E. TRAVERSA, M. BARONCINI, E. DI BARTOLOMEO, G. GUSMANO, P. INNOCENZI, A. MARTUCCI & A. BEARZOTTI (Italy)
- 759 High-load resistors of doped titanate ceramics showing PTCR behavior in the entire temperature range of operation
R. MOOS, M. FANDEL & W. SCHÄFER (Germany)

- 765 Structure and electrical behaviour in air of TiO₂-doped stabilized tetragonal zirconia ceramics
F. CAPEL, C. MOURE, P. DURÁN, A. R. GONZALEZ ELIPE & A. CABALLERO (Spain)
- 769 Effects of humidity on the electrical behaviour of Sr_{0.97}Ti_{0.97}Fe_{0.03}O_{3-δ}
M. E. V. COSTA (Portugal), J. R. JURADO, M. T. COLOMER (Spain) & J. R. FRADE (Portugal)
- 773 Oxygen losses and electrical conductivity of SrTi_{1-y}Nb_yO_{3+δ} materials
A. A. L. FERREIRA, J. C. C. ABRANTES, J. A. LABRINCHA & J. R. FRADE (Portugal)
- 777 Impedance spectroscopy analysis of Pb₅Al₃F₁₉
J.-M. RÉAU, A. SIMON, M. EL OMARI & J. RAVEZ (France)
- 781 Impedance spectroscopy of n-doped (Ba,Sr)TiO₃ ceramics prepared by modified low temperature aqueous synthesis
M. VIVIANI, P. NANNI, M. T. BUSCAGLIA, M. LEONI, V. BUSCAGLIA & L. CENTURIONI (Italy)
- 787 Comparison of optical and electrical characteristics of SnO₂-based thin films deposited by pyrosol from different tin precursors
E. DIEN, J. M. LAURENT & A. SMITH (France)
- 791 Ionic/electronic mixed conduction relations in perovskite-type oxides by defect structure
H. ULLMANN, N. TROFIMENKO, A. NAOUIMIDIS & D. STÖVER (Germany)
- 797 Measurement of conductivity profiles in acceptor-doped strontium titanate
S. RODEWALD, J. FLEIG & J. MAIER (Germany)
- 803 Mixed ionic and electronic conduction in Mn/Mo doped gadolinium titanate
J. J. SPRAGUE & H. L. TULLER (USA)
- 807 Electron hole conductivity of gadolinia doped ceria
F. M. FIGUEIREDO, F. M. B. MARQUES & J. R. FRADE (Portugal)
- 811 Proton conductivity in BaTb_{0.6}In_{0.4}O_(2.8+y/2)H_y, a new compound with the simple perovskite-like structure
R. R. ARONS (Germany)
- 815 BICOVOX: sintering and grain size dependence of the electrical properties
M. C. STEIL, J. FOULETIER, M. KLEITZ & P. LABRUNE (France)
- 819 Structure and conducting properties of La_{1-x}Sr_xCoO_{3-δ} films
X. CHEN, N. J. WU & A. IGNATIEV (USA)
- 823 Electrical properties of thin-films of the mixed ionic-electronic conductor CuBr: influence of electrode metals and gaseous ammonia
P. LAUQUE, M. BENDAHAN, J.-L. SEGUIN, M. PASQUINELLI & P. KNAUTH (France)
- 827 Preparation and characterisation of LaNi_xCo_{1-x}O₃ thin films on polycrystalline Al₂O₃-substrates
B. TRUMMER, O. FRUHWIRTH, K. REICHMANN, M. HOLZINGER, W. SITTE & P. PÖLT (Austria)
- 831 Nonstoichiometry and relaxation kinetics of nanocrystalline mixed praseodymium–cerium oxide Pr_{0.7}Ce_{0.3}O_{2-x}
P. KNAUTH & H. L. TULLER (USA)
- 837 Lanthanide co-doping of solid electrolytes: AC conductivity behaviour
J. VAN HERLE, D. SENEVIRATNE & A. J. McEVOY (Switzerland)
- 843 Study of oxygen exchange and transport in mixed conducting electroceramics
A. CLOSSET, S. DIETHELM, K. NISANCIOLLU, J. VAN HERLE & A. J. McEVOY (Switzerland)
- 847 Structural and electrical characterisation of silica-containing yttria-stabilised zirconia
C. C. APPEL & N. BONANOS (Denmark)
- 853 A pulsed method for measuring the conductivity on solid ionic conductors
J. CERTO, J. M. PERDIGÃO, C. S. FURTADO & A. J. FERREIRA (Portugal)
- 857 Correlation between microstructure and conductance in NTC thermistors produced from oxide powders
G. D. C. CSETE DE GYÖRGYFALVA, A. N. NOLTE & I. M. REANEY (UK)

IV Ionic and Electronic Ceramic Conductors and Semiconductors

- 861 SOFC in dispersed power generation
W. DRENCKHAHN (Germany)
- 865 Formation and growth of semiconductor nanocrystals in phosphate glass matrix
A. A. LIPOVSKII, I. E. YAKOVLEV, E. V. KOLOBKHOVA & V. D. PETRIKOV (Russia)
- 871 Synthesis of LiCoO₂ particles with uniform size distribution
T. NAKAMURA & A. KAJIYAMA (Japan)
- 875 New experimental approaches to characterise silicon carbide hot rods
P. O. ROBERT, J. FOULETIER & L. MENNERON (France)
- 879 Synthesis and lithium ionic conductivity of Li_{3-2x}(In_{1-x}Zr_x)₂(PO₄)₃ (0 ≤ x ≤ 0.20)
K. YOSHIKAWA, N. HAYAKAWA, T. SUZUKI, K. UEMATSU, K. TODA & M. SATO (Japan)
- 883 Electronic noses, a different approach to the sensitivity and selectivity issues
P. M. FAIA, M. A. PEREIRA, A. M. NUNES & C. S. FURTADO (Portugal)
- 887 Detection mechanism of TiO₂-based ceramic H₂ sensors
G. C. MATHER, F. M. B. MARQUES & J. R. FRADE (Portugal)

- 893 Preparation of PTCR ceramics in the BaO–Nb₂O₅–TiO₂ system
I. ZAJC & M. DROFENIK (Slovenia)
- 897 Stability of calcium substituted lanthanum chromites used as SOFC anodes for methane oxidation
J. SFEIR, J. VAN HERLE & A. J. McEVOY (Switzerland)
- 903 TiO₂ thin films synthesized by the spray pyrolysis deposition (SPD) technique
M. OKUYA, N. A. PROKUDINA, K. MUSHIKA & S. KANEKO (Japan)
- 907 Processing and characterisation of fine crystalline ceria gadolinia–yttria stabilized zirconia powders
A. TSOGA, A. NAOUMIDIS, W. JUNGEN & D. STÖVER (Germany)
- 913 PTCR behaviour of highly donor doped BaTiO₃
S. UREK & M. DROFENIK (Slovenia)
- 917 Ion exchange properties of NASICON-type ceramics—application to ion selective electrodes
F. MAUVY & E. SIEBERT (France)
- 921 Composite ceramic fuel cell fabricated by vacuum plasma spraying
S. RAMBERT, A. J. McEVOY & K. BARTHEL (Switzerland)
- 925 NMR study of sol–gel processed NASICON
S. LICOCCHIA, M. L. DI VONA, E. TRAVERSA & L. MONTANARO (Italy)
- 931 Electrochemical promotion of RuO₂ catalysts for the gas phase combustion of C₂H₄
S. WODIUNIG & C. COMMINELLIS (Switzerland)
- 935 Phase transformation in the synthesis of Ba(Ti_{1-x}M_x)O₃-based PTCR ceramic
O. I. V'YUNOV & A. G. BELOUS (Ukraine)
- 939 High temperature optical absorption spectroscopy at pure and Y-doped BaCeO₃
H. HUCK, P. EHRHART & W. SCHILLING (Germany)
- 945 Structure formation and degradation of partially stabilized zirconium dioxide
A. N. MAKARENKO, A. G. BELOUS & Y. V. PASHKOVA (Ukraine)

V Processing and Microstructure of Ferroelectric, Piezoelectric, and High-K Dielectric Ceramics

- 949 Processing of high performance lead lanthanum zirconate titanate thick films
M. KOSEC, J. HOLC, B. MALIC & V. BOBNAR (Slovenia)
- 955 Electrophoretic deposition and sintering of thin/thick PZT films
J. VAN TASSEL & C. A. RANDALL (USA)
- 959 Zirconium titanate microwave dielectrics prepared via polymeric precursor route
A. BIANCO, G. GUSMANO (Italy), R. FREER & P. SMITH (UK)
- 965 Semiconducting barium titanate doped with oxygen-free compounds
L. L. KOVALENKO, O. I. V'YUNOV & A. G. BELOUS (Ukraine)
- 969 Investigations on the synthesis of Bi₃NbTiO₉ ceramics
A. LISINSKA-CZEKAJ, D. CZEKAJ (Poland), M. J. M. GOMES (Portugal) & M. F. KUPRIANOV (Russia)
- 973 Evidence of a dissolution–precipitation mechanism in hydrothermal synthesis of barium titanate powders
P. PINCELOUP, C. COURTOIS, J. VICENS, A. LERICHE & B. THIERRY (France)
- 979 Reactive sintering of phosphorous coated BaTiO₃
A. C. CABALLERO, M. VILLEGRAS, J. F. FERNÁNDEZ, C. MOURE, P. DURÁN (Spain), P. FLORIAN & J.-P. COUTURES (France)
- 985 Preparation and properties of (Ba_{0.6}Sr_{0.4})Bi₂Ta₂O₉ ceramic
X. Y. ZHANG, Z. Z. HUANG, H. L. W. CHAN, K. W. KWOK & C. L. CHOY (China)
- 989 Sintering of PZT powders in MW furnace at 2.45 GHz
A. GOLDSTEIN & M. KRAVCHIK (Israel)
- 993 Fabrication of piezoelectric particle-dispersed ceramic nanocomposite
H. J. HWANG, T. NAGAI, M. SANDO, M. TORIYAMA & K. NIIHARA (Japan)
- 999 Low temperature sintering of PZT powders coated with Pb₅Ge₃O₁₁ by sol–gel method
T. HAYASHI, T. INOUE & Y. AKIYAMA (Japan)
- 1003 Nonisothermal sintering of Mn doped ZnO
J. HAN, A. M. R. SENOS & P. Q. MANTAS (Portugal)
- 1007 Tape casting of piezo ceramic/polymer composites
S. SCHWARZER & A. ROOSEN (Germany)
- 1011 Preparation and properties of (Ba_{0.7}Sr_{0.3})TiO₃ powders and thin films using precursor solutions formed from alkoxide-hydroxide
T. HAYASHI, H. SHINOZAKI & K. SASAKI (Japan)
- 1017 Oxide slurries stability and powders dispersion: optimization with zeta potential and rheological measurements
S. VALLAR, D. HOUIVET, J. EL FALLAH, D. KERVADEC & J.-M. HAUSSONNE (France)
- 1023 Hydrothermal synthesis of lead zirconium titanate (PZT) powders and their characteristics
M. TRAIANIDIS, C. COURTOIS, A. LERICHE & B. THIERRY (France)
- 1027 Hydrothermal synthesis and sintering of electroceramics
A. DIAS, V. T. L. BUONO, V. S. T. CIMINELLI & R. L. MOREIRA (Brazil)

- 1033 Stability and single crystal growth of dielectric materials containing lead under hydrothermal conditions
K. YANAGISAWA, J. C. RENDON-ANGELES, H. KANAI & Y. YAMASHITA (Japan)
- 1037 Crystallization behavior of PZN-PFN powders from nitrate solutions
Y. YOSHIKAWA (Japan)
- 1043 The effect of rare-earth (La, Sm, Dy, Ho and Er) and Mg on the microstructure in BaTiO₃
H. KISHI, N. KOHZU, J. SUGINO, H. OHSATO, Y. IGUCHI & T. OKUDA (Japan)
- 1047 XPS investigation of surface properties of Ba_(1-x)Sr_xTiO₃ powders prepared by low temperature aqueous synthesis
M. VIVIANI, M. T. BUSCAGLIA, P. NANNI, R. PARODI, G. GEMME & A. DACCA (Italy)
- 1053 Pressureless sintering of PMN-PT ceramics
H. YAMADA (USA)
- 1057 Phase evolution and densification behavior of PBN ceramics
C. V. DO CARMO, R. N. DE PAULA, J. M. PÓVOA, D. GARCIA & J. A. EIRAS (Brazil)

VI Dielectric Ceramics—Structural Aspects, Properties, and Applications

- 1061 Mechanism of improvement of resistance degradation in Y-doped BaTiO₃ based MLCCs with Ni electrodes under highly accelerated life testing
S. SATO, Y. NAKANO, A. SATO & T. NOMURA (Japan)
- 1067 Hermetic glass sealing of AlN packages for high temperature applications
R. KRÜGER, A. ROOSEN & W. SCHAPER (Germany)
- 1071 Synthesis and dielectric properties of Ba_{1-x}R_{2x/3}Nb₂O₆ (R: rare earth) with tetragonal tungsten bronze structure
N. WAKIYA, J.-K. WANG, A. SAIKI, K. SHINOZAKI & N. MIZUTANI (Japan)
- 1077 Dielectric properties of porous Ba_{0.997}La_{0.003}Ti_{1.0045}O₃ ceramics
M. E. V. COSTA & P. Q. MANTAS (Portugal)
- 1081 Dielectric properties of barium-titanate sintered from tribophysically activated powders
B. D. STOJANOVIĆ, V. B. PAVLOVIĆ, V. P. PAVLOVIĆ, S. DJURIĆ, B. A. MARINKOVIĆ & M. M. RISTIĆ (Yugoslavia)
- 1085 SEM investigation of domain structure in (Ba,Ca,Pb)TiO₃
Lj. M. ŽIVKOVIĆ, B. D. STOJANOVIĆ, V. B. PAVLOVIĆ, Z. S. NIKOLIĆ, B. A. MARINKOVIĆ & T. V. SREĆKOVIĆ (Yugoslavia)
- 1089 Changes in ordered structure and dielectric properties with the A-site and B-site cation ratios of complex perovskites (Sr_{1-x}Ba_x)(Sr_{0.33+y}Ta_{0.67-y})O_{3-δ}
J. TAKAHASHI, T. FUJII, S. SHIMADA & K. KODAIRA (Japan)
- 1095 Phases in La₂O₃ and NiO doped (Zr,Sn)TiO₄ microwave dielectric ceramics
D. HOUIVET, J. EL FALLAH & J.-M. HAUSSONNE (France)
- 1101 BAS (BaO·Al₂O₃·SiO₂)-glasses for high temperature applications
K. EICHLER, G. SOLOW, P. OTSCHIK & W. SCHAFFRATH (Germany)
- 1105 K₂Sr₄Nb₁₀O₃₀-based dielectric ceramics having the tetragonal tungsten bronze structure and temperature-stable high permittivity
B. TRIBOTTÉ, J. M. HAUSSONNE & G. DESGARDIN (France)
- 1111 Dielectric properties of rare earth doped (Sr,Ba)Nb₂O₆ ceramics
D. U. SPÍNOLA, I. A. SANTOS, L. A. BÁSSORA, J. A. EIRAS & D. GARCIA (Brazil)
- 1115 Raman scattering and X-ray diffraction investigations of sol-gel derived SBN powders
M. M. T. HO, C. L. MAK & K. H. WONG (Hong Kong)
- 1119 MW dielectrics with perovskite-like structure based on Sm-containing systems
A. G. BELOUS & O. V. OVCHAR (Ukraine)
- 1123 Modified Ba_{6-3x}Nd_{8+2x}Ti₁₈O₅₄ microwave dielectric ceramics
Y. J. WU & X. M. CHEN (People's Republic of China)

VII Piezoelectric and Pyroelectric Ceramics—Properties and Applications

- 1127 Mechatronics using piezoelectric actuators
P. JÄNKER, M. CHRISTMANN, F. HERMLE, T. LORKOWSKI & S. STORM (Germany)
- 1133 Lead hafnate zirconate titanate-based perovskite materials for actuation
C. HEREMANS (Belgium) & H. L. TULLER (USA)
- 1139 Dielectric and piezoelectric properties of Pb(Sc_{1/2}Nb_{1/2})O₃-Pb(Ni_{1/3}Nb_{2/3})O₃-PbTiO₃ ternary ceramic materials
N. ICHINOSE, S. NATSUME & Y. YAMASHITA (Japan)
- 1143 Effect of Pb/(Zr+Ti) molar ratio on the photovoltaic properties of lead zirconate-titanate ceramics
K. NONAKA, M. AKIYAMA, T. HAGIO & A. TAKASE (Japan)
- 1149 Pyroelectric properties of the multi-component ferroelectric ceramic materials
D. CZEKAJ, A. LISIŃSKA-CZEKAJ (Poland), M. F. KUPRIANOV & Yu. N. ZAKHAROV (Russia)
- 1153 Comparison between bimorphic and polymorphic bending devices
A. KOUVATOV, R. STEINHAUSEN, W. SEIFERT, T. HAUKE, H. T. LANGHAMMER, H. BEIGE & H. ABICHT (Germany)

- 1157 Jump phenomena of current in piezoelectric-ceramic vibrators under high power conditions
K. ISHII, N. AKIMOTO, S. TASHIRIO & H. IGARASHI (Japan)
- 1161 Calculation of the piezomoduli of depolarized piezoceramics
A. G. LUCHANINOV & L. A. SHUVALOV (Russia)
- 1165 Influence of dielectric losses on the shift of the fundamental frequencies of thickness mode piezoelectric ceramic resonators
J. L. SAN EMETERIO, P. T. SANZ & A. RAMOS (Spain)
- 1171 Elastic behaviour of multilayer piezoceramic $\text{BaTi}_{1-x}\text{Sn}_x\text{O}_3$ in the lower MHz region
U. STRAUBE, H. T. LANGHAMMER, H. P. ABICHT & H. BEIGE (Germany)
- 1175 Infralow-frequency dispersion of piezoelectric and dielectric constants in PbTiO_3 -based ferroelectric ceramics
A. V. TURIK, O. V. PUGACHEV, V. V. VOLGIN & M. S. NOVIKOV (Russia)
- 1179 PZT nanocomposites reinforced by small amount of oxides
K. TAJIMA, H. J. HWANG, M. SANDO & K. NIIHARA (Japan)
- 1183 Low-temperature sintering and electrical properties of chemically W-doped $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ ceramics
M. VILLEGRAS, A. C. CABALLERO, C. MOURE, P. DURÁN & J. F. FERNÁNDEZ (Spain)
- 1187 Effect of Nb, Li doping on structure and piezoelectric properties of PZT type ceramics
C. TANASOIU, E. DIMITRIU & C. MICLEA (Romania)
- 1191 Piezoelectric and structural properties of $\text{Pb}(\text{Yb}_{1/2}\text{Nb}_{1/2})\text{O}_3-\text{PbTiO}_3-\text{PbZrO}_3$ ceramics
H. OHUCHI, S. TSUKAMOTO, M. ISHII & H. HAYAKAWA (Japan)
- 1197 Peculiarities of dielectric properties of some compositions of PZT-based ferroceramics
A. V. SHIL'NIKOV, I. V. OTSAREV, A. I. BURKHANOV, V. N. NESTEROV, R. E. UZAKOV & G. M. AKBAEVA (Russia)
- 1201 Investigation of the character of the phase transitions in Nb doped Zr-rich PZT by pyroelectric and dielectric measurements
N. CERECEADA, B. NOHEDA & J. A. GONZALO (Spain)
- 1207 $F_{RL}-F_{RH}$ phase transition behavior in the stacked $\text{Pb}(\text{Zr}_{1-x}\text{Ti}_x)\text{O}_3$ perovskite ceramics
N. DUAN (The Netherlands), D. SUN, X. DONG, S. LIN & Y. WANG (People's Republic of China)
- 1213 Evaluation of nontrivial behaviour of electromechanical coupling factors in PbTiO_3 -type ferroelectric ceramics
V. Yu. TOPOLOV, A. V. TURIK & A. I. CHERNOBABOV (Russia)
- 1219 Space charge measurement using pulsed electroacoustic technique and signal recovery
A. VÁZQUEZ (Spain), G. CHEN, A. E. DAVIES (UK) & R. BOSCH (Spain)
- 1223 Uniaxial stress and temperature dependence of field induced strains in antiferroelectric lead zirconate titanate stannat ceramics
O. ESSIG, P. WANG, M. HARTWEG, P. JÄNKER, H. NÄFE & F. ALDINGER (Germany)
- 1229 Microscopic and macroscopic ferroelectric–ferroelastic and piezoelectric behavior of PZT ceramics
A. ENDRISS, M. HAMMER, M. J. HOFFMANN, A. KOLLECK & G. A. SCHNEIDER (Germany)
- 1233 The correlation between fatigue and material constants of PLZT ceramics
A. LEVSTIK, V. BOBNAR, Z. KUTNJAK, C. FILIPIĆ & M. KOSEC (Slovenia)
- 1237 Processing and characterization of high Q_m ferroelectric ceramics
C. GALASSI, E. RONCARI, C. CAPIANI & F. CRACIUN (Italy)
- 1243 Uniaxial stress dependence of the permittivity of electroceramics
O. STEINER, A. K. TAGANTSEV, E. L. COLLA & N. SETTER (Switzerland)
- 1247 Finite-element modelling of ferroic domain switching in piezoelectric ceramics
Th. STEINKOPFF (Germany)
- 1251 Electrical conductivity of strontium bismuth titanate under controlled oxygen partial pressure
C. VOISARD, D. DAMJANOVIC & N. SETTER (Switzerland)
- 1255 Pyroelectric PbZrO_3 -based ceramics prepared through hot isostatic pressing
O. SUGIYAMA, S. SAITO, K. KATO, S. OSUMI, K. MURAKAMI & S. KANEKO (Japan)
- 1259 Piezoelectric resonance investigation of Zr-rich PZT at room temperature
N. CERECEADA, B. NOHEDA, J. R. FDEZ.-DEL-CASTILLO, J. A. GONZALO, J. DE FRUTOS & A. M. GONZÁLEZ (Spain)
- 1265 Phenomenological and structural properties of piezoelectric ceramics based on $x\text{Pb}(\text{Zr,Ti})\text{O}_3-(1-x)\text{Sr}(\text{K}_{0.25}\text{Nb}_{0.75})\text{O}_3$ (PZT/SKN) solid solutions
G. HELKE, S. SEIFERT & S.-J. CHO (Germany)
- 1269 Electrostriction measurements on low permittivity dielectric materials
R. YIMNIRUN, S. M.-L. EURY, V. SUNDAR, P. J. MOSES, S.-J. JANG & R. E. NEWNHAM (USA)
- 1275 Piezoelectric non-resonant transformer to measure high voltage
A. VÁZQUEZ CARAZO & R. BOSCH (Spain)
- 1281 Temperature dependence of material constants of PLZT ceramics
V. BOBNAR, Z. KUTNJAK & A. LEVSTIK (Slovenia)

- 1285 Procedure for the characterisation of piezoelectric samples in non-standard resonant modes
A. M. GONZALEZ, J. DE FRUTOS & M. C. DURO (Spain)
- 1289 Finescaled piezoelectric 1–3 composites: properties and modeling
R. STEINHAUSEN, T. HAUKE, W. SEIFERT, H. BEIGE, W. WATZKA, S. SEIFERT, D. SPORN, S. STARKE & A. SCHÖNECKER (Germany)
- 1295 The dielectric response of electrostrictive (1-x) PMN-xPZT ceramics
A. V. SHIL'NIKOV, A. V. SOPIT, A. I. BURKHANOV & A. G. LUCHANINOV (Russia)

VIII Mechanical Behavior of Electroceramics

- 1299 Influence of the electric field on Vickers indentation crack growth in BaTiO₃
G. A. SCHNEIDER & V. HEYER (Germany)
- 1307 Weibull analysis of soldered MLC under bending load stress
K. FRANKEN & H. R. MAIER (Germany)
- 1311 The effect of grinding conditions on lead zirconate titanate machinability
C. A. GOAT & R. W. WHATMORE (UK)
- 1315 Thermal behavior of the elastic (Youngs) modulus in SBN-derived compounds (Bi₂SrNb₂O₉)
B. JIMÉNEZ (Spain), P. DURÁN-MARTÍN (Switzerland), R. JIMÉNEZ-RIOBOO & R. JIMÉNEZ (Spain)
- 1321 Anisotropic and cyclic mechanical properties of piezoelectrics—compression testing
J. M. CALDERON MORENO, F. GUIU, M. MEREDITH, M. J. REECE, N. McN. ALFORD & S. J. PENN (UK)
- 1325 Single point diamond machining of ferroelectric materials
P. A. BELTRÃO, A. E. GEE, J. CORBETT, R. W. WHATMORE, C. A. GOAT & S. A. IMPEY (UK)
- 1329 Residual stresses in layered ceramic composites
H. TOMASZEWSKI (Poland)

IX Ferroelectric Ceramic Thin Films—Processing and Microstructure

- 1333 Cyclic fatigue due to electric loading in ferroelectric ceramics
H. WEITZING, G. A. SCHNEIDER, J. STEFFENS, M. HAMMER & M. J. HOFFMANN (Germany)
- 1339 Control of the morphology of CSD-prepared (Ba,Sr)TiO₃ thin films
S. HOFFMANN & R. WASER (Germany)
- 1345 Effect of precursor type on the microstructure of PbTiO₃ thin films
B. MALIC, M. KOSEC, K. SMOLEJ & S. STAVBER (Slovenia)
- 1349 Relationship between processing and electrical behavior of BST films deposited by spin coating
E. DIEN, J-B. BRIOT, M. LEJEUNE & A. SMITH (France)
- 1353 *In situ* fabrication of SrTiO₃–BaTiO₃ layered thin films by hydrothermal-electrochemical technique
M. YOSHIMURA, W. L. SUCHANEK, T. WATANABE & B. SAKURAI (Japan)
- 1361 Synthesis of oriented meso-structure silica functional thin film
H. S. ZHOU, D. KUNDU & I. HONMA (Japan)
- 1365 Preparation and electrical properties of barium titanate film by hydrothermal method
C.-F. KAO & C.-L. YANG (Taiwan)
- 1369 Preparation of Ba₂NaNb₅O₁₅ thin films by pulsed laser ablation and their characterizations
S. ANDO, K. KONAKAHARA, S. OKAMURA & T. TSUKAMOTO (Japan)
- 1373 Control of the composition of (Pb,Ti)O₃ and Pb(Zr,Ti)O₃ thin films obtained by RF magnetron sputtering using a new design of target
V. LEFORT-COURTOIS, D. REMIENS, M. DESCAMPS & B. THIERRY (France)
- 1379 Structural characterisation of sol–gel SrBi₂Nb₂O₉ thin film deposited on (001) SrTiO₃ single crystal
C. LEGRAND, J. H. YI, P. THOMAS, R. GUINEBRETIÈRE & J. P. MERCURIO (France)
- 1383 Chemical fabrication of SrBi₄Ti₄O₁₅ thin films
L. NIBOU, A. AFTATI, M. EL FARSSI (Morocco) & J.-P. MERCURIO (France)
- 1387 Characterization of PZT thin films prepared by a modified sol–gel method
B. MATTHES, G. TOMANDL & G. WERNER (Germany)
- 1391 Influence of crystallization kinetics on texture of sol–gel PZT and BST thin films
V. Ya. SHUR, E. B. BLANKOVA, A. L. SUBBOTIN, E. A. BORISOVA, D. V. PELEGOV (Russia), S. HOFFMANN, D. BOLTEN, R. GERHARDT & R. WASER (Germany)
- 1397 Low-temperature processing of Pb(Zr_{0.53}Ti_{0.47})O₃ thin film from stable precursor sol
H. SUZUKI, T. KOIZUMI, Y. KONDO & S. KANEKO (Japan)
- 1403 Characterization of seeded sol–gel lead zirconate titanate thin films
A. WU, P. M. VILARINHO, I. M. M. SALVADO, J. L. BAPTISTA, C. M. DE JESUS & M. F. DA SILVA (Portugal)
- 1409 SrBi₂Nb₂O₉ thin films deposited by dip coating using aqueous solution
S. M. ZANETTI, E. R. LEITE, E. LONGO & J. A. VARELA (Brazil)
- 1413 A novel integrated thin film capacitor realized by a multilayer ceramic–electrode sandwich structure
M. GROSSMANN, R. SLOWAK, S. HOFFMANN, H. JOHN & R. WASER (Germany)
- 1417 Effect of the particle size in PZT precursor sols on the orientation of the thin films
Q. ZHANG, Z. HUANG, M. E. VICKERS & R. W. WHATMORE (UK)

- 1423 XPS analysis on Nb–SrTiO₃ thin films deposited with pulsed laser ablation technique
S. SHIBAGAKI & K. FUKUSHIMA (Japan)
- 1427 Microstructure and defects of wurtzite structure thin films
L. SAGALOWICZ, G. R. FOX, M.-A. DUBOIS, C. A. P. MULLER, P. MURALT & N. SETTER (Switzerland)
- 1431 Metalorganic chemical vapour deposition (MOCVD) of zirconia and lead zirconate titanate using a novel zirconium precursor
A. C. JONES, T. J. LEEDHAM, P. J. WRIGHT, D. J. WILLIAMS, M. J. CROSBIE, H. O. DAVIES, K. A. FLEETING & P. O'BRIEN (UK)
- 1435 Growth of YBa₂Cu₃O_{7-x}/Ba_xSr_{1-x}TiO₃/LaAlO₃ heterostructures by injection MOCVD for microwave applications
J. LINDNER, F. WEISS, J.-P. SENATEUR, V. GALINDO (France), W. HAESSLER, M. WEIHNAHT (Germany), J. SANTISO & A. FIGUERAS (Spain)
- 1439 Chemical route to ferroelectric thin film capacitors
J. P. MERCURIO, J. H. YI, P. THOMAS & M. MANIER (France)
- 1443 Fabrication and structural properties of sol–gel derived SBN films
C. H. LUK, M. M. T. HO, C. L. MAK, K. H. WONG & G. K. H. PANG (Hong Kong)
- 1447 Structural and surface morphology characterizations of oriented LiNbO₃ thin films grown by polymeric precursor method
V. BOUQUET, E. R. LEITE, E. LONGO & J. A. VARELA (Brazil)
- 1453 Preparation of PZT, PLZT and Bi₄Ti₃O₁₂ thin films from oxide precursors
E. B. ARAÚJO & J. A. EIRAS (Brazil)

X Ferroelectric Ceramic Thin Films—Properties and Applications

- 1457 Effects of annealing conditions on charge loss mechanisms in MOCVD Ba_{0.7}Sr_{0.3}TiO₃ thin film capacitors
J. D. BANIECKI, R. B. LAIBOWITZ, T. M. SHAW, K. L. SAENGER, P. R. DUNCOMBE, C. CABRAL, D. E. KOTECKI, H. SHEN, J. LIAN & Q. Y. MA (USA)
- 1463 Ferroelectric strontium bismuth tantalate thin films deposited by metalorganic chemical vapour deposition (MOCVD)
J. F. ROEDER, B. C. HENDRIX (USA), F. HINTERMAIER (Germany), D. A. DESROCHERS, T. H. BAUM, G. BHANDARI, M. CHAPPUIS, P. C. VAN BUSKIRK (USA), C. DEHM, E. FRITSCH, N. NAGEL, H. WENDT, H. CERVA, W. HÖNLEIN & C. MAZURÉ (Germany)
- 1467 Pyroelectric and sensor properties of ferroelectric thin films for energy conversion
R. C. BUCHANAN & J. HUANG (USA)
- 1473 Photoconductive properties of Bi₄Ti₃O₁₂/Si heterostructures with different thickness of the Bi₄Ti₃O₁₂ film
L. PINTILIE, I. PINTILIE (Romania) & M. ALEXE (Germany)
- 1477 Specific heat in ferroelectric BaTiO₃ epitaxial thin films
A. ONODERA, Y. KAWAMURA, T. OKABE & H. TERAUCHI (Japan)
- 1481 The effect of film thickness on the ferroelectric properties of sol–gel prepared lanthanum modified lead titanate thin films
M. ALGUERÓ, M. L. CALZADA & L. PARDO (Spain)
- 1485 Photoconductivity of SrBi₂Ta₂O₉ thin films
L. PINTILIE (Romania) & M. ALEXE (Germany)
- 1489 Deposition of PZT thin film and determination of their optical properties
D. CZEKAJ (Poland), M. J. M. GOMES, M. VASILEVSKIY, M. PEREIRA & M. P. DOS SANTOS (Portugal)
- 1493 Growth and characterization of ferroelectric LaTiO_{3.5} thin films
J. FOMPEYRINE, J. W. SEO & J.-P. LOCQUET (Switzerland)
- 1497 Preparation and dielectric properties of SrBi₂Ta₂O₉ thin films by sol–gel method
T. HAYASHI, T. HARA & S. SAWAYANAGI (Japan)
- 1501 Microstructure–ferroelectric properties relationships in sol–gel prepared lanthanum modified lead titanate thin films
M. ALGUERÓ, M. L. CALZADA (Spain), E. SNOECK (France) & L. PARDO (Spain)

XI Magnetic and Superconductive Ceramics

- 1507 Influence of oxygen stoichiometry on electrical transport and magnetic properties of doped perovskite-type ferrate and manganate single crystals
T. MAEDER & J. G. BEDNORZ (Switzerland)
- 1511 Magnetotransport property of layered manganites (La,Sr,Ca)₃Mn₂O₇
M. TAKEMOTO, A. KATADA, T. OGAWA & H. IKAWA (Japan)
- 1515 Linear resistivity from ~1 to 1050 K in Sr₂RuO_{4-δ} single crystals grown by the flux technique
D. PAVUNA, H. BERGER & L. FORRO (Switzerland)
- 1519 Study and modelling of the thermo-mechanical behaviour of melt-textured YBaCuO-composites containing Ag and/or 211 particles
F. TANCRET, J.-M. HAUSSONNE, I. MONOT, O. VANSSE & F. OSTERSTOCK (France)
- 1525 Possibility of superconductivity in new reduced tantalate and titanate with the layered perovskite structure
K. TODA, T. TERANISHI & M. SATO (Japan)

- 1531 Magnetic field effect on the complex permeability for a Mn–Zn ferrite and its composite materials
T. TSUTAOKA, T. KASAGI & K. HATAKEYAMA (Japan)
- 1537 Iron doping effect on composition and microstructure of $\text{Bi}_{2.05}\text{Sr}_{1.9}\text{Ca}_{1.05}(\text{Cu}_{1-x}\text{Fe}_x)_2\text{O}_{8+\delta}$ ($0 \leq x \leq 0.15$) superconductors
C. DE BOECK, D. CIURCHEA & P. H. DUVIGNEAUD (Belgium)
- 1543 High pressure synthesis of Hg1223 superconductor under highly oxidizing atmosphere
N. YOSHIDA, S. ADACHI, T. TATSUKI, T. TAMURA, K. TANABE, S. FUJIHARA & T. KIMURA (Japan)
- 1547 Preparation and properties of bariumferrite-containing glass ceramics
R. MÜLLER, C. ULRICH, W. SCHÜPPEL, H. STEINMETZ & E. STEINBEIß (Germany)
- 1551 Interfacial reaction between Ag and $\text{NdBa}_2\text{Cu}_3\text{O}_{7-\delta}$ superconductor prepared by low-temperature process
S. FUJIHARA, G. MURAKAMI, T. KIMURA & Y. MASUDA (Japan)

XII Optical Materials

- 1555 Decrystallization of glass-ceramics under ion exchange diffusion
D. K. TAGANTSEV (Russia)
- 1559 Single crystal growth and domain structure of $\text{CsLaTa}_2\text{O}_7$
S. TOBITSUKA, T. HONMA, T. WAKAYAMA, K. TODA & M. SATO (Japan)
- 1563 Optical and structural characterization of zinc vapour diffused waveguides in LiNbO_3 crystals
V. A. FEDOROV, Yu. N. KORKISHKO (Russia), G. LIFANTE & F. CUSSÓ (Spain)

I Author Index

Volume 19 Number 8 1999

- 1569 Young's modulus of dry-pressed ceramics: the effect of the binder
S. BAKLOUTI (Tunisia), T. CHARTIER, C. GAULT & J. F. BAUMARD (France)
- 1575 Elastic properties of high alumina cement castables from room temperature to 1600°C
E. NONNET, N. LEQUEUX & P. BOCH (France)
- 1585 Determining indentation toughness by incorporating true hardness into fracture mechanics equations
J. GONG (France)
- 1593 Contribution of residual stress to the strength of abrasive ground alumina
W. H. TUAN & J. C. KUO (Republic of China)
- 1599 Lime–alumina–silica processing incorporating minerals
R. H. BRYDEN, D. G. GOSKI & W. F. CALEY (Canada)
- 1605 TEM observations of goethite dehydration: application to archaeological samples
M. P. POMIES, M. MENU & C. VIGNAUD (France)
- 1615 DLVO theory and clay aggregate architectures formed with AlCl_3
A. C. PIERRE & K. MA (Canada)
- 1623 Distribution and chemistry of phases developed in the brazing of silicon nitride to molybdenum
A. M. HADIAN (Iran) & R. A. L. DREW (Canada)
- 1631 Measuring the anisotropic thermal diffusivity of silicon nitride grains by thermorelectance microscopy
B. LI, L. POTTIER, J. P. ROGER, D. FOURNIER (France), K. WATARI & K. HIRAO (Japan)
- 1641 Thermodynamic modelling of directed melt oxidation processing for ceramic matrix composites
X. GU, R. J. HAND & B. B. ARGENT (UK)
- 1651 Fabrication of reaction-bonded Cr_2O_3 ceramics
T. LI, R. J. BROOK & B. DERBY (UK)
- 1665 Synthesis and characterisation of $\text{La}_{0.95}\text{Sr}_{0.05}\text{GaO}_{3-\delta}$, $\text{La}_{0.95}\text{Sr}_{0.05}\text{AlO}_{3-\delta}$ and $\text{Y}_{0.95}\text{Sr}_{0.05}\text{AlO}_{3-\delta}$
P. S. ANDERSON (UK), G. C. MATHER, F. M. B. MARQUES (Portugal), D. C. SINCLAIR & A. R. WEST (UK)
- 1675 The effects of pH and alkaline earth ions on the formation of nanosized zirconia phases under hydrothermal conditions
C. HU-MIN, W. LI-JUN, M. JI-MING, Z. ZHI-YING & Q. LI-MIN (People's Republic of China)

Volume 19 Number 9 1999

- 1683 Preparation of BaTiO_3 by homogeneous precipitation
S. van der GIJP, M. H. J. EMOND, A. J. A. WINNUBST & H. VERWEIJ (The Netherlands)
- 1691 Improved compaction in multilayer capacitor fabrication
A. W. TAVERNOR, H. -P. S. LI, A. J. BELL & R. STEVENS (UK)
- 1697 Chemical compatibility of chromium-based interconnect related materials with doped cerium oxide electrolyte
C. E. HATCHWELL, N. M. SAMMES, G. A. TOMPSETT & I. W. M. BROWN (New Zealand)
- 1705 Fatigue and fracture characteristics of a fine-grained $(\text{Mg},\text{Y})\text{-PSZ}$ zirconia ceramic
R. FERNÁNDEZ (Spain), F. MESCHKE (Germany), G. DE PORTU (Italy), M. ANGLADA & L. LLANES (Spain)

- 1717 Colloidal stability and sintering of yttria–silica and yttria–silica–alumina aqueous suspensions
M. APARICIO, R. MORENO & A. DURÁN (Spain)
- 1725 Influence of the initial pH on the adsorption behaviour of dispersant on nano zirconia powder
J. SUN, L. GAO & J. GUO (People's Republic of China)
- 1731 Influence of electromagnetic fields on the microstructure of precipitated calcium phosphate nanometric-grains
D. T. BERUTO & M. GIORDANI (Italy)
- 1741 The synthesis of calcium or strontium hexaluminate added ZTA composite ceramics
C. SCHMID, E. LUCCHINI, O. SBAZERO & S. MASCHIO (Italy)
- 1747 The sintering behaviour, mechanical properties and creep resistance of aligned polycrystalline yttrium aluminium garnet (YAG) fibres, produced from an aqueous sol–gel precursor
R. C. PULLAR, M. D. TAYLOR & A. K. BHATTACHARYA (UK)
- 1759 Experimental and numerical study of grain growth in alumina fibres heat treated at 1700°C
J. M. HEINTZ, J. C. BIHR & J. F. SILVAIN (France)
- 1769 The thermal shock behaviour of ductile particle toughened alumina composites
M. ALDRIDGE & J. A. YEOMANS (UK)
- 1777 Fabrication and mechanical properties of SiC platelet reinforced mullite matrix composites
H. R. REZAEI, W. M. RAINFORTH & W. E. LEE (UK)
- 1789 SiC–AlN particulate composite
Y. PAN, J. QIU, M. KAWAGOE, M. MORITA (Japan), S. TAN & D. JIANG (People's Republic of China)
- 1795 Synthesis of Al₃BC in air from mechanically activated Al/B/C powder mixtures
T. TSUCHIDA & T. KAN (Japan)

Volume 19 Number 10 1999**Review**

- 1801 Bismuth based oxide electrolytes—Structure and ionic conductivity
N. M. SAMMES (Germany), G. A. TOMPSETT (New Zealand), H. NÄFE & F. ALDINGER (Germany)
- 1827 X-ray diffraction study of phase transformation in hydrolyzed zirconia nanoparticles
R. RAMAMOORTHY, D. SUNDARARAMAN & S. RAMASAMY (India)
- 1835 Characterisation and technology from studies of clay bodies of local Islamic production in Zaragoza (Spain)
P. LAPUENTE & J. PÉREZ-ARANTEGUI (Spain)
- 1847 Phase development in La₂O₃ doped Al₂O₃:TiO₂ ceramic membranes
U. S. BJÖRKERT (UK), R. MAYAPPAN (Malaysia), D. HOLLAND & M. H. LEWIS (UK)
- 1859 Production and characterisation of composite relaxor ferroelectric multi-layer structures
A. W. TAVERNOR, HUI-PING S. LI & R. STEVENS (UK)
- 1865 Phase coexistence in PZT ceramics
M. R. SOARES, A. M. R. SENOS & P. Q. MANTAS (Portugal)
- 1873 Relationships between sintering conditions, microstructure and dielectric properties of lead iron niobate
S. ANANTA & N. W. THOMAS (UK)
- 1883 Stability of electrical properties of vanadium dioxide based ceramics
A. I. IVON, V. R. KOLBUNOV & I. M. CHERNENKO (Ukraine)
- 1889 Reactive infiltration of magnesium vapor into alumina powder compacts
T. WATARI, S.-i. SHIMOMURA, T. TORIKAI & Y. IMAOKA (Japan)
- 1895 Ultrasonic measurement of the Young's modulus of MgO/C refractories at high temperature
H. BAUDSON, F. DEBUCQUOY, M. HUGER, C. GAULT (France) & M. RIGAUD (Canada)
- 1903 The effect of whisker orientation in SiC whisker-reinforced Si₃N₄ ceramic matrix composites
WANG CHANG-AN, HUANG YONG & ZHAI HONGXIANG (People's Republic of China)
- 1911 *In-situ* carbon content adjustment in polysilazane derived amorphous SiCN bulk ceramics
D. GALUŠEK, S. RESCHKE, R. RIEDEL, W. DREßLER (Germany), P. SAJGALÍK, Z. LENČES & J. MAJLING (Slovak Republic)
- 1923 Erratum: Calculation of the piezomoduli of depolarized piezoceramics
A. G. LUCHANINOV & L. A. SHUVALOV

Volume 19 Number 11 1999

- 1925 Nanostructured cerium oxide: preparation and properties of weakly-agglomerated powders
B. DJURICIĆ & S. PICKERING (The Netherlands)
- 1935 Influence of the temperature on the stability of aqueous alumina suspensions
C. PAGNOUX, M. SERANTONI, R. LAUCOURNET, T. CHARTIER & J.-F. BAUMARD (France)
- 1949 Spinel fibers from carboxylate precursor
YIN LIU & R. M. LAINE (USA)
- 1961 A model for ceramic membrane formation by dip-coating
YUNFENG GU & GUANGYAO MENG (People's Republic of China)

- 1967 Sintering of a transition alumina: effects of phase transformation, powder characteristics and thermal cycle
C. LEGROS, C. CARRY (France), P. BOWEN & H. HOFMANN (Switzerland)
- 1979 Photoacoustic thermal characterization of electrical porcelains: effect of alumina additions on thermal diffusivity and elastic constants
S. BRIBIESCA, R. EQUIHUA & L. VILLASEÑOR (México)
- 1987 Influence of CO₂ in dry and wet atmospheres on the response of Mg-doped SrTiO₃ ceramic oxygen sensors
HONG ZHENG & O. T. SØRENSEN (Denmark)
- 1997 Molten salt prepared lead titanate: powder characterization, sintering and physical properties
H. IDRISI, A. ABOUJALIL, J. P. DELOUME, G. FANTOZZI & B. DURAND (France)
- 2005 Electrical properties of sputtered PZT films on stabilized platinum electrode
G. VÉLU & D. RÉMIENS (France)
- 2015 Dependence of the structural and dielectric properties of Ba_{1-x}Sr_xTiO₃ ceramic solid solutions on raw material processing
LIQIN ZHOU, P. M. VILARINHO & J. L. BAPTISTA (Portugal)
- 2021 Structural data from X-ray powder diffraction of a new phase formed in the Si₃N₄–La₂O₃–Y₂O₃ system after oxidation in air
F. MONTEVERDE & G. CELOTTI (Italy)
- 2027 Local chemistry changes in Si₃N₄ based ceramics during hot-pressing and subsequent annealing
K. RAJAN (USA) & P. SAJGALIK (Slovakia)
- 2033 Mechanical property improvement and microstructure observation of SiCw–AlN composites
XIN JIANG, YUAN CHEN, XIN-WEI SUN & LI-PING HUANG (People's Republic of China)

Volume 19 Number 12 1999

- 2039 Pressureless sintering of Bioverit® III/Ti particle biocomposites
E. VERNÉ, M. FERRARIS (Italy) & C. JANA (Germany)
- 2049 Development of a new glass–ceramic by means of controlled vitrification and crystallisation of inorganic wastes from urban incineration
M. ROMERO, R. D. RAWLINGS (UK) & J. Ma. RINCÓN (Spain)
- 2059 Processing of cellular ceramics by foaming and *in situ* polymerisation of organic monomers
P. SEPULVEDA & J. G. P. BINNER (UK)
- 2067 Direct microwave sintering of yttria-stabilized zirconia at 2.45 GHz
A. GOLDSTEIN, N. TRAVITZKY, A. SINGURINDY & M. KRAVCHIK (Israel)
- 2073 Microstructural development in pure and V-doped SnO₂ nanopowders
L. SANGALETTI, L. E. DEPERO, B. ALLIERI, F. PIOSELLI, R. ANGELUCCI, A. POGGI, A. TAGLIANI & S. NICOLETTI (Italy)
- 2079 Dielectric response of materials: extension to the Debye model
P. Q. MANTAS (Portugal)
- 2087 Conductive coating on structural ceramics for strain detection utilizing electrical measurements
S. HIRANO, A. KISHIMOTO & M. MIYAYAMA (Japan)
- 2097 Crack propagation studies of thermal barrier coatings under bending
A. K. RAY & R. W. STEINBRECH (Germany)
- 2111 Al₂O₃/TiC/(MoSi₂+Mo₂B₅) multilayer composites prepared by tape casting
G.-J. ZHANG, X.-M. YUE & T. WATANABE (Japan)
- 2117 Temperature induced gelation of concentrated ceramic suspensions: rheological properties
L. BERGSTRÖM & E. SJÖSTRÖM (Sweden)
- 2125 Fabrication and microstructure of Al₂O₃–ZrO₂(3Y)–SiC nanocomposites
H. Z. WANG, L. GAO & J. K. GUO (People's Republic of China)
- 2133 Effect of different fiber orientations on compressive creep behavior of SiC fiber-reinforced mullite matrix composites
ZHEN-YAN DENG (Republic of Korea)
- 2145 Dispersion, slip casting and reaction nitridation of silicon–silicon carbide mixtures
R. R. RAO, H. N. ROOPA & T. S. KANNAN (India)
- 2155 Development of SiC–Si composites with fine-grained SiC microstructures
M. WILHELM, M. KORNFEILD & W. WRUSS (Austria)
- 2165 Fabrication and microstructure of sialon-bonded silicon carbide
KE CHANGMING (People's Republic of China), J.-J. EDREES & A. HENDRY (UK)
- 2173 Microstructure and mechanical strength of diffusion-bonded silicon nitride–molybdenum joints
A. E. MARTINELLI & R. A. L. DREW (Canada)
- 2183 Effect of seeding on the thermal conductivity of self-reinforced silicon nitride
N. HIROSAKI, Y. OKAMOTO, F. MUNAKATA & Y. AKIMUNE (Japan)

- 2189 Erratum: Compositional fluctuation region in the ternary solid solution of PbZrO_3 – PbTiO_3 – $\text{Pb}(\text{CO}_{1/3}\text{Nb}_{2/3})\text{O}_3$ system
Y. ABE, I. TANAKA, K. KAKEGAWA & Y. SASAKI (Japan)

Volume 19 Numbers 13–14 1999

New Developments in High Temperature Materials, Istanbul, Turkey, 12–15 August 1998

v Preface

I Theoretical and Experimental Modeling

- 2191 Surface and interface properties of alumina via model studies of microdesigned interfaces
M. KITAYAMA, J. D. POWERS, L. KULINSKY & A. M. GLAESER (USA)
- 2211 A combined experimental and theoretical approach to atomic structure and segregation at ceramic interfaces
S. J. PENNYCOOK, E. C. DICKEY (USA), P. D. NELLIST (UK), M. F. CHISHOLM, Y. YAN & S. T. PANTELIDES (USA)
- 2217 Microstructural stability at elevated temperatures
A. J. ARDELL (USA)
- 2233 Modeling of thermal explosion in constrained dies for B_4C –Ti and BN–Ti powder blends
M. SHAPIRO, I. GOTMAN & V. DUDKO (Israel)
- 2241 Phonon densities of states and related thermodynamic properties of high temperature ceramics
C.-K. LOONG (USA)
- 2249 Defect structures and nonstoichiometry in lanthanum hexa-aluminate
J.-G. PARK & A. N. CORMACK (USA)
- 2257 Parallel molecular dynamics simulations of high temperature ceramics
A. CHATTERJEE, T. CAMPBELL, R. K. KALIA, A. NAKANO, A. OMELTCHENKO, K. TSURUTA, P. VASHISHTA (USA) & S. OGATA (Japan)
- 2265 Structural correlations at $\text{Si}/\text{Si}_3\text{N}_4$ interface and atomic stresses in $\text{Si}/\text{Si}_3\text{N}_4$ nanopixel-10 million-atom molecular dynamics simulation on parallel computers
M. E. BACHLECHNER, R. K. KALIA, A. NAKANO, A. OMELTCHENKO, P. VASHISHTA (USA), I. EBBSJÖ (Sweden), A. MADHUKAR & G.-L. ZHAO (USA)

II Silicon Based Ceramics and Carbides

- 2273 Mechanisms of deformation of silicon nitride and silicon carbide at high temperatures
S. M. WIEDERHORN, B. J. HOCKEY & J. D. FRENCH (USA)
- 2285 Creep of SiC–SiC microcomposites
K. L. RUGG, R. E. TRESSLER, C. E. BAKIS (USA) & J. LAMON (France)
- 2297 Interfacial behavior of microcomposites during creep at elevated temperatures
K. L. RUGG, R. E. TRESSLER (USA) & J. LAMON (France)
- 2305 Effect of composition and heat treatment conditions on the tensile strength and creep resistance of SiC-based fibers
M. D. SACKS (USA)
- 2317 Compression creep behaviour of precursor-derived Si–C–N ceramics
G. THURN, J. CANEL, J. BILL & F. ALDINGER (Germany)
- 2325 Kinetics of phase transformations in SiAlON ceramics: I. Effects of cation size, composition and temperature
A. ROSENFLANZ & I.-W. CHEN (USA)
- 2337 Kinetics of phase transformations in SiAlON ceramics: II. Reaction paths
A. ROSENFLANZ & I.-W. CHEN (USA)
- 2349 New developments in α - SiAlON ceramics
H. MANDAL (Turkey)
- 2359 Potential of the sinter-HIP-technique for the development of high-temperature resistant Si_3N_4 -ceramics
M. J. HOFFMANN, A. GEYER & R. OBERACKER (Germany)
- 2367 Near net shape production of monolithic and composite high temperature ceramics by hot isostatic pressing (HIP)
H. T. LARKER & R. LUNDBERG (Sweden)
- 2375 Anisotropic properties in hot pressed silicon nitride — silicon carbide platelet reinforced composites
M. POORTEMAN, P. DESCAMPS, F. CAMBIER, A. POULET & J. C. DESCAMPS (Belgium)
- 2381 Dense high-temperature ceramics by thermal explosion under pressure
E. Y. GUTMANAS & I. GOTMAN (Israel)
- 2395 Advanced HT ceramic materials via solid combustion
R. PAMPUCH (Poland)
- 2405 Mechanical, thermal, and oxidation properties of refractory hafnium and zirconium compounds
M. M. OPEKA, I. G. TALMY, E. J. WUCHINA, J. A. ZAYKOSKI & S. J. CAUSEY (USA)
- 2415 Titanium carbide based composites for high temperature applications
N. DURLU (Turkey)

III Oxides

- 2421 Oxide composites of Al_2O_3 and LaPO_4
J. B. DAVIS, D. B. MARSHALL & P. E. D. MORGAN (USA)
- 2427 Electrostatically deposited surface seeding and promotion of crystallization of sol-gel derived $\text{LaAl}_{11}\text{O}_{18}$ coating on oxide fibers
B. SARUHAN, H. SCHNEIDER (Germany), S. KOMARNENI & I. R. ABOOTHU (USA)
- 2437 Layered perovskites as 'soft-ceramics'
G. FAIR, M. SHEMKUNAS, W. T. PETUSKEY & S. SAMBASIVAN (USA)
- 2449 Interpenetrating Al_2O_3 - TiAl_3 alloys produced by reactive infiltration
F. WAGNER, D. E. GARCIA, A. KRUPP & N. CLAUSSEN (Germany)
- 2455 Microstructure and mechanical properties of Al-assisted sintered $\text{Fe}/\text{Al}_2\text{O}_3$ cermets
S. SCHICKER, T. ERNY, D. E. GARCIA, R. JANSSEN & N. CLAUSSEN (Germany)
- 2465 Reaction-based processing of textured alumina by templated grain growth
E. SUVACI, M. M. SEABAUGH & G. L. MESSING (USA)
- 2475 Creep behaviour of Al_2O_3 -SiC nanocomposites
P. DESCAMPS (Belgium), D. O'SULLIVAN (France), M. POORTEMAN, J. C. DESCAMPS (Belgium), A. LERICHE (France) & F. CAMBIER (Belgium)
- 2487 Microstructural stability and mechanical properties of directionally solidified alumina/YAG eutectic monofilaments
L. E. MATSON & N. HECHT (USA)
- 2503 Residual stresses in high-temperature ceramic eutectics
E. C. DICKEY, C. S. FRAZER, T. R. WATKINS & C. R. HUBBARD (USA)
- 2511 Residual stresses in alumina-zirconia laminates
D. J. GREEN, P. Z. CAI & G. L. MESSING (USA)
- 2519 Suitability of mullite for high temperature applications
R. TORRECILLAS, J. M. CALDERÓN, J. S. MOYA (Spain), M. J. REECE, C. K. L. DAVIES (UK), C. OLAGNON & G. FANTOZZI (France)
- 2529 High temperature single crystal properties of mullite
W. M. KRIVEN, J. W. PALKO, S. SINOGEIKIN, J. D. BASS, A. SAYIR (USA), G. BRUNAUER, H. BOYSEN, F. FREY & J. SCHNEIDER (Germany)
- 2543 Growth and crystallization of YAG- and mullite-composition glass fibers
J. K. R. WEBER, B. CHO, A. D. HIXSON, J. G. ABADIE, P. C. NORDINE, W. M. KRIVEN, B. R. JOHNSON & D. ZHU (USA)
- 2551 Rare earth doped high temperature ceramic selective emitters
D. L. CHUBB, A. T. PAL, M. O. PATTON & P. P. JENKINS (USA)
- 2563 Chemical synthesis of pure and Gd-doped CaZrO_3 powders
I. E. GONENLI (Turkey) & A. C. TAS (Germany)
- 2569 Manufacture of macroporous calcium hydroxyapatite bioceramics
N. O. ENGIN & A. C. TAS (Turkey)
- 2573 Chemical preparation of carbonated calcium hydroxyapatite powders at 37°C in urea-containing synthetic body fluids
D. BAYRAKTAR & A. C. TAS (Turkey)

Volume 19 Number 15 1999

- 2581 Electrolytic deposition of oxide films in the presence of hydrogen peroxide
I. ZHITOMIRSKY (Israel)
- 2589 A wet-chemical method for the synthesis of In-doped CaZrO_3 ceramic powders
J. LE, L. N. VAN RIJ, R. C. VAN LANDSCHOOT & J. SCHOONMAN (The Netherlands)
- 2593 Synthesis of spherical zirconia by precipitation between two water/oil emulsions
M.-H. LEE, C. Y. TAI & C.-H. LU (Taiwan)
- 2605 The rheology of aqueous alumina suspensions in the presence of hydroxyethylcellulose as binder
N. E. KIRATZIS & P. F. LUCKHAM (UK)
- 2613 Fabrication of mullite ceramics by rotary forging and pressureless sintering
A. R. BOCCACCINI, M. BÜCKER, T. K. KAHLIL (Germany) & C. B. PONTON (UK)
- 2619 Arch effect in high isostatic pressure compacts
I. Yu. PROKHOROV (Ukraine)
- 2625 Examination of the indentation size effect in low-load Vickers hardness testing of ceramics
J. GONG, J. WU & Z. GUAN (People's Republic of China)
- 2633 Effect of spinel content on hot strength of alumina-spinel castables in the temperature range 1000–1500°C
Y. C. KO & C. F. CHAN (Taiwan)
- 2641 The effect of Cr_2O_3 as a nucleating agent in iron-rich glass-ceramics
A. KARAMANOV, P. PISCIELLA & M. PELINO (Italy)

- 2647 Environmental optimisation of blue vanadium zircon ceramic pigment
M. LLUSAR, J. B. VICENT, J. BADENES, M. A. TENA & G. MONROS (Spain)
- 2659 Study of local structure around zirconium ions in grain boundaries of polycrystalline α -alumina by X-ray absorption spectroscopy and chemical analysis of thin foils
M. K. LOUDJANI & R. CORTÉS (France)
- 2667 New evidence for rhombohedral symmetry in the relaxor ferroelectric $Pb(Mg_{1/3}Nb_{2/3})O_3$
N. W. THOMAS (UK), S. A. IVANOV (Russia), S. ANANTA (UK), R. TELLGREN & H. RUNDLOF (Sweden)
- 2677 AC behaviour and conductive mechanisms of 2.5 mol% La_2O_3 doped $PbZr_{0.53}Ti_{0.47}O_3$ ferroelectric ceramics
A. PELÁZ BARRANCO, F. CALDERÓN PIÑAR, O. PÉREZ MARTÍNEZ, J. DE LOS SANTOS GUERRA & I. GONZÁLEZ CARMENATE (Cuba)
- 2685 Nitrogen-containing apatite
S. HABELITZ (Germany), L. PASCUAL & A. DURÁN (Spain)
- 2695 Synthesis of BCN ceramics from pyrrolidine–borane complex
Y. GOTO, M. SASAKI, M. HASHIZUME & M. SUZUKI (Japan)
- 2701 $\beta \Rightarrow \alpha$ Phase transformation in SiC: link between polytypism, dihedral angle and nucleation mechanism of α twins
C. RAGARU, M. LANCIN & C. MARHIC (France)

Volume 19 Number 16 1999

- 2711 Aqueous processing of carbothermally prepared $Ca\text{-}\alpha\text{-SiAlON}$ and $\beta\text{-SiAlON}$ powders: powder and suspension characterisation
A. KUDYBA-JANSEN (Poland), M. ALMEIDA (Portugal), J. LAVEN, J. C. T. VAN DER HEIJDE, H. T. HINTZEN & R. METSELAAR (The Netherlands)
- 2723 High-resolution electron microscopy of a Sr-containing sialon polytypoid phase
J. GRINS, S. ESMAEILZADEH, G. SVENSSON & Z. J. SHEN (Sweden)
- 2731 Nitridation of silicon powder studied by XRD, ^{29}Si MAS NMR and surface analysis techniques
K. J. D. MACKENZIE, C. M. SHEPPARD (New Zealand), K. OKADA & Y. KAMESHIMA (Japan)
- 2739 Interaction of encapsulation glass and silicon nitride ceramic during HIPing
A.-K. WESTMAN & H. T. LARKER (Sweden)
- 2747 The effect of thermal cycling on oxide scale structure and morphology on a hot-pressed silicon nitride
F. A. COSTA OLIVEIRA & D. J. BAXTER (The Netherlands)
- 2757 Oxidation behavior of hot-pressed Si_3N_4 with Re_2O_3 ($Re=Y, Yb, Er, La$)
H.-J. CHOI, J.-G. LEE & Y.-W. KIM (South Korea)
- 2763 The characterisation of aqueous silicon slips
R. R. RAO, H. N. ROOPA & T. S. KANNAN (India)
- 2773 Electrokinetic and rheological properties of aqueous TiN suspensions with ammonium salt of poly(methacrylic acid)
C.-J. SHIH & M.-H. HON (Taiwan)
- 2781 Thermodynamics of the Al–C–O system and properties of SiC–AlN– Al_2OC composites
J.-M. LIHRMANN (France), J. TIRLOCQ, P. DESCAMPS & F. CAMBIER (Belgium)
- 2789 Dense silicon carbonitride ceramics by pyrolysis of cross-linked and warm pressed polysilazane powders
C. KONETSCHNY, D. GALUSEK, S. RESCHKE, C. FASEL & R. RIEDEL (Germany)
- 2797 High temperature deformation of precursor-derived amorphous Si–B–C–N ceramics
B. BAUFELD (Germany), H. GU (Japan), J. BILL (Germany), F. WAKAI (Japan) & F. ALDINGER (Germany)
- 2815 Chemical bonding of silicon carbide
V. K. MARGHISSIAN & R. NAGHIZADEH (Iran)
- 2823 The use of MgO as a densification aid for $\alpha\text{-SiC}$
D. FOSTER & D. P. THOMPSON (UK)
- 2833 Formation of nanometric hard materials by cold milling
N. J. WELHAM & D. J. LLEWELLYN (Australia)
- 2843 Improvement of graphitization of isotropic carbon by Al_2O_3 formed from aluminium chelate compound
J. K. YU, S. UENO, H. X. LI & K. HIRAGUSHI (Japan)
- 2849 Thermal evolution and crystallisation of polydimethylsiloxane–zirconia nanocomposites prepared by the sol–gel method
S. DIRÉ, R. CECCATO, S. GIALANELLA (Italy) & F. BABONNEAU (France)
- 2859 Processing and characterisation of 2-D woven metal fibre-reinforced multilayer silica matrix composites using electrophoretic deposition and pressure filtration
C. KAYA (UK), A. R. BOCCACCINI (Germany) & P. A. TRUSTY (UK)
- 2867 Mechanical and lamination properties of alumina green tapes obtained by aqueous tape-casting
F. DOREAU (France), G. TARI, M. GUEDES (Portugal), T. CHARTIER, C. PAGNOUX (France) & J. M. F. FERREIRA (Portugal)

- 2875 Gel casting of alumina using boehmite as a binder
K. PRABHAKARAN, S. ANANTHAKUMAR & C. PAVITHRAN (India)
- 2883 Rheological analysis of ceramic pastes
N. ÖZKAN (New Zealand), C. OYSU, B. J. BRISCOE & I. AYDIN (UK)
- 2893 Effect of compositional variation and fineness on the densification of MgO-Al₂O₃ compacts
R. SARKAR & G. BANERJEE (India)
- 2901 Shrinkage-free ZrSiO₄-ceramics: characterisation and applications
V. D. HENNIGE, J. HAUBELT, H.-J. RITZHaupt-KLEISSL & T. WINDMANN (Germany)
- 2909 Sintering and decomposition of ferroelectric layered perovskites: strontium bismuth tantalate ceramics
C.-H. LU & Y.-C. CHEN (Taiwan)
- 2917 Fabrication of PMN and PFN ceramics by a two-stage sintering technique
S. ANANTA & N. W. THOMAS (UK)
- 2931 Comparative study of lithium ion conductors in the system Li_{1+x}Al_xA_{2-x}^{IV}(PO₄)₃ with A^{IV}=Ti or Ge and 0≤x≤0.7 for use as Li⁺ sensitive membranes
M. CRETIN & P. FABRY (France)
- 2941 Electrical resistivity of transition metal ion doped mullite
S. P. CHAUDHURI, S. K. PATRA & A. K. CHAKRABORTY (India)
- 2951 Numerical simulation of the effect of moisture on the thermal conductivity of porous ceramic materials
W. NUNES DOS SANTOS & J. DE SYLOS CINTRA, JR. (Brazil)
- 2957 Weibull statistical analysis of the mechanical strength of a glass eroded by sand blasting
M. A. MADJOUBI, C. BOUSBA, M. HAMIDOUCHE & N. BOUAOUADJA (Algeria)
- 2963 Sintering of β-q_{ss} and gahnite glass ceramics
B. EFTEKHARI YEKTA & V. K. MARGHUVSSIAN (Iran)
- 2969 Sintering of β-q_{ss} and gahnite glass-ceramic/silicon carbide composites
B. EFTEKHARI YEKTA & V. K. MARGHUVSSIAN (Iran)