

Keyword Index to Volume 19

- acetylacetone, 1497
acoustophoresis, 479
actuators, 1127, 1133, 1153, 1157,
1165, 1223, 1229, 1275, 1311
adsorption, 1725
ageing, 17, 373
Al₂O₃, 67, 247, 255, 263, 271,
329, 335, 341, 381, 411, 463,
469, 535, 591, 601, 609, 615,
753, 1329, 1569, 1575, 1593,
1599, 1641, 1741, 1759, 1847,
1889, 1935, 1961, 1967, 2059,
2087, 2111, 2117, 2125, 2191,
2421, 2449, 2455, 2465, 2475,
2487, 2511, 2605, 2659, 2843,
2867, 2875
Al₂O₃ composites, 1769
Al₂O₃-spinal castables, 2633
Al₂O₃-YAG, 2503
Al₂OC, 2781
Al₃BC, 1795
alkali oxides, 917
alkaline earth oxides, 543
AlN, 1789, 2033, 2241
aluminum nitride, 293
amorphous ceramics, 1911,
2797
ancient ceramics, 89
anisotropy, 507
anisotropic piezoelectric
ceramics, 1213
anisotropy, 2375, 2437
annealing, 7
anodic polarization, 143
apatite, 469, 507, 1731, 2569,
2573, 2685
aqueous processing, 2711
archaeological applications,
1605
Aurivillius phases, 1383, 1439

(Ba_{0.7}Sr_{0.3}) TiO₃, 1011
B₄C, 2233
Ba₂NaNb₅O₁₅(BNN), 1369
barium neodymium titanate,
1123
barium strontium titanates,
1349
BaTiO₃, 1047, 1683, 1691
BaTiO₃ and titanates, 655, 683,
935, 965, 973, 979, 1043,
1061, 1077, 1081, 1085, 1153,
1299, 1339, 1353, 1413, 1477,
2015
batteries, 871
Ba_xSr_{1-x}TiO₃, 1435
BCN, 2695
BICOVOX, 815
Bi-layered perovskites, 1485
binder phases, 2415
bioceramics, 2569
biomedical applications, 2039,
2619
bismuth compounds, 985
bismuth oxide, 1801
bismuth titanate, 1251, 1473
BN, 2233
borides, 561, 571, 965, 1795,
2381, 2405
brick layer model, 693
bridging stresses, 601

calcination, 155, 187, 195, 355,
489, 969, 1081, 1605, 1925,
2073
calcium hydroxyapatite, 2569,
2573
CaO/SrO·6Al₂O₃, 1741
capacitors, 655, 683, 1043, 1061,
1105, 1295, 1307, 1413, 1457,
1691, 1859
carbides, 187, 195, 419, 965,
1795, 2381, 2395, 2405
carbon, 427, 581, 1895, 1911,
2843
carbon fibers, 305
carbon fibres, 317
carbothermal reaction, 175, 187,
195
carbothermal reduction, 427
carbothermal synthesis, 2711
castables, 1575

catalysts, 187
CaZrO₃, 2563
cellular ceramics, 2059
cement, 93
CeO₂, 497, 807, 837, 1697, 1925
ceramic composite, 293
ceramics, 517
characterisation, 875
chemical bonding, 2815
chemical composition, 1023
chemical preparation, 75, 165,
1731
chemical properties, 93, 917,
1033
chemical solution deposition,
827
chemical synthesis, 517
clay, 535
clays, 89, 105, 1615, 1835
co-doping, 837
coarsening, 2217, 2487
coating, 299, 457, 2297
coatings, 2427
colloidal filtration, 49
colour, 641, 2647
combustion, 61
compatibility, 1697
composite, 255, 457
composites, 119, 143, 207, 217,
247, 285, 299, 305, 317, 329,
419, 469, 561, 571, 581, 601,
1007, 1197, 1289, 1519, 1531,
1551, 1641, 1651, 1741, 1759,
1777, 1789, 1859, 1903, 2033,
2039, 2087, 2125, 2133, 2155,
2165, 2233, 2285, 2297, 2367,
2375, 2381, 2395, 2415, 2421,
2449, 2455, 2781, 2859, 2969
compression and irreversible
strain, 1321
constant heating rate, 1003
cordierite, 389
corrosion, 113, 875, 1067, 1789,
2405, 2747, 2757
coulometric titration, 773
Cr₂O₃, 399, 1651, 2641

- Cr_2O_3 refractories, 113
 crack bridging, 119
 crack deflection, 1329
 crack propagation, 329, 2097
 creep, 227, 623, 2133, 2273,
 2285, 2297, 2305, 2317, 2359,
 2475, 2487, 2519
 creep behaviour, 217
 creep sintering, 1747
 crystal structure, 1563, 2667
 crystallisation, 527, 649, 2641
 crystallization, 305, 1037
 cutting tools, 419
- Debye model, 2079
 decomposition, 2909
 defect structures, 2249
 defects, 641, 731, 737, 741, 747,
 803, 831, 913, 1061, 1143,
 1315, 1427
 densification, 521
 density, 649
 depletion flocculation, 2605
 depolarized piezoceramics, 1161
 diamond, 2257
 dielectric, 1457
 dielectric properties, 139, 629,
 1011, 1027, 1077, 1081, 1089,
 1095, 1105, 1111, 1115, 1119,
 1123, 1139, 1149, 1165, 1175,
 1191, 1197, 1201, 1213, 1219,
 1233, 1243, 1269, 1281, 1295,
 1339, 1349, 1397, 1873, 1883,
 1997, 2015, 2079, 2917
 diffusion, 527, 675, 831, 843,
 1555, 1563, 2173, 2217
 dip-coating, 1961
 directed melt oxidation, 1641
 dispersant, 1725
 DLVO theory, 1615
- elastic after-effect, 419
 elastic constants, 1979
 elastic modulus, 2529
 elasto-viscoplasticity, 2883
 electrical, 2087
 electrical conductivity, 131, 497,
 511, 675, 715, 727, 731, 741,
 759, 777, 797, 803, 807, 827,
 857, 883, 939, 1183, 1251,
 1315, 1361, 1423, 1507, 1883,
 2677, 2695, 2941
 electrical properties, 131, 507,
 683, 687, 693, 709, 753, 765,
 773, 787, 807, 823, 871, 875,
 887, 893, 913, 931, 935, 1165,
 1219, 1365, 1435, 1457, 1511,
 1665, 1883, 2005, 2079
 electrical resistivity, 1515
 electrochemical promotion, 931
 electrokinetic properties, 1935
 electrolytic deposition, 2581
 electromagnetic fields, 1731
 electromechanical permeability,
 807
 electron microscopy, 227, 543,
 665, 721, 827, 847, 903, 973,
 1085, 1427, 1447, 1493, 1537,
 1605, 1615, 1675, 1697, 1925,
 2027, 2211, 2701, 2723
 electron spectroscopy, 1047
 electrophoretic deposition, 75,
 2859
 electrostriction, 1243, 1269
 emitters, 2551
 emulsions, 2593
 encapsulation, 2367, 2739
 engine components, 2097, 2367
 equilibrium-thickness, 697
 erosion, 2957
 eutectics, 2503
- failure analysis, 1307, 2619
 failure analysis: acoustic
 emission, 207
 fatigue, 207, 1233, 1333, 1705
 Fe, 2455
 FeNbO_4 , 489
 FeRAM, 1463
 ferrites, 363, 373, 1531, 1547
 ferroelectric properties, 131, 381,
 655, 777, 949, 955, 1071, 1133,
 1149, 1201, 1207, 1219, 1229,
 1247, 1251, 1281, 1299, 1333,
 1369, 1397, 1403, 1417, 1439,
 1463, 1467, 1477, 1481, 1493,
 1497, 1501, 1865, 2079, 2667,
 2677
 fibers, 591, 1289, 1949, 2487,
 2529, 2543
 fibre-coatings, 2427
 fibres, 17, 285, 581, 1747, 1759,
 2305, 2421
 films, 125, 143, 753, 787, 819,
 823, 879, 903, 939, 955, 1011,
 1101, 1339, 1345, 1349, 1365,
 1373, 1379, 1383, 1391, 1397,
 1403, 1409, 1413, 1417, 1423,
 1427, 1431, 1435, 1439, 1443,
 1447, 1453, 1463, 1467, 1477,
 1481, 1489, 1493, 1497, 1501,
 2005, 2551
- finishing, 1593
 finite element analysis, 2883
 finite element method, 1289
 firing, 955, 989
 flux growth, 335
 foams, 2569
 fractal analysis, 441
 fracture, 119, 239, 591, 1325,
 1585, 1705, 2257, 2519
 fuel cells, 497, 703, 737, 803,
 807, 819, 837, 843, 861, 897,
 907, 921, 1101, 1697, 1801
 functional applications, 1089,
 1119, 1143
 functionally gradient materials,
 1153
- GaN, 2241
 gel casting, 2875
 gelation, 271
 glass, 99, 527, 637, 865, 1067,
 1555, 2049, 2087, 2739, 2957
 glass ceramics, 305, 317, 581,
 1101, 1547, 1555, 2039, 2049,
 2963, 2969
 glass fibers, 2543
 glass-ceramics, 527, 649, 2641
 grain boundaries, 7, 511, 655,
 665, 683, 693, 703, 727, 769,
 797, 837, 847, 935, 2211,
 2519, 2659, 2823
 grain boundary, 913
 grain growth, 521, 623, 815,
 865, 935, 1759, 2183, 2465
 grain size, 399, 709, 815, 903,
 945, 1057, 1085, 1349, 1501,
 1827, 1865
 grainsize, 1365
 graphitization, 2843
- halides, 823, 2647
 hard magnets, 1547
 hardness, 1585, 2625
 heterocontacts, 715
 heteroepitaxy, 1379
 high pressure synthesis, 1543
 homogeneous precipitation,
 1683
 hot isostatic pressing, 1255,
 2349, 2359, 2367, 2739
 hot pressing, 457, 553, 993,
 1149, 1197, 1777, 2027,
 2757
 hot-pressing, 2823
 hydrothermal conditions, 1033
 hydrothermal methods, 1675

- hydrothermal powders, 81
hydrothermal processing, 1027
hydrothermal synthesis, 1353
- impedance, 149, 693, 769, 777, 797, 811, 815, 819, 843, 871, 875, 893
impedance spectroscopy, 2677
impurities, 1537, 2027, 2747
In-doped CaZrO_3 , 2589
incinerator waste products, 2049
inclusions, 143
indentation, 1585
indentation size effect, 2625
indentation testing, 239
inhomogeneity, 727
injection moulding, 411
instrument transformer, 1275
insulators, 1979
integration, 1413
interaction, 2739
interface, 1349
interfaces, 17, 317, 591, 665, 675, 683, 687, 715, 823, 831, 921, 931, 949, 1423, 1457, 1551, 2173, 2191, 2211, 2297
intermetallics, 2173
ion exchange, 1555
ion selective electrodes, 2931
ionic conductivity, 149, 507, 703, 731, 737, 803, 837, 879, 1665, 1801, 2931
ionic conductivity-proton, 811
ionic conductors, 791
ionic properties, 931
iron particulates, 1769
islamic ceramics, 1835
- joining, 263, 1067, 1101, 1623, 2173
- $\text{KCa}_2\text{Nb}_3\text{O}_{10}$, 2437
kinetics, 2325, 2337
- La doped BaTiO_3 , 913
 $\text{LaAl}_{11}\text{O}_{18}$, 2249, 2427
laminates, 2511
lamination, 263, 2867
lanthanum gallate, 1665
 LaPO_4 , 2421
layered perovskite, 1559
lead iron niobate, 2917
lead iron niobate PFN, 1873
lead magnesium niobate, 629, 1053, 2917
lead titanate, 1997
- lifetime, 217, 1061
lignosulphonate, 41
liquid phase sintering, 615
lithium ion conductors, 2931
low temperature sintering, 999
- machining, 1311, 1325
magnesium niobates, 355
magnetic permeability, 1531
magnetic properties, 373, 1507, 1511, 1525, 1531, 1543, 1547
mechanical behaviour, 1585
mechanical properties, 17, 33, 113, 227, 239, 285, 317, 329, 419, 457, 553, 561, 993, 1127, 1171, 1179, 1213, 1233, 1247, 1281, 1315, 1325, 1575, 1651, 1789, 1903, 2033, 2049, 2067, 2097, 2111, 2125, 2133, 2155, 2273, 2317, 2349, 2359, 2375, 2405, 2415, 2421, 2449, 2475, 2519, 2625, 2633, 2781, 2797, 2867, 2957
mechatronic, 1127
membranes, 341, 1847, 1961, 2931
memories, 731
memory effects, 1197
metal fibres, 2859
 MgAl_2O_4 , 1949
 MgO , 623, 993, 1895, 2823
microelectrodes, 797
micromechanical model, 1247
microstructure, 693, 709, 857, 871
microstructure-final, 7, 33, 89, 125, 139, 149, 285, 305, 335, 341, 381, 399, 451, 463, 521, 543, 553, 629, 709, 721, 979, 1043, 1053, 1085, 1183, 1255, 1339, 1345, 1361, 1599, 1623, 1665, 1691, 1741, 1769, 1873, 1895, 1967, 2015, 2027, 2049, 2067, 2125, 2155, 2165, 2183, 2217, 2273, 2349, 2449, 2465, 2701, 2843, 2875, 2893
microstructure-prefiring, 263, 411, 1569, 2875
microwave, 1123
microwave dielectric properties, 959
microwave processing, 381, 989, 2067
microwave resonators, 1095
milling, 347, 489, 1017, 1095, 1795, 2015, 2833, 2893
minerals, 1599
- mixed conductors, 791
mixing, 1017, 1095, 1497, 2015
MOCVD, 1431
modeling, 655, 1585, 2217
modelling, 227, 277, 1641, 1759, 2233, 2241, 2285, 2625
moisture, 2951
molecular dynamics, 703, 2257, 2265
molten salts, 1997
molybdenum, 1623
monofilaments, 2487
morphotropic phase boundary, 1187
mullite, 105, 517, 521, 1599, 1777, 2133, 2519, 2529, 2543, 2613, 2941
multilayer composites, 2111
- nanocomposites, 463, 609, 615, 993, 1179, 2475, 2849
nanophase, 2257
NASICON, 925
 Nb_2O_5 , 2581
near net-shape, 2901
neutron diffraction, 2667
neutron scattering, 2241
Ni electrode, 1061
niobates, 155, 355, 489, 629, 893, 1037, 1057, 1105, 1111, 1379, 1409, 1447, 1563, 2437, 2667
nitridation, 2145, 2685, 2731
nitrides, 175, 965, 1067, 1795, 2381, 2395, 2405, 2773
NMR, 99, 105
non-destructive evaluation, 1285, 1631
non-stoichiometry, 2249
nonstoichiometry, 831
nuclear applications, 93
nucleation, 2337, 2641
numerical simulation, 1307
- optical microscopy, 1391
optical properties, 637, 641, 747, 787, 865, 969, 1473, 1485, 1489, 2349, 2551
optical property, 903
organic, 1911
oxidation, 217, 2317, 2757
oxide superconductors, 125, 165, 1519, 1525, 1537, 1543, 1551
oxygen sensor, 1987

- partially frozen-in states, 741
 (Pb,La)TiO₃, 1481, 1501
 Pb(Sb_{1/2}Nb_{1/2})O₃, 1139
 Pb(Yb_{1/2}Nb_{1/2})O₃-PbTiO₃-
 PbZrO₃ ceramics, 1191
 Pb₅Al₃F₁₉, 777
 PbTiO₃, 1345
 perovskite, 993, 1033, 1859
 perovskites, 131, 155, 665, 737,
 741, 759, 791, 811, 827, 843,
 897, 921, 939, 969, 1037,
 1089, 1119, 1133, 1139, 1175,
 1213, 1365, 1409, 1423, 1453,
 1463, 1473, 1477, 1493, 1507,
 1515, 1525, 1665, 2437, 2563,
 2589, 2909, 2917
 petrography, 1835
 phase coexistence, 1865
 phase transformation, 1827,
 1967
 phase transformations, 2325,
 2337, 2701
 phase transitions, 1201, 1315
 phosphate, 979
 phosphate bonding, 2815
 photoacoustic effect, 1979
 photorefectance microscopy,
 1631
 photovoltaic properties, 1143
 piezoceramic/polymer composite,
 1007
 piezoelectric, 1175
 piezoelectric properties, 985,
 999, 1007, 1127, 1139, 1153,
 1157, 1161, 1165, 1171, 1179,
 1183, 1187, 1191, 1213, 1219,
 1229, 1233, 1237, 1247, 1259,
 1265, 1275, 1281, 1285, 1289,
 1311
 piezoelectric resonances, 1165,
 1259
 plastic forming, 2883
 plasticity, 1, 2797
 platelet templates, 2465
 platelets, 335, 469, 601, 1777
 PLZT, 949, 1133, 1233, 1281
 PMN, 1859, 2667
 PMN-PZT, 1295
 polytypism, 2701
 polytypoid, 2723
 porcelain, 1979
 porosimetry, 89
 porosity, 1, 187, 195, 341, 623,
 883, 1027, 1361, 1605, 1691,
 1847, 2059, 2191, 2569, 2619,
 2797, 2951
 powder preparation, 433
 powders, 75, 165, 175, 479,
 1047, 1683, 1731
 powders-chemical preparation,
 81, 347, 363, 907, 945, 959,
 973, 1011, 1023, 1027, 1037,
 1077, 1183, 1675, 1925, 1997,
 2073, 2563, 2573, 2589, 2593
 powders-gas phase reaction, 747
 powders-solid state reaction,
 155, 347, 355, 489, 935, 965,
 1017, 1053, 1057, 1095, 1237,
 1559, 2021, 2647, 2833
 precipitation, 1731
 precursors, 389, 1911
 precursors-organic, 1, 285, 363,
 925, 973, 1023, 1339, 1345,
 1949, 2317, 2695, 2789, 2797,
 2843, 2849, 2901
 pressing, 1, 433, 1569, 1691,
 2619, 2789
 pressure casting, 49
 pressure filtration, 2859
 properties, 1175
 proton conduction, 1987
 PSZ, 1705
 PTC devices, 913, 1077
 pyrochlore, 155, 803
 pyroelectric properties, 1149,
 1467
 pyrosol, 787
 PZST, 1223
 PZT, 955, 989, 999, 1007, 1023,
 1033, 1127, 1143, 1149, 1157,
 1179, 1187, 1197, 1201, 1207,
 1229, 1237, 1247, 1255, 1259,
 1265, 1275, 1289, 1311, 1321,
 1325, 1333, 1373, 1387, 1391,
 1397, 1403, 1417, 1431, 1467,
 1489, 1865, 2005, 2581, 2677
 Raman scattering, 969
 Raman spectroscopy, 2073
 rare earth, 1043
 rare earth aluminium garnets,
 2551
 rare earth metal oxides, 831
 rare-earth oxides, 2757
 reaction bonding, 277, 2901
 reaction sintering, 2415
 reactive hot pressing, 2381
 reactive infiltration, 1889, 2449
 reactive sintering, 571
 reactive synthesis, 293
 rearrangement, 1967
 refractories, 1575, 1895, 2633,
 2815, 2951
 residual stress, 451
 residual stresses, 247, 1593,
 2503, 2511
 resistivity, 2941
 resonant mode characterisation,
 1285
 RF magnetron sputtering, 1489
 rheology, 2763, 2773
 rheology and zeta potential,
 1017
 Rietveld refinement, 2021
 rotary-forging, 2613
 RuO₂, 2581
 sand blasting, 2957
 seeding, 2183, 2427
 seeds, 1403
 segregation, 2659
 semiconductor, 865
 sensors, 373, 511, 715, 737, 747,
 769, 823, 883, 887, 917, 925,
 1175, 1243, 1255, 1275, 1467,
 1511, 1801, 1987, 2087
 shaping, 75, 271, 411, 1569,
 1889, 2117, 2619, 2883
 SHS, 1795, 2395
 Si, 2145, 2265
 Si-B-C-N, 2797
 Si₃N₄, 7, 41, 49, 61, 217, 227,
 277, 299, 433, 441, 451, 457,
 1631, 1623, 1911, 1903, 2021,
 2027, 2173, 2183, 2241, 2257,
 2265, 2273, 2325, 2337, 2359,
 2367, 2375, 2731, 2739, 2747,
 2757, 2763, 2789
 Si₃N₄/Si interface, 2265
 sialon, 7, 33, 175, 535, 543, 553,
 2165, 2241, 2325, 2337, 2349,
 2711, 2723
 SiC, 207, 285, 329, 441, 427,
 561, 571, 591, 609, 615, 875,
 1777, 1789, 1903, 1911, 2033,
 2117, 2125, 2145, 2155, 2165,
 2273, 2285, 2297, 2305, 2375,
 2475, 2701, 2781, 2789, 2815,
 2849, 2969
 SiC composites, 17
 SiC fiber, 2133
 SiC-fibers, 2285
 SiC-fibres, 2305
 Si-C-N ceramics, 2317
 silicate, 75, 93, 99, 389, 507, 649,
 1599, 1717
 silicates, 2021

- silicides, 2111, 2381
silicon, 535, 2731, 2763
silicon carbide, 293
silicon carbonitride, 2789
silicon infiltration, 2155
simulation, 329, 2211, 2249, 2265, 2951
sintering, 33, 61, 347, 389, 399, 433, 463, 511, 535, 609, 615, 623, 629, 815, 907, 949, 965, 979, 985, 989, 1003, 1023, 1027, 1053, 1081, 1085, 1089, 1111, 1119, 1143, 1171, 1179, 1183, 1511, 1547, 1651, 1683, 1717, 1873, 1889, 1967, 1997, 2039, 2067, 2165, 2349, 2455, 2613, 2781, 2823, 2893, 2909, 2917, 2963, 2969
SiO₂, 427, 1361, 2647, 2859, 2963
slip casting, 41, 49, 271, 433, 1717, 2145, 2711, 2763
slip casting model, 1961
SnO₂, 747, 2073
SOFC, 847
soft magnets, 1531
sol-gel process, 427, 521, 1403, 1747
sol-gel processes, 125, 195, 271, 389, 753, 879, 925, 999, 1011, 1115, 1345, 1361, 1379, 1383, 1387, 1391, 1397, 1409, 1417, 1439, 1443, 1447, 1473, 1481, 1485, 1497, 1501, 1683, 1847, 2427, 2613, 2849, 2931
soldering, 1067
solid combustion, 2395
solid oxide fuel cells, 861
solid state reaction, 165, 2893
solids state reaction, 175
space charge, 1219
space charges, 675
spark plasma sintering, 609
spectroscopy, 99, 601, 637, 641, 777, 843, 939, 979, 1115, 2685
spherical particles, 2593
spinels, 363, 857, 1889, 1949, 2633, 2893
sputtering, 2005
SrTiO₃, 687, 1987
stabilization, 879
strain detection, 2087
strength, 247, 463, 1307, 1593, 1623, 1949, 2059, 2273, 2305, 2359, 2543, 2633, 2815, 2867, 2957
stress development, 277
strontium, 2723
strontium barium niobate, 1115
strontium barium niobates, 1443
strontium bismuth tantalate, 2909
structural properties, 1265
superconductivity, 165, 1515, 1525, 1537, 1543, 1551
surface diffusion, 2191
surface energy, 2191
surface reaction, 897
surfaces, 239, 335, 697, 819, 931, 1311, 1593, 1725, 1731, 1935
suspension, 2763
suspensions, 41, 49, 67, 75, 411, 469, 479, 1615, 1717, 1725, 1935, 2117, 2145, 2605, 2711, 2773, 2875
switching phenomena, 131
tantalates, 139, 731, 1463, 1559, 2909
tape casting, 67, 263, 341, 1007, 1373, 1859, 2111, 2867
target, 1373
tellurite glasses, 637
temperature, 1935
temperature-induced gelation, 2117
tetragonal tungsten bronze, 1071
tetragonal zirconia, 765
texturing, 2465
thermal barrier coatings, 2097
thermal conductivity, 1631, 1979, 2183, 2405, 2951
thermal cycling, 2747
thermal expansion, 255, 497, 637, 1329, 1801, 2405, 2511, 2529
thermal explosion, 2233, 2381
thermal properties, 1265, 1477
thermal shock resistance, 113, 149, 759, 1519, 1769
thermal stability, 33
thermistors, 759, 857, 893
thermodynamic properties, 2241
thermogravimetry, 811
thick films, 949
TiAl₃, 2449
TiB₂, 561
TiC, 2415, 2833
TiN, 2773, 2833
TiO₂, 299, 479, 753, 887, 893, 903, 1847, 2005, 2581, 2833
TiO₂ ZrO₂, 959
titanates, 759, 769, 773, 797, 1383, 1453
titanium diboride, 293
titanium particles, 2039
toughening, 119
toughness, 61, 239, 255, 451, 1705, 1777, 2273, 2359, 2437, 2455
toughness and toughening, 441, 1299, 1519
traditional ceramics, 1615, 1835
transducers, 373
transformation, 543, 553
transformations, 105
transition metal oxides, 399, 1507, 1511, 1605, 1651, 2941
TTB structure, 1105
tungsten bronze, 139
tungsten bronze ceramics, 1057, 1111
tungsten carbide, 119
turbostatic structures, 2695
ultrasound, 1171
UV curable binders, 67
varistors, 709, 721, 727, 1423
VO₂, 1883
VO₂, V₂O₅-P₂O₅, 1883
VPS, 921
wear resistance, 571, 581
whisker, 1903
whiskers, 441, 2033
X-ray diffraction, 517
X-ray method, 2021
X-ray methods, 99, 105, 527, 945, 969, 1043, 1081, 1089, 1101, 1115, 1119, 1133, 1229, 1325, 1379, 1383, 1391, 1417, 1435, 1443, 1447, 1489, 1493, 1525, 1537, 1559, 1563, 1675, 1697, 1827, 1835, 1925, 2073, 2503, 2529, 2563, 2573, 2731
XAS, 2659
Y₂O₃, 945
YAG, 2487, 2543
YBaCuO, 165
YBCO, 125
Young's modulus, 1569, 1575, 1895

- YSZ, 907
yttrium aluminum garnet
(YAG), 1747
yttrium silicate, 1717
- Z-contrast imaging, 2211
ZiO₂, 67
- zircon, 641
Zn₃(VO₄)₂, 721
ZnAl₂O₄, 2963, 2969
ZnFe₂O₄, 363
ZnO, 511, 697, 709, 715, 721,
727, 1003, 1427
ZrO₂, 41, 81, 113, 143, 149, 247,
255, 299, 347, 381, 451, 479,
703, 741, 921, 945, 1329, 1431,
1675, 1705, 1725, 1741, 1827,
2067, 2097, 2125, 2511, 2581,
2593, 2647, 2659, 2849, 2901
ZrO₂-NiO, 2503
ZrSiO₄, 2901