

## Keyword Index for Volume 22

- Abnormal grain growth, 603, 681  
 Acoustic emission, 447, 2187, 2269, 2849  
 Additives, 1447  
 Adhesion, 391  
 Admittance, 1873  
 Adsorption, 863, 1297, 1493  
 Aerogels, 1155  
 AFCOP, 143  
 AFM, 825  
 Ag, 2165  
 Ageing, 2261  
 Agglomeration, 1905  
 Al<sub>2</sub>O<sub>3</sub>, 101, 143, 153, 159, 173, 183, 191, 289, 297, 305, 311, 317, 397, 403, 411, 415, 435, 453, 495, 521, 613, 625, 629, 917, 923, 947, 1129, 1183, 1217, 1225, 1235, 1395, 1493, 1501, 1525, 1791, 1801, 1905, 1911, 1917, 1937, 2155, 2181, 2187, 2197, 2209, 2217, 2223, 2231, 2243, 2595, 2827, 2835, 2841, 2849, 2861, 2869, 2877, 2883  
 Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub>, 2173  
 Al<sub>2</sub>O<sub>3</sub>-Cr, 1927, 2149  
 Al<sub>2</sub>O<sub>3</sub>-fibres, 447  
 Al<sub>2</sub>O<sub>3</sub>-SiC, 1543, 1553, 1569  
 Al<sub>2</sub>O<sub>3</sub>-spinel, 1783  
 Al<sub>2</sub>O<sub>3</sub>-YSZ, 1645  
 Al<sub>2</sub>O<sub>3</sub>-Zr,Al, 2149  
 Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub>-Ag, 2165  
 Al<sub>2</sub>O<sub>3</sub>/SiC, 2945  
 Al<sub>2</sub>O<sub>3</sub>/TiC/Mo/Ni, 545  
 Al<sub>2</sub>TiO<sub>5</sub>, 1811, 2627  
 Al, 411, 979  
 Algorithm, 1867  
 Alloy, 2181  
 AlN/Al composite, 253  
 AlN, 247, 289, 521, 973, 1051  
 AlOOH, 1917  
 Alumatrane, 2305  
 Aluminium phosphate, 1937  
 Aluminosilicate, 1483  
 Andalusite, 453  
 Anisotropy, 173, 311, 397, 535, 963, 1137, 1217  
 Annealing, 1367, 1375, 2689  
 Anorthite, 463, 1095, 1103, 1775  
 Apatite, 505, 511, 1103, 1205  
 Aspect ratio, 1031  
 B<sub>4</sub>C, 279  
 Ba<sub>2</sub>(Zn,Co)<sub>2</sub>Fe<sub>12</sub>O<sub>22</sub>, 835  
 Ba<sub>2</sub>Ti<sub>2</sub>O<sub>5</sub>CO<sub>3</sub>, 797  
 Ba<sub>2</sub>Ti<sub>9</sub>O<sub>20</sub>, 79  
 Ba<sub>4</sub>(Sm, Nd)<sub>9.3</sub>Ti<sub>18</sub>O<sub>54</sub>, 715  
 Ba<sub>4</sub>Sm<sub>2</sub>Ti<sub>4</sub>Ta<sub>6</sub>O<sub>30</sub>, 87  
 BaFe<sub>12</sub>O<sub>19</sub>, 2039  
 Ba(Mg,Ta)O<sub>3</sub>, 2013  
 Ball on three balls test, 1425  
 BaO-La<sub>2</sub>O<sub>3</sub>-V<sub>2</sub>O<sub>5</sub>, 2933  
 Basic refractories, 755  
 (Ba,Sr)TiO<sub>3</sub>, 1263  
 (Ba,Sr)TiO<sub>3</sub>-based, 2143  
 BaTi<sub>4</sub>O<sub>9</sub>, 1693  
 BaTiO<sub>3</sub>, 375, 585, 579, 681, 689, 797, 809, 1163, 1285, 1867, 2023  
 Batteries, 653, 673  
 Binder removal, 2231  
 Bioactive coatings, 2315  
 Bioactive materials, 511  
 Biomorphic, 2727  
 Biomorphous SiC ceramics, 2697  
 Biotemplating, 2663  
 Biscuit firing, 731, 737  
 BN, 1587, 2143, 2415  
 BN fibre, 2047, 2415  
 BN interfaces, 2777  
 Bone china, 731, 737, 1095, 1103  
 Borides, 2757  
 Boron nitride, 2551  
 Boron-based coatings, 987, 1001, 1011, 1023  
 Borosilicate glass, 1513  
 Brazing, 2181  
 Breakdown strength, 2291  
 Bricks, 1749, 2251  
 Brittle-to-ductile transition (temperature), 2571  
 Ca<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, 1095, 1103  
 CaAl<sub>12</sub>O<sub>19</sub>, 2877  
 Calcination, 305, 2291  
 Calcium aluminate cement, 1947, 2261  
 Calcium aluminates, 165  
 Calculations-aiPI, 209  
 Calorimetry, 495  
 Capacitors, 1285, 1867  
 Carbides, 1891, 2401, 2537  
 Carbon fibre, 225, 559  
 Carbothermal reduction-nitridation, 2989  
 Carrageenan, 297  
 CaSiO<sub>3</sub> powders, 511  
 CaSnSiO<sub>5</sub>, 353  
 Castable refractories, 495  
 Castable, 1783  
 Catalyst supports, 423  
 Cathodes, 41, 653, 673  
 Cavity suppression, 2479  
 CaZrO<sub>3</sub>/MgO, 1177  
 C/C composites, 987, 1001, 1011, 1023  
 Ce(CH<sub>3</sub>CO<sub>2</sub>)<sub>3</sub>·1.5H<sub>2</sub>O, 2283  
 Cements, 129, 1463, 1947, 2261  
 CeO<sub>2</sub>-ZrO<sub>2</sub>, 2633  
 CeO<sub>2</sub>, 15, 27, 1251, 1711, 2283  
 Ceramic components, 2789  
 Ceramic composite, 2551  
 Ceramic-metal composite, 2555  
 Ceramics, 61, 2669  
 Cermets, 2409  
 Chemical processing, 2093  
 Chemical properties, 1251, 1729, 1749, 1759, 2577  
 Chemical vapor deposition, 2749  
 Chromium, 353  
 Clays, 135, 471, 1119, 1737, 1749, 1767, 2989  
 Closed random sets, 1191  
 Co-solvents, 1067  
 Co<sub>6</sub>W<sub>6</sub>C, 2401  
 Coagulation, 153  
 CoAl<sub>2</sub>O<sub>4</sub>, 1667  
 Coating, 505, 1667

- Coatings, 15, 101, 347, 423, 873, 1475, 2315, 2343  
Colloidal gel, 1483  
Colloidal isopressing, 1061  
Colloidal processing, 1791  
Colour, 1759, 2911  
Columbite, 2101  
Composites (ceramic matrix composites), 2443  
Composites, 191, 225, 279, 329, 383, 447, 479, 545, 559, 791, 947, 963, 987, 1001, 1011, 1023, 1039, 1225, 1235, 1251, 1313, 1329, 1411, 1513, 1927, 1959, 2061, 2149, 2165, 2173, 2251, 2269, 2333, 2343, 2349, 2357, 2595, 2741, 2757, 2769, 2827, 2883, 2921, 2963,  
Concrete, 165  
Consolidation of eutectic powder, 2621  
CoO, 1447  
CoO doping, 27  
Cordierite, 423, 479, 487, 1251, 1775, 1959, 2343, 2893  
Corrosion, 903, 1783, 1959, 2735, 2741, 2749, 2757  
Cr-stabilised ZrO<sub>2</sub>, 851  
Cr<sub>2</sub>O<sub>3</sub>, 101, 755, 1277, 1937  
Cr<sub>3</sub>C<sub>2</sub>, 2883  
Cr<sub>7</sub>C<sub>3</sub>, 2883  
Crack growth, 435, 2133  
Crack-healing, 121, 1313, 1339  
Creep behaviour, 2517  
Creep, 237, 263, 329, 769, 979, 1329, 1501, 1525, 2061, 2443, 2461, 2495, 2511, 2555, 2615, 2647, 2657,  
Crystal structure, 567, 1257, 1991  
Crystallites, 1085  
Crystallization, 487, 883, 1321  
Crystals, 1137, 1149  
CuO, 1447  
CuSb<sub>2</sub>O<sub>6</sub>, 1839  
Cutting tools, 2561  
Damage, 2443, 2647  
Damage assessment, 447  
Damping, 1897  
Debinding, 1067  
Debonding, 1403  
Defects, 49, 93, 1149, 2047, 2231  
Deflocculants, 1297  
Deformation, 311, 2555  
Deformation mechanisms, 2495  
Degradation, 61  
Densification, 1113  
Design of experiments, 391  
Design of microstructure, 271  
Dextrius, 625  
Dielectric properties, 79, 87, 93, 219, 375, 715, 817, 1149, 1155, 1263, 1269, 1693, 1857, 1867, 1891, 2013, 2033, 2107, 2921, 2927  
Diffusion creep, 2469  
Diffusion, 1403, 2001, 2561, 2735  
Diopside frit, 883  
Dislocation-based plasticity, 2571  
Dispersant, 863  
Dispersion, 1493, 1553, 2427  
Dissolution, 1367  
Domains, 2821  
Domain switching, 2023  
Dopant distribution, 199  
Dopants, 955, 2869  
Doping, 2115, 2123  
DPPS, 891  
Drying, 1569, 1737  
Dyes, 1475  
EBC, 2769  
EELS, 2415  
Effective medium theories, 1645  
EFTEM, 1621  
Elastic modulus, 403, 2047  
Electrical conductivity, 49, 567, 573, 579, 1171, 1653, 1257, 1673, 1683, 2001, 2143, 2939  
Electrical properties, 41, 67, 279, 567, 579, 1155, 1171, 1277, 1285, 1699, 2115, 2143, 2799, 2939  
Electrical resistivity, 2123, 2149  
Electro-discharge machining, 545  
Electrochemical properties, 2315  
Electrokinetics, 2427  
Electron diffraction, 2821  
Electron microscopies, 2443  
Electron microscopy, 35, 237, 361, 737, 769, 955, 1389, 1525, 1587, 1621, 1631, 1847, 2133, 2277, 2379, 2415, 2769, 2821, 2933  
Electrophoretic deposition, 183  
Electrostriction, 1863  
Emanation thermal analysis, 2277  
Emulsions, 305, 673  
Energy band gap, 2001  
Engine components, 2735, 2741, 2757, 2769  
Environmental barrier coating, 2741  
Environmental catalysis, 15  
Eu<sub>2</sub>O<sub>3</sub>, 933  
Eutectic composite, 2621  
Eutectic reaction, 681  
Eutectics, 2595  
Eutectoid decomposition, 35, 1389  
Extrusion, 153, 1737, 1917, 2291, 2893  
Failure analysis, 397, 1285, 2647, 2841  
Fatigue, 447, 1339, 1863, 2133, 2633  
Fe<sub>2</sub>O<sub>3</sub>, 883, 1137, 1667, 2277  
Ferrites, 835  
Ferroelectric properties, 219, 375, 383, 707, 817, 2133  
Ferroelectric thick films, 2927  
Ferroelectrics, 209  
Fiber strength, 2349  
Fibre-reinforcement, 1329  
Fibres, 1073, 1085, 1501, 1513, 1831, 1995, 2039, 2047, 2269, 2325, 2333, 2415, 2443, 2537, 2577, 2869, 2921  
Films, 1699, 2927  
Finite element analysis, 1425  
Finite Element Modeling (FEM), 2187  
Firing, 521, 1737, 1891,  
Flaws, 1411  
Flux, 1661  
Fly ash, 1729, 1749  
Foams, 411, 1395  
Forming, 1911, 2217  
Forsterite, 1073, 1085  
Fracture toughness, 745  
Fracture, 165, 253, 639, 1329, 1971, 2669, 2489, 2633  
Fuel cells, 41, 361, 1513, 1673  
Functionally graded materials, 41, 2799, 2877  
Gas pressure sintering, 1347, 2061  
Gas turbines, 2789  
Gel processing, 297  
Gelation threshold, 1791  
Gelcasting, 1347, 1395, 1911, 2209, 2217, 2223, 2291  
Gelling agents, 2209  
Gels, 1483  
Glass, 159, 487, 1375, 1513, 1759  
Glasses, 2343, 2389

- Glass ceramics, 487, 883, 1381, 1759, 1775  
 Glass-matrix composites, 2315  
 Glassy-phase, 2603  
 Glazes, 639, 1095, 1103, 1447, 2911  
 Gradient-composition, 1263  
 Grain boundaries, 35, 61, 159, 247, 263, 329, 527, 579, 689, 1051, 1321, 1389, 1525, 1683, 1897, 2461, 2501, 2511, 2527, 2615  
 Grain boundary diffusion, 2469  
 Grain boundary phase, 721, 979, 2689  
 Grain boundary sliding, 2469  
 Grain growth, 27, 317, 337, 479, 603, 681, 1031, 1119, 1217, 1811, 2033, 2107, 2197, 2469, 2517, 2657, 2981  
 Grain morphology, 109  
 Grain size, 841, 1381, 1569, 1801, 1811, 1729, 1927, 2023  
 Granules, 2835  
 Green bodies, 1403  
 Green properties, 1543  
 Grinding, 2945  
 Gypsum, 2269  
  
 Hardness, 639, 1137, 1183, 1437, 1801, 2537,  
 Healing, 1339  
 Heat-resistant material, 1831  
 Heavy clays, 1729, 1737  
 Hexaferrites, 835  
 Hf–N alloys, 2571  
 Hf–N solid solutions, 2571  
 High temperature, 2727  
 High temperature strength, 2621  
 HIP, 1801  
 Homogeneity, 199  
 Honeycomb, 2893  
 Hot pressing, 527, 777, 973, 1045, 1897, 1927, 2587  
 Humidity, 2835  
 Hydration, 1947  
 Hydration mechanisms, 2261  
 Hydrolysis-assisted solidification, 289  
 Hydrothermal methods, 809, 1163  
 Hydrothermal nucleation, 505  
 Hydroxyapatite, 505  
  
 Impedance, 689  
 Impedance spectroscopy, 101, 337, 471, 579, 1645  
 Impurities, 1653, 2813  
 In situ synthesis, 2551  
 Incinerator slag, 1457  
 Indentation, 435, 1129, 1137, 1183, 1357, 1437, 1971  
 Infiltration, 253, 2357  
 Injection moulding, 173, 2231  
 Inks, 1  
 Interconnect, 361  
 Interface shear stress, 2349  
 Interface structure, 603  
 Interfaces, 329, 987, 1001, 1011, 1023, 1095, 1103, 1587, 2561  
 Intergranular phase, 2379  
 Internal friction, 447, 1897  
 Ionic conductivity, 1645, 1995  
 IR spectroscopy, 1307  
  
 Joining, 1225, 2181, 2727  
  
 Kaolin, 1767  
 Kovar, 2181  
  
 La(Ni,Co)O<sub>3</sub>, 585  
 Laminates, 191, 535  
 LaMnO<sub>3</sub>, 41  
 Laser pyrolysis, 2969  
 Laser-zone-melting, 191  
 (La,Sr)(Co,Fe)O<sub>3</sub>, 361  
 (La,Sr)MnO<sub>3</sub>, 361  
 Leaching, 2243  
 Lepidolite, 1381  
 LiCl flux, 1661  
 LiCoO<sub>2</sub>, 673  
 LiMn<sub>2</sub>O<sub>4</sub>, 653  
 Line-broadening analysis, 2677  
 Liquid phase sintering, 603  
 Lithium-ion battery, 653  
 Lithographic printing, 1  
 Lutetium, 2479  
  
 Mössbauer spectroscopy, 1767  
 Machining, 545, 1235, 1411  
 Magnesia-chromite, 903  
 Magnesite refractories, 745  
 Magnetic properties, 2039  
 Manganites, 2939  
 MAS–NMR, 1483  
 Matheron's Boolean models, 1191  
 Mechanical activation, 2401  
 Mechanical properties, 109, 121, 129, 159, 165, 225, 263, 279, 403, 463, 527, 551, 559, 755, 777, 785, 791, 841, 873, 963, 973, 979, 1023, 1031, 1045, 1051, 1113, 1119, 1129, 1243, 1313, 1321, 1339, 1347, 1357, 1425, 1457, 1927, 1971, 2061, 2165, 2223, 2269, 2333, 2349, 2357, 2365, 2389, 2409, 2437, 2489, 2501, 2527, 2543, 2551, 2609, 2663, 2669, 2689, 2709, 2719, 2735, 2777, 2799, 2841, 2883, 2981  
 Mechanical reliability, 2789  
 Mechanical spectroscopy, 2461, 2501, 2511, 2527  
 Mechanical strength, 1205  
 Mechanochemical processing, 629, 1823  
 Membranes, 423, 613, 661, 2555  
 Mercury porosimetry, 1543  
 Metallic inclusions, 2149  
 Mg<sub>2</sub>SiO<sub>4</sub>, 1073, 1085  
 MgAl<sub>2</sub>O<sub>4</sub>/ZrO<sub>2</sub>, 329  
 MgAl<sub>2</sub>O<sub>4</sub>, 745, 891, 1243  
 MgO–ZrO<sub>2</sub>, 2633  
 MgO, 35, 495, 745, 755, 1149, 1177, 1389  
 MgSiN<sub>2</sub>, 777  
 MgTa<sub>2</sub>O<sub>6</sub>, 2101  
 Microchemistry, 2647  
 Microhardness, 347  
 Microstructural effects, 1411  
 Microstructure, 129, 191, 347, 479, 551, 731, 873, 1085, 1191, 1447, 1463, 1501, 1917, 1959, 2039, 2093, 2181, 2357, 2379, 2517, 2543, 2551, 2709, 2719  
 Microstructure and strength, 2697  
 Microstructure-final, 27, 79, 109, 199, 317, 323, 415, 521, 585, 613, 715, 737, 761, 791, 891, 947, 963, 1045, 1113, 1321, 1357, 1381, 1587, 1609, 1693, 1705, 1711, 1775, 1811, 1927, 1995, 2107, 2333, 2365, 2389, 2409, 2587, 2689, 2813, 2841, 2901, 2963  
 Microstructure-prefiring, 1543, 2223, 2805, 2841  
 Microwave dielectrics, 715,  
 Microwave heating, 903, 2861  
 Microwave processing, 135, 1891, 2849, 2981  
 Microwave properties, 835  
 Microwave technique, 2305  
 Milling, 629, 1553, 1601, 2401  
 Mixing, 2911  
 MMC, 1225  
 MnO<sub>2</sub>, 1447  
 Mo, 761, 2155  
 MOCVI, 2883  
 Modelling-adsorption, 1297  
 Modelling, 403, 1191, 1403  
 Modulus, 745

- Molten salts, 1959  
Monoclinic zirconia, 2657  
Monomers, 1395  
MoSi<sub>2</sub>, 791  
MoSi<sub>2</sub>–SiC, 2357  
Mullita, 2647  
Mullite, 143, 323, 447, 453, 479, 761, 1307, 1483, 1501, 1775, 1959, 2333, 2343  
Mullite fibres, 2333  
Mullite/Mo, 1113  
Mullite/SiC, 1313  
Multilayer devices, 1
- Na<sub>2</sub>O–SiO<sub>2</sub>, 1375  
(Na,Bi)TiO<sub>3</sub>–BaTiO<sub>3</sub>, 2115  
Nano-powder, 653  
Nanocomposites, 785, 933, 1543, 1553, 1569, 2517, 2577, 2945  
Nanometallopolymer, 2577  
Nanoparticles, 851, 917  
Nanophase materials, 15  
Nanopowders, 2969  
NASICON, 1995  
Near net shaping, 289, 297  
Neural networks, 1867  
Neutron diffraction, 661  
Ni<sub>2</sub>Ti<sub>4</sub>O, 2181  
NiAl, 1039  
(Ni,Co)(Cr,Al)<sub>2</sub>O<sub>4</sub>, 101  
Nitrides, 2537  
Non-destructive evaluation, 337  
Nonstoichiometry, 2115  
NTC, 1171  
Nucleation, 603
- Optical devices, 933  
Optical fibers, 2325  
Optical microscopy, 397, 1971, 2609  
Ordering, 2013  
Organic waste, 1463  
Organometallic-precursors, 955  
Oxidation, 101, 1367, 2777  
Oxidation protection, 987, 1001, 1011, 1023  
Oxidation resistance, 2071  
Oxide eutectic composite, 2621  
Oxide scale, 1367
- Paraffin, 2155  
Particles, 225  
Particle size distribution, 2197  
(Pb,La)TiO<sub>3</sub>, 2927  
Pb(Mg,Nb)O<sub>3</sub>, 2093  
Pb(Ni,Sb)O<sub>3</sub>, 697  
Pb(Zn,Nb)O<sub>3</sub>, 375  
Pb(Zr,Ti)O<sub>3</sub>, 2081  
PbO, 1269  
PbTiO<sub>3</sub>, 375, 697, 1269  
PbZrO<sub>3</sub>, 697, 817  
Pechini method, 2861, 2911  
PECS technique, 761  
Percolation model, 1791  
Perovskites, 219, 361, 375, 567, 573, 585, 825, 1177, 1257, 1263, 1673, 1699, 1857, 1863, 2013, 2555, 2939  
Pharmaceutical applications, 1205  
Phase boundary, 375  
Phase composition, 471, 661, 697, 707, 721, 731, 1621  
Phase development, 463, 1307, 1609, 2013, 2963  
Phase diagram, 2297, 2933  
Phase evolution, 1823  
Phase transformation, 337, 841  
Phase transitions, 817  
Phosphors, 1661, 1667  
Photoluminescence, 1661  
Piezoelectric properties, 697, 825, 1269, 1847, 1863, 1873, 2033, 2081, 2115, 2921  
Piezoelectrics, 209  
Pigments, 353, 629, 1667, 1981, 2911  
Plasma spraying, 347, 891, 2315, 2849  
Plaster, 2269  
Plastic deformation, 2603  
Plastic forming, 923  
Plasticity, 263, 2609, 2615, 2641  
Plasticizers, 625  
PLT, 2927  
PMN, 573, 1857, 2093, 2033  
PMN–PT, 219  
PMN–PZT, 2123  
PMT, 1857  
Polishing, 2945  
Polyelectrolytes, 1493  
Polymer infiltration pyrolysis, 2349  
Polymerization, 1395  
Porcelains, 463  
Porosity, 305, 403, 411, 613, 933, 947, 1155, 1403, 1775, 1801, 1905, 2197, 2231, 2277, 2489, 2719, 2813, 2849  
Porous ceramics, 1395, 2663  
Powder preparation, 2989, 2969  
Powder-solid state reaction, 2587, 2933  
Powders, 93, 1839, 2835  
Powders-chemical preparation, 67, 305, 653, 673, 797, 873, 809, 851, 1163, 1693, 1711, 1723, 1823, 1905  
Powders-gas phase reaction, 2371  
Powders-mechanical properties, 2835  
Powders-pretreatment, 1347  
Powders-solid state reaction, 521, 933, 2101  
(Pr,Ca,Zr)O<sub>2</sub>, 1981  
Precursors-metallorganic, 1631  
Precursors-organic, 143, 797, 809, 851, 1621, 1711, 2709, 2861, 2901, 2963, 2969  
Pressing, 311, 1061, 1205, 1217, 1347  
Pressure filtration, 1569, 1917  
Print quality, 1  
Probabilistic models, 1191  
Process zone, 2023  
Processing, 2123, 2543  
Proof test, 121  
PTC, 1171  
PTC devices, 689, 2143  
Pulse discharge sintering (PDS), 2957  
Pulse electric current sintering, 1113  
Pyrochlore, 2033  
Pyroelectric properties, 573, 2123  
PZN, 1699  
PZT, 209, 383, 573, 825, 1155, 1699, 1847, 1863, 2033, 2081, 2133, 2921
- Quantitative phase-composition analysis, 2677
- Rare-earth oxide addition, 777  
R-curve, 2023, 2173  
Reaction, 707  
Reaction bonding, 323, 2641  
Reaction hot pressing, 551  
Reaction sequence, 79, 797, 1039  
Reactive penetration, 1225  
Reactive synthesis, 2365  
Recycling, 2243, 2251  
Refractories, 165, 495, 745, 755, 903, 1783, 2243  
Reinforcement, 225  
Residual strains, 2877  
Residual stress, 745  
Rheology, 1, 297, 625, 917, 923, 1073, 1297, 2081, 2155, 2209,

- 2217, 2427, 2805, 2893  
Rietveld analysis, 1177  
Rietveld method, 2997  
Rietveld refinement, 1991  
Rutile, 2291
- Saccharides, 917, 923  
SBN, 1705, 2107  
SCTG–MS, 2283  
Secondary phase, 681  
Seeding, 323, 415, 535, 271, 1031, 1917  
Segregation, 689  
Self-propagating high-temperature synthesis (SHS), 947  
Sensors, 1177, 1475  
Shaping, 2805  
Shear modulus, 1791  
Shrinkage anisotropy, 173  
SHS, 1039  
Si–B–C–N, 1621, 1631  
Si–O–C, 2389  
Si-vapor infiltration, 2663  
Si<sub>2</sub>N<sub>2</sub>O, 963  
Si<sub>3</sub>N<sub>4</sub>, 121, 237, 271, 527, 535, 769, 955, 963, 1061, 1183, 1347, 1587, 1601, 1897, 2061, 2427, 2489, 2501, 2511, 2527, 2561, 2735, 2789, 2981  
Si<sub>3</sub>N<sub>4</sub>/SiC, 1339, 2061, 2963, 2969  
Si, 2371  
SiAlON, 2989  
Sialons, 225, 1357, 1609, 1883, 2997  
SiAlONs, 109  
SiC/SiC composites, 2343, 2349, 2777  
SiC, 93, 263, 979, 1031, 1183, 1313, 1321, 1587, 1891, 2071, 2371, 2379, 2741, 2501, 2577, 2663, 2677, 2689, 2719, 2727, 2749, 2769  
Silatrane, 2305  
Silicates, 1251  
Silicon carbide, 2669  
Silicon carbonitride, 2969  
Silicon nitride, 2479, 2495, 2517  
Siloxane, 143  
Simulated body fluid (SBF), 511  
Simulation, 603, 1285  
Sinter-HIP, 1801  
Sintering aid, 237  
Sintering behavior, 2883  
Sintering, 27, 49, 67, 109, 143, 173, 183, 247, 311, 317, 383, 415, 453, 471, 585, 613, 697, 707, 715, 755, 761, 785, 955, 973, 1045, 1113, 1119, 1217, 1243, 1269, 1457, 1513, 1525, 1543, 1569, 1601, 1653, 1693, 1705, 1711, 1723, 1775, 1847, 1891, 2071, 2101, 2197, 2379, 2461, 2511, 2813, 2901, 2957, 2981  
SiO<sub>2</sub>, 1493, 1475, 2325  
SiO<sub>2</sub>–CaO–Na<sub>2</sub>O, 2315  
Slag, 1783  
Slip casting, 135, 397, 1601, 2243, 2799  
Sludge, 2243, 2251  
SnO<sub>2</sub>, 1297, 1839, 2297, 2911  
SnO<sub>2</sub>–ZrO<sub>2</sub>, 2297  
Sodium alginate, 1911  
Sol-gel methods, 423, 825  
Sol-gel processes, 15, 93, 383, 411, 629, 835, 1073, 1155, 1251, 1307, 1475, 1699, 1917, 1981, 1991, 1995, 2039, 2305, 2389, 2869, 2901  
Solar cells, 453  
Solid electrolyte, 1645  
Solid solution, 2297  
Solid state reaction, 1839  
Solid–solution hardening, 2571  
Solidification, 1463, 1911  
Solution-precipitation, 2479  
Spark plasma sintering, 785, 2621  
Spark plasma system, 2621  
Sphe, 353  
Spinels, 329, 745, 903, 1243, 1783  
Spinnability, 1073  
Spray pyrolysis, 353, 1661  
Spray-drying, 2093  
SPS, 2365  
Squeeze casting, 253  
(Sr,Ba)Nb<sub>2</sub>O<sub>6</sub>, 1705, 2107  
SrBi<sub>4</sub>Ti<sub>4</sub>O<sub>15</sub>, 707  
SrFe<sub>12</sub>O<sub>19</sub>, 2039  
SrFeCo<sub>0.5</sub>O<sub>y</sub>, 661  
(Sr,Pb)TiO<sub>3</sub>, 1171  
SrTiO<sub>3</sub>, 1683  
(Sr,Y)TiO<sub>3</sub>, 1673  
Stabilisation, 1463  
Stability, 661  
Standards, 1183  
Static fatigue, 2325  
Statistical analysis, 593  
Steel, 2561  
Stereolithography, 2081  
Stoneware, 1437, 1457  
Strength distribution, 593  
Strength, 403, 527, 593, 761, 745, 1119, 1129, 1285, 1381, 1411, 1425, 2047, 2727, 2827  
Stress corrosion, 2325  
Stress exponent, 2571  
Stress relaxation, 2641  
Stress rupture, 237  
Structural applications, 129, 1839, 2749  
Structure, 2047  
Substrates, 825  
Supercritical fluids, 1067, 1403  
Superplastic deformation, 2437  
Superplasticity, 2469  
Superstructure, 2821  
Surface damage, 2945  
Surface treatment, 545  
Surfaces, 2537, 2749  
Suspensions, 135, 153, 183, 289, 297, 391, 625, 863, 917, 923, 1061, 1493, 1553, 1601, 1667, 2081, 2155, 2427, 2805  
Synchrotron radiation, 1039, 2877
- Ta<sub>2</sub>O<sub>5</sub>, 1277  
Tableware, 731, 737  
Talc, 2989  
Tantalates, 2101  
Tape casting, 391, 453, 2071, 2427, 2489  
Tartaric acid, 653  
Temperature induced forming, 1791, 2805  
Tensile creep, 769, 2479  
Tessellations, 1191  
Test methods, 121, 1129, 1883, 1873  
Testing, 1183, 1425  
Tetragonal zirconia, 2609  
Texture, 2877  
Thermal barrier coatings, 101  
Thermal conductivity, 247  
Thermal cycling, 2333  
Thermal decomposition, 2283  
Thermal expansion, 745, 1673, 1811, 2627  
Thermal expansion coefficient, 159, 1375  
Thermal fatigue, 2187  
Thermal properties, 279, 777, 1051, 1457, 1631, 1729, 1759, 1937  
Thermal shock, 1243, 2669  
Thermal shock resistance, 435, 559, 1357, 1883, 2187, 2627, 2757, 2945  
Thermal stability, 2969  
Thermal transformation, 1767

- Thermal treatment, 2517  
Thermocycling, 1863  
Thin films, 825  
Threshold stress, 2555, 2571  
 $Ti_3SiC_2$ , 2365, 2957  
 $Ti_5Si_3$ , 551  
 $TiAl$ , 947  
 $TiB_2$ , 279, 973, 1045  
 $TiC$ , 551, 559, 791, 1039, 2409, 2957  
Tiles, 1437, 1457  
 $TiN$ , 1367, 2409  
 $TiO_2$ , 1, 1277, 1447, 2001, 2291  
Titanium carbonitride, 2587  
Titanium implant, 505  
Toughness, 253, 271, 535, 1051, 2023, 2165, 2173, 2963  
Toughness and toughening, 761, 1971, 2071, 2827  
Traditional ceramics, 1457, 1737  
Transition metal oxides, 2933  
Transition temperature, 2297  
Trapping, 1149  
Tribological properties, 2869  
Tungsten bronze, 2107  
Tungsten–bronze structure, 87  
TZP, 199, 337, 639, 863, 873, 841, 1723  
  
Ultrasonic characterisation, 2261  
Ultrasonic machining, 1235  
  
Ultrasonic testing, 1947  
Unit-cell parameter, 2297  
  
Vanadium distribution, 1991  
Varistors, 61, 67, 1277, 1653  
Vitrification, 471  
  
Wall tiles, 1119  
Waste materials, 883, 1457, 1729, 1737, 1749, 1759, 2251  
Water suction, 397  
Wear resistance, 639, 903, 2849  
Weibull modulus, 593  
Wetting, 1847  
Wood, 2663  
  
X-ray absorption spectra, 2371  
X-ray diffraction, 2365  
X-ray methods, 219, 585, 721, 1039, 1307, 1609, 1839, 1857, 1897, 1937, 2587, 2849, 2933, 2997  
X-ray powder diffraction, 2677  
XANES, 2283  
  
 $Y_2O_3$ , 1667  
 $Y_2O_3:Eu$ , 1661  
 $Y_2O_3$ , 199  
 $Y_3Al_5O_{12}$ , 1831  
 $Y(Co,Mn)O_3$ , 1257  
 $Y(Mn,Ni)O_3$ , 567  
  
YAG, 1831  
YAG–SiC, 785  
 $(YCu,Mn)O_3$ , 2939  
 $(Y,Ln)_2Si_2O_7$ , 721  
Yttria stabilized zirconia, 2657  
YTZP nanocrystals, 2603  
  
Zeolite, 2305  
Zirconium boride, 2543  
 $ZnAl_2O_4$ , 891  
 $ZnFe_2O_4$ , 883  
 $ZnO$ , 49, 61, 67, 391, 1653  
 $ZnS$ , 1667  
 $ZnTa_2O_6$ , 2101  
 $ZrB_2$ , 279  
 $ZrO_2$ , 35, 41, 173, 183, 199, 337, 347, 639, 841, 851, 863, 873, 1389, 1823, 1971, 1981, 2805, 2297, 2461, 2609, 2813, 2821, 2827  
 $ZrO_2-Al_2O_3$ , 191  
 $ZrO_2-CeO_2$ , 1723  
 $ZrO_2$ -fibres, 1513  
 $ZrO_2$ /stainless-steel, 2799  
 $ZrO_2(Y_2O_3)$ , 2595  
 $ZrSiO_4$ , 639, 1991, 2901  
  
 $\gamma-Al_2O_3$ , 423  
 $\gamma-Al_2O_3$ , 933