

Keyword Index for Volume 23

- Abnormal grain growth, 1565, 2281
 Abrasive jet machining, 323
 AC response, 1337
 Acid attack, 2893
 Acids, 577
 Acoustic emission, 387, 2211
 Actuators, 1147, 1409, 1559, 1577, 2323
 Additives, 2519, 2569
 Adhesion, 1027
 Ag, 1457
 Ageing, 2975
 Aggregates, 2281
 Aging, 1345, 3097
 A_2O_3 , 2273
 Al, 1243, 2015
 $(Al,Mg,Ta)O_2$, 2503
 AlO_3 , 737
 Al_2O_3 –Mo, 315
 Al_2O_3 –Ni, 927
 Al_2O_3/SiC , 961
 Al_2O_3 –SiC– Y_2O_3 , 1
 Al_2O_3 – ZrO_2 , 469, 1655
 Al_2O_3 , 75, 81, 91, 253, 263, 309, 315, 357, 379, 445, 455, 469, 637, 659, 667, 905, 913, 921, 927, 935, 943, 961, 997, 1005, 1013, 1061, 1207, 1215, 1263, 1269, 1477, 1661, 1675, 1667, 1773, 1779, 1785, 1795, 1803, 1813, 2083, 2089, 2265, 2281, 2449, 2805, 2975, 2983, 3059, 3071
 $(Al,Ta)O_2$, 2507
 Al_2TiO_5 , 357
 Aligned microstructure, 935
 Aligned whisker seeds, 555
 Alinite, 2067
 AlN, 61, 357, 1517, 1761, 2015, 2023, 2705
 AlN–SiC– $MoSi_2$, 3135
 Alumina, 2747, 2777, 2787, 2829
 Aluminum, 2787
 Aminospirosilicate, 417
 Amorphous materials, 781
 Anatase, 691
 Anisotropy, 2247, 2257
 Annealing, 1593
 Anode, 2125
 Anorthite, 1705, 2061
 Antenna duplexer, 2683
 Apatite, 229, 243, 851, 1687, 1697
 Aqueous tape casting, 2163
 Artificial joint, 2939
 ATDC5 cells, 2939
 B_2O_3 – Li_2O , 2423
 B_4C , 561, 1123, 1243, 1485
 B_4C /mullite, 1485
 $Ba(Ca,Nb)O_3$, 221
 $(Ba,Ca)(Y,Nb,Ta)O_3$, 2511
 $BaAl_2Si_2O_8$, 2203
 BaBSiO glass, 2559
 $BaFe_{12}O_{19}$, 179
 $(Ba,La)_6(Ti,Ta)_{10}O_{30}$, 1571
 $Ba(Mg,Ta)O_3$, 2647, 2667
 $Ba(Mg,Ta)_3O_3$ materials, 2633
 $BaMoO_4$, 519
 $BaNb_2O_6$, 2597
 BaO – La_2O_3 – TiO_2 – Ta_2O_5 , 1571
 BaO – TiO_2 , 2565
 $(Ba,Sr,Ca)TiO_3$, 515
 $(Ba,Sr)TiO_3$, 1565, 2699, 2693
 $BaTiO_3$, 127, 1269, 1313, 1383, 1427, 1901, 1911, 2627
 $BaTiO_3$ and titanates, 505, 2143, 2153, 2315, 2529, 2535
 $BaWO_4$, 3001
 $Ba(Zn,Nb)O_3$, 2467
 $Ba(Zn,Ta)O_3$, 2461, 3021
 $BaZrO_3$, 3035
 $Ba(Zr,Ti)O_3$, 2307
 $Ba_2Ti_9O_{20}$, 2559, 2671
 $Ba_3Co_2Fe_{24}O_{41}$, 715
 Ball-on-disk, 1743
 Base metal electrodes, 1925
 Batteries, 865, 1893
 $(Bi,Zn)NbO_3$, 2593
 Bi_2GeO_5 , 1599
 Bi_2O_3 –ZnO– Nb_2O_5 , 873
 Bi_2O_3 , 2413
 $Bi_4Ti_3O_{12}$, 161, 839, 2163
 Bilayered materials, 1943
 Binder, 1637
 Binder removal, 1013
 Bioactive glass, 1803
 Bioactive materials, 675
 Bioceramics, 81, 1031
 Biomaterial, 2931
 Biomedical applications, 243, 851, 1027, 1687, 2897, 2905, 2921, 2975
 Bismuth titanate, 2429
 Block-on-ring, 1743
 BMT, 2667
 BN, 3153
 BN interphase, 613
 Bond valence, 2391, 2397, 2589
 Bonding, 2805
 Bone china, 1617
 Bone tissue mimicking, 2931
 Borides, 991, 1123
 Boron carbide, 2821
 Borosilicate glass, 1813
 BP algorithm, 2177
 Bridging stress, 943
 Brookite, 691
 BRT_{114} , 2553
 Burners, 3097
 $Ca(Al,Nb)O_3$, 2375
 $CaAl_2O_4$, 175
 CaF_2 , 2617
 $Ca(II)$ -EDTA complex precursor, 123
 $(Ca,La,Nd)(Ti,Al,Ga)O_3$, 2443
 $Ca(Li,Nb,Ti)O_3$, 2413
 $(Ca,Li,Sm)TiO_3$, 2397
 $Ca(Li,Ta)O_3$, 2417
 $(Ca,Nd)(Ti,Al)O_3$, 2677
 $(Ca,Sm,Li)TiO_3$, 2423
 $Ca_2ZrSi_4O_{12}$, 2193
 Calcination, 127, 229, 505, 1039, 1369, 1375, 2135, 3035
 Calcium aluminate cement, 387, 2211
 Calcium aluminate cements, 737
 Calcium phosphate, 2893

- Calcium pyrophosphate, 2589
Calorimetry, 3071
Capacitors, 1427, 1925, 2143, 2315, 2549, 2593, 2597, 2711
Carbides, 567
Carbon, 1509, 2623, 2857, 3119
Carbon content adjustment, 1963
Carbon nanotubes, 1233
Carbonate melt, 1957
Carbonated hydroxyapatite, 2931
Carbothermal reduction, 2005
Carbothermic nitridation, 3153
CaSiO₃, 2193
CaSnSiO₅, 429
Castable refractories, 3071
Castables, 997, 1215, 2225
Catalyst, 2987
CaTiO₃, 1391, 2403, 2429, 2435, 2653
CaZrO₃, 1925
Cellular base station, 2683
Cellular communications, 2721
Cellular structures, 1715
Cement, 387, 745, 2067
Cements, 2211
Centrifugal molding, 765
CeO₂, 99, 685
CePO₄, 1649
Ceramic matrix composites, 1105
Ceramic surfaces, 2777
Ceramics, 1949
Cermets, 2849
Chemical admixtures, 2225
Chemical properties, 697, 2225, 2835
Chemical synthesis, 179, 2125
Chitosan, 897
Chlorine ion, 2067
Co, 2879
CoAl₂O₄, 2289
Coalescence, 555
Coarse particles, 1661
Coatings, 379, 961, 491, 647, 1019, 1199, 1215, 3119, 3125
Coincidence boundaries, 1565
Colloidal processing, 253
Colour, 2097, 2289
Columbites, 2479
Combustion synthesis, 567
Compaction, 1813
Complex permittivity, 2705
Composite, 561, 801, 927, 1053, 1061, 1477, 1485, 2381
Composite particle, 2835, 2963
Composites, 153, 301, 309, 315, 357, 469, 603, 613, 647, 667, 675, 1031, 1123, 1207, 1269, 1499, 1577, 1813, 1819, 1935, 1979, 1987, 2039, 2125, 2171, 2203, 2737, 2857, 28673125, 3135
Compositions, 2647
Constitutive model, 1675
Contact angles, 2797
Contact damage, 1193
Continuous reaction method, 833
CoO, 1875
Cooling rate, 2519
Coordination number (CN), 2529
Copper, 2747, 2821
Copper phosphate, 409
Co-precipitation, 1549, 2671
Coral, 1829
Cordierite, 817, 2983, 3097
Core-rim, 555
Corrosion, 577, 585, 595, 603, 1735, 1957, 3097, 3135
Corrosion resistance, 91, 293, 2089
Cr, 2879
CrB₂, 561
Cr₂O₃, 2089, 3059
Cr₃C₂/Al₂O₃, 1477
Crack growth, 3105
Crack-healing, 977, 1971
Crack path, 469
Crack resistance, 1477
Cracks, 331, 1257
Creep, 1099, 1105, 1795, 2039, 2183, 2969
Creep parameters, 2849
Cristobalite, 3125
Crystal chemistry, 2511
Crystal field, 213
Crystallinity, 429, 1697
Crystallisation, 1609, 1629, 2075
Crystallization, 817, 1705
Crystals, 3113
CVD, 247
CVD coating, 3125
Damage, 1105
Defects, 99, 667, 791, 1391, 1427, 1585, 1751, 2105, 2737, 2993, 3009
Degradation, 619
Densification, 1053, 1223
Desiccants, 2265
Design, 2541
Detect chemistry, 3059
Devitrification, 1305
Dewetting, 2777
Diatomite, 2005
Dielectric breakdown, 345
Dielectric ceramics, 1919, 2661
Dielectric constant, 2507
Dielectric loss, 2683
Dielectric materials, 2721
Dielectric measurements, 2607
Dielectric properties, 133, 153, 167, 203, 247, 345, 515, 839, 1157, 1167, 1329, 1337, 1391, 1559, 1571, 1599, 1935, 2143, 2163, 2171, 2307, 2375, 2391, 2397, 2403, 2409, 2413, 2417, 2423, 2443, 2449, 2455, 2461, 2473, 2479, 2485, 2489, 2511, 2525, 2529, 2535, 2549, 2559, 2565, 2569, 2573, 2579, 2583, 2593, 2597, 2603, 2607, 2611, 2617, 2623, 2627, 2633, 2639, 2647, 2667, 2671, 2677, 2693, 2699, 2711
Dielectric resonator, 2467, 2489, 2683
Diffusion, 229, 991, 1865, 2105, 2265, 2593, 2693, 2955, 2969
DIGM, 1667
Diopside, 1629
Dispersants, 905, 913
Dispersion, 379, 897, 985, 997
Dissolution, 1039
DLVO, 253
Dolomite, 737
Domain switching, 141
Dopants, 3059
Drying, 1839, 2265
Duplex stainless steels, 2813
Effective properties, 2297
Elastic moduli, 537
Electrical conductivity, 69, 315, 781, 859, 883, 1337, 1911, 2113
Electrical ignition, 1949
Electrical properties, 721, 729, 1131, 1345, 1435, 1881, 1963, 2105, 2963, 3135
Electrocatalysis, 2987
Electrochemical properties, 865
Electron microscopy, 1305, 1499, 1761, 2119, 2153, 2183, 2435, 2549, 2597, 3021
Electronic properties, 2737
Electrophoretic deposition, 1655
Emission spectra, 175
Emulsions, 115, 1829
Enamel, 1019
Engine components, 1499
Epitaxy, 2879
Er₂O₃, 2023

- Erosion, 331
Eucryptite, 1705
Evaporation coefficients, 19
EXAFS, 273
Extrusion, 637, 935, 2047
Extrusion freeforming, 629
- Fatigue, 977, 1105, 1409, 1971
FEM, 1491
Fe₂O₃, 1715, 1829, 2047, 3059
Ferrites, 189, 527, 715, 2387
Ferroelastic properties, 141
Ferroelectric domains, 1313
Ferroelectric hysteresis loop, 1599
Ferroelectric properties, 161, 203, 839, 1157, 1167, 1313, 1337, 1401, 1409, 1943, 2297
Ferroelectrics, 2381
FGM, 1847, 3119
Fibers, 123
Fibres, 399, 1283, 3113
Field dependent strength, 195
Films, 243, 247, 519, 1027, 1593, 2105, 2143, 2699, 2761, 2769, 2921, 2983
Filters, 2717
Finishing, 1005
Finite element analysis, 153
Finite element calculations, 2387
Finite element methods, 1313, 1723
Firing, 2061, 2569
First-principles calculations, 2375
Fly ash, 757, 827, 1609
Foams, 75, 1233
Focus ion beam (FIB) technique, 2351
Forming, 637, 921
Forsterite, 1283, 2573
Forsterite fibres, 1283
Fractal analysis, 469
Fracture, 455, 595, 1147, 1223, 1257, 1361, 1401, 2039
Fracture strength, 1957
Fracture surface energy, 3079
Fracture toughness, 537, 1257, 1313
Frits, 2061
FTIR, 897
FTIR spectroscopy, 2633
Fuel cell, 2987
Fuel cells, 221, 1865, 2125, 2761, 2835, 2963, 3009
Functional applications, 2449, 2511, 2525, 2647, 2653, 2983
Functionally graded material, 765
Functionally graded materials, 1577, 1655, 1847, 1963
Fused deposition, 629
- Gallium nitride, 2741
GdPO₄, 3049
Gelatin, 75
Gelation, 253
Gelation inhibition, 2273
Gelcasting, 75, 921, 1131, 1233, 1263, 1785, 2265, 2273
Gels, 75
Glass, 331, 409, 647, 757, 1093, 1819, 2315, 2921
Glass-ceramic, 757, 1629, 2893
Glass-ceramics, 437, 675, 817, 827, 1027, 1031, 1305, 1599, 1609, 2193, 2553
Glass coatings, 1019
Glasses, 1813
Glaze, 1629
Glazes, 817, 1617, 2061, 2193
Glost firing, 1617
Grain boundaries, 91, 499, 595, 1345, 1543, 1667, 1761, 1795, 1875, 2627, 2841, 2969
Grain boundary engineering, 81
Grain boundary phases, 61
Grain growth, 55, 229, 1175, 1183, 1457, 1549, 1565, 1585, 1751, 1893, 2163, 2247, 2257, 2535, 2569, 2603
Grain size, 55, 283, 505, 1157, 1175, 1183, 1329, 1465, 1751, 1893, 2105, 2503, 2867, 2955, 2969
Granule morphology, 1637
Graphite, 1215
Grinding, 1277, 1723, 2351
Growth processes, 519
- Hardness, 409, 765, 883, 1355, 1449, 1655, 2897, 2955
Healing under stress, 1971
Heat treatment, 455
Heterogeneous nucleation, 2905
Heterojunction, 1881
Hexagonal ferrite, 2721
High temperature superconductivity, 2683
HIP, 603
Homogeneity, 1053
Horizontal surface grinding, 1723
Hot pressing, 537, 1223, 1485, 1531, 1543, 2705
HP, 603
- Hydration, 387, 2067, 2211
Hydrogel-CP composite, 2905
Hydrothermal corrosion, 585
Hydrothermal methods, 2143, 2153
Hydrothermal synthesis, 123, 161, 2515
Hydroxyapatite, 1617, 1803
Hydroxyapatite nanoparticles, 1697
Hysteresis, 2699
HZr₂(PO₄)₃, 1047
- IMD, 2721
Impedance, 1139, 2623
Impedance spectroscopy, 315, 499, 1911
Impurities, 55, 1751, 2443, 3059
Impurity, 2281
Inclusions, 1391
Indentation, 107, 309, 1193
Infiltration, 1243, 1509
Injection moulding, 2053
Inks, 115
Insulators, 2573
Interconnects, 2541
Interface, 1617, 2787, 2821
Interfaces, 547, 1865, 1881, 1987, 2039, 2729, 2737, 2741, 2747, 2769, 2797, 2841, 2857, 2897, 2921, 2955, 3125
Interfacial adhesion, 2905
Interfacial thermal barrier, 1115
Internal crystallisation method, 3113
Internal friction, 481
Internal stresses, 1427
Investment casting, 399
Ionic conductivity, 499, 1417, 1855
Ionic polarizability, 2391, 2397
IR reflectivity, 2391, 2519
IR reflectivity spectra, 2583
IR spectroscopy, 2627
Isothermal expansion, 3009
- Joining, 445, 547, 1847
- Kinetics, 585, 1465, 1735, 2497
Knudsen cell, 19
- (La,Ca)MnO₃, 1369
LaCrO₃, 3009
La(Mg,Ti)O₃, 2403
(La,Sr)(Fe,Cr)O₃, 1361
(La,Sr)(Fe,Ga)O₃, 1417
(La,Sr)MnO₃, 1865

- Laminated object manufacturing, 1013
La(Ni,Fe)O₃, 2135
LaNiO₃, 1375
Laser drilling, 1263
Lattice, 2729, 2947
Latticework, 629
Layered ceramic, 1491
Layered sodium disilicates, 697
Layered structures, 839
Leaching, 577, 1277
LiCoO₂, 1893
LiF, 1925
Li(Mn,Co)₂O₄, 865
(Li,Zn)(Fe,Ti)₂O₄, 189
(Li_{1/2}Sm_{1/2})TiO₃, 2455
Li₂O, 1517
Liquid infiltration, 1649
Liquid metals, 2741
Liquid phase sintering, 2023
Lithium batteries, 865
LiZn ferrites, 189
Load bearing capacity, 399
Local structure, 273
Loss quality, 2519
Lossy ceramics, 2705
Lost mould forming, 921
Low temperature, 2367
Lowpass filters, 2717
LTCC, 2413, 2541, 2559, 2611, 2717, 2721
LTCC materials, 2553
Lu₂O₃ additive, 537
Luminescence, 1093
- Machining, 323, 1005, 1263
Magnetic materials, 2721
Magnetic properties, 179, 189, 715, 2387
Magnetic recording media, 2879
Malayaite, 429
Martensitic transformation, 685
Mass spectrometry, 9, 19, 29
Measurement, 1987
Measurement system, 2611
Mechanical activation, 179
Mechanical coating, 2835
Mechanical modulus, 3089
Mechanical properties, 69, 99, 195, 221, 301, 371, 387, 647, 757, 773, 801, 809, 943, 977, 1223, 1257, 1355, 1361, 1485, 1491, 1531, 1543, 1649, 1667, 1715, 1785, 1819, 1839, 1855, 1971, 2031, 2047, 2203, 2361, 2769, 2857, 2897, 3009, 3097, 3135
- Mechanical spectroscopy, 481
Mechanochemical processing, 1069, 2579
Membranes, 1361, 1417
Metachromasia, 2939
Metallic inclusions, 1819, 2113
MgAl₂O₄, 293, 301, 737, 951, 1233, 3079, 3089
MgAlON, 345
MgO, 301, 2805, 2841, 3071, 3079, 3089
MgO–SiO₂–TiO₂ system, 2569
Mg₂SiO₄, 2573
Mg₄(Nb,Ta)₂O₉, 2485
Microcracking, 301, 951
Microhardness, 1449
Micro-mechanics, 2297
Microsilica, 3071
Microstructure, 283, 437, 491, 527, 1391, 1599, 1649, 1743, 2351, 2503, 2787, 2947
Microstructure-final, 47, 519, 765, 809, 887, 951, 1083, 1283, 1531, 1565, 1585, 1875, 2097, 2163, 2361, 2473, 2693, 2857, 3135
Microwave, 2699
Microwave ceramics, 2391, 2397, 2413, 2423, 2435, 2443, 2467, 2485, 2489, 2497, 2503, 2507, 2515, 2541, 2553, 2559, 2565, 2579, 2583, 2593, 2617, 2633, 2653, 2671
Microwave ceramics dielectric, 2667
Microwave characteristics, 873
Microwave dielectric, 2429
Microwave dielectric properties, 167, 1919, 2367, 2573, 2589, 3021
Microwave filters, 2721
Microwave processing, 791
Microwave properties, 2455, 2479
Microwave resonators, 2661
Microwave techniques, 1293
Millimeter-wave, 2683
Milling, 527, 985, 1069, 1277, 2247, 2257, 2443
Mixed oxides, 883
Mixing, 1047
Mobile telecommunications, 2467
Modeling, 2047, 2177
Modelling, 455, 1675, 2039, 2297
Molten salt synthesis, 2535
Molten salts, 91, 1957
Molybdenum, 2829
Mould, 399
Mullite, 283, 765, 1465, 1485, 2247, 2257, 3113
- Mullite/molybdenum, 2867
Multilayer capacitors, 1925
Multilayers, 1105
(Na,Bi,Ba)TiO₃, 1559
(Na,Ca)₃Co₄O₉, 859
NaCl vapor, 1735
(Na_{1/2}La_{1/2})TiO₃, 2455
Na₂Si₂O₅, 697
Nanocomposite, 2829
Nanocomposites, 69, 773, 961, 1053, 1233, 1779, 2361, 2975
Nanocrystals, 3043
Nanoindentation, 409, 2813
Nanometer-size particles, 2579
Nanoparticles, 161
Nanopatterning, 2777
Nano-powder, 2515
NdAlO₃, 167, 1391
(Nd,Y)(Al,Cr)O₃, 213
Near field spectroscopy, 2667, 2671
Nepheline, 1705
Neural networks, 2177
Neutron diffraction, 3021
Neutron scattering sources, 2741
Ni, 927
NiAl, 2879
NiCr, 1847
Ni–Cr brazes, 547
Ni-YSZ, 2963
NiMn₂O₄, 1549
NiO, 2125, 2835
Nickel, 2849
Niobates, 2461, 2473, 2479, 2485, 2597
Nitridation, 2005, 2015, 2361, 2955
Nitrides, 1061, 1761, 2337
Nozzles, 323
Nuclear applications, 1047, 2623, 3049
- Optical microscopy, 791, 2993
Optical properties, 951, 1093
Ordering, 2503
Organic precursors, 1293
Oriented thin films, 2879
Oxalates, 1549
Oxidation, 357, 613, 619, 927, 1099, 1199, 1215, 1477, 1509, 2023, 3125
Oxidation resistance, 3119
Oxide superconductors, 1369
Oxides, 2367, 2841

- Palmqvist cracks, 107
Particle morphology, 263
Particle size distribution, 3079
Particles, 1383
Paste, 637
Pastes, 2047
(Pb,Ca)(Fe,Nb)O₃, 2583
(PbCa)Fe(NbTa)O₃, 2391
(Pb,Ca)(Fe,Ta)O₃, 2579
(Pb,Ca,Sm)(Ti,Mn)O₃, 2171
Pb(Fe,Nb)O₃, 1919
Pb(Mg,Nb)O₃, 133
Pb(Mg,Nb,Zr,Ti)O₃, 721
PbTiO₃, 2171, 2323
PbWO₄, 3001
Pb₅Ge₃O₁₁, 1935
Permeability, 399
Perovskite, 213, 721, 729, 1361, 1383, 1417, 1559, 1865, 1919, 2135, 2375, 2403, 2409, 2417, 2429, 2435, 2461, 2473, 2497, 2511, 2525, 2529, 2639, 2647, 2653, 2677, 2761, 3009, 3021
Pest, 613
Phase development, 127, 1069, 1375, 1465, 1705, 2075, 2343
Phase diagram, 1865, 2821
Phase equilibria, 99
Phase transformation, 873, 1457
Phase transition, 2489
Phase transitions, 203, 691
Phosphates, 1039
Phosphors, 175
Piezoelectric properties, 153, 1131, 1139, 1157, 1313, 1577, 1935, 2171, 2177
Pigments, 213, 429, 1829, 2097
Plasma spraying, 491, 961, 1019, 1449, 1855, 2993
Plaster, 3105
Plasticity, 647, 1355, 2047, 2849
Platelets, 1773, 2163, 2203, 2323
Platinum, 2987
Plunge grinding, 1723
PLZT, 1337
PMN-PT, 133
PMN-PZT, 1157
Polarization, 1147
Polishing, 2351
Polyacrylamide, 2273
Polymeric precursors, 3001
Polymerisation, 729
Polysilazane, 1963
Polyvinyl alcohol, 75, 1369
Polyvinyl butyral, 2315
Porcelain, 2053, 2061
Porcelain stoneware, 2237
Porosity, 47, 371, 745, 1193, 1207, 1509, 1525, 1855, 1949, 2083, 2511, 2627
Porous β -TCP, 2939
Porous ceramic, 2931
Powder beds, 29
Powder engineering, 1893
Powder metallurgy, 2813
Powder preparation, 2015, 3153
Powder structure determination, 851
Powders, 3147
Powders-chemical preparation, 37, 115, 127, 659, 691, 707, 833, 851, 1039, 1329, 1369, 1383, 1687, 1697, 1893, 1901, 2153, 2289, 2323, 2403, 3035, 3043, 3049
Powders-chemical synthesis, 2075
Powders-solid state reaction, 527, 697, 1047, 2097, 2417, 2423, 2593, 2603
Precipitation, 1697
Precursors, 437
Precursors-organic, 707, 781, 1375, 1963
Precursors-organometallic, 37
Pressing, 1997
Pressureless sintering, 1531
Processing in organic media, 2829
Proof testing, 977
Pt crucible, 2583
Pyroelectric effect, 203
Pyroelectric properties, 515
Pyrophyllite, 1277
PZT, 141, 153, 195, 203, 721, 1131, 1147, 1401, 1409, 1577, 1935, 1943, 2177
Quality factor, 2381, 2503, 2507
R-curve, 943, 3105
R-curves, 141, 1401
Raman spectra, 1919
Raman spectroscopy, 2135, 2633, 2661
Rare earth doping, 1093
Rare earth oxides, 1099
Rayleigh waves, 3089
Reaction bonding, 1979
Reaction kinetics, 873
Reaction mechanism, 567
Reaction mechanisms, 3153
Reactivity, 2797
Reactor system, 833
Refractive index, 2683
Refractories, 293, 745, 997, 2083, 2089, 2225, 3071
Refractory cements, 737
Refractory concrete, 745
Relaxation, 637, 2699
Relaxors, 133, 839
Reliability, 977
Residual stress, 1477
Residual stresses, 1839
Resistivity, 1435
Resistivity jump, 1435
Resistors, 1441
Resonator, 1593, 2409
Resonator materials, 2455
Resonators, 2467, 2607, 2617, 2623, 2667, 2671
Response surface methodology, 1031
RETiTaO₆, 2661
Reverse microemulsions, 115
Rheological behaviour, 263
Rheology, 905, 913, 997, 1131, 1525
Ruthenates, 1441
Rutile, 437, 691
Sand blasting, 323, 331
Sapphire, 455, 2787
Scanning electron microscopy, 1361
Screen-printing, 1549
SCRT, 505
Sealing, 445
Secondary ion mass spectrometry, 991
Sedimentation, 1637
Seeding, 659, 697, 1543
Segregation, 2741
Selective laser sintering, 921
Self-assembly, 2761
Self-propagating high-temperature synthesis, 47
Sensors, 1881, 2105, 2387
Shaping, 1005, 1785, 2053, 2265
SHS, 47, 1949, 2337, 2343
SiC, 379, 1099, 1115, 1491, 1499, 1509, 1949, 2023
SiC fibres, 1207
SiC inclusions, 773
SiC platelets, 1773, 2203
SiC–Al₂O₃, 1, 19
SiC(Al₂O₃–Y₂O₃), 9, 29
SiCN, 781
Si/C/N, 37
SiC/SiC, 613, 1105, 1223, 2039, 3125

- SiC/SiO₂ coatings, 3119
Si–N–C, 1963
SiO₂, 399, 417, 801, 1199, 1207, 1215, 2083, 2337
Si₃N₄–BN, 1987
Si₃N₄, 55, 371, 537, 547, 577, 585, 595, 603, 619, 791, 801, 809, 985, 1175, 1183, 1193, 1199, 1543, 1751, 1997, 2005
Si₃N₄–SiC, 977, 1971, 2361
Sialon, 1069, 1083, 1093, 1531, 1525, 1735, 2337, 2343, 2351
Sialons, 1743
Sieving, 1661
Silane modification, 1997
Silicate, 409, 2573
Silicides, 1979
Silicon carbonitrides, 781
Silicon nitride, 555
Siloxane, 417
Simulation, 1723
Simulations, 3059
Single crystals, 2183
Sinter forging, 809
Sintering, 9, 29, 61, 99, 167, 229, 283, 371, 437, 675, 715, 729, 745, 827, 887, 921, 951, 1031, 1061, 1069, 1099, 1115, 1167, 1175, 1183, 1269, 1329, 1517, 1559, 1609, 1667, 1675, 1761, 1813, 1819, 1925, 1979, 2237, 2281, 2337, 2409, 2417, 2423, 2443, 2473, 2525, 2535, 2549, 2565, 2579, 2583, 2597, 2693, 3035
Sintering aid, 1935
Slag, 2343
Slag resistance, 2089
Slags, 293
Slip casting, 1525
Small dopant effect, 1795
SnO₂/WO₃, 1881
SnO₂, 707, 897, 1585, 1875, 2105
(Sn,Ti)O₂, 887
Sol–gel methods, 189, 243, 283, 417, 515, 659, 859, 935, 1207, 1215, 1283, 1293, 1457, 1465, 1901, 1935, 2203
Solid solutions, 2435
Sonic modulus, 3089
Spark plasma sintering, 1855, 2337
Spectroscopy, 243, 1779, 2119, 2639, 2653
Spinel, 737
Spinels, 865, 2097, 2289
Spirosilicate, 417
Spray coating, 1199
Spray drying, 263, 1637
Spray pyrolysis, 2963
Spreading, 2797
SPS, 1061
Sputtering, 1027, 1593, 2307
SrAl₂O₄, 2075
(Sr,Ba)Nb₂O₆, 1329
SrBi₂Ta₂O₉, 1167
Sr(Ga,Ta)O₃, 3021
Sr(Mg,Nb)O₃, 2435
SrTiO₃, 2627, 2711
Sr-immobilisation, 1047
Strain gauge, 3089
Strain gauges, 1441
Strength, 445, 561, 619, 11123, 193, 1715, 1839, 2031, 2083, 2787
Stress corrosion, 81
Stress gradients, 2031
Strontium aluminates, 2075
Structural applications, 481, 1795, 2993
Structural characterization, 781
Structure–property relation, 2489
Subcritical crack growth, 81
Substrates, 1441, 1715, 2573, 2611, 2947
Superplasticity, 2969
Surface acoustic wave devices, 2171
Surface modification, 379
Surface properties, 331
Surface spallation, 2273
Surfaces, 1881, 2761
Surfactants, 1901
Suspension, 253, 263, 379, 897, 905, 913, 985, 1005, 1525, 1637, 1785, 2053, 2225, 2315
Switch-toughening, 1313
Switching, 2113
Synchrotron radiation, 2677
Synthesis, 2497, 3147
Ta₂O₅, 247
Tableware, 1617
Talc, 637
Tantalate, 2497
Tantalates, 1167, 2461, 2485
Tape casting, 1491
Tcf (or τ_f), 2479
TCP, 1039
TEM, 1751, 2879
TEP, 647
Test methods, 1257, 2607
Testing, 943, 1139, 1661, 1715, 1743, 1987
Th-TZP, 3043
Thermal barrier coatings, 1449
Thermal conductivity, 55, 61, 745, 859, 1115, 1175, 1183, 1517, 1751, 1761, 1773, 1855
Thermal diffusivity, 1115, 1449
Thermal expansion, 481, 1417, 1449, 1779, 2921
Thermal properties, 221, 745, 1847, 2387, 3047
Thermal shock, 3089
Thermal shock damage resistance (R''' and R'''') parameters, 301
Thermal shock resistance, 107, 309, 445, 455, 3079
Thermal spraying, 1019
Thermal stress resistance (R) parameter, 301
Thermistors, 1549
Thermodynamics, 685
Thermodynamic calculations, 1
Thermodynamic modelling, 2323
Thermoelectric properties, 859
Thermogravimetry, 527
Thermoluminescence, 175, 667
Thin films, 2119, 2307, 3001
TiB₂, 1123
TiC, 1491
Ti(C,N), 309
TiN, 603, 1061
TiN–Al₂O₃, 69
TiN–Si₃N₄, 1979
TiO₂, 437, 691, 833, 1457, 1715, 2549
TiO₂ coating, 1485
(Ti,Sn)O₂, 2507
Ti-TZP, 3043
(Ti,W,Cr)B₂, 991
Ti₃AlC₂, 567
Ti₃SiC₂, 47, 1957, 3147
Tiles, 1839, 2237
Titanates, 1383, 2993
Tobermorite fibers, 123
Toughening, 469, 481, 801, 1123
Toughness, 469, 773, 1123, 1655, 1987
Toughness and toughening, 561, 1147, 1269, 1819
Traditional ceramics, 1839, 2237
Transition metal oxides, 1369
Transmittance, 2683
Tunability, 2699
Tunable microwave devices, 2381
Tungsten-bronze structure, 1571
TZP, 3043

- Vaporisation, 1, 9, 19, 29
Varistors, 1345, 1585, 1875
Visco-elasticity, 637
Viscoelastic properties, 253
Vitrification, 1305
VO₂, 1435, 2113
V₂O₅–P₂O₅, 2113
Voltage-current characteristics, 2113
Voltammetry, 2987

Waste materials, 1819
Waste recycling, 827, 1609
Wastes, 1305
Wear resistance, 323, 1743, 1779, 2193, 2867
Weibull modulus, 2031
Wett behavior, 2777
Wettability partial, 2769
Wetting, 1215, 1243, 2769, 2797, 2821
Whiskers, 309, 2257

Wollastonite, 1803, 2061
Work of fracture, 3079

X-ray diffraction, 3021
X-ray methods, 141, 273, 505, 697, 707, 851, 1027, 1083, 1243, 1559, 1687, 2135, 2171, 2403, 2435, 2525, 2529, 2485, 2565, 2603, 2653, 2677
X-ray tomography, 2211
XANES, 273
Xerogel, 417

Y(Ni,Mn)O₃, 729
(YSm)BaCuO₅, 2603
Y₂O₃, 685, 2603
Y₂O₃–ZrO₂, 2183
YAG, 1115
YBCO, 1369
YIG, 2721
YSZ, 1847, 1855
Yttrium manganites, 729

Zeolite, 1705
Zeolites, 1293, 2237
Zeolitic precursors, 1705
Zircon, 1629
Zirconia, 2849
Zirconia/nickel, 2867
ZnO, 1345, 1593, 2119
ZrN–Si₃N₄, 1979
ZrO₂, 99, 107, 115, 481, 491, 499, 469, 629, 647, 667, 675, 685, 773, 935, 1031, 1441, 1449, 1637, 1649, 1847, 1855, 1865, 2083, 2125, 2183, 2737, 2975, 3043
ZrO₂/α-Fe₂O₃, 1053
ZrO₂–CeO₂, 273
ZrSiO₄, 1629, 1829, 2083
(Zr,Sn)TiO₄, 2515
(Zr_{0.8}Sn_{0.2})TiO₄, 2519

β-Spodumene, 437