

## Keyword Index for Volume 24

- Acid corrosion, 2319  
Actuators, 993, 1699, 1901, 2553  
Adhesion strength, 627  
Afterburning, 3807  
Ag, 2935, 2943  
Ageing, 1243, 1277  
Aging, 3483  
Airflow deposition, 999  
Al, 3801  
(Al,Cr)<sub>2</sub>O<sub>3</sub>, 2087  
Al/ZrO<sub>2</sub>, 2233  
Alkali depletion, 2803  
Alkali oxide, 1693  
Alkaline earth oxides, 1745, 1749, 2241  
Alkoxides, 393, 475  
AlN, 2169, 2303, 2879, 3801  
Al<sub>2</sub>O<sub>3</sub>, 101, 225, 231, 325, 341, 387, 449, 463, 489, 511, 579, 613, 619, 635, 775, 797, 821, 825, 833, 841, 1463, 1513, 2049, 2073, 2215, 2275, 2285, 2717, 2723, 2733, 2741, 2749, 2769, 2785, 2879, 3057, 3063, 3195, 3279, 3317, 3351, 3359, 3399, 3419, 3447, 3453, 3465, 3759, 3769, 3779, 3789, 3841  
Al<sub>2</sub>O<sub>3</sub>/SiC, 511  
Al<sub>2</sub>O<sub>3</sub>/ZrO<sub>2</sub>, 3073  
Al<sub>2</sub>O<sub>3</sub>-AlN composite, 2293  
Al<sub>2</sub>O<sub>3</sub>-SiC, 3295  
Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>, 313  
Al<sub>2</sub>O<sub>3</sub>-TiC, 847  
Al<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>, 313, 627  
Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub>, 393  
Al<sub>2</sub>TiO<sub>5</sub>, 2785  
Aluminum doping, 1009  
Amorphous films, 2509  
Amperometric CO<sub>2</sub> sensing, 1431  
Anatase, 335  
Annealing, 1861  
Anorthite, 2067, 3823, 3833  
Antibacterial behaviour, 2935  
Antiferroelectric and ferroelectric thin films, 1653  
Antimony precursor, 1827  
Apatite, 521, 589, 693, 2125, 2223, 2699, 3521, 3693  
Applications, 1177  
Aqueous, 905  
Atmospheric powder, 3731  
Atomic force microscopy, 441, 841  
Aurivillius phases, 1687  
Ba(Zn, Ta)O<sub>3</sub>, 3547  
Sr; Ba)Nb<sub>2</sub>O<sub>6</sub>, 1031  
(Ba, Sr) TiO<sub>3</sub>, 3003, 3013  
(Ba,Pb)TiO<sub>3</sub>, 3617  
(Ba,Sr,Ca)TiO<sub>3</sub>, 157  
Ball on three balls, 2917  
BaO-ZrO<sub>2</sub>, 2241  
Base-metal-electroded capacitor, 1479  
BaTiO<sub>3</sub>, 507, 733, 739, 753, 775, 979, 1191, 1217, 1227, 1479, 1721, 1883, 1979, 2959, 3447, 3747  
BaTiO<sub>3</sub> and titanates, 271, 1121, 1221, 1259, 1439, 1467, 1473, 1489, 1493, 1509, 1585, 1659, 1677, 1729, 1735, 1873, 1877, 2499, 3553  
Ba<sub>2</sub>Ti<sub>9</sub>O<sub>20</sub> materials, 1781  
Batteries, 1375, 1381, 1385  
Ba<sub>1-x</sub>Sr<sub>x</sub>TiO<sub>3</sub>, 1045  
B<sub>4</sub>C, 171, 409, 3227  
(Bi,La)<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub>, 2575  
Bi<sub>1/2</sub>Na<sub>1/2</sub>TiO<sub>3</sub>, 517  
Bi-CVG, 1057  
Bi-layer structured SrBi<sub>4</sub>Ti<sub>4</sub>O<sub>15</sub>, 1517  
Bi-layered ferroelectrics, 1535  
Bimorph films, 985  
Bi<sub>2</sub>O<sub>3</sub>, 1281  
Bioactivity, 93, 2929, 2935, 3491  
Bioceramics, 2131  
Biomaterials, 579  
Biomedical application, 521, 661, 1153, 2223, 2699, 3693  
Biomorphic materials, 209, 861  
Biomorphic SiC, 3251  
Biomorphous ceramics, 479, 495  
Biomorphous materials, 533  
Bioteploting, 479, 495  
Bi-Pb-Sb-Sr-Ca-Cu-O system, 1827  
Bipolar pulse, 1517  
Bismuth oxides, 1295  
Bismuth tellurates, 953  
Bi<sub>2</sub>TeO<sub>5</sub>, 953  
Bi<sub>2</sub>TeO<sub>6</sub>, 953  
Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub>, 2567  
Block copolymers, 3063  
Blow spinning, 111  
BLT thin film, 1621  
BME-MLCC, 119  
BN, 33, 171, 699, 2339  
BNT, 517  
B<sub>2</sub>O<sub>3</sub>, 3235  
Boehmite, 3663  
Bone reconstruction, 521  
Boric acid, 3227  
Borides, 45, 1837  
Borosilicate glass powder, 3261  
Bricks, 547  
Broadband frequency spectrum, 1681  
BSO, 1161  
BST, 1077, 1111, 3003  
CaCO<sub>3</sub>, 3195  
Ca-free hydraulic binder, 797  
Calcination, 953, 1083, 1557  
Calcite, 3823  
Capacitor, 1459  
Capacitors, 271, 753, 1145, 1467, 1669, 1775, 1873, 1877, 1883, 1979, 3013, 3747  
Carbides, 45, 3427  
Carbon, 463, 1405, 2313, 3575  
Carbon active, 3227  
Carbon fibre, 877  
Carbon fibres, 2131  
Carbon-doping, 1513  
Carbothermal reaction, 791  
Carbothermal reduction, 3251, 3307  
Carbothermic reduction, 3227  
Ca<sub>2</sub>SiO<sub>4</sub>, 3491  
Ca<sub>2</sub>SiO<sub>3</sub>(OH)<sub>2</sub>, 3491  
Casson Model, 635  
Castables, 2073  
Casting, 579  
Catalyst supports, 65  
Catalysts, 313, 463  
Cathodes, 2515, 2527  
CaTiO<sub>3</sub>, 2583

- CaZr<sub>4</sub>(PO<sub>4</sub>)<sub>6</sub>, 3535  
 CaZrO<sub>3</sub>, 119, 1805  
 Ce-doped SnO<sub>2</sub>, 963  
 Celsian, 399, 2689  
 Cements, 375  
 Centrifugal force, 2061  
 CeO<sub>2</sub>, 645, 1287, 1459, 1919, 2583, 2641, 3613, 3753  
 Ceramic backing, 1681  
 Ceramic composites, 171  
 Ceramic powder technology, 811  
 Ceramic processing, 1107  
 Ceramics, 1521, 1541, 2605  
 Charge and discharge behavior, 405  
 Chemical analysis, 3823  
 Chemical modification, 479  
 Chemical preparation, 3713  
 Chemical properties, 421, 1957, 2113, 2649  
 Chemical solution deposition, 455, 1005, 1621  
 Chemorheological behaviour, 635  
 Chrome-free refractories, 2399  
 Chromophores, 1853  
 Citrate, 3043  
 Clays, 547, 2113  
 Clinker, 2399  
 Coagulation, 579  
 Coal ash, 2825  
 Coarsening, 2741  
 Coated conductors, 1831  
 Coated powders, 3327  
 Coatings, 1, 33, 283, 507, 627, 2141, 2669, 3139  
 Cofiring, 2015  
 Colloidal processing, 449, 1073  
 Colloidal stability, 17  
 Colour, 821, 2425, 3057, 3593, 3603  
 Combustion front, 3807  
 Combustion synthesis, 201, 1935, 3021  
 Comminution, 2233  
 Compaction, 3091  
 Composites, 33, 53, 225, 289, 309, 363, 409, 489, 511, 565, 653, 699, 775, 833, 871, 877, 1087, 1091, 1153, 1325, 1823, 1993, 2079, 2125, 2131, 2169, 2215, 2303, 2313, 2339, 2631, 2707, 2785, 2861, 3073, 3149, 3203, 3219, 3271, 3351, 3359, 3427, 3575, 3613, 3759, 3789  
 Compositions: ZrO<sub>2</sub>, 1177  
 Composition-structure relationships, 1371  
 Compressive strength, 533  
 Compressive test, 855  
 Conducting lines, 3759  
 Conductive mode, 1191  
 Conductivity, 1009, 2477, 3049  
 Conductor inks, 2943  
 Cone-jet mode, 2203  
 Co<sub>3</sub>O<sub>4</sub>, 3613  
 Copper electrodes, 1877  
 Cordierite, 65, 295, 681, 3149, 3499  
 Corrosion, 2319, 2399, 3559  
 Co-sintering, 119  
 Crack blunting, 2055  
 Crack deflection, 825  
 Crack growth, 2049, 3509  
 Crack-healing, 2329  
 Creep, 393, 595, 2041, 2215, 2547, 2769, 3103, 3307  
 Crystal structure, 1291  
 Crystalline orientation, 979  
 Crystallisation, 1949, 3553  
 Crystallization, 681, 1505, 2103, 2373, 3801  
 Crystallographic properties, 2707  
 CTO, 1435  
 Cubic zirconia, 2041  
 Cu-doped, 1489  
 CuO, 289  
 Curie temperature, 1045  
 Cutting tools, 847  
 Damage, 3671  
 Defects, 613, 1101, 1251, 1647, 1725, 1805, 2499  
 Deflocculants, 2259  
 Degradation, 3709  
 Degradation test, 1243  
 Dehydroxylation, 693  
 Dense ceramics, 1049  
 Densification, 3465  
 Density, 253  
 Depressor, 1485  
 Design of experiments, 739  
 Desorption, 3709  
 Devitrification, 2819  
 Dielectric properties, 1999, 2417  
 Dielectric constant, 1045  
 Dielectric properties, 157, 163, 271, 725, 739, 753, 947, 969, 985, 1019, 1025, 1031, 1091, 1165, 1205, 1439, 1455, 1463, 1485, 1489, 1493, 1497, 1501, 1513, 1525, 1541, 1545, 1557, 1561, 1565, 1573, 1585, 1593, 1653, 1669, 1703, 1715, 1725, 1729, 1735, 1741, 1745, 1749, 1755, 1761, 1765, 1769, 1775, 1791, 1799, 1805, 1811, 1873, 1877, 1905, 1911, 1979, 1993, 2553, 2567, 2613, 2951, 2969, 2977, 2995, 3003, 3013, 3043, 3547, 3739  
 Dielectric resonators, 2583  
 Die-wall friction, 3091  
 Differential impedance analysis, 1121  
 Diffusion, 613, 841, 1259, 1265, 1319, 1343, 1883, 2005, 2433, 2763, 3111, 3613  
 Diffusion bonding, 785  
 Digital image processing, 619  
 Dilatometry, 2749  
 Dip-coating, 3779  
 Directional solidification, 2215  
 Dispersants, 295, 2723, 3747  
 Dispersion, 3679  
 Dissolution, 3491  
 Domain configuration, 2983  
 Domain switching, 595  
 Domains, 2465  
 Doping, 277, 2267  
 Doping studies, 1721  
 Drying, 797, 1925, 2073, 2613  
 DTA-TG, 811  
 DTG, 693  
 Effective charge, 1791  
 EIS, 2477  
 Elastic behaviour, 3789  
 Electric properties, 1513  
 Electrical conductivity, 139, 289, 309, 1005, 1025, 1087, 1121, 1259, 1265, 1329, 1349, 1365, 1399, 1405, 1421, 1709, 1893, 1919, 3613, 3759  
 Electrical properties, 381, 963, 1049, 1101, 1145, 1181, 1187, 1195, 1199, 1209, 1217, 1227, 1237, 1243, 1375, 1409, 1415, 1425, 1449, 1459, 1467, 1473, 1509, 1529, 1629, 1633, 1647, 1693, 1709, 1721, 1889, 1901, 1969, 2169, 2485, 2499, 2537, 2567, 2591, 2597, 3575, 3635, 3841  
 Electrical resistivity, 3617  
 Electrochemical impedance spectroscopy, 717  
 Electrode materials, 2477  
 Electrodes, 507, 2591  
 Electrolyte, 645  
 Electron energy-loss spectroscopy (EELS), 2023  
 Electron microscopy, 271, 313, 475, 521, 547, 905, 919, 1191, 1199, 1579, 1629, 1725, 1775, 1847, 2983, 3317, 3453, 3575, 3685, 3795  
 Electron-beam evaporation, 1233  
 Electronic conductivity, 1313

- Electronic mobility, 1259  
Electrophoresis, 2445  
Electrophoretic deposition, 225, 1837, 3073  
Electrorheology, 1911  
Electrostatic atomisation, 2203  
Energy-loss near-edge structure (ELNES), 2023  
Engine components, 369  
Erbium doping, 1857  
Erosion, 861  
Erosion resistance, 2847  
Excipients, 3091  
Exfoliation, 3187  
Extrusion, 101, 645, 2349, 3155, 3177, 3663
- Failure analysis, 589, 2181, 2187, 2907  
Fatigue, 1663, 2471, 2977, 2983  
FBAR, 1589  
Ferrites, 463, 603, 959, 1053, 1121, 1309, 1841, 2005, 2015  
Ferroelastic domain switching, 595  
Ferroelectric, 1597, 1637  
Ferroelectric domain structures, 1517  
Ferroelectric properties, 247, 277, 319, 725, 775, 941, 969, 979, 985, 1121, 1135, 1145, 1497, 1501, 1505, 1525, 1535, 1541, 1545, 1551, 1557, 1561, 1565, 1589, 1607, 1615, 1621, 1625, 1641, 1663, 1677, 1883, 2445, 2471, 2613, 2951, 2977, 2989, 3013  
Ferroelectrics, 1521, 1569  
Ferromagnetic, 1077  
Fibres, 111, 463, 565, 877, 1987, 2313, 2485, 2769, 3139, 3261, 3359, 3491  
Fibrous monoliths, 2339  
Filaments, 101  
Fillers, 541  
Films, 157, 301, 319, 335, 427, 435, 455, 963, 979, 989, 993, 999, 1015, 1083, 1087, 1095, 1101, 1405, 1415, 1421, 1449, 1459, 1467, 1579, 1585, 1593, 1603, 1607, 1625, 1629, 1633, 1641, 1647, 1659, 1729, 1831, 1837, 1847, 1861, 1869, 1873, 1897, 1925, 1945, 2471, 2553, 2969, 2977, 3623  
Finishing, 369  
Finite element method, 3643  
Firing, 1111, 1889, 3177, 3671  
Flame assisted vapour deposition, 2515, 2527  
Flame spraying, 3129, 3509  
Flocculation, 2717  
Fluorescence spectroscopy, 283  
Fluorite oxides, 1281  
Fluxes, 3057  
Fly ash, 2825, 3169  
Foams, 579, 661, 3203, 3209  
Fracture, 53, 589, 619, 785, 825, 2095, 2181, 2907  
Fracture strength, 3643  
Fracture toughness, 775, 2407  
Freezing, 3671  
Friction, 3279  
Friction coefficient, 3431  
Friction reduction, 369  
Frost damage, 3671  
FTIR, 1791  
FTIR spectroscopy, 1399  
Fuel cell cathode, 1265, 1359  
Fuel cells, 705, 915, 1107, 1177, 1181, 1329, 1343, 1349, 1355, 1365, 1371, 1935, 2527, 2619, 2649, 3753  
Fuel oils, 2515  
Functional applications, 129, 427, 589, 811, 969, 1091, 1251, 1455, 1505, 1709, 1755, 1799, 2125, 2247, 2657, 2669  
Functionally graded materials, 847, 3387  
Functionally graded piezoelectric ceramics, 1681  
Functionally gradient materials, 1677  
Fused glass, 1787
- Garnets, 1309  
Gas, 2477  
Gas sensors, 1399, 1409  
Gate dielectric, 1449  
GDC, 1313  
Gelcasting, 635, 2223, 3419, 3779  
Germanate and tellurate, 1715  
Glass, 83, 1505, 2095, 2103, 2699, 2803, 2929, 2935, 3377, 3437, 3521  
Glass ceramics, 295, 803, 1505, 2095, 2699, 2819, 2951, 3529  
Glass foams, 3203  
Glass powder, 681, 2383  
Glass transition temperature, 3377  
Glass/dielectric composite, 1787  
Glass-ceramic, 2373, 2367, 2825, 3521, 3593  
Glass-ceramic composite, 1795  
Graded/layered microstructure, 3219  
Grain boundaries, 1129, 1171, 1177, 1191, 1205, 1213, 1227, 1439, 1493, 1815, 2023, 2319, 2509, 3317, 3635, 3685, 3795  
Grain boundary bonding, 511  
Grain boundary sliding, 3103  
Grain growth, 33, 449, 613, 2389, 3337, 3437, 3447, 3465, 3703  
Grain size, 185, 387, 409, 413, 619, 915, 1025, 1045, 1181, 1195, 1217, 1409, 1579, 1699, 1729, 1755, 1765, 2031, 2537, 2763, 2895, 3003, 3643, 3679, 3703  
Gravure offset, 2943  
Green sheet technology, 1681
- Hardness, 2095, 2193, 2929, 3367, 3377  
Heating element, 1087, 3759  
Hexagonal perovskites, 1721  
Hexametaphosphate, 2113  
Hip replacement prosthesis, 3483  
Hollandite phase, 1781  
Hollow SnO<sub>2</sub> microspheres, 1961  
Homogeneity, 3653  
Honeycombs, 65  
Hot pressing, 179, 239, 265, 871, 941, 1513, 1529, 1557, 1561, 1565, 1687, 1905, 2031, 2163, 2853, 3427  
Humidity, 1509, 2597  
Humidity sensor, 1435  
Hybrid, 1853  
Hydrostatic strain, 541  
Hydrothermal methods, 335, 517, 3553  
Hydrothermal synthesis, 915  
Hydroxyapatite, 93, 693, 2131, 2707, 3491
- Impedance, 129, 139, 1129, 1177, 1221, 1271, 1325, 1355, 1385, 1425, 1473  
Impedance spectroscopy, 1439, 2567, 3049, 3841  
Implantation, 219  
Implants, 2699  
Impurities, 139, 265, 1205, 1693, 1861, 1865  
Incinerator fly ash, 2373  
Incipient ferroelectrics, 1545  
Inclusions, 189  
Inconel 600, 2149  
Indentation, 763, 3245  
Infiltration, 209  
Infrared spectroscopy, 1805  
Infrared transmission, 2869  
Injection molding, 3653  
Inks, 2733, 2943  
Insulators, 387  
Intaglio, 2943  
Interconnect, 2619

- Interfaces, 785, 1251, 1593, 1633, 1919, 2131, 2149, 2509, 2605, 2861, 3139, 3437  
Interfacial reaction, 2015  
Internal friction, 2989  
Interphase, 3795  
Ion-exchange, 2935  
Ionic conductivity, 129, 911, 915, 1129, 1135, 1153, 1177, 1251, 1265, 1281, 1301, 1305, 1309, 1313, 1329, 1343, 1431, 2631, 2641  
Ionic conductor, 1291  
  
Joining, 2149  
  
Kaolin, 2389  
Kaolin clay waste, 2367  
Kinetics, 693, 1603, 3235, 3447, 3483  
Kneading, 3653  
 $K_2Ti_6O_{13}$ , 3541  
 $KTiOPO_4$ , 1949  
  
La ( $BO_2$ )<sub>3</sub>, 3235  
La(Mg,Ti)O<sub>3</sub>, 2995  
(La, Sr)CrO<sub>3</sub>, 2619  
(La,Sr)(Fe,Co)O<sub>3</sub>, 2631  
(La,Sr)(Ga,Mg)O<sub>3</sub>, 2631  
(La,Sr)MnO<sub>3</sub>, 705, 2515  
LaAl<sub>11</sub>O<sub>18</sub>, 653  
LaAlO<sub>3</sub>, 1999  
LaB<sub>6</sub>, 3235  
LaCrO<sub>3</sub>, 3021  
Laminates, 825  
Lamination, 3351  
Langasite, 1425  
LaNiO<sub>3</sub>, 1005  
Laser hybrid processing, 3129  
Laser lift-off, 975  
Laser processing, 1349  
Laser spraying, 3509  
Laser treatment, 3759  
Layered bismuth compounds, 947  
Layered perovskites, 905  
Leaching, 2319  
Lead free piezoelectric ceramics, 1517  
Lead iron niobate, 2465  
Lead zirconate titanate (PZT), 1073  
Lead-free titanates, 1165  
Lifetime, 2187, 2471  
Lignocellulosics, 479  
LiNbO<sub>3</sub>, 435  
LiNiO<sub>2</sub>, 1375  
Liquid phase sintering, 2267, 2895, 3395, 3795  
Liquid-phase sintering, 3245  
Lithium and vanadium oxides, 405  
Lithium insertion, 1381  
Lithium manganese oxide, 717  
Lithium-ion batteries, 717  
 $\gamma$ -Li<sub>x</sub>V<sub>2</sub>O<sub>5</sub>, 405  
LiYO<sub>2</sub>, 3395  
Li<sub>2</sub>ZrO<sub>3</sub>, 2433  
LnFeO<sub>3</sub>, 111  
Local properties, 1217  
Low-temperature co-firable ceramics, 1795  
Low-temperature sintering, 1037  
LSGM, 1359  
LSM, 1359  
LTCC, 1077, 1463, 1715, 2187  
LTCC materials, 1787  
Lubrication, 369  
  
Machinability, 3149, 3529  
Macroporous thick film, 1961  
Magnetic properties, 225, 259, 959, 1551, 1841, 1847  
Magnetic treatment, 2605  
Magnetoresistance, 1271  
Manganites, 705  
Mechanical activation, 45  
Mechanical properties, 1, 25, 75, 83, 189, 197, 259, 325, 331, 375, 381, 387, 413, 565, 595, 653, 669, 705, 763, 797, 803, 871, 1161, 1673, 1897, 1987, 1999, 2073, 2163, 2187, 2193, 2357, 2367, 2417, 2547, 2591, 2641, 2803, 2825, 2847, 2853, 2917, 2989, 3119, 3187, 3209, 3245, 3261, 3271, 3295, 3317, 3345, 3351, 3359, 3453, 3529, 3541  
Mechanical strength, 2813  
Mechanochemical synthesis, 937  
Membranes, 1083, 1107, 1153, 1309, 1319, 1325, 2285, 2631, 3195, 3209, 3713, 3779  
MEMS, 3471  
Mesoporous ceramics, 1389  
Mesostructure, 1969  
Metal matrix, 3399  
Metallic inclusions, 469, 833  
MgAl<sub>2</sub>O<sub>4</sub>, 201, 2079, 2407, 2839, 3119  
MgCoAl<sub>4</sub>Si<sub>5</sub>O<sub>18</sub>, 681  
MgO, 259, 1749, 1877, 2079, 2267, 2407, 2453, 2839, 3119, 3693  
MgO-CaZrO<sub>3</sub>, 2399  
MgO-CaZrO<sub>3</sub> composites, 669  
MgSiN<sub>2</sub>, 2163, 3367  
MgSiO<sub>3</sub>, 3817  
Mg<sub>4</sub>Ta<sub>2</sub>O<sub>9</sub>, 2453  
MgTa<sub>2</sub>O<sub>6</sub>, 2453  
Mg<sub>3</sub>V<sub>2</sub>O<sub>5</sub>, 2267  
Micas, 2793, 3149, 3521  
Microcomposites, 3119  
Microcracking, 2983  
Microcracks, 2839  
Microfabrication, 231  
Micropatterning, 301  
Microstructure-final, 3169  
Microstructural characterization, 2247  
Microstructural development, 3841  
Microstructure, 101, 179, 341, 363, 517, 669, 681, 785, 861, 963, 1095, 1111, 1415, 1459, 1703, 2079, 2131, 2383, 2769, 2951, 3251, 3359, 3453, 3547, 3581, 3731, 3823, 3833  
Microstructure prefring, 931  
Microstructure-final, 33, 83, 265, 289, 325, 441, 547, 619, 937 1031, 1141, 1195, 1381, 1489, 1513, 1529, 1579, 1687, 1945, 1987, 2169, 2285, 2303, 2313, 2741, 2749, 2825, 2895, 2959, 3049, 3195, 3295, 3399, 3521, 3703  
Microstructure-prefring, 2749  
Microstructures, 185, 3245, 3447  
Microthermal analysis, 441  
Microwave, 1597  
Microwave applications, 1769  
Microwave ceramics, 2583  
Microwave dielectric property, 1795  
Microwave dielectric thin films, 1791  
Microwave dielectrics, 3739  
Microwave magnetic materials, 1057  
Microwave processing, 387, 3203, 3337  
Microwave sintering, 1057  
Microwave synthesis, 201  
Milling, 45, 1841, 2233, 3003  
Mixed conductor, 1359, 2631  
Mixing, 1325  
Mixture design, 375  
Mixture experiments, 2813  
Mn<sub>3</sub>O<sub>4</sub>, 449  
MOCVD, 1625  
Modeling, 2055, 3483  
Modelling, 2527, 2547, 3779  
Modulus, 2407  
Molten salts, 2935  
MoSi<sub>2</sub>, 17, 363, 2303, 3559  
Mullite, 53, 2067, 2389, 3129, 3169, 3509, 3841  
Mullite/Mo, 785  
Mullite-SiC, 3471  
Multiaxial failure criteria, 2181  
Multifunctionality, 259

- $\text{Na}^+$  beta- $\text{Al}_2\text{O}_3$ , 911  
 Nano-ceramics, 3447  
 Nanocomposites, 179, 189, 259, 463, 469, 1371, 1385, 1405, 1421, 1893, 1911, 3187, 3287, 3295, 3307, 3327, 3345, 3419, 3431  
 Nano-crystallites, 2959  
 Nanocrystalline powders, 1929  
 Nanoindentation, 2193  
 Nano-ionics, 1251  
 Nanomaterials, 1941  
 Nanoparticles, 959, 3723, 3753  
 Nanopowders, 3043  
 Nano-precipitate, 2509  
 Nanostructure, 1389, 1641  
 Nanostructured glasses, 1949  
 NASICON, 3049  
 $\text{Na}_2\text{Ti}_3\text{O}_7$ , 2477  
 $\text{Na}_2\text{Ti}_6\text{O}_{13}$ , 2477  
 $\text{NaZr}_2(\text{PO}_4)_3$ , 3535  
 Nb addition, 363  
 $\text{Nd}_2\text{O}_3$ – $\text{Al}_2\text{O}_3$ – $\text{SiO}_2$ , 2103  
 Neutron, 1291  
 Neutron irradiation, 1653  
 Nextel 650, 2769  
 Nextel fibres, 565  
 $\text{NH}_4\text{PAA}$ , 231  
 Ni, 3419  
 $\text{Ni}(\text{Co},\text{Mu})_2\text{O}_4$ , 3035  
 $(\text{Ni}, \text{Ti}, \text{Nb})\text{O}_2$ , 2425  
 $(\text{Ni}, \text{Ti}, \text{Sb})\text{O}_2$ , 2425  
 $(\text{Ni},\text{Cu},\text{Zn})\text{Fe}_4\text{O}_4$ , 2015  
 $\text{NiAl}$ , 489  
 $\text{Ni}$ – $\text{BaTiO}_3$ , 507  
 Nicalon fibre, 3139  
 Nickel electrode, 119  
 Nickel manganate, 1149, 1247  
 Niobate-cermet, 705  
 Niobates, 435, 705, 941, 1041, 1301, 1493, 1607, 1725, 1761, 1765, 1811, 3739  
 Nitridation, 381, 3801  
 Nitrides, 309, 791, 2879, 3367  
 $\text{NO}_2$ , 1213  
 Non-destructive evaluation, 1145, 1161, 3209  
 Non-linear coefficient, 1171  
 Nonlinear piezoelectricity, 1699  
 Nonlinear properties, 1853  
 Non-stoichiometry, 603  
 $\text{NO}_x$  sorbent, 421, 1957  
 NTC, 1237, 1247  
 NTCR, 1149  
 Nuclear applications, 2433  
 Nucleating agent, 3529  
 Nucleation, 2103  
 Optical microscopy, 1953, 2983  
 Optical properties, 435, 1015, 1041, 1161, 1703, 1861, 1865, 1869, 2869, 3603  
 Organosilane self-assembled monolayer, 427  
 Orthoferrite fibres, 111  
 Orthorhombic structure, 717  
 Overpotential, 1359  
 Oxidation, 833, 2233, 3235, 3409  
 Oxidation behavior, 2329  
 Oxidation bonding, 331  
 Oxide coatings, 3139  
 Oxide superconductors, 1455, 1815, 1823, 1831, 3623  
 Oxygen adsorption, 1857  
 Oxygen permeability, 1313  
 Oxygen permeation, 1319  
 Oxygen vacancies, 1653  
 Oxynitride glass, 3377, 3437  
 Particle size, 2793  
 Passivation, 3747  
 $\text{Pb}(\text{Fe},\text{Nb})\text{O}_3$ , 1979  
 $\text{Pb}(\text{Fe},\text{W})\text{O}_3$ , 1979  
 $\text{Pb}(\text{FeNb})\text{O}_3$ , 2465  
 $\text{Pb}(\text{Mg},\text{Nb})\text{O}_3$ , 1979  
 $\text{Pb}(\text{Mg};\text{Nb})\text{O}_3$ , 2983  
 $\text{Pb}(\text{Mn},\text{Nb})\text{O}_3$ , 3731  
 $\text{Pb}(\text{Zn},\text{Nb})\text{O}_3$ , 1979  
 $\text{Pb}(\text{Zn},\text{Nb})\text{O}_3$ , 3731  
 $\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$ , 247, 475, 595, 2969  
 $(\text{Pb},\text{Cd},\text{Sm})(\text{Ti},\text{Mn})\text{O}_3$ , 1993  
 $\text{Pb}_5\text{Ge}_3\text{O}_{11}$ , 2951  
 $\text{Pb}_2\text{Nb}_2\text{O}_7$ , 2951  
 $\text{PbO}$ , 2485  
 $\text{PbTiO}_3$ , 185, 1979, 1993, 2983  
 PDMS, 231  
 Peptization, 335  
 Permeability, 3209  
 Perovskite, 157, 763, 919, 925, 931, 937, 947, 985, 1005, 1019, 1041, 1135, 1187, 1237, 1259, 1271, 1319, 1325, 1329, 1365, 1473, 1485, 1497, 1501, 1529, 1541, 1545, 1551, 1557, 1593, 1603, 1615, 1625, 1641, 1659, 1669, 1693, 1709, 1761, 1775, 1799, 1911, 2575, 2631, 2983, 2989, 2995, 3013, 3021, 3553  
 Petroleum coke, 3227  
 Pharmaceutical dies, 3091  
 Phase composition analysis, 2885  
 Phase development, 3801  
 Phase stability, 2853  
 Phase transformation, 2389  
 Phase transitions, 163, 1521  
 Phosphates, 3535  
 Phosphors, 3723  
 Photoconductivity, 1857  
 Photopatterning, 1925  
 Photoresponse, 1633  
 Piezoelectric, 1037  
 Piezoelectric properties, 541, 725, 775, 937, 941, 993, 999, 1025, 1091, 1663, 1677, 1687, 1901, 1993, 2553, 3731  
 Piezoelectric property, 1699  
 Pigment, 821  
 Pigments, 2087, 2425, 3593, 3603  
 PIP process, 3261  
 Plasma spraying, 627, 705, 1095, 2657  
 Plasticity, 733, 1897, 2349  
 Platelets, 653, 3155  
 PLD, 1573  
 PLT/YBCOISTO, 763  
 PLZST, 253  
 PLZT, 1525, 1561, 1565, 1709  
 PMMA, 1961  
 PMNT, 1485  
 PMWFT, 1485  
 PNN–PZT, 1037  
 Point defects, 603, 3111  
 Polarization, 775  
 Polarization resistance, 1343  
 Poling field, 1517  
 Pollution control, 65  
 Polycarbosilane, 25  
 Polymer infiltration, 25  
 Polymer spraying, 2141  
 Polymorph forms, 1295  
 Polymorphic methods, 2885  
 Polyvinyl alcohol, 3043  
 Porcelain, 75, 83, 2357, 2383, 3169, 3177, 3823, 3833  
 Porosity, 197, 247, 331, 341, 413, 421, 533, 541, 547, 589, 661, 825, 861, 1271, 1729, 1811, 1957, 1969, 2349, 2657, 2707, 2741, 3203, 3287, 3399, 3535, 3643, 3671  
 Porous ceramics, 2055, 3251  
 Powder preparation, 3227  
 Powder-chemical preparation, 1041  
 Powder–gas phase reaction, 2879  
 Powders, 93, 791, 963, 3327, 3713  
 Powders solid state reaction, 1381, 2241  
 Powders: solid-state reaction, 3703  
 Powders-chemical preparation, 129, 179, 469, 925, 931, 959, 1025, 1365, 1823, 1841, 2575, 2681, 2995, 3021, 3035, 3303, 3535

- Powders-gas phase reaction, 179, 1837  
 Powders-hydrothermal synthesis, 1941  
 Powder-solid state reaction, 185, 871, 941, 1199, 1287, 1301, 1355, 1551, 1693, 1745, 1749, 1761, 1765, 1841, 1865, 2433, 2689, 3049, 3149  
 Power application, 1815  
 Preceramic polymers, 479  
 Precursor-derived ceramics, 3409  
 Precursors, 791  
 Precursors-organic, 475, 1375, 2141, 2619, 3409, 3471, 3769  
 Prefiring, 2067  
 Preheating, 3807  
 Pressing, 345, 2005, 2061  
 Printing, 2733  
 Processing, 1209  
 Properties, 1177, 3303  
 Proteins, 579  
 Proton conduction, 3049  
 Pt, 1673  
 PTC devices, 1221, 2499  
 PTCR, 2465, 3617  
 Pulse electric current sintering, 3465  
 Pulsed laser deposition, 979, 1791, 1869, 3623  
 Punch-shear test, 855  
 Pyroelectric, 1637  
 Pyroelectric properties, 1905  
 Pyroelectricity, 1063  
 Pyrophyllite, 791  
 PZT, 163, 277, 475, 541, 595, 725, 925, 975, 993, 999, 1069, 1077, 1091, 1101, 1117, 1141, 1145, 1157, 1579, 1585, 1589, 1593, 1625, 1629, 1633, 1647, 1663, 1673, 1699, 1901, 1905, 1925, 1945, 1987, 2485, 2547, 2553, 2969, 2977, 2989  
 PZT fibres, 1987  
  
 Quartz, 2357  
 Quenching, 1889  
  
 Radiation-induced charges, 1653  
 RAINBOW, 1901  
 Rare earth dopants, 511  
 Rare-earth oxide, 3437  
 RBAO, 239  
 Reaction mechanism, 3021  
 Reaction synthesis, 171  
 Reaction-bonded SiC, 2149  
 Recrystallization, 613, 1687  
 Reducing atmosphere, 119  
 Refractories, 797, 2073, 2079, 2399, 2407, 3129, 3509, 3559  
  
 Regression models, 2813  
 Relaxation, 1165, 1769  
 Relaxor, 1473, 1561, 1565  
 Relaxor ferroelectrics, 1525  
 Relaxors, 1703  
 Relics, 2203  
 Re-oxidation, 1883  
 Residual stress, 283, 1669  
 Resistance, 2835  
 Resistors, 3617  
 Reverse-microemulsion process, 717  
 RF frequency, 1769  
 RF magnetron sputtering, 1735  
 RF properties, 1463  
 RHEED intensity oscillation, 1659  
 Rheological behaviour, 295  
 Rheology, 147, 2259, 3155, 3663  
 Rice husks, 3499  
 Rietveld analysis, 1301  
 Rolling, 11  
 Roofing tile, 3671  
 R-Parameters, 2839  
 Rutile, 2425  
 RZT, 969  
  
 SBF, 2935  
 SBN, 1031, 1573  
 Sb<sub>2</sub>O<sub>3</sub> dopant, 1295  
 SBT, 319, 2445  
 SBTN, 2471  
 Scanning electron microscopy, 3103  
 Screen-printing, 1233  
 Second harmonic generation, 1853  
 Seebeck coefficient, 409  
 Seeding, 325  
 Seeding layer, 1621  
 Seeds, 197  
 Segregation, 2509  
 Self-assembled monolayer, 301  
 Self-flux growth, 1535  
 SEM, 2477  
 Semiconductor gas sensor, 1389  
 Sensors, 247, 985, 999, 1187, 1213, 1405, 1415, 1421, 1425, 1431, 1889, 1893, 1897, 1969, 2187, 2553, 2597  
 Shaping, 589, 2223, 3073, 3219  
 Shear strength, 855  
 Shifted phase transition, 1573  
 SHS, 45, 2567, 2853, 3807  
 Si(Al)OC, 3471  
 Sialons, 309, 791, 2847, 2853, 2869, 3271, 3303, 3387, 3581  
 Si-B-C-N-Al, 3409  
 SiC, 17, 53, 189, 209, 265, 331, 345, 409, 495, 533, 861, 2149, 2157, 2303, 2885, 2895, 3245, 3251, 3279, 3295, 3345, 3431, 3575, 3679, 3685, 3795  
 SiC particles, 511  
 SiC short fibres, 25  
 SiC/SiC, 25  
 SiC-Al<sub>2</sub>O<sub>3</sub>, 3209  
 Silica sand waste, 2367  
 Silicate, 1715, 1957  
 Silicate glass, 2803  
 Silicates, 93, 399, 421, 669, 2285, 2689, 3149, 3155, 3187  
 Silicides, 363, 3559  
 Silicon nitride, 11  
 Silk fibroin content, 2707  
 Siloxanes, 3471  
 Simulated body fluid, 93  
 Simulation, 239, 345, 2717  
 Si<sub>3</sub>N<sub>4</sub>, 17, 189, 197, 219, 309, 369, 381, 413, 441, 699, 877, 2163, 2313, 2319, 2329, 2339, 3279, 3287, 3303, 3327, 3337, 3345, 3395, 3431, 3437, 3447  
 Si<sub>3</sub>N<sub>4</sub>/SiC, 179, 3307  
 Si<sub>3</sub>N<sub>4</sub>-BN, 2861  
 Single crystals, 3081  
 Sintering, 139, 239, 283, 345, 387, 399, 413, 475, 507, 517, 803, 911, 937, 947, 1019, 1031, 1041, 1049, 1083, 1209, 1227, 1365, 1493, 1525, 1529, 1541, 1755, 1761, 1775, 1811, 1935, 1941, 2061, 2241, 2285, 2417, 2619, 2681, 2741, 2749, 2959, 3013, 3043, 3111, 3149, 3195, 3203, 3287, 3303, 3317, 3327, 3337, 3367, 3387, 3395, 3447, 3465, 3529, 3535, 3541, 3635, 3685, 3703, 3817  
 Sintering aids, 1037  
 Si<sub>3</sub>N<sub>4</sub>-TiN, 381  
 SiO<sub>2</sub>, 17  
 SiO<sub>2</sub>, 3559  
 SiOC, 479  
 Si-O-C, 2141  
 Site-selective deposition, 301  
 Si-Ti-C-O/SiC minicomposite, 3261  
 Size blending, 2157  
 Slag, 2819, 3833  
 Slags, 2847  
 Slip casting, 2785, 3219, 3399  
 Sludge, 3177  
 Slurry, 147, 253  
 Sm<sub>2</sub>O<sub>3</sub>, 2583  
 SnO<sub>2</sub>, 1049, 1389, 2597, 2733, 3111  
 SnO<sub>2</sub>, 3713  
 SOFC, 2515, 2527  
 Soft magnets, 959

- Soft-molding, 231  
Sol gel, 1009, 1435, 1853  
Sol–gel derived glass, 1787  
Sol-gel process, 65, 101, 111, 157, 163, 247, 277, 421, 435, 905, 911, 919, 969, 989, 1101, 1157, 1371, 1385, 1409, 1585, 1603, 1615, 1669, 1673, 1831, 1911, 1925, 1957, 1961, 1969, 2477, 2485, 2575, 2613, 2959, 3139, 3251, 3499, 3603, 3713, 3723  
Solid electrolytes, 1941  
Solid solution, 1291, 1569  
Solid state reactions, 201, 2087, 2453  
Solubility limit, 129  
Solution processing, 405  
Sonication, 2793  
Spark plasma sintering, 309  
Spectroscopy, 821, 1069, 1135, 1153, 1157, 1161, 1545, 1615, 1865, 1953, 2995, 3057  
Spherical indenters, 3345  
Spinels, 201, 821, 1149, 1233, 1243, 1247, 1277, 2417, 2839, 3035  
Spraying–coprecipitation, 1781  
SPS, 3447  
Sputtering, 1233, 1247, 2471  
(Sr, 1031  
(Sr,Bi)(Ta,Nb)O<sub>3</sub>, 2471  
SrAl<sub>2</sub>Si<sub>2</sub>O<sub>8</sub>, 399  
SrBi<sub>2</sub>(Nb<sub>0.25</sub>Ta<sub>0.75</sub>)<sub>2</sub>O<sub>9</sub> ceramic, 1769  
SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub>, 1597  
SrBi<sub>2</sub>Ta<sub>2</sub>O<sub>9</sub>, 319, 2445, 3043  
SrBi<sub>2</sub>Ta<sub>2</sub>O<sub>9</sub> single-crystals, 1535  
Sr<sub>2</sub>Nb<sub>2</sub>O<sub>7</sub>, 1999  
SrTiO<sub>3</sub>, 1449, 2509, 2995  
Stability, 3063  
Stabilized zirconia, 1129  
Statistical design, 2575  
Steatite, 3817  
Steel, 3091  
Stereolithography, 3769  
Stillewellite, 1063  
Stillwellite, 1569  
Strength, 375, 699, 733, 861, 1987, 2181, 2329, 2407, 2839, 2907, 2917, 2929, 3287, 3367, 3817  
Strontium barium niobate, 1637  
Strontium titanate, 989  
Structural applications, 325, 3209, 3427, 3499  
Structural changes, 1929  
Structure, 83, 1177  
STS, 1149  
Substrate, 399, 1463, 1715, 1897, 2187, 2267  
Substrate effects, 1015  
Superconductivity, 1815, 1823, 1837  
Superconductors, 1827, 3623  
Superfine powders, 2879  
superplasticity, 393, 449, 2041, 3103  
Surface, 219, 369, 427, 841, 1157, 1659, 2103, 2113, 2141, 2763, 3623, 3693  
Surface acoustic wave devices, 1993  
Surface chemistry, 1399  
Surface electronic states, 3709  
Surface exchange, 3613  
Surface heat-treatments, 2803  
Surface treatment, 3759  
Suspensions, 17, 53, 469, 635, 645, 733, 1069, 1073, 1945, 1953, 2113, 2157, 2203, 2223, 2259, 2275, 2303, 2445, 2717, 2723, 3063, 3073, 3155, 3219, 3351, 3419, 3679  
Synthesis, 2477, 3409  
Taguchi method, 2357  
Talc, 3155  
Ta<sub>2</sub>N, 3807  
Tantalates, 319, 455, 1725, 1811, 2445  
Ta<sub>2</sub>O<sub>5</sub>, 301  
Tape casting, 147, 197, 253, 295, 733, 739, 753, 1073, 1077, 1083, 1107, 1111, 1117, 2259, 2267, 2275, 2303, 2929, 3747, 3753  
Tartarate, 3043  
TBC, 2247, 2669  
TEM, 101, 2465  
Template, 1961  
Test methods, 2049  
Testing, 589, 2835, 2861, 2907, 2917, 3581  
Testing device, 11  
Texture, 1063  
TG, 693  
Theory, 2763  
Thermal barrier coatings, 1, 2247, 2657, 2669  
Thermal conductivity, 265, 441, 2293, 2657, 2785, 3081, 3685  
Thermal degradation, 565  
Thermal expansion, 399, 1309, 1741, 2079, 2293, 2619, 3377, 3535  
Thermal expansion coefficient, 75  
Thermal properties, 1, 1889, 1929, 2163, 2417, 2669, 2793, 3081, 3367, 3575  
Thermal shock, 2339, 2407, 2835, 2839  
Thermal shock parameters, 3119  
Thermal shock resistance, 847, 2293  
Thermal stability, 3471  
Thermal treatment, 2869  
Thermistor, 1191, 1217, 1227, 1233, 1237, 1243, 1277  
Thermogelation, 3073  
Thermo-mechanical properties, 2079  
Thick film, 975, 1979, 2445, 2943  
Thin films, 271, 763, 1597, 1637, 1735, 2453, 2613  
Ti<sub>3</sub>AlC<sub>2</sub>, 855  
TiB<sub>2</sub>, 171  
Tiles, 83, 803, 2349, 2813, 3671  
TiN, 309, 381, 2169  
Tin dioxide films, 1857  
TiO<sub>2</sub>, 147, 335, 341, 661, 1389, 1409, 1455, 2015, 2103, 2125, 2259, 2477, 2605, 3541, 3547  
Titanates, 1703  
Titanium oxide, 1399  
Tortuosity, 3195  
Toughness, 699, 2293, 2861, 2929  
Toughness and toughening, 489, 2031, 2055, 2169, 3427  
Tracer diffusion, 3613  
Traditional ceramics, 3177  
Transition metal oxide, 1265  
Transition metal oxides, 289, 919, 1277, 1381, 1421, 3057  
Translucent whiteware, 2067  
Transmission electron microscopy, 495  
Transparency, 2681  
Triaxial ceramics, 2813  
Triethanolamine, 3043  
Tubes, 3663  
Tunability, 157  
Tungsten bronze, 1031  
Tungsten bronze type, 1755  
Ultrasonic transducers, 1681  
Vanadium, 2267  
Vaporization, 2649  
Variable range hopping, 1149  
Variance analysis, 2813  
Varistor, 1171, 1195, 1199, 1205, 1209, 1213, 2005, 2537, 2591, 2597, 2605, 3635, 3703  
Vaterite, 2125  
Vickers microhardness, 2707  
Vitrified waste, 2095  
Waste materials, 803, 2095, 2313, 2349, 2367, 2373, 2383, 2819, 2825, 2847, 3169, 3177, 3833, 3841  
Waste paper, 3823

- Wastes, 83, 811  
Water, 2605  
W<sub>2</sub>B, 871  
WB, 871  
WC, 871  
Wear, 369, 3453  
Wear parts, 219, 345, 877  
Wear resistance, 11, 219, 627, 877, 2031, 2131, 2847, 3271, 3279, 3317, 3387, 3431, 3581  
Weibull theory, 2907  
Wetting, 2733  
Whiskers, 2879  
Whiteware, 2067  
WO<sub>3</sub>, 1415  
Wood, 861, 3251  
Wood precursors, 209, 533  
Work of fracture, 699, 2407  
  
(1-x)Pb(Yb<sub>1/2</sub>Ta<sub>1/2</sub>)O<sub>3</sub>-xPbZrO<sub>3</sub>, 1501  
(1-x)PYT-xPFT, 1497  
XPS, 2465  
  
X7R, 1479  
X-ray, 1291  
X-ray diffraction, 811  
X-ray methods, 75, 129, 163, 399, 455, 905, 911, 919, 947, 979, 993, 1015, 1157, 1277, 1287, 1301, 1489, 1551, 1603, 1607, 1615, 1629, 1673, 1741, 1745, 1749, 1847, 1905, 1993, 2241, 2433, 2453, 2575, 2689, 2885, 3057, 3129, 3499, 3603, 3817  
X-ray methods and electron microscopy, 953  
XRD, 2477  
  
YAG, 2215, 2681  
Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub>, 3723  
YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7</sub>, 3623  
YMnO<sub>3</sub>, 2613  
Y<sub>2</sub>O<sub>3</sub>, 1181, 1237, 2641, 2681  
Young's modulus, 2293, 2839  
YSZ, 1371  
YSZ/Al<sub>2</sub>O<sub>3</sub>, 283  
  
Yttria-tetragonal zirconia, 1941  
  
Zeta potential, 2259, 3679  
Zinc oxide films, 1009  
(Zn, Mn)Fe<sub>2</sub>O<sub>4</sub>, 603  
ZnAl<sub>2</sub>O<sub>4</sub>, 2417  
ZnO, 139, 1015, 1171, 1195, 1199, 1205, 1209, 1213, 1847, 1861, 1865, 1869, 1929, 2005, 2537, 2591, 3635, 3643, 3703, 3709  
ZrB<sub>2</sub>, 45, 171  
ZrC, 45  
ZrO<sub>2</sub>, 101, 209, 341, 449, 469, 645, 653, 833, 841, 915, 1095, 1107, 1181, 1187, 1305, 1349, 1355, 1385, 2023, 2031, 2041, 2233, 2241, 2247, 2649, 2657, 2669, 2769, 3081, 3091, 3103, 3111, 3351, 3427  
ZrO<sub>2</sub>, 3483, 3653, 3769  
ZrO<sub>2</sub> addition, 2537  
ZrSiO<sub>4</sub>, 3603  
ZTA, 653