



Contents

- J.-M. Haussonne and D. Houivet** 1961 Preface
- B. Raveau** 1965 Transition metal oxides: Promising functional materials
- W.W. Wolny** 1971 Application driven industrial development of piezoceramics
- M. Senna**
- B.D. Stojanovic, A.Z. Simoes, C.O. Paiva-Santos, C. Jovalekic, V.V. Mitic and J.A. Varela**
- J. Sfeir, S. Vaucher, P. Holtappels, U. Vogt, H.-J. Schindler, J. Van herle, E. Suvorova, P. Buffat, D. Perret, N. Xanthopoulos and O. Bucheli**
- M. Sopicka-Lizer, P. Smaczyński, K. Kozłowska, E. Bobrowska-Grzesik, J. Plewa and H. Altenburg**
- S. Gallini, J.R. Jurado and M.T. Colomer**
- B.W. Lee and S.-B. Cho**
- N. Millot, B. Xin, C. Pighini and D. Aymes**
- G. Dell'Agli, S. Esposito, G. Mascolo, M.C. Mascolo and C. Pagliuca**
- M.E. Rabanal, C. Moral, J.M. Torralba, L. Mancic and O. Milosevic**
- R. Karmazin, O. Dernovsek, N. Ilkov, W. Wersing, A. Roosen and M. Hagymasi**
- J.G. Fisher, B.-K. Lee, A. Brancquart, S.-Y. Choi and S.-J.L. Kang**
- J.-H. Park, Y.-J. Choi and J.-G. Park**
- Powder Synthesis*
- 1977 A straight way toward phase pure complex oxides
- 1985 Mechanochemical synthesis of barium titanate
- 1991 Characterization of perovskite powders for cathode and oxygen membranes made by different synthesis routes
- 1997 Preparation and characterization of calcium cobaltite for thermoelectric application
- 2003 Synthesis and characterization of monazite-type Sr:LaPO₄ prepared through coprecipitation
- 2009 Preparation of BaZr_xTi_{1-x}O₃ by the hydrothermal process from peroxy-precursors
- 2013 Hydrothermal synthesis of nanostructured inorganic powders by a continuous process under supercritical conditions
- 2017 Films by slurry coating of nanometric YSZ (8 mol% Y₂O₃) powders synthesized by low-temperature hydrothermal treatment
- 2023 Gd₂O₃:Eu³⁺ phosphor particles processed through aerosol route
- 2029 New LTCC-hexaferrites by using reaction bonded glass ceramics
- 2033 Effect of Al₂O₃ dopant on abnormal grain growth in BaTiO₃
- Nanotechnologies*
- 2037 Evolution of nanowires, nanocombs, and nanosheets in oxide semiconductors with variation of processing conditions

Y.J. Wu, J. Li, H. Tanaka and M. Kuwabara

A.P. Rizzato, C.V. Santilli, S.H. Pulcinelli, P. Hammer and V. Briois

S. Diré, G. Brusatin, M.L. Di Vona, P. Egger, M. Ferrari, P. Innocenzi, S. Licoccia, P. Romagnoli, M. Trombetta and L. Zampedri

R. Noguera, M. Lejeune and T. Chartier

M. Hagymási, A. Roosen, R. Karmazin, O. Dernovsek and W. Haas

H. Birol, T. Maeder, C. Jacq and P. Ryser

Z.X. Xiong, C. Fang, Y.X. Wang and Z.G. Su

Y. Shiratori, A. Magrez and C. Pithan

Z.V. Marinković, L. Mančić, P. Vulić and O. Milošević

D. Fasquelle, J.C. Carru, L. Le Gendre, C. Le Paven, J. Pinel, F. Cheviré, F. Tessier and R. Marchand

J. de los Santos Guerra, D. Garcia, J.A. Eiras, Y. Somiya, L.E. Cross and A.S. Bhalla

A. Hassini, G. Gruener, R. Sopracase, M. Gervais, E. Veron and F. Gervais

A. Dupont, A. Largeau, C. Parent, B. Le Garrec and J.M. Heintz

F. Ménil, H. Debéda and C. Lucat

H. Debeda-Hickel, C. Lucat and F. Menil

C. Jacq, Th. Maeder, S. Vionnet and P. Ryser

S. Gentil, D. Damjanovic and N. Setter

S. Vionnet-Menot, C. Grimaldi, T. Maeder, P. Ryser and S. Strässler

D. Szwagierczak, J. Kulawik and B. Gröger

2041 Preparation of nano-structured BaTiO₃ thin film by electrophoretic deposition and its characterization

2045 Density improvement of the sol-gel dip-coated SnO₂ films by chemical surface modification

2051 Hybrid organic-inorganic films by assembling of Si-Zr-based nanobuilding blocks

Shaping and multilayer structures

2055 3D fine scale ceramic components formed by ink-jet prototyping process

2061 Constrained sintering of dielectric and ferrite LTCC tape composites

2065 Investigation of interactions between co-fired LTCC components

2071 Gel-casting of ceramic components for wireless communications

Powders and ceramics characterizations

2075 Particle size effect on the crystal structure symmetry of K_{0.5}Na_{0.5}NbO₃

2081 Microstructural characterization of mechanically activated ZnO-Cr₂O₃ system

2085 Lanthanum titanate ceramics: Electrical characterizations in large temperature and frequency ranges

2089 Microwave dielectric response of (Sr_{0.80}Pb_{0.20})TiO₃ based ferroelectric composites

2093 Optical conductivity in La_{0.8}Sr_{0.2}Mn_{1-x}Ru_xO₃

2097 Influence of the yttria powder morphology on its densification ability

Thick films technology

2105 Screen-printed thick-films: From materials to functional devices

2115 Influence of the densification parameters on screen-printed component properties

2121 Low-temperature thick-film dielectrics and resistors for metal substrates

2125 Development of relaxor ferroelectric materials for screen-printing on alumina and silicon substrates

2129 Study of electrical properties of piezoresistive pastes and determination of the electrical transport

2133 Preparation and characterization of lead iron tantalate thick films

J.-P. Viricelle, B. Riviere and C. Pijolat

- 2137 Optimization of SnO_2 screen-printing inks for gas sensor applications

C.Y. Lam and K.H. Wong

Thin Films Technologies

Y. Ma, M. Guilloux-Viry, P. Barahona, O. Peña and C. Moure

J. Buršík, V. Železný and P. Vaněk

V. Železný, J. Buršík and P. Vaněk

B.G. Choi, I.H. Kim, D.H. Kim, K.S. Lee, T.S. Lee, B. Cheong, Y.-J. Baik and W.M. Kim

Y. Nakamura, Y. Yoshida, Y. Honaga and S. Fujitsu

V. Fruth, M. Popa, D. Berger, R. Ramer, M. Gartner, A. Ciulei and M. Zaharescu

R.C. Kaminski, S.H. Pulcinelli, A.F. Craievich and C.V. Santilli

K. Brinkiene and R. Kezelis

B. Rousseau, S. Phok, L. Ortega, N. Guibadj, T. Wegelius, S. Morlens, P. Odier, F. Weiss and J. Eikmeyer

S. Diethelm, J. Van herle, J. Sfeir and P. Buffat

C.-L. Li, C.-C. Chou and D.-S. Tsai

A. Graff, S. Senz, D. Völtzke, H.-P. Abicht and D. Hesse

J.A. Pérez, M.R. Soares, P.Q. Mantas and A.M.R. Senos

B. Rahmati, J. Fleig, E. Bischoff, W. Sigle, J. Maier and M. Rühle

M.A. de la Rubia, J.F. Fernandez and A.C. Caballero

K. Park, K.Y. Ko and W.-S. Seo

Y. Kinemuchi, S. Uchimura and K. Watari

- 2141 Fabrication and characterization of all-perovskite oxide p-n junctions based on $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ and Nb-1wt% doped SrTiO_3

- 2147 Annealing effects on the microstructure and properties of $\text{Y}(\text{Ni,Mn})\text{O}_3$ thin films

- 2151 Preparation of potassium tantalate niobate thin films by chemical solution deposition and their characterization

- 2155 Preparation and infrared characterization of potassium tantalate thin films

- 2161 Electrical, optical and structural properties of transparent and conducting ZnO thin films doped with Al and F by rf magnetron sputter

- 2167 Design of a gas sensitive transparent heterojunction—The system $\text{SrCu}_2\text{O}_2-\text{ZnO}$

- 2171 Deposition and characterisation of bismuth oxide thin films

- 2175 Nanocrystalline anatase thin films prepared from redispersible sol-gel powders

- 2181 Effect of alumina addition on the microstructure of plasma sprayed YSZ

- 2185 CeO_2 epitaxial films by spray MOD

Microstructures and properties

- 2191 Correlation between oxygen transport properties and microstructure in $\text{La}_{0.5}\text{Sr}_{0.5}\text{FeO}_{3-\delta}$

- 2197 Fabrication and electric properties of PZN-based ceramics using modified columbite method

- 2201 Microstructure evolution during BaTiO_3 formation by solid-state reactions on rutile single crystal surfaces

- 2207 Microstructural design of PZT ceramics

- 2211 Microstructural studies on the reoxidation behavior of Nb-doped SrTiO_3 ceramics

- 2215 Equilibrium phases in the Bi_2O_3 -rich region of the $\text{ZnO}-\text{Bi}_2\text{O}_3$ system

- 2219 Thermoelectric properties of CuAlO_2

Advances on Sintering

- 2223 Centrifugal sintering of BaTiO_3/Ni layered ceramics

T. Kimura, Y. Sakuma and M. Murata

H. Muramatsu and T. Kimura

K. Darcovich, P.S. Whitfield, G. Amow, K. Shinagawa and R.Y. Miyahara

B. Malic, M. Kosec, I. Arcon and A. Kodre

R.J. Ong, T.A. Berfield, N.R. Sottos and D.A. Payne

H. Kim, J.-H. Kim and W.K. Choo

J. Nosek, M. Sulc, L. Burianova, C. Soyer, E. Cattan and D. Remiens

R. Seveno, H.W. Gundel and D. Avery

C. Soyer, E. Cattan and D. Remiens

J. Lappalainen, J. Hiltunen and V. Lantto

E. Tokumitsu, T.-a. Miyasako and M. Senoo

G.L. Rhun, G. Poullain, R. Bouregba and G. Leclerc

A. Khodorov, M. Pereira and M.J.M. Gomes

J. Xu, W. Meneskou and E. Ivers-Tiffée

B.L. Cheng, C. Wang, S.Y. Wang, H.B. Lu, Y.L. Zhou, Z.H. Chen and G.Z. Yang

F. Craciun, M. Dinescu, P. Verardi, N. Scarisoreanu, A. Moldovan, A. Purice and C. Galassi

W. Sakamoto, Y.-k. Mizutani, N. Iizawa, T. Yogo, T. Hayashi and S.-i. Hirano

J. Pak, E. Ko, K. Nam and G. Park

K.Y. Chan, W.S. Tsang, C.L. Mak and K.H. Wong

R. Jiménez, I. Bretos, J. Ricote, C. Alemany, M.L. Calzada and J. Mendiola

2227 Texture development in piezoelectric ceramics by templated grain growth using heterotemplates

2231 Effect of $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ composition on crystallographic texture in PZT composites

2235 A microstructure based numerical simulation of microwave sintering of specialized SOFC materials

Pyro-, Piezo-, Ferroelectrics

2241 Homogeneity issues in chemical solution deposition of $\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$ thin films

2247 Sol-gel derived $\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$ thin films: Residual stress and electrical properties

2253 Ferroelectric properties of PZT films on LaNiO_3 bottom electrode deposited under different oxygen partial pressure

2257 Non-linear piezoelectric properties of the thin $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ (PZT) films deposited on the Si-substrate

2263 Pulse characterization of antiferroelectric PbZrTiO_3 thin films

2269 Ion beam etching of PZT thin films: Influence of grain size on the damages induced

2273 Characterization of optical properties of nanocrystalline doped PZT thin films

2277 Impact of low pressure consolidation annealing on electrical properties of sol-gel derived $\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$ films

2281 Fatigue properties of oriented PZT ferroelectric thin films

2285 Structure and dielectric properties of sol-gel 9/65/35 PLZT thin films

2289 Investigation of BZT thin films for tunable microwave applications

2295 Dielectric properties of $(\text{Ba}_{0.8}\text{Sr}_{0.2})(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ thin films grown by pulsed-laser deposition

2299 Processing and characterization of ferroelectric thin films obtained by pulsed laser deposition

2305 Processing and properties of ferroelectric $(\text{Bi}, \text{La})_4(\text{Ti}, \text{Ge})_3\text{O}_{12}$ thin films by chemical solution deposition

2309 Electrical properties of $(\text{Bi},\text{La})_4\text{Ti}_3\text{O}_{12}$ -based ferroelectric-gated field effect transistors employed with a thermally oxidized SiO_2 layer

2313 Optical studies of $0.65\text{PbMg}_{1/3}\text{Nb}_{2/3}\text{O}_3-0.35\text{PbTiO}_3$ thin films

2319 Size effects on $\text{Pb}_{0.5}\text{Ca}_{0.5}\text{TiO}_3$ thin films

- I. Bretos, J. Ricote, R. Jiménez, J. Mendiola, R.J. Jiménez Riobóo and M.L. Calzada**
- G.G. Aguilar, M.E.V. Costa and I.M.M. Salvado**
- E. Orhan, F.M. Pontes, C.D. Pinheiro, E. Longo, P.S. Pizani, J.A. Varela, E.R. Leite, T.M. Boschi, A. Beltrán and J. Andrés**
- M.T. Escote, F.M. Pontes, G.P. Mambrini, E.R. Leite, J.A. Varela and E. Longo**
- H.Z. Guo, Z.H. Chen, B.L. Cheng, H.B. Lu, L.F. Liu and Y.L. Zhou**
- B. Reichenberg, S. Tiedke, K. Szot, F. Peter, R. Waser, S. Tappe and T. Schneller**
- D. Ricinschi and M. Okuyama**
- G. Suchaneck, A.V. Solnyshkin, D.A. Kiselev, A.A. Bogomolov and G. Gerlach**
- G. Suchaneck, A.V. Solnyshkin, A. Suchaneck and G. Gerlach**
- T. Ogawa**
- R.A. Dorey and R.W. Whatmore**
- H. Maiwa, O. Kimura, K. Shoji and H. Ochiai**
- A.C. Dent, L.J. Nelson, C.R. Bowen, R. Stevens, M. Cain and M. Stewart**
- J. Rouquette, J. Haines, V. Bornand, M. Pintard, Ph. Papet and F.A. Gorelli**
- C. Miclea, C. Tanasoiu, C.F. Miclea, L. Amarande, A. Gheorghiu and F.N. Sima**
- E. Dimitriu, A. Iuga, V. Ciupina, G. Prodan and R. Ramer**
- L. Burianova, P. Hana, M. Pustka, M. Prokopova and J. Nosek**
- E. Hennig, E. Wehrsdorfer, S. Lürtzing, B. Kolle and W. Plötner**
- D. Zhou and M. Kamlah**
- O. Guillou, F. Thiebaud, D. Perreux, C. Courtois, P. Champagne, A. Leriche and J. Crampon**
- 2325 Crystallisation of $\text{Pb}_{1-x}\text{Ca}_x\text{TiO}_3$ ferroelectric thin films as a function of the Ca^{2+} content
- 2331 Improving the synthesis and properties of SBT thin films by using SBT seeds
- 2337 Theoretical and experimental study of the relation between photoluminescence and structural disorder in barium and strontium titanate thin films
- 2341 Improvement of the ferroelectric properties of ABO_3 ($\text{A} = \text{Pb}, \text{Ca}, \text{Ba}; \text{B} = \text{Ti}, \text{Zr}$) films
- 2347 Structure dynamics of strongly reduced epitaxial BaTiO_{3-x} studied by Raman scattering
- 2353 Contact mode potentiometric measurements with an atomic force microscope on high resistive perovskite thin films
- 2357 A nucleation-growth model for ferroelectric hysteresis loops with complete and partial switching
- 2363 The LIMM problem for ferroelectric thin films comprising space charge layers
- 2369 Polarization profiling of metal-ferroelectric-semiconductor structures by LIMM
- Pyroelectrics, Piezoelectrics*
- 2373 From single crystals to ceramics on $\text{Pb}[(\text{Zn}_{1/3}\text{Nb}_{2/3})_{0.91}\text{Ti}_{0.09}]\text{O}_3$ composition
- 2379 Pyroelectric PZT/PMNZTU composite thick films
- 2383 Low temperature sintering of PZT ceramics without additives via an ordinary ceramic route
- 2387 Characterisation and properties of fine scale PZT fibres
- 2393 Pressure-induced low symmetry phases in Ti-rich lead zirconate titanate $\text{PbZr}_{0.20}\text{Ti}_{0.80}\text{O}_3$
- 2397 Effect of iron and nickel substitution on the piezoelectric properties of PZT type ceramics
- 2401 PZT-type materials with improved radial piezoelectric properties
- 2405 Non-linear properties of PZT ceramics in the wide temperature range
- 2411 Large signal characterization of hard PZT materials
- 2415 Dielectric and piezoelectric performance of soft PZT piezoceramics under simultaneous alternating electromechanical loading
- 2421 New considerations about the fracture mode of PZT ceramics

- C.-S. Yu and H.-L. Hsieh**
- C. Augier, M. PhamThi, H. Dammak and P. Gaucher**
- M. Pham-Thi, H. Hemery and H. Dammak**
- T. Hayashi and T. Hasegawa**
- M. Venet, A. Vendramini, F.L. Zabotto, F. Guerrero, D. Garcia and J.A. Eiras**
- C. Moure, V. Gil, J. Tartaj and P. Durán**
- H. Amorín, A.L. Kholkin and M.E.V. Costa**
- P. Ochoa, J.L. Pons, M. Villegas and J.F. Fernandez**
- M. Wagner, A. Roosen, H. Oostra, R. Hoeppener, M. de Moya, D.H. Pearce and T. Hooley**
- E. Heinonen, J. Juuti and S. Leppävuori**
- M.C. Stennett, G.C. Miles, J. Sharman, I.M. Reaney and A.R. West**
- M. Miyayama and Y. Noguchi**
- M. Morozov, D. Damjanovic and N. Setter**
- B. Guiffard, E. Boucher, L. Eyraud, L. Lebrun and D. Guyomar**
- R.M. Piticescu, L. Mitoseriu, M. Viviani and V.M. Poladian**
- B.E. Watts, F. Leccabue, G. Bocelli, G. Padeletti, S. Kaciulis and L. Pandolfi**
- M. Es-Souni, M. Kuhnke, A. Piorra and C.-H. Solterbeck**
- C.-C. Chou, C.-S. Hou and T.-H. Yeh**
- G. Sebald, L. Lebrun, B. Guiffard and D. Guyomar**
- J. Macutkevič, S. Lapinskas, J. Grigas, A. Brilingas, J. Banys, R. Grigalaitis, K. Meskonis, K. Bormanis, A. Sternberg and V. Zauls**
- 2425 Piezoelectric properties of $\text{Pb}(\text{Ni}_{1/3},\text{Sb}_{2/3})\text{O}_3-\text{PbTiO}_3-\text{PbZrO}_3$ ceramics modified with MnO_2 additive
- 2429 Phase diagram of high T_c $\text{Pb}(\text{In}_{1/2}\text{Nb}_{1/2})\text{O}_3-\text{PbTiO}_3$ ceramics
- 2433 X ray investigation of high oriented $(1-x)\text{PbMg}_{1/3}\text{Nb}_{2/3}\text{O}_3-(x)\text{PbTiO}_3$ ceramics
- 2437 Piezoelectric properties of low-temperature sintered $\text{Pb}_{0.95}\text{Ba}_{0.05}[(\text{Mg}_{1/3}\text{Nb}_{2/3})_{0.125}\text{Zr}_{0.445}\text{Ti}_{0.43}]\text{O}_3$ ceramics with chemically-added LiBiO_2 sintering aid
- 2443 Piezoelectric properties of undoped and titanium or barium-doped lead metaniobate ceramics
- 2447 Crystalline structure, dielectric and piezoelectric properties of bismuth-layer $\text{Ca}_x\text{Bi}_4\text{Ti}_{3+x}\text{O}_{12+3x}$ ($x = 1, 2$) compounds
- 2453 Texture development and dielectric properties of $\text{SrBi}_2\text{Ta}_2\text{O}_9$ ceramics processed by templated grain growth
- 2457 Mechanical stress and electric potential in cymbal piezoceramics by FEA
- 2463 Miniature accordion-shaped low voltage piezo actuators for high displacements
- 2467 Characterization and modelling of 3D piezoelectric ceramic structures with ATILA software
- Ferroelectrics*
- 2471 A new family of ferroelectric tetragonal tungsten bronze phases, $\text{Ba}_2\text{MTi}_2\text{X}_3\text{O}_{15}$
- 2477 Polarization properties and oxygen-vacancy distribution of $\text{SrBi}_2\text{Ta}_2\text{O}_9$ ceramics modified by Ce and Pr
- 2483 The nonlinearity and subswitching hysteresis in hard and soft PZT
- 2487 Influence of donor co-doping by niobium or fluorine on the conductivity of Mn doped and Mg doped PZT ceramics
- 2491 Preparation and characterisation of $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})_{0.975}\text{Nb}_{0.025}\text{O}_3$ ceramics. Modelling the device
- 2495 Lead enrichment at the surface of lead zirconate titanate thin films
- 2499 Pyroelectric and piezoelectric properties of thick PZT films produced by a new sol-gel route
- 2505 Domain pinning behavior of ferroelectric $\text{Pb}_{1-x}\text{Sr}_x\text{TiO}_3$ ceramics
- 2509 Morphotropic PMN-PT system investigated by comparison between ceramics and crystal
- 2515 Distribution of the relaxation times of the new relaxor 0.4PSN-0.3PMN-0.3PZN ceramics

- Y.L. Wang, S.S.N. Bharadwaja, A.K. Tagantsev and N. Setter**
- Z. Li and P.M. Vilarinho**
- T. Hu, T.J. Price, D.M. Iddles, A. Uusimäki and H. Jantunen**
- L. Geske, V. Lorenz, T. Müller, L. Jäger, H. Beige, H.-P. Abicht and V. Mueller**
- V. Samulionis and J. Banys**
- C. Pientschke, A. Kouvatov, R. Steinhausen, W. Seifert and H. Beige**
- E. Klotins and J. Kaupužs**
- V.V. Shvartsman, A.L. Kholkin, C. Verdier, Z. Yong and D.C. Lupascu**
- M.H. Lente, J. de Los S. Guerra, J.A. Eiras, T. Mazon, M.B.R. Andreeata and A.C. Hernandes**
- A.Yu. Belov and W.S. Kreher**
- S. Selvasekarapandian, M.S. Bhuvaneswari, M. Vijayakumar, C.S. Ramya and P.C. Angelo**
- H.J. Park and G.M. Choi**
- A.L. Shaula, V.V. Kharton, J.C. Waerenborgh, D.P. Rojas and F.M.B. Marques**
- R. Pelosato, I.N. Sora, G. Dotelli, R. Ruffo and C.M. Mari**
- R. Polini, A. Falsetti and E. Traversa**
- E. Gomes, M.R. Soares, F.M. Figueiredo and F.M.B. Marques**
- A.A. Yaremchenko, V.V. Kharton, A.L. Shaula, M.V. Patrakeev and F.M.B. Marques**
- S.C. Hwang and G.M. Choi**
- A.L. Shaula, R.O. Fuentes, F.M. Figueiredo, V.V. Kharton, F.M.B. Marques and J.R. Fraude**
- J.A. Chaker, K. Dahmouche, C.V. Santilli, S.H. Pulcinelli, V. Briois, P. Judeinstein and A.F. Craievich**
- 2521 Dielectric properties of 1:1 ordered $\text{Pb}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$ ceramics and N . Setter
- 2527 Phase development and dielectric properties of $(1-x)\text{Pb}(\text{Ni}_{1/3}\text{Ta}_{2/3})\text{O}_3 - x\text{PbTiO}_3$ ceramics
- 2531 The effect of Mn on the microstructure and properties of BaSrTiO_3 with $\text{B}_2\text{O}_3-\text{Li}_2\text{CO}_3$
- 2537 Dielectric and electromechanical characterisation of fine-grain $\text{BaTi}_{0.95}\text{Sn}_{0.05}\text{O}_3$ ceramics sintered from glycolate-precursor powder
- 2543 Ultrasonic and piezoelectric studies of new layered ferroelectric compounds of $\text{Sn}_2\text{P}_2\text{S}_6$ family
- 2547 Polarisation kinetics of electrically connected electroconductive ferroelectric multilayer structures
- 2553 Theory and modeling of polarization switching in ferroelectrics
- 2559 Investigation of fatigue mechanism in ferroelectric ceramic via piezoresponse force microscopy
- 2563 Microwave dielectric relaxation process in doped-incipient ferroelectrics
- 2567 Viscoplastic models for ferroelectric ceramics
- Conductors*
- 2573 A comparative study on ionic conductivity of Sr and Mg stabilized zirconia by impedance spectroscopy
- 2577 The effect of surface coating on the oxygen permeation characteristics of zirconia
- 2583 Oxygen ionic and electronic transport in apatite ceramics
- 2587 Characterization of $(1-x)\text{La}_{0.83}\text{Sr}_{0.17}\text{Ga}_{0.83}\text{Mg}_{0.17}\text{O}_{2.83} - x\text{La}_{0.8}\text{Sr}_{0.2}\text{MnO}_3$ ($0 \leq x \leq 1$) composite cathodes
- 2593 Sol-gel synthesis and characterization of Co-doped LSGM perovskites
- 2599 Conductivity of $\text{La}_{0.95}\text{Sr}_{0.05}\text{Ga}_{0.90}\text{Mg}_{0.10}\text{O}_{3-\delta}$ obtained by mechanical activation
- 2603 Transport properties and thermal expansion of perovskite-like $\text{La}_{0.3}\text{Sr}_{0.7}\text{Fe}(\text{Al,Cr})\text{O}_{3-\delta}$ ceramics
- 2609 The effect of cation nonstoichiometry on the electrical conductivity of CaZrO_3
- 2613 Grain size effects on oxygen permeation in submicrometric $\text{CaTi}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ ceramics obtained by mechanical activation
- 2617 Effect of salt nature on structure and ionic conductivity of sodium-doped siloxane-PPO ormolytes

- E.V. Tsipis, V.V. Kharton and J.R. Frade**
- J. Van herle, D. Larrain, N. Autissier, Z. Wuillemin, M. Molinelli and D. Favrat**
- D. Rotureau, J.-P. Viricelle, C. Pijolat, N. Caillol and M. Pijolat**
- V. Esposito, D.Z. de Florio, F.C. Fonseca, E.N.S. Muccillo, R. Muccillo and E. Traversa**
- P. Lenormand, D. Caravaca, C. Laberty-Robert and F. Ansart**
- P. Egger, G.D. Sorarù, R. Ceccato and S. Diré**
- M. Petitjean, G. Caboche, E. Siebert, L. Dessemont and L.-C. Dufour**
- J.Y. Yi and G.M. Choi**
- C. Moure, J. Tartaj, V. Gil, O. Peña and P. Durán**
- S. Celerier, C. Laberty-Robert, F. Ansart, C. Calmet and P. Stevens**
- F. Mauvy, C. Lalanne, J.M. Bassat, J.C. Grenier, H. Zhao, P. Dordor and Ph. Stevens**
- J. Deseure, L. Dessemont, Y. Bultel and E. Siebert**
- D. Gosset, D. Simeone, M. Dutheil, S. Bouffard and M. Beauvy**
- L. Desgranges, M. Gramond, C. Petot, G. Petot-Ervas, P. Ruello and B. Saadi**
- M. Streit and F. Ingold**
- T. Takenaka and H. Nagata**
- E. Ringgaard and T. Wurlitzer**
- B. Malic, J. Bernard, J. Holc, D. Jenko and M. Kosec**
- I. Pribošić, D. Makovec and M. Drofenik**
- K.-i. Kakimoto, I. Masuda and H. Ohsato**
- C. Fujioka, R. Aoyagi, H. Takeda, S. Okamura and T. Shiosaki**
- 2623 Mixed conducting components of solid oxide fuel cell anodes
- SOFC*
- 2627 Modeling and experimental validation of solid oxide fuel cell materials and stacks
- 2633 Development of a planar SOFC device using screen-printing technology
- 2637 Electrical properties of YSZ/NiO composites prepared by a liquid mixture technique
- 2643 Thick films of YSZ electrolytes by dip-coating process
- 2647 YSZ freestanding films from hybrid polymer–oxide composites by the sol–gel process: Influence of polymer features on ceramic microstructure
- 2651 $(\text{La}_{0.8}\text{Sr}_{0.2})(\text{Mn}_{1-y}\text{Fe}_y)\text{O}_{3\pm\delta}$ oxides for ITSOFC cathode materials?. Electrical and ionic transport properties
- 2655 The effect of reduction atmosphere on the LaGaO_3 -based solid oxide fuel cell
- 2661 Powder processing, crystalline structure, sintering, and electrical properties of $\text{NdM}_{0.5}\text{Mn}_{0.5}\text{O}_3$ ($\text{M} = \text{Ni, Co, Cu}$) manganites
- 2665 Synthesis by sol–gel route of oxyapatite powders for dense ceramics: Applications as electrolytes for solid oxide fuel cells
- 2669 Oxygen reduction on porous $\text{Ln}_2\text{NiO}_{4+\delta}$ electrodes
- 2673 Modelling of a SOFC graded cathode
- Electronuclear*
- 2677 Structural evolutions of spinels under ions irradiations
- 2683 Characterisation of uranium vacancies in hyper stoichiometric uranium dioxide
- 2687 Nitrides as a nuclear fuel option
- Environmentally Friendly Materials*
- 2693 Current status and prospects of lead-free piezoelectric ceramics
- 2701 Lead-free piezoceramics based on alkali niobates
- 2707 Alkaline-earth doping in $(\text{K},\text{Na})\text{NbO}_3$ based piezoceramics
- 2713 Chemical synthesis of KNbO_3 and $\text{KNbO}_3\text{--BaTiO}_3$ ceramics
- 2719 Lead-free KNbO_3 piezoceramics synthesized by pressure-less sintering
- 2723 Effect of non-stoichiometry on ferroelectricity and piezoelectricity in strontium bismuth tantalate ceramics

- J. Zeng, Y. Li, Q. Yang, X. Jing and Q. Yin**
- H. Takeda, T. Nishida, S. Okamura and T. Shiosaki**
- M. Fujisawa, T. Hata, P. Bronsveld, V. Castro, F. Tanaka, H. Kikuchi and Y. Imamura**
- Y. Sakabe, Y. Yamashita and H. Yamamoto**
- C.-S. Chen, C.-C. Chou and I.-N. Lin**
- S. Guillemet-Fritsch, M. Boulos, B. Durand, V. Bley and T. Lebey**
- H. Hughes, F. Azough, R. Freer and D. Iddles**
- A. Veres, S. Marinel and F. Roulland**
- F. Roulland, G. Allainmat, M. Pollet and S. Marinel**
- A. Tkach, P.M. Vilarinho, A.M.R. Senos and A.L. Khoklin**
- M. Pollet, S. Marinel and F. Roulland**
- J. Bernard, F. Belnou, D. Houivet and J.-M. Haussonne**
- F. Belnou, J. Bernard, D. Houivet and J.-M. Haussonne**
- S. Kume, M. Yasuoka, N. Omura and K. Watari**
- C. Bondoux, P. Prené, P. Belleville, F. Guillet, S. Lambert, B. Minot and R. Jérision**
- H.-J. Fitting, X. Meyza, C. Guerret-Piécourt, C. Dutriez, M. Touzin, D. Goeuriot and D. Tréheux**
- R. Renoud, F. Mady, J. Bigarré and J.-P. Ganachaud**
- N. Nuns, F. Béclin and J. Crampon**
- A. Si Ahmed, J. Kansy, K. Zarbout, G. Moya, J. Liebault and D. Gœuriot**
- 2727 Grain oriented $\text{CaBi}_4\text{Ti}_4\text{O}_{15}$ piezoceramics prepared by the screen-printing multilayer grain growth technique
- 2731 Crystal growth of bismuth tungstate Bi_2WO_6 by slow cooling method using borate fluxes
- 2735 Thermoelectric properties of SiC/C composites from wood charcoal by pulse current sintering
- Dielectrics*
- 2739 Dielectric properties of nano-crystalline BaTiO_3 synthesized by micro-emulsion method
- 2743 Microstructures of X7R type base-metal-electroded BaTiO_3 capacitor materials prepared by duplex-structured process
- 2749 Electrical characteristics of BaTiO_3 ceramics from hydrothermal prepared powders
- 2755 Development of surface phases in $\text{Ba}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3-\text{Ba}(\text{Ga}_{1/2}\text{Ta}_{1/2})\text{O}_3$ microwave dielectric ceramics
- 2759 Dielectric properties of $\text{Ba}(\text{Mg},\text{Zn})_{1/3}\text{Nb}_{2/3}\text{O}_3$ and effect of B_2O_3 and LiF addition
- 2763 Low temperature sintering of the binary complex perovskite oxides $x\text{Ba}(\text{Zn}_{1/3}\text{Ta}_{2/3})\text{O}_3 + (1-x)\text{Ba}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$
- 2769 Effect of nonstoichiometry on the microstructure and dielectric properties of strontium titanate ceramics
- 2773 High decrease in CaZrO_3 sintering temperature using complex fluoride fluxes
- 2779 Low sintering temperature of MgTiO_3 for type I capacitors
- 2785 Low temperature sintering of MgTiO_3 with bismuth oxide based additions
- 2791 Effects of MgO addition on the density and dielectric loss of AlN ceramics sintered in presence of Y_2O_3
- 2795 MgO insulating films prepared by sol-gel route for SiC substrate
- Space Charges, Ageing*
- 2799 Selfconsistent electrical charging in insulators
- 2805 Monte Carlo simulation of the secondary electron yield of an insulating target bombarded by a defocused primary electron beam
- 2809 Space charge characterisation by EDS microanalysis in spinel MgAl_2O_4
- 2813 Microstructural origin of the dielectric breakdown strength in alumina: A study by positron lifetime spectroscopy

- H. Jelitto, F. Felten, C. Häusler, H. Kessler, H. Balke and G.A. Schneider**
- A. Jankowiak, P. Fourcade and P. Blanchart**
- V. Geraldo, L.V.A. Scalvi, E.A. Morais, C.V. Santilli, P.B. Miranda and T.J. Pereira**
- M. Valant, B. Jančar, U. Pirnat and D. Suvorov**
- M.M. Krzمان, M. Valant and D. Suvorov**
- F. Azough, C. Leach and R. Freer**
- R.L. Moreira and A. Dias**
- C.-F. Yang, C.-C. Chan, C.-M. Cheng and Y.-C. Chen**
- S. Kawaguchi, H. Ogawa, A. Kan and E. Tanaka**
- H. Ogawa, H. Takiuti, A. Kan, A. Fujita and G. Zouganis**
- R. Umemura, H. Ogawa, H. Ohsato, A. Kan and A. Yokoi**
- A. Yokoi, H. Ogawa, A. Kan, H. Ohsato and Y. Higashida**
- M. Ohashi, H. Ogawa, A. Kan and E. Tanaka**
- Y. Tsuji, A. Kan, H. Ogawa and S. Ishihara**
- T. Oishi, H. Ogawa, A. Kan and H. Ohsato**
- A. Yoshida, H. Ogawa, A. Kan and T. Kondo**
- T. Shimada, K.-i. Kakimoto and H. Ohsato**
- C.G. Granqvist**
- J. Cardin, D. Leduc, T. Schneider, C. Lupi, D. Averty and H.W. Gundel**
- T. Aoki, M. Kondo, M. Ishii, A. Sugama, M. Tsukada, K. Kurihara and M. Kuwabara**
- 2817 Measurement of energy release rates for cracks in PZT under electromechanical loads
- 2821 Electrical properties of micro-composites SiC– β' SiAlON under high electric fields, in relation to surface morphology
- 2825 Ultraviolet excitation of photoconductivity in thin films of sol-gel SnO₂
- Microwave ceramics*
- 2829 The order-disorder transition in Bi₂O₃–Nb₂O₅ fluorite-like dielectrics
- 2835 A structural and dielectric characterization of Na_xCa_{1-x}Al_{2-x}Si_{2+x}O₈ ($x = 0$ and 1) ceramics
- 2839 Effect of V₂O₅ on the sintering behaviour, cation order and properties of Ba₃Co_{0.7}Zn_{0.3}Nb₂O₉ ceramics
- 2843 Polarized micro-Raman spectroscopy of oriented A(B'_{1/3}B''_{2/3})O₃ powders and microwave ceramics
- 2849 The sintering and microwave dielectric characteristics of MgTa_{1.5}Nb_{0.5}O₆ ceramics
- 2853 Effect of Sr substitution for Ba on microwave dielectric properties of Sm₂(Ba_{1-x}Sr_x)(Cu_{0.5}Zn_{0.5})O₅ ceramics
- 2859 Evaluation of electronic state of Mg₄(Nb_{2-x}Sb_x)O₉ microwave dielectric ceramics by first principle calculation method
- 2865 Microwave dielectric properties of low-temperature sintered Mg₃(VO₄)₂ ceramic
- 2871 Microwave dielectric properties of Mg₄Nb₂O₉–3.0 wt.% LiF ceramics prepared with CaTiO₃ additions
- 2877 Microwave dielectric properties of low-temperature sintered Li₃AlB₂O₆ ceramic
- 2883 Relationship between microwave dielectric properties and chemical bonding in R₂BaMO₅ (R = rare earth, M = Cu and Zn) compounds
- 2889 Synthesis and microwave dielectric properties of (Ce_{1-y}Dy_y)(Nb_{1-x}Ta_x)TiO₆ ceramics
- 2897 Sintering time dependence of microwave dielectric properties and crystal structure in Y₂BaZnO₅ ceramic
- 2901 Microwave dielectric properties of lanthanum aluminate ceramics and single crystal
- Optical Ceramics and Glasses*
- 2907 Electrochromic devices
- 2913 Optical characterization of PZT thin films for waveguide applications
- 2917 Preparation and properties of two-dimensional PLZT photonic crystals using a sol-gel method

- M. Oikawa and S. Fujihara**
- I. Vajda and S. Semperger**
- A. Szalay, G. Bertalan, I. Vajda, J. Kósa and M. Enisz**
- E.S. Reddy, N.H. Babu, Y. Shi and D.A. Cardwell**
- D. Grossin, C. Harnois, S. Marinel and J.G. Noudem**
- S. Meslin, C. Harnois, D. Chateigner, B. Ouladdiaf, X. Chaud and J.G. Noudem**
- A. Sotelo, M. Mora, M.A. Madre, J.C. Diez, L.A. Angurel and G.F. De la Fuente**
- L. Vergnières, P. Odier, F. Weiss, C.-E. Bruzek and J.-M. Saugrain**
- X. Chaud, D. Isfort, L. Porcar and R. Tournier**
- E. Di Bartolomeo and M.L. Grilli**
- S. Baliteau, A.-L. Sauvet, C. Lopez and P. Fabry**
- G. Jasinski, P. Jasinski, B. Chachulski and A. Nowakowski**
- M. Vijayakumar, Q.N. Pham and C. Bohnke**
- J. Bernard, D. Houivet and J.-M. Haussonne**
- O. Shpotyuk, A. Ingram, H. Klym, M. Vakiv, I. Hadzaman and J. Filipecki**
- F. Levassort, L.-P. Tran-Huu-Hue, P. Marechal, E. Ringgaard and M. Lethiecq**
- A. Hall, M. Allahverdi, E.K. Akdogan and A. Safari**
- M. Peiteado, J.F. Fernández and A.C. Caballero**
- D. Fernández Hevia, A.C. Caballero, J. de Frutos and J.F. Fernández**
- 2921 Sol-gel preparation and luminescent properties of $\text{CeO}_2:\text{Ln}$ ($\text{Ln} = \text{Eu}^{3+}$ and Sm^{3+}) thin films
- Superconductors*
- 2925 Simulation of electrical, magnetic and thermal properties of inductive fault current limiters made of YBCO ceramic superconductors
- 2931 YBCO bulks for preparation of permanent magnets
- 2935 Effect of size, morphology and crystallinity of seed crystal on the nucleation and growth of single grain Y-Ba-Cu-O
- 2939 YBCO bulk superconductor, prepared by top-seed floating zone under microwave heating
- 2943 Perforated monodomain $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ bulk superconductors prepared by infiltration-growth process
- 2947 Ag distribution in thick Bi-2212 floating zone textured rods
- 2951 Epitaxial thick films by spray pyrolysis for coated conductors
- 2955 Growth of YBCO single domains through an array of holes for FCL *c*-axis superconducting elements
- Sensors*
- 2959 YSZ-based electrochemical sensors: From materials preparation to testing in the exhausts of an engine bench test
- 2965 Characterization of a NASICON based potentiometric CO_2 sensor
- 2969 Lisicon solid electrolyte electrocatalytic gas sensor
- 2973 Lithium lanthanum titanate ceramic as sensitive material for pH sensor: Influence of synthesis methods and powder grains size
- 2977 Surface resistance and sensitivity to hygrometry of various ceramic compositions for multilayer capacitors
- 2981 PAL spectroscopy in application to humidity-sensitive MgAl_2O_4 ceramics
- 2985 Characterisation of thin layers of parylene at high frequency using PZT thick film resonators
- 2991 Piezoelectric/electrostrictive multimaterial PMN-PT monomorph actuators
- Varistors, NTCR, PTCR*
- 2999 Processing strategies to control grain growth in ZnO based varistors
- 3005 Dominance of deep over shallow donors and the non-Debye response of ZnO-based varistors

G. Branković, Z. Branković and J.A. Varela

L. Affleck and C. Leach

P. Durán, J. Tartaj, F. Rubio, O. Peña and C. Moure

R. Schmidt and A.W. Brinkman

C. Autret, M. Gervais, S. Roger, F. Gervais, N. Raimboux and P. Simon

A. Martinelli, M. Ferretti, C. Castellano, C. Mondelli, M.R. Cimberle and M. Tropeano

A. Martinelli, M. Ferretti, C. Castellano, C. Mondelli, D.M. y Marero, M.R. Cimberle and M. Tropeano

J. Töpfer, H. Kahnt, P. Nauber, S. Senz and D. Hesse

O. Peña, Y. Ma, P. Barahona, M. Bahout, P. Durán, C. Moure, M.N. Baibich and G. Martinez

J. Seaton and C. Leach

V. Buscaglia, M.T. Buscaglia, M. Viviani, T. Ostapchuk, I. Gregora, J. Petzelt, L. Mitoseriu, P. Nanni, A. Testino, R. Calderone, C. Harnagea, Z. Zhao and M. Nygren

T. Ostapchuk, J. Pokorný, A. Pashkin, J. Petzelt, V. Šelezný, D. Rafaja and I. Drbohlav

S. Kamba, S. Veljko, M. Kempa, M. Savinov, V. Bovtun, P. Vaněk, J. Petzelt, M.C. Stennett, I.M. Reaney and A.R. West

D. Piazza, C. Capiani and C. Galassi

O. Okhay, A. Wu and P.M. Vilarinho

P. Samoukhina, S. Kamba, S. Santhi, J. Petzelt, M. Valant and D. Suvorov

3011 Nonlinear properties and stability of SnO_2 varistors prepared by evaporation and decomposition of suspensions

3017 Microstructures of BaTiO_3 based PTC thermistors with Ca, Sr and Pb additions

3021 Preparation and sintering behaviour of spinel-type $\text{Co}_x\text{NiMn}_{2-x}\text{O}_4$ ($0.2 \leq x \leq 1.2$) by the ethylene glycol–metal nitrate polymerized complex process

3027 Electrical properties of screen-printed $\text{NiMn}_2\text{O}_{4+\delta}$

Magnetics, Spintronics

3033 Electron spin resonance study of the magnetic states in the $\text{Pr}_{0.2}\text{Sr}_{0.8}\text{Mn}_{1-x}\text{Ru}_x\text{O}_3$ ($x = 0, 0.1$)

3037 $(\text{La,Ca})(\text{Mn,M})\text{O}_3$ ($\text{M} = \text{Ni, Cr}$) compounds investigated by means of XRPD and DC magnetic measurements

3041 Structure and magnetic properties of $(\text{Pr}_{0.55}\text{Ca}_{0.45})(\text{Mn}_{1-y}\text{Cr}_y)\text{O}_3$ ($y = 0.00, 0.03, 0.06$)

3045 Microstructural effects in low loss power ferrites

3051 Magnetic properties of $\text{NiMn}_{2-x}\text{Co}_x\text{O}_4$ spinel oxides

Grain Boundary Engineering

3055 Evolution of low sigma grain boundaries in PTC thermistors during sintering

3059 Raman and AFM piezoresponse study of dense BaTiO_3 nanocrystalline ceramics

3063 Soft-mode spectroscopy of BaTiO_3 thin films

3069 Dielectric spectra of a new relaxor ferroelectric system $\text{Ba}_2\text{LnTi}_2\text{Nb}_3\text{O}_{15}$ ($\text{Ln} = \text{La, Nd}$)

3075 Piezoceramic material with anisotropic graded porosity

3079 The Mg influence on the properties of SrTiO_3 thin films

3085 Infrared and terahertz dielectric spectra of novel $\text{Bi}_2\text{O}_3\text{--Nb}_2\text{O}_5$ microwave ceramics

I Author Index

VII Keyword Index