



## List of Contents for Volume 25

### Volume 25 Number 1 2005

- 1 The beneficial effect of water vapour on the oxidation at 600 and 700°C of a MoSi<sub>2</sub>-based composite  
K. HANSSON, J.E. TANG, M. HALVARSSON, R. POMPE, M. SUNDBERG & J.-E. SVENSSON (Sweden)
- 13 Electrical behaviour at high voltage on surface of SiC-β'-SiAlON ceramic composites  
A. JANKOWIAK, F. COLLARDEY & P. BLANCHART (France)
- 19 The influence of Y<sub>2</sub>O<sub>3</sub>-containing sintering additives on the oxidation of Si<sub>3</sub>N<sub>4</sub>-based ceramics and the interfacial interactions with liquid Al-alloys  
M. OLIVEIRA, S. AGATHOPOULOS & J.M.F. FERREIRA (Portugal)
- 29 Bridging stresses in sintered reaction-bonded Si<sub>3</sub>N<sub>4</sub> from COD measurements  
T. FETT, D. MUNZ, A.B. KOUNGA NJIWA, J. RÖDEL (Germany) & G.D. QUINN (USA)
- 37 M<sub>2</sub>(Si,Al)<sub>4</sub>(N,C)<sub>7</sub> (M=La,Y,Ca) carbonitrides. I. Synthesis and structural characterisation by XRD and NMR  
K. LIDDELL, D.P. THOMPSON, T. BRÄUNIGER & R.K. HARRIS (UK)
- 49 M<sub>2</sub>(Si,Al)<sub>4</sub>(N,C)<sub>7</sub> (M = La,Y,Ca) carbonitrides. II. The crystal structure of Ca<sub>0.8</sub>Y<sub>1.2</sub>Si<sub>4</sub>N<sub>6.8</sub>C<sub>0.2</sub>  
K. LIDDELL, D.P. THOMPSON & S.J. TEAT (UK)
- 55 Hard, tough and strong ZrO<sub>2</sub>-WC composites from nanosized powders  
G. ANNÉ, S. PUT, K. VANMEENSEL, D. JIANG, J. VLEUGELS & O. VAN DER BIEST (Belgium)
- 65 Cr-Al<sub>2</sub>O<sub>3</sub> layered composites with a high electrical anisotropy prepared by repeated deformation processing  
M. LEVERKOEHNE (Germany), A. DAKSKOBLER, M. VALANT (Slovenia), R. JANSSEN (Germany) & T. KOSMAČ (Slovenia)
- 73 Reactivity of aluminum sulfate and silica in molten alkali-metal sulfates in order to prepare mullite  
R. EL OUATIB (France, Morocco), S. GUILLEMET, B. DURAND (France), A. SAMDI, L. ER RAKHO & R. MOUSSA (Morocco)
- 81 Effect of addition of talc on the sintering characteristics of fly ash based ceramic tiles  
N. CHANDRA, N. AGNIHOTRI, S. BHASIN & A.F. KHAN (India)

### Volume 25 Numbers 2–3 2005

#### Papers presented at the E-MRS 2004 Meeting Symposium Q: Polymer Derived Ceramics (PDCs)

- 89 Editorial
- 91 *Synthesis*  
Design, syntheses and applications of chemical precursors to advanced ceramic materials in nanostructured forms  
L.G. SNEDDON, M.J. PENDER, K.M. FORSTHOEFEL, U. KUSARI & X. WEI (USA)
- 99 Novel polysilazanes as precursors for silicon nitride/silicon carbide composites without “free” carbon  
M. HÖRZ, A. ZERN, F. BERGER, J. HAUG, K. MÜLLER, F. ALDINGER & M. WEINMANN (Germany)
- 111 Alkylaminoborazine-based precursors for the preparation of boron nitride fibers by the polymer-derived ceramics (PDCs) route  
D. CORNU, S. BERNARD, S. DUPERRIER, B. TOURY & P. MIELE (France)

- Characterisation**
- 123 A new type of precursor for fibers in the system Si–C  
J. CLADE, E. SEIDER & D. SPORN (Germany)
- 129  $^{11}\text{B}$  and  $^{15}\text{N}$  solid state NMR investigation of a boron nitride preceramic polymer prepared by ammonolysis of borazine  
C. GERVAIS, E. FRAMERY, C. DURIEZ, J. MAQUET, M. VAULTIER & F. BABONNEAU (France)
- 137 Complete characterisation of BN fibres obtained from a new polyborylborazine  
B. TOURY, D. CORNU, F. CHASSAGNEUX & P. MIELE (France)
- 143 Synthesis and characterization of carbon-enriched silicon oxycarbides  
Y.D. BLUM, D.B. MACQUEEN & H.-J. KLEEVE (USA)
- 151 The microstructure of polymer-derived amorphous silicon carbide layers  
A. HILBIG, E. MÜLLER, R. WENZEL, G. ROEWER, E. BRENDLER, G. IRMER & G. SCHREIBER (Germany)
- 157 Correlation between structural features and mechanical properties of boron nitride fibres derived from alkylaminoborazines  
P. MIELE, B. TOURY, F. CHASSAGNEUX & R. FULCHIRON (France)
- Processing and Properties**
- 163 Modelling polymer-derived ceramics  
P. KROLL (Germany)
- 175 Development of a rapid crosslinking preceramic polymer system  
M. SCHEFFLER, R. BORDIA (USA), N. TRAVITZKY & P. GREIL (Germany)
- 181 Spray winding, a novel one-step spray-technology to perform CMCs from preceramic polymers  
O. GOERKE, E. FEIKE & H. SCHUBERT (Germany)
- 187 Novel application of ceramic precursors for the fabrication of composites  
A. HERZOG, M. THÜNEMANN, U. VOGT & O. BEFFORT (Switzerland)
- 193 Fabrication of polymer derived ceramic parts by selective laser curing  
T. FRIEDEL, N. TRAVITZKY, F. NIEBLING, M. SCHEFFLER & P. GREIL (Germany)
- 199 Polymer derived ceramic microparts from X-ray lithography—cross-linking behavior and process optimization  
M. SCHULZ, M. BÖRNER, J. HAUßELT & R. HELDELE (Germany)
- 205 Long fibre reinforced ceramics with active fillers and a modified intra-matrix bond based on the LPI process  
G. STANTSCHEV, M. FRIEß, R. KOCHENDÖRFER & W. KRENKEL (Germany)
- 211 Improved durability of Si/B/N/C random inorganic networks  
T. JÄSCHKE & M. JANSEN (Germany)
- 221 Mechanical properties of ceramic matrix composites with siloxane matrix and liquid phase coated carbon fiber reinforcement  
R. GADOW, F. KERN & H. ULUTAS (Germany)
- 227 Coarsening of nano-crystalline SiC in amorphous Si–B–C–N  
H. SCHMIDT, W. GRUBER, G. BORCHARDT, P. GERSTEL, A. MÜLLER & N. BUNJES (Germany)
- Product I**
- 233 Methylene-bridged carbosilanes and polycarbosilanes as precursors to silicon carbide—from ceramic composites to SiC nanomaterials  
Q.-M. CHENG, L.V. INTERRANTE, M. LIENHARD, Q. SHEN & Z. WU (USA)
- 243 Nanodevices that explore the synergies between PDCs and carbon nanotubes  
S.R. SHAH & R. RAJ (USA)
- 251 Preparation of high-temperature stable Si–B–C–N fibers from tailored single source polyborosilazanes  
S. BERNARD (France), M. WEINMANN (Germany), D. CORNU, P. MIELE (France) & F. ALDINGER (Germany)
- Product II**
- 257 A hydrogen-permselective amorphous silica membrane derived from polysilazane  
Y. IWAMOTO, K. SATO, T. KATO, T. INADA & Y. KUBO (Japan)

- 265 Synthesis of periodic mesoporous organosilica from bis(triethoxysilyl)methane and their pyrolytic conversion into porous SiCO glasses  
B. TOURY & F. BABONNEAU (France)
- 271 Ceramers—functional materials for adsorption techniques  
M. WILHELM, C. SOLTmann, D. KOCH & G. GRATHWOHL (Germany)
- 277 Novel Er-doped SiC/SiO<sub>2</sub> nanocomposites: Synthesis via polymer pyrolysis and their optical characterization  
G.D. SORARÙ, Y. ZHANG, M. FERRARI, L. ZAMPEDRI (Italy) & R.R. GONÇALVES (Brasil)
- 283 Phase separation in sol–gel derived ZrO<sub>2</sub>–SiO<sub>2</sub> nanostructured materials  
A. GAUDON, A. DAUGER, A. LECOMTE, B. SOULESTIN & R. GUINEBRETIÉRE (France)
- 287 Low-temperature synthetic route for boron carbide  
S. MONDAL & A.K. BANTHIA (India)

**Volume 25 Number 4 2005**

- 293 A new porcelainised stoneware material based on anorthite  
M.U. TASKIRAN, N. DEMIRKOL & A. CAPOGLU (Turkey)
- 301 Mechanical and microstructural characterization of calcium aluminosilicate (CAS) and SiO<sub>2</sub>/CAS composites deformed at high temperature and high pressure  
S. JI (Canada, PR China), E. RYBACKI, R. WIRTH (Germany), Z. JIANG (UK) & B. XIA (PR China)
- 313 Critical thermodynamic evaluation and optimization of the CaO–MgO–SiO<sub>2</sub> system  
I.-H. JUNG, S.A. DECTEROV & A.D. PELTON (Canada)
- 335 A comparison study of tialite ceramics doped with various oxide materials and tialite–mullite composites: microstructural, thermal and mechanical properties  
A. TSETSEKOU (Greece)
- 349 Pyroxene-based glass-ceramics as glazes for floor tiles  
F.J. TORRES & J. ALARCÓN (Spain)
- 357 The role of surface microstructure on the resistance to stains of porcelain stoneware tiles  
M. DONDI, G. ERCOLANI, G. GUARINI, C. MELANDRI, M. RAIMONDO (Italy), E. ROCHA e ALMENDRA & P.M. TENORIO CAVALCANTE (Brazil)
- 367 Thermal response of two-layer systems: Numerical simulation and experimental validation  
J. ABSI, D.S. SMITH, B. NAÏT-ALI, S. GRANDJEAN & J. BERJONNAUX (France)
- 375 Processing and mechanical properties of hydroxyapatite pieces obtained by the gelcasting method  
S. PADILLA, M. VALLET-REGÍ, M.P. GINEBRA & F.J. GIL (Spain)
- 385 Fracture behavior of cylindrical porous alumina with pore gradient  
C.H. CHEN, K. TAKITA, S. HONDA & H. AWAJI (Japan)
- 393 Studies of the sintering kinetics of thick thermal barrier coatings by thermal diffusivity measurements  
F. CERNUSCHI, L. LORENZONI (Italy), S. AHMANIEMI, P. VUORISTO & T. MÄNTYLÄ (Finland)
- 401 Analysis of secondary phases segregated and precipitated in SnO<sub>2</sub>-based varistors  
R. PARRA, M.S. CASTRO (Argentina) & J.A. VARELA (Brazil)
- 407 Imaging of oxide dielectrics by near-field microwave microscopy  
Q. ZHANG & P.J. MCGINN (USA)
- 417 Uniaxial viscosity of low-temperature cofired ceramic (LTCC) powder compacts determined by loading dilatometry  
R.-J. XIE (Japan, Germany), R. ZUO, E. AULBACH, U. MACKENS (Germany), N. HIROSAKI (Japan) & J. RÖDEL (Germany)
- 425 Effects of uniaxial prestress on the ferroelectric hysteretic response of soft PZT  
D. ZHOU, M. KAMLAH & D. MUNZ (Germany)
- 433 Synthesis and characterisation of La(Co<sub>1/2</sub>Ti<sub>1/2</sub>)O<sub>3</sub>  
D.L. CAIRNS, I.M. REANEY, H. ZHENG, D. IDDLES & T. PRICE (UK)

- 441 Electrical properties and ageing characteristics of BaTiO<sub>3</sub> ceramics doped by single dopants  
Z.C. LI & B. BERGMAN (Sweden)
- 447 Direct observation of ferroelastic domain switching in polycrystalline BaTiO<sub>3</sub> using in situ neutron diffraction  
J.S. FORRESTER, E.H. KISI & A.J. STUDER (Australia)
- 455 Submicrometric NASICON ceramics with improved electrical conductivity obtained from mechanically activated precursors  
R.O. FUENTES (Argentina, Portugal), F.M. FIGUEIREDO, M.R. SOARES & F.M.B. MARQUES (Portugal)
- 463 Simplified processing of anode-supported thin film planar solid oxide fuel cells  
R.N. BASU, G. BLASS, H.P. BUCHKREMER, D. STÖVER, F. TIETZ, E. WESSEL & I.C. VINKE (Germany)
- 473 Sinterability, microstructures and electrical properties of Ni/Sm-doped ceria cermet processed with nanometer-sized particles  
Y. OKAWA & Y. HIRATA (Japan)
- 481 Ionic conductivities and phase transitions of lanthanide rare-earth substituted La<sub>2</sub>Mo<sub>2</sub>O<sub>9</sub>  
D.-S. TSAI, M.-J. HSIEH, J.-C. TSENG & H.-Y. LEE (Taiwan)
- 489 Oxygen ionic transport in SrFe<sub>1-y</sub>Al<sub>y</sub>O<sub>3-δ</sub> and Sr<sub>1-x</sub>CaxFe<sub>0.5</sub>Al<sub>0.5</sub>O<sub>3-δ</sub> ceramics  
A.L. SHAULA (Portugal), V.V. KHARTON (Portugal, Belarus), N.P. VYSHATKO, E.V. TSIPIS (Portugal), M.V. PATRAKEEV (Russia), F.M.B. MARQUES & J.R. FRADE (Portugal)
- 501 "MgAION" spinel structure: A new crystallographic model of solid solution as suggested by <sup>27</sup>Al solid state NMR  
O. MOREY & P. GOEURIOT (France)
- 509 Phase evolution and crystallization in Si–B–C–N ceramics derived from a polyborosilazane precursor: microstructural characterization  
N. JANAKIRAMAN, A. ZERN, M. WEINMANN, F. ALDINGER (Germany) & P. SINGH (India)
- 521 The peculiarities of transformation of organosilicon polymer into ceramic products under mechanochemical treatment  
E.I. BELYAEVA, N.I. BAKLANOVA, G.A. SUCHKOVA & E.Y. BELYAEV (Russia)
- 529 Nano- versus macro-hardness of liquid phase sintered SiC  
M. BALOG, P. ŠAJGALÍK, M. HNATKO, Z. LENČÉŠ (Slovakia), F. MONTEVERDE (Italy), J. KEČKÉŠ (Austria) & J.-L. HUANG (China)
- 535 Tensile strength and fiber/matrix interfacial properties of 2D- and 3D-carbon/carbon composites  
H. HATTA, K. GOTO, S. IKEGAKI, I. KAWAHARA, M.S. ALY-HASSAN & H. HAMADA (Japan)

**Volume 25 Number 5 2005**

- 543 Influence of a finite notch root radius on fracture toughness  
T. FETT (Germany)
- 549 Crack-healing ability of structural ceramics and a new methodology to guarantee the structural integrity using the ability and proof-test  
K. ANDO, K. FURUSAWA, K. TAKAHASHI & S. SATO (Japan)
- 559 Effect of sintering additives on the oxidation behavior of Si<sub>3</sub>N<sub>4</sub> ceramics at 1300°C  
K. HOUJOU, K. ANDO, M.C. CHU (Japan), S.P. LIU (Taiwan) & S. SATO (Japan)
- 569 Crack-healing behavior and resultant strength properties of silicon carbide ceramic  
S.-K. LEE, W. ISHIDA (Japan), S.-Y. LEE, K.-W. NAM (South Korea) & K. ANDO (Japan)
- 577 Oxidation protection of C/C–SiC composites by an electrophoretically deposited mullite precursor  
T. DAMJANOVIĆ, C. ARGIRUSIS, G. BORCHARDT, H. LEIPNER, R. HERBIG, G. TOMANDL & R. WEISS (Germany)
- 589 Mechanical properties and mechanical behaviour of SiC dense-porous laminates  
C. REYNAUD, F. THÉVENOT, T. CHARTIER & J.-L. BESSON (France)

- 599 Distribution of fibre pullout length and interface shear strength within a single fibre bundle for an orthogonal 3-D woven Si–Ti–C–O fibre/Si–Ti–C–O matrix composite tested at 1100°C in air  
I.J. DAVIES (Australia), T. OGASAWARA & T. ISHIKAWA (Japan)
- 605 Preparation and performance of an advanced multiphase composite ceramic material  
C. XU (PR China)
- 613 Diphasic aluminosilicate gels with two stage mullitization in temperature range of 1200–1300°C  
E. TKALCEC, S. KURAJICA & H. IVANKOVIC (Croatia)
- 627 Ceramic laser gelling  
H.-H. TANG & F.-H. LIU (Taiwan)
- 633 Near net-shape fabrication of alumina glass composites  
Q. ZHU (China, The Netherlands), G. DE WITH, L.J.M.G. DORTMANS & F. FEENSTRA (The Netherlands)
- 639 Anisotropic X-ray diffraction peak broadening and twinning in diaspore-derived corundum  
L. LÖFFLER & W. MADER (Germany)
- 649 Analysis of the nanoindentation load–displacement curves measured on high-purity fine-grained alumina  
J. GONG, Z. PENG & H. MIAO (PR China)
- 655 Analysis of the action mechanism of polymer dispersant on dense ethanol alumina suspension using colloidal probe AFM  
T. KAKUI, T. MIYAUCHI & H. KAMIYA (Japan)
- 663 The role of the synthesis route to obtain densified TiO<sub>2</sub>-doped alumina ceramics  
T. HERNANDEZ & M.C. BAUTISTA (Spain)
- 673 Synthesis of TiO<sub>2</sub> porous thin films by polyethylene glycol templating and chemistry of the process  
S.J. BU, Z.G. JIN, X.X. LIU, L.R. YANG & Z.J. CHENG (China)
- 681 Thermodynamic assessment of the system ZrO<sub>2</sub>–CaO–MgO using new experimental results. Calculation of the isoplethal section MgO–CaO–ZrO<sub>2</sub>  
S. SERENA, M.A. SAINZ, S. DE AZA & A. CABALLERO (Spain)
- 695 Aluminothermic reduction of zirconia  
X. ZHE, C.A. DIOKA & A. HENDRY (UK)
- 703 High temperature mullite dissolution in ceramic bodies derived from Al-rich sludge  
M.J. RIBEIRO, D.U. TULYAGAVOV, J.M. FERREIRA & J.A. LABRINCHA (Portugal)
- 711 Superficial colouring of lead crystal glass by sol–gel coatings  
C. GIL, M.A. VILLEGAS & J.M. FERNÁNDEZ NAVARRO (Spain)
- 719 Development of a morphological texture in relation with the crystallographic texture during sintering of strontium hexaferrites  
C. GENEVOIS, J.-M. MISSIAEN, F. ROBAUT, F. GRILLON & C.P. CARRY (France)
- 729 Study of the lithium insertion and de-insertion in perovskite praseodymium bismuth lithium titanate  
M.-F. GARCÍA, N. FERNÁNDEZ, K. BORREGO (Cuba), M.-L. MARTÍNEZ-SARRIÓN, L. MESTRES & M. HERRAIZ (Spain)
- 735 Bottom electrode crystallization of PZT thin films for ferroelectric capacitors  
A.I. MARDARE, C.C. MARDARE & E. JOANNI (Portugal)
- 743 Effect of urea on lead zirconate titanate—Pb(Zr<sub>0.52</sub>Ti<sub>0.48</sub>)O<sub>3</sub>—nanopowders synthesized by the Pechini method  
A. ABREU, JR., S.M. ZANETTI, M.A.S. OLIVEIRA & G.P. THIM (Brazil)
- 749 Fracture behavior of poled piezoelectric PZT under mechanical and electrical loads  
H. JELITTO, H. KEßLER, G.A. SCHNEIDER & H. BALKE (Germany)
- 759 Thermal annealing effects on the structural and electrical properties of PMN–PZ–PT ternary thin films deposited by a sol–gel process  
S. SHANNIGRAHI & K. YAO (Singapore)

**Volume 25 Number 6 2005**

- 767 A new estimation method for the intrinsic thermal conductivity of nonmetallic compounds. A case study for MgSiN<sub>2</sub>, AlN and  $\beta$ -Si<sub>3</sub>N<sub>4</sub> ceramics  
R.J. BRULS, H.T. HINTZEN & R. METSELAAR (The Netherlands)
- 781 Characterisation of the green machinability of AlN powder compacts  
M. DESFONTAINES, Y. JORAND, M. GONON & G. FANTOZZI (France)
- 793 Crystal structure of rare-earth silicon-oxynitride J-phases, Ln<sub>4</sub>Si<sub>2</sub>O<sub>7</sub>N<sub>2</sub>  
J. TAKAHASHI, H. YAMANE, N. HIROSAKI, Y. YAMAMOTO, M. MITOMO & M. SHIMADA (Japan)
- 801 Effect of AlN-content on the microstructure and fracture toughness of hot-pressed and heat-treated LPS–SiC ceramics  
K. STRECKER (Brazil) & M.-J. HOFFMANN (Germany)
- 809 TEM thin foil preparation for ceramic composites with multilayered matrix  
X. BOURRAT, M. ALRIVIE & A. MICHAUX (France)
- 817 Application of the chemical vapor infiltration and reaction (CVI-R) technique for the preparation of highly porous biomorphic SiC ceramics derived from paper  
D.A. STREITWIESER, N. POPOVSKA, H. GERHARD & G. EMIG (Germany)
- 829 Paper derived biomorphic porous titanium carbide and titanium oxide ceramics produced by chemical vapor infiltration and reaction (CVI-R)  
N. POPOVSKA, D.A. STREITWIESER, C. XU & H. GERHARD (Germany)
- 837 Sliding wear of Cr-Al<sub>2</sub>O<sub>3</sub>–ZrO<sub>2</sub> and Mo-Al<sub>2</sub>O<sub>3</sub>–ZrO<sub>2</sub> composites  
S. SCHEPPOKAT (Germany), R. HANNINK (Australia), R. JANSSEN (Germany), G. DE PORTU (Italy) & N. CLAUSSSEN (Germany)
- 847 Design and processing of Al<sub>2</sub>O<sub>3</sub>–Al<sub>2</sub>TiO<sub>5</sub> layered structures  
S. BUENO, R. MORENO & C. BAUDÍN (Spain)
- 857 Deformation behaviour of iron-doped alumina  
A. BATAILLE, A. ADDAD, J. CRAMPON & R. DUCLOS (France)
- 863 Influence of dispersant structure on the rheological properties of highly-concentrated zirconia dispersions  
S. ZÜRCHER & T. GRAULE (Switzerland)
- 875 Effect of cooling rate on the location and chemistry of glassy phases in silica-doped 3Y-TZP ceramics  
L. GREMILLARD, T. EPICIER, J. CHEVALIER & G. FANTOZZI (France)
- 883 Bicontinuous porosity in ceramics utilizing polymer spinodal phase separation  
C.M. LOFTON, C.B. MILZ, H. HUANG & W.M. SIGMUND (USA)
- 891 Studying morphological characteristics of thermally treated bioactive glass ceramic using image analysis  
C. PRITSOS, E. KONTONASAKI, X. CHATZISTAVROU, L. PAPADOPOULOU, F. PAPPAS, P. KOIDIS & K.M. PARASKEVOPOULOS (Greece)
- 899 The effect of B<sub>2</sub>O<sub>3</sub>, PbO and P<sub>2</sub>O<sub>5</sub> on the sintering and machinability of fluormica glass–ceramics  
B.E. YEKTA, S.H. NIA & P. ALIZADEH (Iran)
- 903 Corrosion behaviour of R<sub>2</sub>O–CaO–SiO<sub>2</sub> glasses submitted to accelerated weathering  
N. CARMONA, M.A. VILLEGAS & J.M. FERNÁNDEZ NAVARRO (Spain)
- 911 The influence of iron content on the promotion of the zircon structure and the optical properties of pink coral pigments  
G. CAPPELLETTI, S. ARDIZZONE, P. FERMO & S. GILARDONI (Italy)
- 919 Hydrothermal synthesis of nanocrystalline BaSnO<sub>3</sub> using a SnO<sub>2</sub>·xH<sub>2</sub>O sol  
W. LU & H. SCHMIDT (Germany)
- 927 Mechanical properties of LaFeO<sub>3</sub> ceramics  
A. FOSSDAL, M.-A. EINARSrud & T. GRANDE (Norway)
- 935 Internal friction investigation of phase transformation in nearly stoichiometric LaMnO<sub>3+</sub> $\delta$   
R. ZENATI, C. BERNARD, C. CALMET, S. GUILLEMET, G. FANTOZZI & B. DURAND (France)

- 943 The preparation and properties of  $\text{La}_{3.5}\text{Ru}_4\text{O}_{13}$  and  $\text{La}_2\text{RuO}_5$   
A. BENČAN, M. HROVAT, J. HOLC, G. DRAŽIĆ & M. KOSEC (Slovenia)
- 949 Synthesis, characterization, and electrical conduction of 10 mol%  $\text{Dy}_2\text{O}_3$ -doped  $\text{CeO}_2$  ceramics  
Y. WANG, T. MORI, J.-G. LI (Japan) & J. DRENNAN (Australia)
- 957 Effect of  $\text{V}_2\text{O}_5$  on sintering behaviour, microstructure and dielectric properties of textured  $\text{Sr}_{0.4}\text{Ba}_{0.6}\text{Nb}_2\text{O}_6$  ceramics  
Q.W. HUANG, L.H. ZHU, J. XU, P.L. WANG, H. GU (China) & Y.B. CHENG (Australia)
- 963 Dielectric, pyroelectric and ferroelectric behavior of PZTN 65/35/x ferroelectric ceramic system  
A.P. BARRANCO, L.Y.S. CAMPOS & A. PENTÓN (Cuba)
- 969 Modulus and hardness evaluation of polycrystalline superconductors by dynamic microindentation technique  
O. UZUN, U. KÖLEMEN, S. ÇELEBI & N. GÜCLÜ (Turkey)

**Volume 25 Number 7 2005**

- 979 Reaction pathways during the thermal conversion of polysiloxane precursors into oxycarbide ceramics  
D. BAHLOUL-HOURLIER, J. LATOURNERIE & P. DEMPSEY (France)
- 987 Phase formation in porous liquid phase sintered silicon carbide: Part I: Interaction between  $\text{Al}_2\text{O}_3$  and SiC  
J. IHLE, M. HERRMANN & J. ADLER (Germany)
- 997 Phase formation in porous liquid phase sintered silicon carbide: Part II Interaction between  $\text{Y}_2\text{O}_3$  and SiC  
J. IHLE, M. HERRMANN & J. ADLER (Germany)
- 1005 Phase formation in porous liquid phase sintered silicon carbide: Part III: Interaction between  $\text{Al}_2\text{O}_3\text{--Y}_2\text{O}_3$  and SiC  
J. IHLE, M. HERRMANN & J. ADLER (Germany)
- 1015 Stress distribution in biomorphous SiC-ceramics under radial tensile loading  
T. FEY, H. SIEBER & P. GREIL (Germany)
- 1025 The resistance to oxidation of an  $\text{HfB}_2\text{--SiC}$  composite  
F. MONTEVERDE & A. BELLOSI (Italy)
- 1033 Hot corrosion behavior of  $\text{Ti}_3\text{SiC}_2$  in the mixture of  $\text{Na}_2\text{SO}_4\text{--NaCl}$  melts  
G. LIU, M. LI, Y. ZHOU & Y. ZHANG (China)
- 1041 Behaviour of the wettability of a SiAlON-base ceramic by molten steel  
A.A. AMADEH (Iran), J.C. LABBE & P.E. QUINTARD (France)
- 1049 Testing strategies for corrosive interactions of ceramics with semi-solid and molten metal alloys  
S. MEYER-RAU & R. TELLE (Germany)
- 1057 Spark plasma sintering of  $\text{Sm}_2\text{O}_3$ -doped aluminum nitride  
K.A. KHOR, L.G. YU (Singapore) & Y. MURAKOSHI (Japan)
- 1067 Reaction sintering of AlN–AlON composites  
A. MAGHSOUDIPOUR, M.A. BAHREVAR (Iran), J.G. HEINRICH (Germany) & F. MOZTARZADEH (Iran)
- 1073 Self-lubricating behaviors of  $\text{Al}_2\text{O}_3\text{/TiB}_2$  ceramic tools in dry high-speed machining of hardened steel  
D. JIANXIN, C. TONGKUN & L. LILI (PR China)
- 1081 The influence of autoclave steam on polymer and organic fibre modified ceramic shells  
C. YUAN, S. JONES & S. BLACKBURN (UK)
- 1089 Alumina gelcasting by using HEMA system  
K. CAI, Y. HUANG & J. YANG (PR China)
- 1095 The thermally induced transformation of pseudoboehmite gels—a comparison of the effects of corundum seeding and iron doping  
M. NOFZ, R. STÖSSER, G. SCHOLZ, I. DÖRFEL & D. SCHULTZE (Germany)
- 1109 Dispersion of alpha-alumina ultrafine powders using 2-phosphonobutane-1,2,4-tricarboxylic acid for the implementation of a DCC process  
A.-L. PENARD, F. ROSSIGNOL, H.S. NAGARAJA, C. PAGNOUX & T. CHARTIER (France)

- 1119 Hertzian crack analysis in alumina–chromium composites  
G. GEANDIER, S. DENIS, A. HAZOTTE & A. MOCELLIN (France)
- 1133 Crystallization and properties of glasses based on diopside–Ca-Tschermak's–fluorapatite system  
S.N. SALAMA, H. DARWISH & H.A. ABO-MOSALLAM (Egypt)
- 1143 Effect of a carboxylic acid on the rheological behavior of an aluminous cement paste and consequences on the properties of the hardened material  
Y. EL HAFIANE, A. SMITH, J.P. BONNET (France) & B. TANOUTI (Morocco)
- 1149 Use of granite sawing wastes in the production of ceramic bricks and tiles  
R.R. MENEZES, H.S. FERREIRA, G.A. NEVES, H.D.L. LIRA & H.C. FERREIRA (Brazil)
- 1159 An application of scanning thermal microscopy: Analysis of the thermal properties of plasma-sprayed yttria-stabilized zirconia thermal barrier coating  
F.A. GUO, N. TRANNOY & D. GERDAY (France)
- 1167 Evaluation of microstructural evolution in thermal barrier coatings during thermal cycling using impedance spectroscopy  
S.-H. SONG (China), P. XIAO (UK) & L.-Q. WENG (China)
- 1175 Luminescence effect in amorphous PLT  
G.F.G. FREITAS, R.S. NASAR, M. CERQUEIRA, D.M.A. MELO, E. LONGO, P.S. PIZANI & J.A. VARELA (Brazil)
- 1183 Order-disorder behaviour in  $0.9\text{Ba}([\text{Zn}_{0.60}\text{Co}_{0.40}]_{1/3}\text{Nb}_{2/3})\text{O}_3 - 0.1\text{Ba}(\text{Ga}_{0.5}\text{Ta}_{0.5})\text{O}_3$  microwave dielectric resonators  
I.M. REANEY, Y. IQBAL, H. ZHENG, A. FETEIRA, H. HUGHES, D. IDDLES, D. MUIR & T. PRICE (UK)

**Volume 25 Number 8 2005****Papers Presented at the Directionally Solidified Eutectics Ceramics Meeting***Editorial*

- 1191 Application of eutectic composites to gas turbine system and fundamental fracture properties up to 1700°C  
K. HIRANO (Japan)
- 1201 Creep resistance of the directionally solidified ceramic eutectic of  $\text{Al}_2\text{O}_3/\text{c-ZrO}_2(\text{Y}_2\text{O}_3)$ : experiments and models  
J. YI, A.S. ARGON & A. SAYIR (USA)
- 1215 Mechanical properties of melt-grown  $\text{Al}_2\text{O}_3-\text{ZrO}_2(\text{Y}_2\text{O}_3)$  eutectics with different microstructure  
J.Y. PASTOR, J. LLORCA, P. POZA, I. DE FRANCISCO, R.I. MERINO & J.I. PEÑA (Spain)
- 1225 Creep of directionally solidified alumina/YAG eutectic monofilaments  
L.E. MATSON & N. HECHT (USA)
- 1241 Fracture characteristics of  $\text{Al}_2\text{O}_3/\text{YAG}$  composite at room temperature to 2023 K  
S. OCHIAI, Y. SAKAI, K. SATO, M. TANAKA, M. HOJO, H. OKUDA, Y. WAKU, N. NAKAGAWA, S. SAKATA, A. MITANI & T. TAKAHASHI (Japan)
- 1251 High temperature strength and thermal stability for melt growth composite  
N. NAKAGAWA, H. OHTSUBO, A. MITANI, K. SHIMIZU & Y. WAKU (Japan)
- 1259 Tensile strength of directionally solidified chromia-doped sapphire  
J.J. QUISPE-CANCAPA, A.R. DE ARELLANO-LÓPEZ, J. MARTÍNEZ-FERNÁNDEZ (Spain) & A. SAYIR (USA)
- 1269 Corrosion of a unidirectionally solidified  $\text{Al}_2\text{O}_3/\text{YAG}$  eutectic composite in a combustion environment  
A. OTSUKA, Y. WAKU & R. TANAKA (Japan)
- 1275 Environmental effects on ultra-high temperature creep behavior of directionally solidified oxide eutectic ceramics  
Y. HARADA, T. SUZUKI, K. HIRANO, N. NAKAGAWA & Y. WAKU (Japan)

- 1285 Thermal emission properties of  $\text{Al}_2\text{O}_3/\text{Er}_3\text{Al}_5\text{O}_{12}$  eutectic ceramics  
N. NAKAGAWA, H. OHTSUBO, Y. WAKU & H. YUGAMI (Japan)
- 1293 Self assemble silicide architectures by directional solidification  
F.W. DYNYS & A. SAYIR (USA)
- 1301 Submicron size single crystal  $\text{Me}^{\text{IV}}\text{B}_2$  ( $\text{Me} = \text{Ti}, \text{Zr}, \text{Hf}$ ) fibers  
Y.B. PADERNO, V.B. FILIPOV, V.N. PADERNO (Ukraine) & A. SAYIR (USA)
- 1307 Strain measurement of the directionally solidified eutectic  $\text{Al}_2\text{O}_3/\text{Y}_3\text{Al}_5\text{O}_{12}$  (YAG) ceramic by neutron diffraction  
S. TORII, T. KAMIYAMA, K. OIKAWA, Y. WAKU & T. FUKUNAGA (Japan)
- 1313 High temperature elasticity measurements on oxides by Brillouin spectroscopy with resistive and IR laser heating  
S.V. SINOGEIKIN, D.L. LAKSHTANOV, J.D. NICHOLAS, J.M. JACKSON & J.D. BASS (USA)
- 1325 Al motion rates in levitated, molten  $\text{Al}_2\text{O}_3$  samples, measured by pulsed gradient spin echo  $^{27}\text{Al}$  NMR  
R.F. MARZKE, J. PIWOWARCZYK (USA), P.F. MCMILLAN (UK) & G.H. WOLF (USA)
- 1333 Melt and glass structure in the  $\text{Al}_2\text{O}_3-\text{CaO}-\text{LaPO}_4$  system studied by  $^{27}\text{Al}$  and  $^{31}\text{P}$  NMR, and by Raman scattering  
S. BOUCHER, J. PIWOWARCZYK, R.F. MARZKE, B. TAKULAPALLI, G.H. WOLF (USA), P.F. MCMILLAN (UK) & W.T. PETUSKEY (USA)
- 1341 Growth of  $\text{Al}_2\text{O}_3/\text{ZrO}_2(\text{Y}_2\text{O}_3)$  eutectic rods by the laser floating zone technique: effect of the rotation  
I. DE FRANCISCO, R.I. MERINO, V.M. ORERA, A. LARREA & J.I. PEÑA (Spain)
- 1351 Growth of  $\text{MgAl}_2\text{O}_4/\text{MgO}$  eutectic crystals by the micro-pulling-down method and its characterization  
J.H. LEE, A. YOSHIKAWA & T. FUKUDA (Japan)
- 1355 Continuous solidification of  $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$  by isothermal undercooling  
F. DOGAN (USA)
- 1359 Sinter forging of rapidly quenched eutectic  $\text{Al}_2\text{O}_3-\text{ZrO}_2(\text{Y}_2\text{O}_3)$ -glass powders  
S. BALASUBRAMANIAN, H. KESHAVAN & W.R. CANNON (USA)
- 1365  $\text{Al}_2\text{O}_3-\text{Y}_3\text{Al}_5\text{O}_{12}$ (YAG)- $\text{ZrO}_2$  ternary composite rapidly solidified from the eutectic melt  
J.M. CALDERON-MORENO (Spain) & M. YOSHIMURA (Japan)
- 1369 Stabilization of zirconia lamellae in rapidly solidified alumina-zirconia eutectic composites  
J.M. CALDERON-MORENO (Spain, Japan) & M. YOSHIMURA (Japan)
- 1373 Phase diagram of the  $\text{Al}_2\text{O}_3-\text{ZrO}_2-\text{La}_2\text{O}_3$  system  
S.M. LAKIZA & L.M. LOPATO (Ukraine)
- 1381 Structure of interface in directionally solidified oxide eutectic systems  
J. ECHIGOYA (Japan)
- 1389 Microstructures and interfaces in directionally solidified oxide–oxide eutectics  
L. MAZEROLLES, D. MICHEL & M.J. HYTCH (France)
- 1397 Three-dimensional observation of the entangled eutectic structure in the  $\text{Al}_2\text{O}_3-\text{YAG}$  system  
H. YASUDA, I. OHNAKA, Y. MIZUTANI, T. MORIKAWA, S. TAKESHIMA, A. SUGIYAMA, Y. WAKU, A. TSUCHIYAMA, T. NAKANO & K. UESUGI (Japan)
- 1405 Eutectic  $\text{Al}_2\text{O}_3/\text{Y}_3\text{Al}_5\text{O}_{12}$  fibers modified by the substitution of  $\text{Sc}_2\text{O}_3$ ,  $\text{Fe}_2\text{O}_3$  or  $\text{Cr}_2\text{O}_3$   
M. NAKAI, H. KAIDEN, J.H. LEE, A. YOSHIKAWA, K. SUGIYAMA & T. FUKUDA (Japan)
- 1411 Microstructure and mechanical properties of  $\text{Al}_2\text{O}_3/\text{Y}_3\text{Al}_5\text{O}_{12}/\text{ZrO}_2$  ternary eutectic materials  
J.H. LEE, A. YOSHIKAWA, Y. MURAYAMA, Y. WAKU, S. HANADA & T. FUKUDA (Japan)
- 1419 Microstructure and mechanical properties of  $\text{Al}_2\text{O}_3-\text{YSZ}$  and  $\text{Al}_2\text{O}_3-\text{YAG}$  directionally solidified eutectic plates  
A. LARREA, V.M. ORERA, R.I. MERINO & J.I. PEÑA (Spain)
- 1431 Molecular dynamics simulations of basal and pyramidal system edge dislocations in sapphire  
C.T. BODUR, J. CHANG & A.S. ARGON (USA)

- 1441 Crystallographic orientation analysis and high temperature strength of melt growth composite  
S. SAKATA, A. MITANI, K. SHIMIZU & Y. WAKU (Japan)
- 1447 Raman/Cr<sup>3+</sup> fluorescence mapping of a melt-grown Al<sub>2</sub>O<sub>3</sub>/GdAlO<sub>3</sub> eutectic  
G. GOUADEC, P. COLOMBAN, N. PIQUET, M.F. TRICHET & L. MAZEROLLES (France)
- 1455 Structured porous Ni- and Co-YSZ cermets fabricated from directionally solidified eutectic composites  
M.A. LAGUNA-BERCERO, A. LARREA, J.I. PEÑA, R.I. MERINO & V.M. ORERA (Spain)

**Volume 25 Number 9 2005**

- 1463 Comparative study of the sonication effect on the thermal behaviour of 1:1 and 2:1 aluminium phyllosilicate clays  
L.A. PÉREZ-MAQUEDA, F. FRANCO & J.L. PÉREZ-RODRÍGUEZ (Spain)
- 1471 The composition range of aluminosilicate geopolymers  
R.A. FLETCHER, K.J.D. MACKENZIE, C.L. NICHOLSON (New Zealand) & S. SHIMADA (Japan)
- 1479 X-ray diffraction microstructure analysis of mullite, quartz and corundum in porcelain insulators  
J.M. AMIGÓ, F.J. SERRANO (Spain), M.A. KOJDECKI (Poland), J. BASTIDA, V. ESTEVE, M.M. REVENTÓS & F. MARTÍ (Spain)
- 1487 The reliability of polished porcelain stoneware tiles  
L. ESPOSITO, A. TUCCI & D. NALDI (Italy)
- 1499 Alumina-rich refractory concretes with added spinel, periclase and dolomite: A comparative study of their microstructural evolution with temperature  
L.A. DÍAZ, R. TORRECILLAS, A.H. DE AZA, P. PENA & S. DE AZA (Spain)
- 1507 Preparation and characterization of novel bioactive dicalcium silicate ceramics  
Z. GOU, J. CHANG & W. ZHAI (PR China)
- 1515 Borosilicate glass matrix composites containing multi-wall carbon nanotubes  
A.R. BOCCACCINI, D.R. ACEVEDO (UK), G. BRUSATIN (Italy) & P. COLOMBO (Italy, USA)
- 1525 Utilization of DTA in determination of crystallization mechanism in SiO<sub>2</sub>–Al<sub>2</sub>O<sub>3</sub>–CaO–MgO(R<sub>2</sub>O) glasses in presence of various nuclei  
M. REZVANI, B. EFTEKHARI YEKTA & V.K. MARGHUVASSIAN (Iran)
- 1531 Sintering behaviour of a glass obtained from MSWI ash  
A. KARAMANOV, M. ALOISI & M. PELINO (Italy)
- 1541 Development and mechanical characterization of Al<sub>2</sub>O<sub>3</sub> platelet-reinforced glass matrix composites obtained from glasses coming from dismantled cathode ray tubes  
E. BERNARDO, G. SCARINCI & S. HREGLICH (Italy)
- 1551 Drying mechanisms and stress development in aqueous alumina tape casting  
J. KIENNEMANN, T. CHARTIER, C. PAGNOUX, J.F. BAUMARD, M. HUGER & J.M. LAMÉRANT (France)
- 1565 Influence of the co-precipitation temperature on phase evolution in yttrium-aluminium oxide materials  
P. PALMERO (Italy), C. ESNOUF (France), L. MONTANARO (Italy) & G. FANTOZZI (France)
- 1575 Combustion of Al–Al<sub>2</sub>O<sub>3</sub> mixtures in air  
A. GROMOV, A. ILYIN, A. DITTS & V. VERESHCHAGIN (Russia)
- 1581 Laser stereolithography of ZrO<sub>2</sub> toughened Al<sub>2</sub>O<sub>3</sub>  
A. LICCIULLI, C. ESPOSITO CORCIONE, A. GRECO, V. AMICARELLI & A. MAFFEZZOLI (Italy)
- 1591 <sup>96</sup>Zr diffusion in polycrystalline scandia stabilized zirconia  
M.A. TAYLOR, M. KILO, G. BORCHARDT (Germany), S. WEBER & H. SCHERRER (France)
- 1597 Stability of Y-TZP during hydrothermal treatment: neutron experiments and stability considerations  
H. SCHUBERT & F. FREY (Germany)
- 1603 Pressureless sintering and tribological properties of WC–ZrO<sub>2</sub> composites  
B. BASU, T. VENKATESWARAN & D. SARKAR (India)

- 1611 Effects of sintering atmosphere on grain morphology of liquid-phase-sintered SiC with Al<sub>2</sub>O<sub>3</sub> additions  
K. SUZUKI & M. SASAKI (Japan)
- 1619 Properties of liquid phase pressureless sintered silicon carbide obtained without sintering bed  
G. MAGNANI, L. BEAULARDI & L. PILOTTI (Italy)
- 1629 Delayed failure of ceramic matrix composites in tension at elevated temperatures  
S.R. CHOI, N.P. BANSAL & M.J. VERRILLI (USA)
- 1637 Influence of processing parameters on microstructure and ferroelectric properties of PZT-coated SiC fibers  
J.-W. KIM & J.G. HEINRICH (Germany)
- 1647 Correlation of microstructures with electrical performance of Ag-based metal electrode–PZT electroceramic interfaces  
L.J. ECCLESTONE, I.M. REANEY & W.E. LEE (UK)
- 1657 Influence of MnO<sub>2</sub> and Co<sub>3</sub>O<sub>4</sub> dopants on dielectric properties of Pb(Fe<sub>2/3</sub>W<sub>1/3</sub>)O<sub>3</sub> ceramics  
D. SZWAGIERCZAK & J. KULAWIK (Poland)
- 1663 Processing of textured zinc oxide varistors via templated grain growth  
E. SUVACI & İ.Ö. ÖZER (Turkey)
- 1675 Bi<sub>2</sub>O<sub>3</sub> vaporization from ZnO-based varistors  
M. PEITEADO, M.A. DE LA RUBIA, M.J. VELASCO, F.J. VALLE & A.C. CABALLERO (Spain)
- 1681 Influence of SiO<sub>2</sub> and CaO additions on the microstructure and magnetic properties of sintered Sr-hexaferrite  
J. TÖPFER, S. SCHWARZER, S. SENZ & D. HESSE (Germany)
- 1689 Properties of barium hexaferrite thick films deposited by electron beam evaporation  
M. VÉRITÉ, M. VALETAS, A. BESSAUDOU, F. COSSET & J.C. VAREILLE (France)

## Volume 25 Number 10 2005

### Papers presented at the High Temperature Corrosion and Protection of Materials Meeting

- 1697 Corrosion of Ceramic Matrix Composites  
K.G. NICKEL (Germany) & J. DESMAISON (France)
- 1699 Ceramic matrix composite corrosion models  
K.G. NICKEL (Germany)
- 1705 Rare earth silicate environmental barrier coatings for SiC/SiC composites and Si<sub>3</sub>N<sub>4</sub> ceramics  
K.N. LEE, D.S. FOX & N.P. BANSAL (USA)
- 1717 Subcritical crack growth processes in SiC/SiC ceramic matrix composites  
R.H. JONES & C.H. HENAGER JR. (USA)
- 1723 Degradation of mechanical and electrical properties after long-term oxidation and corrosion of non-oxide structural ceramic composites  
V. MEDRI (Italy), M. BRACISIEWICZ (The Netherlands), K. KRNEL (Slovenia), F. WINTERHALTER & A. BELLOSI (Italy)
- 1733 Electron microscopy study on the high-temperature oxidation of Si<sub>3</sub>N<sub>4</sub>–TiN ceramics: in situ and ex situ investigations  
A. FELDHOFF, M.-F. TRICHET, L. MAZEROLLES & M. BACKHAUS-RICOULT (France)
- 1743 Oxidation behaviour of Si<sub>3</sub>N<sub>4</sub>–TiN ceramics under dry and humid air at high temperature  
L. MAZEROLLES, A. FELDHOFF, M.-F. TRICHET & M. BACKHAUS-RICOULT (France)
- 1749 Modification of the oxidation behaviour of Si<sub>3</sub>N<sub>4</sub>–TiB<sub>2</sub> composites by PECVD alumina coatings  
B. VASQUES, C. TIXIER, R. KLEIN, H. HIDALGO, P. TRISTANT & J. DESMAISON (France)
- 1757 Wettability of silicon nitride ceramic composites by silver, copper and silver copper titanium alloys  
R. KLEIN, M. DESMAISON-BRUT, P. GINET (France), A. BELLOSI & J. DESMAISON (Italy)

- 1765 Preparation and oxidation of composite TiN–AlN films from alkoxide solutions by plasma-enhanced CVD  
S. SHIMADA, Y. TAKADA & J. TSUJINO (Japan)
- 1771 Short-term oxidation of a ternary composite in the system AlN–SiC–ZrB<sub>2</sub>  
M. BRACH, D. SCITI, A. BALBO & A. BELLOSI (Italy)
- 1781 High-temperature oxidation of AlN–SiC–TiB<sub>2</sub> ceramics in air  
V.A. LAVRENKO (Ukraine), J. DESMAISON (France), A.D. PANASYUK (Ukraine), M. DESMAISON-BRUT & E. FENARD (France)
- 1789 Oxidation behaviour of an aluminium nitride–hafnium diboride ceramic composite  
D. MATTIA, M. DESMAISON-BRUT (France), S. DIMOVSKI, Y. GOGOTSI (USA) & J. DESMAISON (France)
- 1797 Wetting of HIP AlN-TiB<sub>2</sub> ceramic composites by liquid metals and alloys  
D. MATTIA, M. DESMAISON-BRUT, D. TÉTARD & J. DESMAISON (France)
- 1805 Hydrothermal corrosion of zirconia-toughened alumina (ZTA) at 200 °C  
M. HERRMANN (Germany), B. SEIPEL (USA), J. SCHILM, K.G. NICKEL, G. MICHAEL & A. KRELL (Germany)
- 1813 Kinetics and mechanism of electrolytic corrosion of titanium-based ceramics in 3% NaCl solution  
V.A. LAVRENKO, A.D. PANASYUK (Ukraine), M. DESMAISON-BRUT (France), V.A. SHVETS (Ukraine) & J. DESMAISON (France)

**Volume 25 Number 11 2005**

- 1819 Modelling of high temperature asymmetric creep behavior of ceramics  
E. BLOND, N. SCHMITT, F. HILD, P. BLUMENFELD & J. POIRIER (France)
- 1829 Crystallization behavior and mechanical properties of porcelain bodies containing zinc oxide additions  
S.-M. LEE, S.-K. KIM, J.W. YOO & H.-T. KIM (South Korea)
- 1835 Plasma-sprayed glass-ceramic coatings on ceramic tiles: microstructure, chemical resistance and mechanical properties  
G. BOLELLI, V. CANNILLO, L. LUSVARGHI, T. MANFREDINI, C. SILIGARDI, C. BARTULI, A. LORETO & T. VALENTE (Italy)
- 1855 FTIR spectroscopy investigation of the crystallisation process in an iron rich glass  
P. PISCIELLA & M. PELINO (Italy)
- 1863 Crystal structures of CeO<sub>2</sub>–ZrO<sub>2</sub>–Ta<sub>2</sub>O<sub>5</sub> ternary system studied by Rietveld method  
D.A. CLEMENTE, E. LUCCHINI, S. MERIANI & N. FURLAN (Italy)
- 1877 Hydration process and rheological properties of cement pastes modified by orthophosphate addition  
P. BÉNARD, S. GARRAULT, A. NONAT & C. CAU-DIT-COUMES (France)
- 1885 Thermal expansion of Ca<sub>1-x</sub>Sr<sub>x</sub>Zr<sub>4</sub>(PO<sub>4</sub>)<sub>6</sub> ceramics  
N. CHAKRABORTY, D. BASU (India) & W. FISCHER (Germany)
- 1895 Preparation and characterization of tubular ceramic membranes for treatment of oil emulsions  
J.M. BENITO, A. CONESA, F. RUBIO & M.A. RODRÍGUEZ (Spain)
- 1905 Effects of TiO<sub>2</sub> and SiO<sub>2</sub> additions on phase formation, microstructures and PTCR characteristics of Sb-doped barium strontium titanate ceramics  
P. BOMLAI (Thailand, UK), N. SIRIKURAT (Thailand), A. BROWN & S.J. MILNE (UK)
- 1919 Spark-plasma-sintering (SPS) of nanostructured titanium carbonitride powders  
P. ANGERER (Austria), L.G. YU, K.A. KHOR (Singapore), G. KORB (Austria) & I. ZALITE (Latvia)
- 1929 High temperature properties of SiC and diamond CVD-monofilaments  
G. CHOLLON, R. NASLAIN (France), C. PRENTICE, R. SHATWELL & P. MAY (UK)
- 1943 The behavior of the oxide-coated Nicalon™ fibers exposed to air at 1000 °C  
T.M. ZIMA, N.I. BAKLANOVA & A.T. TITOV (Russian Federation)

- 1953 Improvement of static fatigue strength of  $\text{Si}_3\text{N}_4/\text{SiC}$  crack-healed under cyclic stress  
K. TAKAHASHI, H. MURASE, S. YOSHIDA, K. HOUJOU, K. ANDO & S. SAITO (Japan)

**Volume 25 Number 12 2005****ELECTROCERAMICS IX'04**  
**Cherbourg, France 31 May–6 June 2004**

- 1961 Preface  
J.-M. HAUSSONNE & D. HOUIVET (France)
- 1965 Transition metal oxides: Promising functional materials  
B. RAVEAU (France)
- 1971 Application driven industrial development of piezoceramics  
W.W. WOLNY (Denmark)
- Powder Synthesis*
- 1977 A straight way toward phase pure complex oxides  
M. SENNA (Japan)
- 1985 Mechanochemical synthesis of barium titanate  
B.D. STOJANOVIC (Serbia and Montenegro, Brazil), A.Z. SIMOES, C.O. PAIVA-SANTOS (Brazil), C. JOVALEKIC, V.V. MITIC (Serbia and Montenegro) & J.A. VARELA (Brazil)
- 1991 Characterization of perovskite powders for cathode and oxygen membranes made by different synthesis routes  
J. SFEIR, S. VAUCHER, P. HOLTAPPELS, U. VOGT, H.-J. SCHINDLER, J. VAN HERLE, E. SUVOROVA, P. BUFFAT, D. PERRET, N. XANTHOPOULOS & O. BUCHELI (Switzerland)
- 1997 Preparation and characterization of calcium cobaltite for thermoelectric application  
M. SOPICKA-LIZER, P. SMACZYŃSKI (Poland), K. KOZŁOWSKA (Germany), E. BOBROWSKA-GRZESIK (Poland), J. PLEWA & H. ALTBURG (Germany)
- 2003 Synthesis and characterization of monazite-type  $\text{Sr:LaPO}_4$  prepared through coprecipitation  
S. GALLINI, J.R. JURADO & M.T. COLOMER (Spain)
- 2009 Preparation of  $\text{BaZr}_x\text{Ti}_{1-x}\text{O}_3$  by the hydrothermal process from peroxy-precursors  
B.W. LEE & S.-B. CHO (South Korea)
- 2013 Hydrothermal synthesis of nanostructured inorganic powders by a continuous process under supercritical conditions  
N. MILLOT, B. XIN, C. PIGHINI & D. AYMES (France)
- 2017 Films by slurry coating of nanometric YSZ (8 mol%  $\text{Y}_2\text{O}_3$ ) powders synthesized by low-temperature hydrothermal treatment  
G. DELL'AGLI, S. ESPOSITO, G. MASCOLO, M.C. MASCOLO & C. PAGLIUCA (Italy)
- 2023  $\text{Gd}_2\text{O}_3:\text{Eu}^{3+}$  phosphor particles processed through aerosol route  
M.E. RABANAL, C. MORAL, J.M. TORRALBA (Spain), L. MANCIC & O. MILOSEVIC (Serbia and Montenegro)
- 2029 New LTCC-hexaferrites by using reaction bonded glass ceramics  
R. KARMAZIN, O. DERNOVSEK, N. ILKOV, W. WERSING, A. ROOSEN & M. HAGYMASI (Germany)
- 2033 Effect of  $\text{Al}_2\text{O}_3$  dopant on abnormal grain growth in  $\text{BaTiO}_3$   
J.G. FISHER, B.-K. LEE (Republic of Korea), A. BRANCQUART (France), S.-Y. CHOI & S.-J.L. KANG (Republic of Korea)
- Nanotechnologies*
- 2037 Evolution of nanowires, nanocombs, and nanosheets in oxide semiconductors with variation of processing conditions  
J.-H. PARK, Y.-J. CHOI & J.-G. PARK (South Korea)
- 2041 Preparation of nano-structured  $\text{BaTiO}_3$  thin film by electrophoretic deposition and its characterization  
Y.J. WU (Japan, China), J. LI, H. TANAKA & M. KUWABARA (Japan)

- 2045 Density improvement of the sol-gel dip-coated  $\text{SnO}_2$  films by chemical surface modification  
A.P. RIZZATO (Brazil, France), C.V. SANTILLI, S.H. PULCINELLI, P. HAMMER (Brazil) & V. BRIOIS (France)
- 2051 Hybrid organic-inorganic films by assembling of Si-Zr-based nanobuilding blocks  
S. DIRÉ, G. BRUSATIN, M.L. DI VONA, P. EGGER, M. FERRARI, P. INNOCENZI, S. LICOCCHIA, P. ROMAGNOLI, M. TROMBETTA & L. ZAMPEDRI (Italy)
- Shaping and multilayer structures*
- 2055 3D fine scale ceramic components formed by ink-jet prototyping process  
R. NOGUERA, M. LEJEUNE & T. CHARTIER (France)
- 2061 Constrained sintering of dielectric and ferrite LTCC tape composites  
M. HAGYMÁSI, A. ROOSEN, R. KARMAZIN, O. DERNOVSEK & W. HAAS (Germany)
- 2065 Investigation of interactions between co-fired LTCC components  
H. BIROL, T. MAEDER, C. JACQ & P. RYSER (Switzerland)
- 2071 Gel-casting of ceramic components for wireless communications  
Z.X. XIONG, C. FANG, Y.X. WANG & Z.G. SU (PR China)
- Powders and ceramics characterizations*
- 2075 Particle size effect on the crystal structure symmetry of  $\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$   
Y. SHIRATORI, A. MAGREZ & C. PITHAN (Germany)
- 2081 Microstructural characterization of mechanically activated  $\text{ZnO}-\text{Cr}_2\text{O}_3$  system  
Z.V. MARINKOVIĆ, L. MANČIĆ, P. VULIĆ & O. MILOŠEVIĆ (Serbia and Montenegro)
- 2085 Lanthanum titanate ceramics: Electrical characterizations in large temperature and frequency ranges  
D. FASQUELLE, J.C. CARRU, L. LE GENDRE, C. LE PAVEN, J. PINEL, F. CHEVIRÉ, F. TESSIER & R. MARCHAND (France)
- 2089 Microwave dielectric response of  $(\text{Sr}_{0.80}\text{Pb}_{0.20})\text{TiO}_3$  based ferroelectric composites  
J. DE LOS SANTOS GUERRA, D. GARCIA, J.A. EIRAS (Brazil), Y. SOMIYA, L.E. CROSS & A.S. BHALLA (USA)
- 2093 Optical conductivity in  $\text{La}_{0.8}\text{Sr}_{0.2}\text{Mn}_{1-x}\text{Ru}_x\text{O}_3$   
A. HASSINI, G. GRUENER, R. SOPRACASE, M. GERVAIS, E. VERON & F. GERVAIS (France)
- 2097 Influence of the yttria powder morphology on its densification ability  
A. DUPONT, A. LARGETEAU, C. PARENT, B. LE GARREC & J.M. HEINTZ (France)
- Thick films technology*
- 2105 Screen-printed thick-films: From materials to functional devices  
F. MÉNIL, H. DEBÉDA & C. LUCAT (France)
- 2115 Influence of the densification parameters on screen-printed component properties  
H. DEBEDA-HICKEL, C. LUCAT & F. MENIL (France)
- 2121 Low-temperature thick-film dielectrics and resistors for metal substrates  
C. JACQ, T. MAEDER, S. VIONNET & P. RYSER (Switzerland)
- 2125 Development of relaxor ferroelectric materials for screen-printing on alumina and silicon substrates  
S. GENTIL, D. DAMJANOVIC & N. SETTER (Switzerland)
- 2129 Study of electrical properties of piezoresistive pastes and determination of the electrical transport  
S. VIONNET-MENOT, C. GRIMALDI, T. MAEDER, P. RYSER & S. STRÄSSLER (Switzerland)
- 2133 Preparation and characterization of lead iron tantalate thick films  
D. SZWAGIERCZAK, J. KULAWIK & B. GRÖGER (Poland)
- 2137 Optimization of  $\text{SnO}_2$  screen-printing inks for gas sensor applications  
J.-P. VIRICELLE, B. RIVIERE & C. PIJOLAT (France)
- Thin Films Technologies*
- 2141 Fabrication and characterization of all-perovskite oxide p-n junctions based on  $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$  and Nb-1wt% doped  $\text{SrTiO}_3$   
C.Y. LAM & K.H. WONG (China)

- 2147 Annealing effects on the microstructure and properties of Y(Ni,Mn)O<sub>3</sub> thin films  
Y. MA (China, France), M. GUILLOUX-VIRY, P. BARAHONA, O. PEÑA (France) & C. MOURE (Spain)
- 2151 Preparation of potassium tantalate niobate thin films by chemical solution deposition and their characterization  
J. BURŠÍK, V. ŠELEZNÝ & P. VANĚK (Czech Republic)
- 2155 Preparation and infrared characterization of potassium tantalate thin films  
V. ŠELEZNÝ, J. BURŠÍK & P. VANĚK (Czech Republic)
- 2161 Electrical, optical and structural properties of transparent and conducting ZnO thin films doped with Al and F by rf magnetron sputter  
B.G. CHOI, I.H. KIM, D.H. KIM, K.S. LEE, T.S. LEE, B. CHEONG, Y.-J. BAIK & W.M. KIM (South Korea)
- 2167 Design of a gas sensitive transparent heterojunction—The system SrCu<sub>2</sub>O<sub>2</sub>–ZnO  
Y. NAKAMURA, Y. YOSHIDA, Y. HONAGA & S. FUJITSU (Japan)
- 2171 Deposition and characterisation of bismuth oxide thin films  
V. FRUTH (Romania), M. POPA (Japan), D. BERGER (Romania), R. RAMER (Australia), M. GARTNER, A. CIULEI & M. ZAHARESCU (Romania)
- 2175 Nanocrystalline anatase thin films prepared from redispersible sol–gel powders  
R.C. KAMINSKI, S.H. PULCINELLI, A.F. CRAIEVICH & C.V. SANTILLI (Brazil)
- 2181 Effect of alumina addition on the microstructure of plasma sprayed YSZ  
K. BRINKIENE & R. KEZELIS (Lithuania)
- 2185 CeO<sub>2</sub> epitaxial films by spray MOD  
B. ROUSSEAU, S. PHOK, L. ORTEGA, N. GUIBADJ, T. WEGELIUS, S. MORLENS, P. ODIER, F. WEISS (France) & J. EIKMEYER (Germany)
- Microstructures and properties*
- 2191 Correlation between oxygen transport properties and microstructure in La<sub>0.5</sub>Sr<sub>0.5</sub>FeO<sub>3–δ</sub>  
S. DIETHELM, J. VAN HERLE, J. SFEIR & P. BUFFAT (Switzerland)
- 2197 Fabrication and electric properties of PZN-based ceramics using modified columbite method  
C.-L. LI, C.-C. CHOU & D.-S. TSAI (Taiwan)
- 2201 Microstructure evolution during BaTiO<sub>3</sub> formation by solid-state reactions on rutile single crystal surfaces  
A. GRAFF, S. SENZ, D. VÖLTZKE, H.-P. ABICHT & D. HESSE (Germany)
- 2207 Microstructural design of PZT ceramics  
J.A. PÉREZ, M.R. SOARES, P.Q. MANTAS & A.M.R. SENOS (Portugal)
- 2211 Microstructural studies on the reoxidation behavior of Nb-doped SrTiO<sub>3</sub> ceramics  
B. RAHMATI, J. FLEIG, E. BISCHOFF, W. SIGLE, J. MAIER & M. RÜHLE (Germany)
- 2215 Equilibrium phases in the Bi<sub>2</sub>O<sub>3</sub>-rich region of the ZnO–Bi<sub>2</sub>O<sub>3</sub> system  
M.A. DE LA RUBIA, J.F. FERNANDEZ & A.C. CABALLERO (Spain)
- 2219 Thermoelectric properties of CuAlO<sub>2</sub>  
K. PARK, K.Y. KO & W.-S. SEO (Republic of Korea)
- Advances on Sintering*
- 2223 Centrifugal sintering of BaTiO<sub>3</sub>/Ni layered ceramics  
Y. KINEMUCHI, S. UCHIMURA & K. WATARI (Japan)
- 2227 Texture development in piezoelectric ceramics by templated grain growth using heterotemplates  
T. KIMURA, Y. SAKUMA & M. MURATA (Japan)
- 2231 Effect of Pb(Zr<sub>x</sub>Ti<sub>1-x</sub>)O<sub>3</sub> composition on crystallographic texture in PZT composites  
H. MURAMATSU & T. KIMURA (Japan)
- 2235 A microstructure based numerical simulation of microwave sintering of specialized SOFC materials  
K. DARCOVICH, P.S. WHITFIELD, G. AMOW (Canada), K. SHINAGAWA (Japan) & R.Y. MIYAHARA (Brazil)

- Pyro-, Piezo-, Ferroelectrics*
- 2241 Homogeneity issues in chemical solution deposition of  $\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$  thin films  
B. MALIC, M. KOSEC, I. ARCON & A. KODRE (Slovenia)
- 2247 Sol-gel derived  $\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$  thin films: Residual stress and electrical properties  
R.J. ONG, T.A. BERFIELD, N.R. SOTTOS & D.A. PAYNE (USA)
- 2253 Ferroelectric properties of PZT films on  $\text{LaNiO}_3$  bottom electrode deposited under different oxygen partial pressure  
H. KIM, J.-H. KIM & W.K. CHOO (Republic of Korea)
- 2257 Non-linear piezoelectric properties of the thin  $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$  (PZT) films deposited on the Si-substrate  
J. NOSEK, M. SULC, L. BURIANOVA (Czech Republic), C. SOYER, E. CATTAN & D. REMIENS (France)
- 2263 Pulse characterization of antiferroelectric  $\text{PbZrTiO}_3$  thin films  
R. SEVENO, H.W. GUNDEL & D. AVERTY (France)
- 2269 Ion beam etching of PZT thin films: Influence of grain size on the damages induced  
C. SOYER, E. CATTAN & D. RÉMIENS (France)
- 2273 Characterization of optical properties of nanocrystalline doped PZT thin films  
J. LAPPALAINEN, J. HILTUNEN & V. LANTTO (Finland)
- 2277 Impact of low pressure consolidation annealing on electrical properties of sol-gel derived  $\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$  films  
E. TOKUMITSU, T.-A. MIYASAKO & M. SENOO (Japan)
- 2281 Fatigue properties of oriented PZT ferroelectric thin films  
G.L. RHUN, G. POULLAIN, R. BOUREGBA & G. LECLERC (France)
- 2285 Structure and dielectric properties of sol-gel 9/65/35 PLZT thin films  
A. KHODOROV, M. PEREIRA & M.J.M. GOMES (Portugal)
- 2289 Investigation of BZT thin films for tunable microwave applications  
J. XU, W. MENESKLOU & E. IVERS-TIFFÉE (Germany)
- 2295 Dielectric properties of  $(\text{Ba}_{0.8}\text{Sr}_{0.2})(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$  thin films grown by pulsed-laser deposition  
B.L. CHENG, C. WANG, S.Y. WANG, H.B. LU, Y.L. ZHOU, Z.H. CHEN & G.Z. YANG (PR China)
- 2299 Processing and characterization of ferroelectric thin films obtained by pulsed laser deposition  
F. CRACIUN (Italy), M. DINESCU (Romania), P. VERARDI (Italy), N. SCARISOREANU, A. MOLDOVAN, A. PURICE (Romania) & C. GALASSI (Italy)
- 2305 Processing and properties of ferroelectric  $(\text{Bi}, \text{La})_4(\text{Ti}, \text{Ge})_3\text{O}_{12}$  thin films by chemical solution deposition  
W. SAKAMOTO, Y.-K. MIZUTANI, N. IIZAWA, T. YOGO, T. HAYASHI & S.-I. HIRANO (Japan)
- 2309 Electrical properties of  $(\text{Bi},\text{La})_4\text{Ti}_3\text{O}_{12}$ -based ferroelectric-gated field effect transistors employed with a thermally oxidized  $\text{SiO}_2$  layer  
J. PAK, E. KO, K. NAM & G. PARK (South Korea)
- 2313 Optical studies of  $0.65\text{PbMg}_{1/3}\text{Nb}_{2/3}\text{O}_3 - 0.35\text{PbTiO}_3$  thin films  
K.Y. CHAN, W.S. TSANG, C.L. MAK & K.H. WONG (China)
- 2319 Size effects on  $\text{Pb}_{0.5}\text{Ca}_{0.5}\text{TiO}_3$  thin films  
R. JIMÉNEZ, I. BRETOS, J. RICOTE, C. ALEMANY, M.L. CALZADA & J. MENDIOLA (Spain)
- 2325 Crystallisation of  $\text{Pb}_{1-x}\text{Ca}_x\text{TiO}_3$  ferroelectric thin films as a function of the  $\text{Ca}^{2+}$  content  
I. BRETOS, J. RICOTE, R. JIMÉNEZ, J. MENDIOLA, R.J. JIMÉNEZ RIOBÓO & M.L. CALZADA (Spain)
- 2331 Improving the synthesis and properties of SBT thin films by using SBT seeds  
G.G. AGUILAR, M.E.V. COSTA & I.M.M. SALVADO (Portugal)
- 2337 Theoretical and experimental study of the relation between photoluminescence and structural disorder in barium and strontium titanate thin films  
E. ORHAN, F.M. PONTES, C.D. PINHEIRO, E. LONGO, P.S. PIZANI, J.A. VARELA, E.R. LEITE, T.M. BOSCHI (Brazil), A. BELTRÁN & J. ANDRÉS (Spain)
- 2341 Improvement of the ferroelectric properties of  $\text{ABO}_3$  ( $\text{A} = \text{Pb, Ca, Ba}; \text{B} = \text{Ti, Zr}$ ) films  
M.T. ESCOTE, F.M. PONTES, G.P. MAMBRINI, E.R. LEITE, J.A. VARELA & E. LONGO (Brazil)

- 2347 Structure dynamics of strongly reduced epitaxial  $\text{BaTiO}_{3-x}$  studied by Raman scattering  
H.Z. GUO, Z.H. CHEN, B.L. CHENG, H.B. LU, L.F. LIU & Y.L. ZHOU (China)
- 2353 Contact mode potentiometric measurements with an atomic force microscope on high resistive perovskite thin films  
B. REICHENBERG, S. TIEDKE, K. SZOT, F. PETER, R. WASER, S. TAPPE & T. SCHNELLER (Germany)
- 2357 A nucleation-growth model for ferroelectric hysteresis loops with complete and partial switching  
D. RICINSCHI & M. OKUYAMA (Japan)
- 2363 The LIMM problem for ferroelectric thin films comprising space charge layers  
G. SUCHANECK (Germany), A.V. SOLNYSHKIN, D.A. KISELEV, A.A. BOGOMOLOV (Russia) & G. GERLACH (Germany)
- 2369 Polarization profiling of metal-ferroelectric-semiconductor structures by LIMM  
G. SUCHANECK (Germany), A.V. SOLNYSHKIN (Russia), A. SUCHANECK & G. GERLACH (Germany)
- Pyroelectrics, Piezoelectrics*
- 2373 From single crystals to ceramics on  $\text{Pb}[(\text{Zn}_{1/3}\text{Nb}_{2/3})_{0.91}\text{Ti}_{0.09}] \text{O}_3$  composition  
T. OGAWA (Japan)
- 2379 Pyroelectric PZT/PMNZTU composite thick films  
R.A. DOREY & R.W. WHATMORE (UK)
- 2383 Low temperature sintering of PZT ceramics without additives via an ordinary ceramic route  
H. MAIWA, O. KIMURA, K. SHOJI & H. OCHIAI (Japan)
- 2387 Characterisation and properties of fine scale PZT fibres  
A.C. DENT, L.J. NELSON, C.R. BOWEN, R. STEVENS, M. CAIN & M. STEWART (UK)
- 2393 Pressure-induced low symmetry phases in Ti-rich lead zirconate titanate  $\text{PbZr}_{0.20}\text{Ti}_{0.80}\text{O}_3$   
J. ROUQUETTE, J. HAINES, V. BORNAND, M. PINTARD, P. PAPEL (France) & F.A. GORELLI (Italy)
- 2397 Effect of iron and nickel substitution on the piezoelectric properties of PZT type ceramics  
C. MICLEA, C. TANASOIU, C.F. MICLEA, L. AMARANDE, A. GHEORGHIU & F.N. SIMA (Romania)
- 2401 PZT-type materials with improved radial piezoelectric properties  
E. DIMITRIU, A. IUGA, V. CIUPINA, G. PRODAN (Romania) & R. RAMER (Australia)
- 2405 Non-linear properties of PZT ceramics in the wide temperature range  
L. BURIANOVA, P. HANA, M. PUSTKA, M. PROKOPOVA & J. NOSEK (Czech Republic)
- 2411 Large signal characterization of hard PZT materials  
E. HENNIG, E. WEHRSDORFER, S. LÜRTZING, B. KOLLE & W. PLÖTNER (Germany)
- 2415 Dielectric and piezoelectric performance of soft PZT piezoceramics under simultaneous alternating electromechanical loading  
D. ZHOU & M. KAMLAH (Germany)
- 2421 New considerations about the fracture mode of PZT ceramics  
O. GUILLO, F. THIEBAUD, D. PERREUX, C. COURTOIS, P. CHAMPAGNE, A. LERICHE & J. CRAMPON (France)
- 2425 Piezoelectric properties of  $\text{Pb}(\text{Ni}_{1/3},\text{Sb}_{2/3})\text{O}_3-\text{PbTiO}_3-\text{PbZrO}_3$  ceramics modified with  $\text{MnO}_2$  additive  
C.-S. YU & H.-L. HSIEH (Taiwan)
- 2429 Phase diagram of high  $T_c$   $\text{Pb}(\text{In}_{1/2}\text{Nb}_{1/2})\text{O}_3-\text{PbTiO}_3$  ceramics  
C. AUGIER, M. PHAMTHI, H. DAMMAK & P. GAUCHER (France)
- 2433 X ray investigation of high oriented  $(1 - x)\text{PbMg}_{1/3}\text{Nb}_{2/3}\text{O}_3-(x)\text{PbTiO}_3$  ceramics  
M. PHAM-THI, H. HEMERY & H. DAMMAK (France)
- 2437 Piezoelectric properties of low-temperature sintered  $\text{Pb}_{0.95}\text{Ba}_{0.05}[(\text{Mg}_{1/3}\text{Nb}_{2/3})_{0.125}\text{Zr}_{0.445}\text{Ti}_{0.43}]\text{O}_3$  ceramics with chemically-added  $\text{LiBiO}_2$  sintering aid  
T. HAYASHI & T. HASEGAWA (Japan)
- 2443 Piezoelectric properties of undoped and titanium or barium-doped lead metaniobate ceramics  
M. VENET, A. VENDRAMINI, F.L. ZABOTTO (Brasil), F. GUERRERO (Cuba), D. GARCIA & J.A. EIRAS (Brasil)

- 2447 Crystalline structure, dielectric and piezoelectric properties of bismuth-layer  $\text{Ca}_x\text{Bi}_4\text{Ti}_{3+x}\text{O}_{12+3x}$  ( $x = 1, 2$ ) compounds  
C. MOURE, V. GIL, J. TARTAJ & P. DURÁN (Spain)
- 2453 Texture development and dielectric properties of  $\text{SrBi}_2\text{Ta}_2\text{O}_9$  ceramics processed by templated grain growth  
H. AMORÍN, A.L. KHLINKIN & M.E.V. COSTA (Portugal)
- 2457 Mechanical stress and electric potential in cymbal piezoceramics by FEA  
P. OCHOA, J.L. PONS, M. VILLEGRAS & J.F. FERNANDEZ (Spain)
- 2463 Miniature accordion-shaped low voltage piezo actuators for high displacements  
M. WAGNER, A. ROOSEN (Germany), H. OOSTRA, R. HOEPPENER (The Netherlands), M.D. MOYA (USA), D.H. PEARCE & T. HOOLEY (UK)
- 2467 Characterization and modelling of 3D piezoelectric ceramic structures with ATILA software  
E. HEINONEN, J. JUUTI & S. LEPPÄVUORI (Finland)
- Ferroelectrics*
- 2471 A new family of ferroelectric tetragonal tungsten bronze phases,  $\text{Ba}_2\text{MTi}_2\text{X}_3\text{O}_{15}$   
M.C. STENNELL, G.C. MILES, J. SHARMAN, I.M. REANEY & A.R. WEST (UK)
- 2477 Polarization properties and oxygen-vacancy distribution of  $\text{SrBi}_2\text{Ta}_2\text{O}_9$  ceramics modified by Ce and Pr  
M. MIYAYAMA & Y. NOGUCHI (Japan)
- 2483 The nonlinearity and subswitching hysteresis in hard and soft PZT  
M. MOROZOV, D. DAMJANOVIC & N. SETTER (Switzerland)
- 2487 Influence of donor co-doping by niobium or fluorine on the conductivity of Mn doped and Mg doped PZT ceramics  
B. GIFFARD, E. BOUCHER, L. EYRAUD, L. LEBRUN & D. GUYOMAR (France)
- 2491 Preparation and characterisation of  $\text{Pb}(\text{Zr}_{0.52}\text{Ti}_{0.48})_{0.975}\text{Nb}_{0.025}\text{O}_3$  ceramics. Modelling the device  
R.M. PITICESCU, L. MITOSERIU (Romania), M. VIVIANI (Italy) & V.M. POLADIAN (Romania)
- 2495 Lead enrichment at the surface of lead zirconate titanate thin films  
B.E. WATTS, F. LECCABUE, G. BOCELLI, G. PADELETTI, S. KACIULIS & L. PANDOLFI (Italy)
- 2499 Pyroelectric and piezoelectric properties of thick PZT films produced by a new sol-gel route  
M. ES-SOUNI, M. KUHNKE, A. PIORRA & C.-H. SOLTERBECK (Germany)
- 2505 Domain pinning behavior of ferroelectric  $\text{Pb}_{1-x}\text{Sr}_x\text{TiO}_3$  ceramics  
C.-C. CHOU, C.-S. HOU & T.-H. YEH (Taiwan)
- 2509 Morphotropic PMN–PT system investigated by comparison between ceramics and crystal  
G. SEBALD, L. LEBRUN, B. GIFFARD & D. GUYOMAR (France)
- 2515 Distribution of the relaxation times of the new relaxor 0.4PSN–0.3PMN–0.3PZN ceramics  
J. MACUTKEVIC, S. LAPINSKAS, J. GRIGAS, A. BRILINGAS, J. BANYS, R. GRIGALAITIS, K. MESKONIS (Lithuania), K. BORMANIS, A. STERNBERG & V. ZAULS (Latvia)
- 2521 Dielectric properties of 1:1 ordered  $\text{Pb}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$  ceramics  
Y.L. WANG, S.S.N. BHARADWAJA, A.K. TAGANTSEV & N. SETTER (Switzerland)
- 2527 Phase development and dielectric properties of  $(1-x)\text{Pb}(\text{Ni}_{1/3}\text{Ta}_{2/3})\text{O}_3 - x\text{PbTiO}_3$  ceramics  
Z. LI (Portugal, China) & P.M. VILARINHO (Portugal)
- 2531 The effect of Mn on the microstructure and properties of  $\text{BaSrTiO}_3$  with  $\text{B}_2\text{O}_3-\text{Li}_2\text{CO}_3$   
T. HU (Finland), T.J. PRICE, D.M. IDDLES (UK), A. UUSIMÄKI & H. JANTUNEN (Finland)
- 2537 Dielectric and electromechanical characterisation of fine-grain  $\text{BaTi}_{0.95}\text{Sn}_{0.05}\text{O}_3$  ceramics sintered from glycolate-precursor powder  
L. GESKE, V. LORENZ, T. MÜLLER, L. JÄGER, H. BEIGE, H.-P. ABICHT & V. MUELLER (Germany)
- 2543 Ultrasonic and piezoelectric studies of new layered ferroelectric compounds of  $\text{Sn}_2\text{P}_2\text{S}_6$  family  
V. SAMULIONIS & J. BANYS (Lithuania)
- 2547 Polarisation kinetics of electrically connected electroconductive ferroelectric multilayer structures  
C. PIENTSCHKE, A. KOUVATOVA, R. STEINHAUSEN, W. SEIFERT & H. BEIGE (Germany)

- 2553 Theory and modeling of polarization switching in ferroelectrics  
E. KLOTINS & J. KAUPUŽS (Latvia)
- 2559 Investigation of fatigue mechanism in ferroelectric ceramic via piezoresponse force microscopy  
V.V. SHVARTSMAN, A.L. KHOLKIN (Portugal), C. VERDIER, Z. YONG & D.C. LUPASCU (Germany)
- 2563 Microwave dielectric relaxation process in doped-incipient ferroelectrics  
M.H. LENTE, J. DE LOS S. GUERRA, J.A. EIRAS, T. MAZON, M.B.R. ANDREETA & A.C. HERNANDES (Brazil)
- 2567 Viscoplastic models for ferroelectric ceramics  
A.YU. BELOV & W.S. KREHER (Germany)
- Conductors*
- 2573 A comparative study on ionic conductivity of Sr and Mg stabilized zirconia by impedance spectroscopy  
S. SELVASEKARAPANDIAN, M.S. BHUVANESWARI, M. VIJAYAKUMAR, C.S. RAMYA & P.C. ANGELO (India)
- 2577 The effect of surface coating on the oxygen permeation characteristics of zirconia  
H.J. PARK & G.M. CHOI (South Korea)
- 2583 Oxygen ionic and electronic transport in apatite ceramics  
A.L. SHAULA, V.V. KHARTON, J.C. WAERENBORGH, D.P. ROJAS & F.M.B. MARQUES (Portugal)
- 2587 Characterization of  $(1 - x) \text{La}_{0.83} \text{Sr}_{0.17} \text{Ga}_{0.83} \text{Mg}_{0.17} \text{O}_{2.83} - x \text{La}_{0.8} \text{Sr}_{0.2} \text{MnO}_3$  ( $0 \leq x \leq 1$ ) composite cathodes  
R. PELOSATO, I.N. SORA, G. DOTElli, R. RUFFO & C.M. MARI (Italy)
- 2593 Sol-gel synthesis and characterization of Co-doped LSGM perovskites  
R. POLINI, A. FALSETTI & E. TRAVERSA (Italy)
- 2599 Conductivity of  $\text{La}_{0.95} \text{Sr}_{0.05} \text{Ga}_{0.90} \text{Mg}_{0.10} \text{O}_{3-\delta}$  obtained by mechanical activation  
E. GOMES, M.R. SOARES, F.M. FIGUEIREDO & F.M.B. MARQUES (Portugal)
- 2603 Transport properties and thermal expansion of perovskite-like  $\text{La}_{0.3} \text{Sr}_{0.7} \text{Fe(Al,Cr)}\text{O}_{3-\delta}$  ceramics  
A.A. YAREMCHEKO, V.V. KHARTON, A.L. SHAULA (Portugal), M.V. PATRAKEEV (Russia) & F.M.B. MARQUES (Portugal)
- 2609 The effect of cation nonstoichiometry on the electrical conductivity of  $\text{CaZrO}_3$   
S.C. HWANG & G.M. CHOI (South Korea)
- 2613 Grain size effects on oxygen permeation in submicrometric  $\text{CaTi}_{0.8} \text{Fe}_{0.2} \text{O}_{3-\delta}$  ceramics obtained by mechanical activation  
A.L. SHAULA (Portugal), R.O. FUENTES (Portugal, Argentina), F.M. FIGUEIREDO, V.V. KHARTON, F.M.B. MARQUES & J.R. FRADE (Portugal)
- 2617 Effect of salt nature on structure and ionic conductivity of sodium-doped siloxane–PPO ormolytes  
J.A. CHAKER, K. DAHMOUCHE, C.V. SANTILLI, S.H. PULCINELLI (Brazil), V. BRIOIS, P. JUDEINSTEIN (France) & A.F. CRAIEVICH (Brazil)
- 2623 Mixed conducting components of solid oxide fuel cell anodes  
E.V. TSIPIS, V.V. KHARTON & J.R. FRADE (Portugal)
- SOFC*
- 2627 Modeling and experimental validation of solid oxide fuel cell materials and stacks  
J. VAN HERLE, D. LARRAIN, N. AUTISSIER, Z. WUILLEMIN, M. MOLINELLI & D. FAVRAT (Switzerland)
- 2633 Development of a planar SOFC device using screen-printing technology  
D. ROTUREAU, J.-P. VIRICELLE, C. PIJOLAT, N. CAILLOL & M. PIJOLAT (France)
- 2637 Electrical properties of YSZ/NiO composites prepared by a liquid mixture technique  
V. ESPOSITO (Italy), D.Z. DE FLORIO, F.C. FONSECA, E.N.S. MUCCILLO, R. MUCCILLO (Brazil) & E. TRAVERSA (Italy)
- 2643 Thick films of YSZ electrolytes by dip-coating process  
P. LENORMAND, D. CARAVACA, C. LABERTY-ROBERT & F. ANSART (France)

- 2647 YSZ freestanding films from hybrid polymer–oxide composites by the sol–gel process: Influence of polymer features on ceramic microstructure  
P. EGGER, G.D. SORARÚ, R. CECCATO & S. DIRÉ (Italy)
- 2651  $(\text{La}_{0.8}\text{Sr}_{0.2})(\text{Mn}_{1-y}\text{Fe}_y)\text{O}_{3\pm\delta}$  oxides for ITSOFC cathode materials? Electrical and ionic transport properties  
M. PETITJEAN, G. CABOCHE, E. SIEBERT, L. DESSEMOND & L.-C. DUFOUR (France)
- 2655 The effect of reduction atmosphere on the  $\text{LaGaO}_3$ -based solid oxide fuel cell  
J.Y. YI & G.M. CHOI (Republic of Korea)
- 2661 Powder processing, crystalline structure, sintering, and electrical properties of  $\text{NdM}_{0.5}\text{Mn}_{0.5}\text{O}_3$  ( $\text{M} = \text{Ni, Co, Cu}$ ) manganites  
C. MOURE, J. TARTAJ, V. GIL (Spain), O. PEÑA (France) & P. DURÁN (Spain)
- 2665 Synthesis by sol–gel route of oxyapatite powders for dense ceramics: Applications as electrolytes for solid oxide fuel cells  
S. CELERIER, C. LABERTY-ROBERT, F. ANSART, C. CALMET (France) & P. STEVENS (Allemagne)
- 2669 Oxygen reduction on porous  $\text{Ln}_2\text{NiO}_{4+\delta}$  electrodes  
F. MAUVY, C. LALANNE, J.M. BASSAT, J.C. GRENIER, H. ZHAO, P. DORDOR (France) & P. STEVENS (Germany)
- 2673 Modelling of a SOFC graded cathode  
J. DESEURE, L. DESSEMOND, Y. BULTEL & E. SIEBERT (France)
- Electronuclear*
- 2677 Structural evolutions of spinels under ions irradiations  
D. GOSSET, D. SIMEONE, M. DUTHEIL, S. BOUFFARD & M. BEAUVY (France)
- 2683 Characterisation of uranium vacancies in hyper stoichiometric uranium dioxide  
L. DESGRANGES, M. GRAMOND, C. PETOT, G. PETOT-ERVAS, P. RUELLO (France) & B. SAADI (Algeria)
- 2687 Nitrides as a nuclear fuel option  
M. STREIT & F. INGOLD (Switzerland)
- Environmentally Friendly Materials*
- 2693 Current status and prospects of lead-free piezoelectric ceramics  
T. TAKENAKA & H. NAGATA (Japan)
- 2701 Lead-free piezoceramics based on alkali niobates  
E. RINGGAARD & T. WURLITZER (Denmark)
- 2707 Alkaline-earth doping in  $(\text{K},\text{Na})\text{NbO}_3$  based piezoceramics  
B. MALIC, J. BERNARD, J. HOLC, D. JENKO & M. KOSEC (Slovenia)
- 2713 Chemical synthesis of  $\text{KNbO}_3$  and  $\text{KNbO}_3-\text{BaTiO}_3$  ceramics  
I. PRIBOŠČ, D. MAKOVEC & M. DROFENIK (Slovenia)
- 2719 Lead-free  $\text{KNbO}_3$  piezoceramics synthesized by pressure-less sintering  
K.-I. KAKIMOTO, I. MASUDA & H. OHSATO (Japan)
- 2723 Effect of non-stoichiometry on ferroelectricity and piezoelectricity in strontium bismuth tantalate ceramics  
C. FUJIOKA, R. AOYAGI, H. TAKEDA, S. OKAMURA & T. SHIOSAKI (Japan)
- 2727 Grain oriented  $\text{CaBi}_4\text{Ti}_4\text{O}_{15}$  piezoceramics prepared by the screen-printing multilayer grain growth technique  
J. ZENG, Y. LI, Q. YANG, X. JING & Q. YIN (PR China)
- 2731 Crystal growth of bismuth tungstate  $\text{Bi}_2\text{WO}_6$  by slow cooling method using borate fluxes  
H. TAKEDA, T. NISHIDA, S. OKAMURA & T. SHIOSAKI (Japan)
- 2735 Thermoelectric properties of SiC/C composites from wood charcoal by pulse current sintering  
M. FUJISAWA, T. HATA (Japan), P. BRONSVELD (The Netherlands), V. CASTRO, F. TANAKA, H. KIKUCHI & Y. IMAMURA (Japan)

*Dielectrics*

- 2739 Dielectric properties of nano-crystalline BaTiO<sub>3</sub> synthesized by micro-emulsion method  
Y. SAKABE, Y. YAMASHITA & H. YAMAMOTO (Japan)
- 2743 Microstructures of X7R type base-metal-electroded BaTiO<sub>3</sub> capacitor materials prepared by duplex-structured process  
C.-S. CHEN, C.-C. CHOU & I.-N. LIN (Taiwan)
- 2749 Electrical characteristics of BaTiO<sub>3</sub> ceramics from hydrothermal prepared powders  
S. GUILLEMET-FRITSCH, M. BOULOS, B. DURAND, V. BLEY & T. LEBEY (France)
- 2755 Development of surface phases in Ba(Zn<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>–Ba(Ga<sub>1/2</sub>Ta<sub>1/2</sub>)O<sub>3</sub> microwave dielectric ceramics  
H. HUGHES, F. AZOUGH, R. FREER & D. IDDLES (UK)
- 2759 Dielectric properties of Ba(Mg,Zn)<sub>1/3</sub>Nb<sub>2/3</sub>O<sub>3</sub> and effect of B<sub>2</sub>O<sub>3</sub> and LiF addition  
A. VERES, S. MARINEL & F. ROULLAND (France)
- 2763 Low temperature sintering of the binary complex perovskite oxides xBa(Zn<sub>1/3</sub>Ta<sub>2/3</sub>)O<sub>3</sub> + (1 – x)Ba(Mg<sub>1/3</sub>Ta<sub>2/3</sub>)O<sub>3</sub>  
F. ROULLAND, G. ALLAINMAT, M. POLLET & S. MARINEL (France)
- 2769 Effect of nonstoichiometry on the microstructure and dielectric properties of strontium titanate ceramics  
A. TKACH, P.M. VILARINHO, A.M.R. SENOS & A.L. KHOLKIN (Portugal)
- 2773 High decrease in CaZrO<sub>3</sub> sintering temperature using complex fluoride fluxes  
M. POLLET, S. MARINEL & F. ROULLAND (France)
- 2779 Low sintering temperature of MgTiO<sub>3</sub> for type I capacitors  
J. BERNARD, F. BELNOU, D. HOUIVET & J.-M. HAUSSONNE (France)
- 2785 Low temperature sintering of MgTiO<sub>3</sub> with bismuth oxide based additions  
F. BELNOU, J. BERNARD, D. HOUIVET & J.-M. HAUSSONNE (France)
- 2791 Effects of MgO addition on the density and dielectric loss of AlN ceramics sintered in presence of Y<sub>2</sub>O<sub>3</sub>  
S. KUME, M. YASUOKA, N. OMURA & K. WATARI (Japan)
- 2795 MgO insulating films prepared by sol–gel route for SiC substrate  
C. BONDUX, P. PRENÉ, P. BELLEVILLE, F. GUILLET, S. LAMBERT, B. MINOT & R. JÉRISIAN (France)
- Space Charges, Ageing*
- 2799 Selfconsistent electrical charging in insulators  
H.-J. FITTING (Germany), X. MEYZA, C. GUERRET-PIÉCOURT, C. DUTRIEZ, M. TOUZIN, D. GOEURIOT & D. TRÉHEUX (France)
- 2805 Monte Carlo simulation of the secondary electron yield of an insulating target bombarded by a defocused primary electron beam  
R. RENOUD, F. MADY, J. BIGARRÉ & J.-P. GANACHAUD (France)
- 2809 Space charge characterisation by EDS microanalysis in spinel MgAl<sub>2</sub>O<sub>4</sub>  
N. NUNS, F. BÉCLIN & J. CRAMPON (France)
- 2813 Microstructural origin of the dielectric breakdown strength in alumina: A study by positron lifetime spectroscopy  
A. SI AHMED (France), J. KANSY (France, Poland), K. ZARBOUT, G. MOYA, J. LIEBAULT & D. GŒURIOT (France)
- 2817 Measurement of energy release rates for cracks in PZT under electromechanical loads  
H. JELITTO, F. FELTEN, C. HÄUSLER, H. KESSLER, H. BALKE & G.A. SCHNEIDER (Germany)
- 2821 Electrical properties of micro-composites SiC–β'SiAlON under high electric fields, in relation to surface morphology  
A. JANKOWIAK, P. FOURCADE & P. BLANCHART (France)
- 2825 Ultraviolet excitation of photoconductivity in thin films of sol–gel SnO<sub>2</sub>  
V. GERALDO, L.V.A. SCALVI, E.A. MORAIS, C.V. SANTILLI, P.B. MIRANDA & T.J. PEREIRA (Brazil)
- Microwave ceramics*
- 2829 The order–disorder transition in Bi<sub>2</sub>O<sub>3</sub>–Nb<sub>2</sub>O<sub>5</sub> fluorite-like dielectrics  
M. VALANT, B. JANČAR, U. PIRNAT & D. SUVOROV (Slovenia)

- 2835 A structural and dielectric characterization of  $\text{Na}_x\text{Ca}_{1-x}\text{Al}_{2-x}\text{Si}_{2+x}\text{O}_8$  ( $x = 0$  and  $1$ ) ceramics  
M.M. KRZMANC, M. VALANT & D. SUVOROV (Slovenia)
- 2839 Effect of  $\text{V}_2\text{O}_5$  on the sintering behaviour, cation order and properties of  $\text{Ba}_3\text{Co}_{0.7}\text{Zn}_{0.3}\text{Nb}_2\text{O}_9$  ceramics  
F. AZOUGH, C. LEACH & R. FREER (UK)
- 2843 Polarized micro-Raman spectroscopy of oriented  $\text{A}(\text{B}'_{1/3}\text{B}''_{2/3})\text{O}_3$  powders and microwave ceramics  
R.L. MOREIRA & A. DIAS (Brazil)
- 2849 The sintering and microwave dielectric characteristics of  $\text{MgTa}_{1.5}\text{Nb}_{0.5}\text{O}_6$  ceramics  
C.-F. YANG, C.-C. CHAN, C.-M. CHENG & Y.-C. CHEN (Taiwan)
- 2853 Effect of Sr substitution for Ba on microwave dielectric properties of  $\text{Sm}_2(\text{Ba}_{1-x}\text{Sr}_x)(\text{Cu}_{0.5}\text{Zn}_{0.5})\text{O}_5$  ceramics  
S. KAWAGUCHI, H. OGAWA, A. KAN & E. TANAKA (Japan)
- 2859 Evaluation of electronic state of  $\text{Mg}_4(\text{Nb}_{2-x}\text{Sb}_x)\text{O}_9$  microwave dielectric ceramics by first principle calculation method  
H. OGAWA, H. TAKETANI, A. KAN, A. FUJITA & G. ZOUGANELIS (Japan)
- 2865 Microwave dielectric properties of low-temperature sintered  $\text{Mg}_3(\text{VO}_4)_2$  ceramic  
R. UMEMURA, H. OGAWA, H. OHSATO, A. KAN & A. YOKOI (Japan)
- 2871 Microwave dielectric properties of  $\text{Mg}_4\text{Nb}_2\text{O}_9$ -3.0 wt.% LiF ceramics prepared with  $\text{CaTiO}_3$  additions  
A. YOKOI, H. OGAWA, A. KAN, H. OHSATO & Y. HIGASHIDA (Japan)
- 2877 Microwave dielectric properties of low-temperature sintered  $\text{Li}_3\text{AlB}_2\text{O}_6$  ceramic  
M. OHASHI, H. OGAWA, A. KAN & E. TANAKA (Japan)
- 2883 Relationship between microwave dielectric properties and chemical bonding in  $\text{R}_2\text{BaMO}_5$  ( $\text{R}$  = rare earth,  $\text{M}$  = Cu and Zn) compounds  
Y. TSUJI, A. KAN, H. OGAWA & S. ISHIHARA (Japan)
- 2889 Synthesis and microwave dielectric properties of  $(\text{Ce}_{1-y}\text{Dy}_y)(\text{Nb}_{1-x}\text{Ta}_x)\text{TiO}_6$  ceramics  
T. OISHI, H. OGAWA, A. KAN & H. OHSATO (Japan)
- 2897 Sintering time dependence of microwave dielectric properties and crystal structure in  $\text{Y}_2\text{BaZnO}_5$  ceramic  
A. YOSHIDA, H. OGAWA, A. KAN & T. KONDO (Japan)
- 2901 Microwave dielectric properties of lanthanum aluminate ceramics and single crystal  
T. SHIMADA, K.-I. KAKIMOTO & H. OHSATO (Japan)
- Optical Ceramics and Glasses*
- 2907 Electrochromic devices  
C.G. GRANQVIST (Sweden)
- 2913 Optical characterization of PZT thin films for waveguide applications  
J. CARDIN, D. LEDUC, T. SCHNEIDER, C. LUPI, D. AVERTY & H.W. GUNDEL (France)
- 2917 Preparation and properties of two-dimensional PLZT photonic crystals using a sol-gel method  
T. AOKI, M. KONDO, M. ISHII, A. SUGAMA, M. TSUKADA, K. KURIHARA & M. KUWABARA (Japan)
- 2921 Sol-gel preparation and luminescent properties of  $\text{CeO}_2:\text{Ln}$  ( $\text{Ln} = \text{Eu}^{3+}$  and  $\text{Sm}^{3+}$ ) thin films  
M. OIKAWA & S. FUJIHARA (Japan)
- Superconductors*
- 2925 Simulation of electrical, magnetic and thermal properties of inductive fault current limiters made of YBCO ceramic superconductors  
I. VAJDA & S. SEMPERGER (Hungary)
- 2931 YBCO bulks for preparation of permanent magnets  
A. SZALAY, G. BERTALAN, I. VAJDA, J. KÓSA & M. ENISSZ (Hungary)
- 2935 Effect of size, morphology and crystallinity of seed crystal on the nucleation and growth of single grain  $\text{Y}-\text{Ba}-\text{Cu}-\text{O}$   
E.S. REDDY, N.H. BABU, Y. SHI & D.A. CARDWELL (UK)
- 2939 YBCO bulk superconductor, prepared by top-seed floating zone under microwave heating  
D. GROSSIN, C. HARNOIS, S. MARINEL & J.G. NOUDEM (France)

- 2943 Perforated monodomain  $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$  bulk superconductors prepared by infiltration-growth process  
S. MESLIN, C. HARNOIS, D. CHATEIGNER, B. OULADDIAF, X. CHAUD & J.G. NOUDEM (France)
- 2947 Ag distribution in thick Bi-2212 floating zone textured rods  
A. SOTELO, M. MORA, M.A. MADRE, J.C. DIEZ, L.A. ANGUREL & G.F. DE LA FUENTE (Spain)
- 2951 Epitaxial thick films by spray pyrolysis for coated conductors  
L. VERGNIÉRES, P. ODIER, F. WEISS, C.-E. BRUZEK & J.-M. SAUGRAIN (France)
- 2955 Growth of YBCO single domains through an array of holes for FCL c-axis superconducting elements  
X. CHAUD, D. ISFORT, L. PORCAR & R. TOURNIER (France)
- Sensors*
- 2959 YSZ-based electrochemical sensors: From materials preparation to testing in the exhausts of an engine bench test  
E. DI BARTOLOMEO & M.L. GRILLI (Italy)
- 2965 Characterization of a NASICON based potentiometric  $\text{CO}_2$  sensor  
S. BALITEAU, A.-L. SAUVET, C. LOPEZ & P. FABRY (France)
- 2969 Lisicon solid electrolyte electrocatalytic gas sensor  
G. JASINSKI, P. JASINSKI, B. CHACHULSKI & A. NOWAKOWSKI (Poland)
- 2973 Lithium lanthanum titanate ceramic as sensitive material for pH sensor: Influence of synthesis methods and powder grains size  
M. VIJAYAKUMAR, Q.N. PHAM & C. BOHNKE (France)
- 2977 Surface resistance and sensitivity to hygrometry of various ceramic compositions for multilayer capacitors  
J. BERNARD, D. HOUIVET & J.-M. HAUSSONNE (France)
- 2981 PAL spectroscopy in application to humidity-sensitive  $\text{MgAl}_2\text{O}_4$  ceramics  
O. SHPOTYUK (Ukraine, Poland), A. INGRAM (Poland), H. KLYM, M. VAKIV, I. HADZAMAN (Ukraine) & J. FILIPECKI (Poland)
- 2985 Characterisation of thin layers of parylene at high frequency using PZT thick film resonators  
F. LEVASSORT, L.-P. TRAN-HUU-HUE, P. MARECHAL (France), E. RINGGAARD (Denmark) & M. LETHIECQ (France)
- 2991 Piezoelectric/electrostrictive multimaterial PMN-PT monomorph actuators  
A. HALL, M. ALLAHVERDI, E.K. AKDOGAN & A. SAFARI (USA)
- Varistors, NTCR, PTCR*
- 2999 Processing strategies to control grain growth in ZnO based varistors  
M. PEITEADO, J.F. FERNÁNDEZ & A.C. CABALLERO (Spain)
- 3005 Dominance of deep over shallow donors and the non-Debye response of ZnO-based varistors  
D. FERNÁNDEZ HEVIA, A.C. CABALLERO, J. DE FRUTOS & J.F. FERNEÁNDEZ (Spain)
- 3011 Nonlinear properties and stability of  $\text{SnO}_2$  varistors prepared by evaporation and decomposition of suspensions  
G. BRANKOVIĆ, Z. BRANKOVIĆ (Serbia and Montenegro) & J.A. VARELA (Brazil)
- 3017 Microstructures of  $\text{BaTiO}_3$  based PTC thermistors with Ca, Sr and Pb additions  
L. AFFLECK & C. LEACH (UK)
- 3021 Preparation and sintering behaviour of spinel-type  $\text{Co}_x\text{NiMn}_{2-x}\text{O}_4$  ( $0.2 \leq x \leq 1.2$ ) by the ethylene glycol–metal nitrate polymerized complex process  
P. DURÁN, J. TARTAJ, F. RUBIO (Spain), O. PEÑA (France) & C. MOURE (Spain)
- 3027 Electrical properties of screen-printed  $\text{NiMn}_2\text{O}_{4+\delta}$   
R. SCHMIDT & A.W. BRINKMAN (UK)
- Magnetics, Spintronics*
- 3033 Electron spin resonance study of the magnetic states in the  $\text{Pr}_{0.2}\text{Sr}_{0.8}\text{Mn}_{1-x}\text{Ru}_x\text{O}_3$  ( $x = 0, 0.1$ )  
C. AUTRET, M. GERVAIS, S. ROGER, F. GERVAIS, N. RAIMBOUX & P. SIMON (France)

- 3037  $(\text{La,Ca})(\text{Mn,M})\text{O}_3$  ( $\text{M} = \text{Ni, Cr}$ ) compounds investigated by means of XRPD and DC magnetic measurements  
A. MARTINELLI, M. FERRETTI, C. CASTELLANO (Italy), C. MONDELLI (France), M.R. CIMBERLE & M. TROPEANO (Italy)
- 3041 Structure and magnetic properties of  $(\text{Pr}_{0.55}\text{Ca}_{0.45})(\text{Mn}_{1-y}\text{Cr}_y)\text{O}_3$  ( $y = 0.00, 0.03, 0.06$ )  
A. MARTINELLI, M. FERRETTI, C. CASTELLANO (Italy), C. MONDELLI (France), D.M. Y MARERO (Spain), M.R. CIMBERLE & M. TROPEANO (Italy)
- 3045 Microstructural effects in low loss power ferrites  
J. TÖPFER, H. KAHNT, P. NAUBER, S. SENZ & D. HESSE (Germany)
- 3051 Magnetic properties of  $\text{NiMn}_{2-x}\text{Co}_x\text{O}_4$  spinel oxides  
O. PEÑA, Y. MA, P. BARAHONA, M. BAHOUT (France), P. DURÁN, C. MOURE (Spain), M.N. BAIBICH & G. MARTINEZ (Brazil)  
*Grain Boundary Engineering*
- 3055 Evolution of low sigma grain boundaries in PTC thermistors during sintering  
J. SEATON & C. LEACH (UK)
- 3059 Raman and AFM piezoresponse study of dense  $\text{BaTiO}_3$  nanocrystalline ceramics  
V. BUSCAGLIA, M.T. BUSCAGLIA, M. VIVIANI (Italy), T. OSTAPCHUK, I. GREGORA, J. PETZELT (Czech Republic), L. MITOSERIU (Italy, Romania), P. NANNI, A. TESTINO, R. CALDERONE (Italy), C. HARNAGEA (Canada), Z. ZHAO & M. NYGREN (Sweden)
- 3063 Soft-mode spectroscopy of  $\text{BaTiO}_3$  thin films  
T. OSTAPCHUK, J. POKORNÝ, A. PASHKIN, J. PETZELT, V. ŽELEZNÝ (Czech Republic), D. RAFAJA (Czech Republic, Germany) & I. DRBOHLAV (Czech Republic)
- 3069 Dielectric spectra of a new relaxor ferroelectric system  $\text{Ba}_2\text{LnTi}_2\text{Nb}_3\text{O}_{15}$  ( $\text{Ln} = \text{La, Nd}$ )  
S. KAMBA, S. VELJKO, M. KEMPA, M. SAVINOV, V. BOVTUN, P. VANĚK, J. PETZELT (Czech Republic), M.C. STENNELL, I.M. REANEY & A.R. WEST (UK)
- 3075 Piezoceramic material with anisotropic graded porosity  
D. PIAZZA, C. CAPIANI & C. GALASSI (Italy)
- 3079 The Mg influence on the properties of  $\text{SrTiO}_3$  thin films  
O. OKHAY, A. WU & P.M. VILARINHO (Portugal)
- 3085 Infrared and terahertz dielectric spectra of novel  $\text{Bi}_2\text{O}_3\text{--Nb}_2\text{O}_5$  microwave ceramics  
P. SAMOUKHINA, S. KAMBA, S. SANTHI, J. PETZELT (Czech Republic), M. VALANT & D. SUVOROV (Slovenia)

**Volume 25 Number 13 2005**

- 3089 Atomic force microscopy of transformation toughening in ceria-stabilized zirconia  
S. DEVILLE, H. EL ATTAOUI & J. CHEVALIER (France)
- 3097 A study on the fundamental ceramic-polymer interactions in the high  $\text{CeO}_2$ -loading polyethylene glycol blend  
X. YIN, L. HONG & Z. LIU (Singapore)
- 3109 Composition design and mechanical properties of mixed (Ce,Y)-TZP ceramics obtained from coated starting powders  
S.G. HUANG, J. VLEUGELS (Belgium), L. LI (China), O. VAN DER BIEST (Belgium) & P.L. WANG (China)
- 3117 Low-temperature ageing degradation of 2.5Y-TZP heat-treated at 1650 °C  
A. FEDER & M. ANGLADA (Spain)
- 3125 Preparation of  $\text{Al}_2\text{O}_3\text{--ZrO}_2\text{--Ni}$  nanocomposite by pulse electric current and pressureless sintering  
W.H. TUAN, S.M. LIU, C.J. HO, C.S. LIN, T.J. YANG (Taiwan), D.M. ZHANG, Z.Y. FU & J.K. GUO (China)
- 3135 Reaction of aluminum powder with water in cement-containing refractory castables  
A.R. STUDART (Switzerland), M.D.M. INNOCENTINI, I.R. OLIVEIRA & V.C. PANDOLFELLI (Brazil)

- 3145 An evaluation of selected waste resources for utilization in ceramic materials applications  
A. JONKER & J.H. POTGIETER (South Africa)
- 3151 Analysis and laboratory simulation of an industrial polishing process for porcelain ceramic tiles  
I.M. HUTCHINGS, K. ADACHI, Y. XU (UK), E. SÁNCHEZ, M.J. IBÁÑEZ & M.F. QUEREDA (Spain)
- 3157 Elimination of discolouration in reformulated bone china bodies  
A. CAPOGLU (Turkey)
- 3165 Hydrothermal synthesis of Co-doped willemite powders with controlled particle size and shape  
R. POZAS, V.M. ORERA & M. OCAÑA (Spain)
- 3173 Fabrication of low thermal expansion porous body of cubic cesium-deficient type pollucite  
I. YANASE, S. TAMAI, S. MATSUURA & H. KOBAYASHI (Japan)
- 3181 Large-sized hydroxyapatite whiskers derived from calcium tripolyphosphate gel  
Y. MIZUTANI, M. HATTORI, M. OKUYAMA, T. KASUGA & M. NOGAMI (Japan)
- 3187 Glass-ceramic for low temperature co-fired dielectric ceramic materials based on  $\text{La}_2\text{O}_3-\text{B}_2\text{O}_3-\text{TiO}_2$  glass with BNT ceramics  
B.-H. JUNG, S.-J. HWANG & H.-S. KIM (South Korea)
- 3195 Colloidal stability of aqueous suspensions of barium zirconate  
F. BOSCHINI, A. RULMONT, R. CLOOTS (Belgium) & R. MORENO (Spain)
- 3203 Phase transformation in BST ceramics investigated by internal friction measurements  
H. FRAYSSIGNES (France), B.L. CHENG (China), G. FANTOZZI (France) & T.W. BUTTON (UK)
- 3207 Lanthanum and nitrogen co-doped  $\text{SrTiO}_3$  powders as visible light sensitive photocatalyst  
J. WANG (Japan, China), S. YIN, M. KOMATSU & T. SATO (Japan)
- 3213 PZT phase diagram determination by measurement of elastic moduli  
A. BOUZID, E.M. BOURIM, M. GABBAY & G. FANTOZZI (France)
- 3223 Piezoelectric and dielectric properties of piezoelectric ceramic–sulphoaluminate cement composites  
C. XIN, H. SHIFENG, C. JUN, X. RONGHUA, L. FUTIAN & L. LINGCHAO (China)
- 3229 Investigation of the new piezoelectric system  $(1-x)\text{Bi}(\text{MgTi})_{0.5}\text{O}_{3-x}\text{PbTiO}_3$   
M.D. SNEL, W.A. GROEN & G. DE WITH (The Netherlands)
- 3235 Dielectric and ferroelectric properties of lead magnesium niobate–lead zirconate titanate ceramics prepared by mixed-oxide method  
R. YIMNIRUN, S. ANANTA & P. LAORATANAKUL (Thailand)
- 3243 Atomistic simulations of oxide ion diffusion in heavily doped lanthanum cobaltite  
C.A.J. FISHER, Y. IWAMOTO, M. ASANUMA, T. ANYASHIKI & K. YABUTA (Japan)

**Volume 25 Number 14 2005**

- 3249 Temperature-dependent evolution of grain growth in mullite fibres  
M. SCHMÜCKER, H. SCHNEIDER, T. MAUER & B. CLAUß (Germany)
- 3257 Fabrication on porous alumina tube by centrifugal molding  
C.-H. CHEN, K. TAKITA, S. ISHIGURO, S. HONDA & H. AWAJI (Japan)
- 3265 Controlled wet erosive wear of sapphire  
A.F. JÚNIOR (Brazil)
- 3269 Synthesis of  $\text{CaAl}_2\text{O}_4$  from powders: Particle size effect  
J.M. RIVAS MERCURY, A.H. DE AZA & P. PENA (Spain)
- 3281 Internal friction study of the influence of humidity on set plaster  
M. SAÂDAOUI (Morocco), S. MEILLE, P. REYNAUD & G. FANTOZZI (France)
- 3287 Morphology of calcium phosphate coatings deposited on a Ti–6Al–4V substrate by an electrolytic method under 80 Torr  
S.-H. WANG, W.-J. SHIH, W.-L. LI, M.-H. HON & M.-C. WANG (Taiwan)

- 3293 Statistical simulation of microcrack toughening in advanced ceramics  
C.K. CHEN (Taiwan)
- 3301 Structural and electrical properties of aluminum-doped zinc oxide films prepared by sol–gel process  
R. BEL HADJ TAHAR (Tunisia)
- 3307 Solvent effect on synthesis of indium tin oxide nano-powders by a solvothermal process  
J.-S. LEE & S.-C. CHOI (Republic of Korea)
- 3315 Ionic conductivity and microstructure of solid electrolyte  $\text{La}_2\text{Mo}_2\text{O}_9$  prepared by spark-plasma sintering  
J. YANG, Z. WEN, Z. GU & D. YAN (China)
- 3323 PZT prepared by spray drying: From powder synthesis to electromechanical properties  
F. BEZZI, A.L. COSTA, D. PIAZZA, A. RUFFINI, S. ALBONETTI & C. GALASSI (Italy)
- 3335 Phase diagram and Raman imaging of grain growth mechanisms in highly textured  $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3\text{--PbTiO}_3$  piezoelectric ceramics  
M.P. THI, G. MARCH & P. COLOMBAN (France)
- 3347 Microstructure and microwave dielectric properties of  $\text{Ca}[\text{Ti}_{1-x}(\text{Mg}_{1/3}\text{Nb}_{2/3})_x]\text{O}_3$  ceramics  
F. ZHAO, Z. YUE, Y. ZHANG, Z. GUI & L. LI (PR China)
- 3353 Microstructure and mechanical properties of silicon nitride ceramics prepared by pressureless sintering with  $\text{MgO}\text{--Al}_2\text{O}_3\text{--SiO}_2$  as sintering additive  
X.-J. LIU, Z.-Y. HUANG, Q.-M. GE, X.-W. SUN & L.-P. HUANG (China)
- 3361 Effect of diluents and  $\text{NH}_4\text{F}$  additive on the combustion synthesis of  $\text{Yb}\alpha\text{-SiAlON}$   
G. LIU, K. CHEN, H. ZHOU, X. NING (PR China) & J.M.F. FERREIRA (Portugal)
- 3367 Thermal shock behavior of  $\text{Ti}_3\text{AlC}_2$  from between 200 °C and 1300 °C  
Y.W. BAO, X.H. WANG, H.B. ZHANG & Y.C. ZHOU (PR China)
- 3375 Phase transformation of transient  $\text{B}_4\text{C}$  to  $\text{CaB}_6$  during production of  $\text{CaB}_6$  from colemanite  
Ö. YILDIZ, R. TELLE, C. SCHMALZRIED & A. KAISER (Germany)

**Volume 25 Number 15 2005**

- 3383 Effect of the composition and sintering process on mechanical properties and residual stresses in zirconia–alumina composites  
G. MAGNANI & A. BRILLANTE (Italy)
- 3393 Hertzian contact fatigue on alumina/alumina-zirconia laminated composites  
E. JIMÉNEZ-PIQUÉ, L. CESERACCIU (Spain), F. CHALVET (Italy), M. ANGLADA (Spain) & G. DE PORTU (Italy)
- 3403 Joining green ceramic tapes made from water-based slurries by applying low pressures at ambient temperature  
J. GURAUSKIS, A.J. SÁNCHEZ-HERENCIA & C. BAUDÍN (Spain)
- 3413 A phenomenological description of the rate of the aluminum/oxygen reaction in the reaction-bonding of alumina  
J.M. AARON, H.M. CHAN, M.P. HARMER, M. ABPAMANO & H.S. CARAM (USA)
- 3427 The use of image analysis for sintering investigations: The example of  $\text{CeO}_2$  doped with  $\text{TiO}_2$   
M. COSTER, X. ARNOULD, J.L. CHERMANT, L. CHERMANT & T. CHARTIER (France)
- 3437 Phase assembly and microstructure of  $\text{CeO}_2$ -doped  $\text{ZrO}_2$  ceramics prepared by spark plasma sintering  
T. XU, P. WANG, P. FANG, Y. KAN, L. CHEN (China), J. VLEUGELS, O. VAN DER BIEST & J. VAN LANDUYT (Belgium)
- 3443 Thick-film temperature sensors on alumina and LTCC substrates  
M. HROVAT, D. BELAVIC (Slovenia), J. KITA (Poland), J. CILENSEK (Slovenia), L. GOLONKA & A. DZIEDZIC (Poland)
- 3451 Microwave frequency dielectric properties of hexagonal perovskites in the  $\text{Ba}_5\text{Ta}_4\text{O}_{15}\text{--BaTiO}_3$  system  
A.N. BARANOV & Y.-J. OH (South Korea)

- 3459 Microwave dielectric properties and microstructures of  $\text{Ba}_2\text{Ti}_9\text{O}_{20}$ -based ceramics with  $3\text{ZnO}-\text{B}_2\text{O}_3$  addition  
Y.-C. LEE (Taiwan), W.-H. LEEB & F.-S. SHIEUC (Taiwan)
- 3469 A structural investigation of the influence of dopants on the electronic properties of  $\text{LiCoVO}_4$   
N.V. LANDSCHOOT, C. KWAKERNAAK, W.G. SLOOF, E.M. KELDER & J. SCHOOONMAN (The Netherlands)
- 3479 Preparation of aluminum silicate,  $\text{Ca}_{12}\text{Al}_{10}\text{Si}_4\text{O}_{35}$ , using waste materials and its activity for combustion of hydrocarbons  
S. FUJITA, K. SUZUKI, T. MORI & H. MASUDA (Japan)
- 3485 Influence of SiC whisker morphology and nature of SiC/ $\text{Al}_2\text{O}_3$  interface on thermomechanical properties of SiC reinforced  $\text{Al}_2\text{O}_3$  composites  
V. GARNIER, G. FANTOZZI, D. NGUYEN, J. DUBOIS & G. THOLLET (France)
- 3495 Crack-healing behaviour of mullite/SiC/ $\text{Y}_2\text{O}_3$  composites and its application to the structural integrity of machined components  
S.-K. LEE, M. ONO, W. NAKAO, K. TAKAHASHI & K. ANDO (Japan)
- 3503 Reaction kinetics in  $\text{Ti}_3\text{SiC}_2$  synthesis studied by time-resolved neutron diffraction  
E. WU (Australia, PR China), D.P. RILEY, E.H. KISI (Australia) & R.I. SMITH (UK)
- 3509 The influence of lubricants on uniaxial dry pressing of silanised silicon nitride powder  
S. VIETH, M. UHLMANN, U. KLEMM & F.-D. BÖRNER (Germany)
- 3517 Processing of dense bulk  $\text{MgB}_2$  superconductor via pressure-assisted thermal explosion mode of SHS  
I. ZLOTNIKOV, I. GOTMAN & E.Y. GUTMANAS (Israel)

### Volume 25 Number 16 2005

- 3523 Analysis of acoustic emission signature during aluminous cement setting to characterise the mechanical behaviour of the hard material  
T. CHOTARD, D. ROTUREAU & A. SMITH (France)
- 3533 Bioactive and degradable organic–inorganic hybrids  
A.I. MARTÍN, A.J. SALINAS & M. VALLET-REGÍ (Spain)
- 3539 Indirect solid freeform fabrication by binder assisted slip casting  
K.M. LINDQVIST & E. CARLSTRÖM (Sweden)
- 3547 Effects of monomer composition on the mechanical and machinability properties of gel-cast alumina green compacts  
A. KAŞGÖZ, Z. ÖZBAŞ, H. KAŞGÖZ & I. AYDIN (Turkey)
- 3553 Processing and characterisation of three-layer alumina-based composites with enhanced damage tolerance  
G. ARSLAN (Turkey), R. JANSSEN & N. CLAUSSEN (Germany)
- 3563 Preparation of hollow alumina microspheres by microwave-induced plasma pyrolysis of atomized precursor solution  
T. HYODO, M. MURAKAMI, Y. SHIMIZU & M. EGASHIRA (Japan)
- 3573 Effect of HCl concentration and reaction time on the change in the crystalline state of  $\text{TiO}_2$  prepared from aqueous  $\text{TiCl}_4$  solution by precipitation  
J.H. LEE & Y.S. YANG (Republic of Korea)
- 3579 Densification of nanocrystalline MgO ceramics by hot-pressing  
D. EHRE, E.Y. GUTMANAS & R. CHAIM (Israel)
- 3587 Low temperature synthesis of  $\text{Mg}_x\text{Al}_{2(1-x)}\text{Ti}_{(1+x)}\text{O}_5$  films by sol–gel processing  
P. INNOCENZI, A. MARTUCCI & L. ARMELAO (Italy)
- 3593 Optimization of  $\text{BaZrO}_3$  sintering by control of the initial powder size distribution; a factorial design statistical analysis  
B. GUILLAUME, F. BOSCHINI, I. GARCIA-CANO, A. RULMONT, R. CLOOTS & M. AUSLOOS (Belgium)

- 3605 Synthesis and thermal expansion of  $ZrO_2/ZrW_2O_8$  composites  
P. LOMMENS, C. DE MEYER, E. BRUNEEEL, K. DE BUYSSER, I. VAN DRIESSCHE & S. HOSTE (Belgium)
- 3611 Influence of molar ratio of citric acid to metal ions on preparation of  $La_{0.67}Sr_{0.33}MnO_3$  materials via polymerizable complex process  
W.-D. YANG, Y.-H. CHANG & S.-H. HUANG (Taiwan)
- 3619 Sintering and electrical conductivity in fast oxide ion conductors  $La_{2-x}R_xMo_{2-y}W_yO_9$  (R: Nd, Gd, Y)  
S. GEORGES, F. GOUTENOIRE, P. LACORRE & M.C. STEIL (France)
- 3629 Processing and mechanical properties of  $ZrO_2-TiB_2$  composites  
B. BASU (India), J. VLEUGELS & O. VAN DER BIEST (Belgium)
- 3639 Properties of reinforced boron carbide laminar composites  
S. TARIOLLE, F. THÉVENOT, T. CHARTIER & J.L. BESSON (France)
- 3649 Critical crack-healing condition for SiC whisker reinforced alumina under stress  
W. NAKAO, M. ONO, S.-K. LEE, K. TAKAHASHI & K. ANDO (Japan)
- 3657 Gradient microstructure of titanium nitride fabricated by combustion synthesis with liquid nitrogen  
M. SHIBUYA & J.F. DESPRES (Japan)

II List of contents for volume 25

XXX Author index for volume 25

XLI Keyword index for volume 25