

## Keyword Index

- Abnormal grain growth, 2033  
Acetic acid, 1143  
Acoustic emission, 3523  
Activation analysis, 2999  
Actuators, 2257, 2383, 2411, 2415, 2437, 2457, 2463, 2467, 2491, 2719, 2991, 3075  
Additive powder, 559  
Additives, 957, 987, 997, 1005  
Adsorption techniques, 271  
AFM, 3089  
Ag, 1647  
Ageing, 441, 3117, 3523  
Al powder, 3135  
Al, 3413  
Al/Al<sub>2</sub>O<sub>3</sub>, 1575  
Al<sub>2</sub>O<sub>3</sub>/Cr, 1119  
Albite, 2835  
Alcohol, 3181  
Al<sub>2</sub>O<sub>3</sub>, 65, 385, 559, 633, 639, 649, 655, 663, 703, 847, 857, 987, 997, 1073, 1089, 1095, 1109, 1167, 1251, 1275, 1325, 1333, 1365, 1373, 1447, 1479, 1499, 1541, 1551, 1805, 1895, 2033, 2121, 2799, 2813, 3125, 3257, 3265, 3393, 3403, 3413, 3539, 3547, 3553, 3563, 3649  
Al<sub>2</sub>O<sub>3</sub>/c-ZrO<sub>2</sub> eutectics, 1201  
Al<sub>2</sub>O<sub>3</sub>/glass, 367  
Al<sub>2</sub>O<sub>3</sub>/SiC, 3485  
Al<sub>2</sub>O<sub>3</sub>/YAG, 1241  
Al<sub>2</sub>O<sub>3</sub>/Y<sub>3</sub>Al<sub>5</sub>O<sub>12</sub> (YAG), 1307  
Al<sub>2</sub>O<sub>3</sub>/ZrO<sub>2</sub>, 3383  
Al<sub>2</sub>O<sub>3</sub>/ZrO<sub>2</sub>/Ni, 3125  
Al<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>, 663  
Al<sub>2</sub>O<sub>3</sub>-YAG, 1419  
Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub>, 1341, 1419  
Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub>-Cr, 837  
Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub>-Mo, 837  
Al<sub>2</sub>TiO<sub>5</sub>, 335, 847, 3587  
Alkylaminoborazines, 157  
Alloys, 1049  
AlN, 767, 781, 1057, 1067, 2791  
AlN-SiC-ZrB<sub>2</sub>, 1771  
AlON, 1067  
Alumina (Al<sub>2</sub>O<sub>3</sub>)-zirconia (ZrO<sub>2</sub>) nanocomposite, 1369  
Alumina ultrafine powders, 1109  
Aluminium alloys, 19  
Aluminium borate, 1789  
Aluminium nitride, 1789  
Aluminium titanate, 1781  
Aluminiumsilicates, 1471  
Aluminum nitride, 1797  
Ammonolysis, 227  
Amorphous materials, 1175, 1471  
Amorphous silica, 257  
Amorphous, 151  
Annealing, 569  
Anorthite, 293, 301, 3157  
Apatite, 375, 1877, 2583, 3287  
ATILA, 2467  
Atomic force microscope, 655, 2353  
Atomic force microscopy, 3089  
Automotive applications, 2959  
Ba(Ga,Ta)O<sub>3</sub>, 1183  
(Ba, Sr)(Zr, Ti)O<sub>3</sub>, 2295  
(Ba,Sr)TiO<sub>3</sub>, 1905  
Ba(Zn,Co,Nb)O<sub>3</sub>, 1183  
BaFe<sub>12</sub>O<sub>19</sub>, 1689  
Ba<sub>2</sub>Ti<sub>9</sub>O<sub>20</sub>, 3459  
Ba<sub>3</sub>Co<sub>0.7</sub>Zn<sub>0.3</sub>Nb<sub>2</sub>O<sub>9</sub>, 2839  
Ba<sub>5</sub>Ta<sub>4</sub>O<sub>15</sub>, 3451  
Barium titanate, 1985  
BaSnO<sub>3</sub>, 919  
BaTiO<sub>3</sub> and titanates, 2033, 2041, 2201, 2211, 2223, 2289, 2337, 2341, 2537, 2547, 3017, 3055, 3203  
BaTiO<sub>3</sub>, 441, 447, 2347, 2713, 2739, 2743, 2749, 3059, 3063, 3451  
Batteries, 3469  
BaZr(BO<sub>3</sub>)<sub>2</sub>, 3459  
BaZrxTi<sub>1-x</sub>O<sub>3</sub> (BZT), 2009  
BaZrO<sub>3</sub>, 3195, 3593  
Bi(Mg,Ti)O<sub>3</sub>-PbTiO<sub>3</sub>, 3229  
B<sub>4</sub>C, 3375, 3639  
Bi<sub>2</sub>O<sub>3</sub>, 1675, 2171  
Bi-layered ferroelectrics, 2453  
Binders, 781  
Bioactivity, 1507, 3533  
Biocompatibility, 1507  
Biomedical applications, 633, 883, 891, 2985, 3287  
Biomorphic ceramics, 817, 829  
Biomorphous SiC, 1015  
Bioorganic molecules, 2647  
Bismuth layered-structure ferroelectrics, 2723  
Bismuth layer-structured ferroelectrics, 2227, 2693  
Bismuth titanates, 2447  
BMZN, 2759  
BN, 111, 137, 3639  
Bone china, 3157  
Borate glass, 3187  
Borazine, 111  
Borides, 1301, 1749, 1757, 3517  
Boron carbide, 91  
Boron nitride fibres, 157  
Boron nitride, 111, 129  
Breakdown, 13  
Brittle fracture, 3265  
Brookite, 3573  
(Ca, Sr)Zr<sub>4</sub>(PO<sub>4</sub>)<sub>6</sub>, 1885  
C/C composites, 535  
C/C-SiC, 577  
Ca(Ti,Mg,Nb)O<sub>3</sub>, 3347  
CaAl<sub>2</sub>O<sub>4</sub>, 3269  
CaB<sub>6</sub>, 3375  
Ca<sub>12</sub>Al<sub>10</sub>Si<sub>4</sub>O<sub>35</sub>, 3479  
Ca<sub>2</sub>SiO<sub>4</sub>, 1507  
Ca<sub>3</sub>(PO<sub>4</sub>)<sub>2</sub>, 3157  
Calcination, 1997, 2003  
Calcium aluminate cement, 3523  
Calcium lead titanate, 2325

- Calcium triphosphate gel, 3181  
 CaO–MgO–SiO<sub>2</sub>, 313  
 CaO–MgO–ZrO<sub>2</sub>, 681  
 CaO–P<sub>2</sub>O<sub>5</sub>–SiO<sub>2</sub>–PVAL system, 3533  
 Capacitive charging, 243  
 Capacitors, 735, 1977, 2133, 2223, 2547, 2563, 2739, 2743, 2749, 2759, 2769, 2773, 2779, 2785, 2977  
 Carbides, 1717, 3503  
 Carbon fibers, 221  
 Carbon nanotubes, 1515  
 Carbon, 2735  
 Carbonitrides, 37, 49, 1919  
 Castables, 1499, 3135  
 Ca-Tschemak, 1133  
 CaYSi<sub>4</sub>(N,C)<sub>7</sub>, 49  
 Cement hydration age, 3223  
 Cement-based piezoelectric composites, 3223  
 Cements, 1143, 1877, 3135, 3523  
 CeMgAl<sub>11</sub>O<sub>19</sub>, 3383  
 CeNbTiO<sub>6</sub>, 2889  
 Centrifugal molding, 3257  
 CeO<sub>2</sub>, 1863, 2185, 2921, 3097, 3427, 473, 949  
 CeO<sub>2</sub>–ZrO<sub>2</sub>, 3089  
 Ceramers, 271  
 Ceramic laminates, 847  
 Ceramic matrix composite, 809, 1119  
 Ceramic, 129, 199, 1133, 3151  
 Cermet anode, 2623  
 Ce-TZP, 3437  
 Charging effects, 2805  
 Chemical properties, 143, 1835, 2683  
 Chemical route, 3323  
 Chemical solution deposition method, 2341  
 Chemical solution deposition, 2151, 2155  
 Chemical vapor infiltration, 829  
 Citric acid, 3611  
 Clays, 1149, 1463  
 CMC, 123, 181  
 Coatings, 711, 1637, 3109  
 Co-firing, 463  
 Cold pressing, 3403  
 Colemanite, 3375  
 Colloidal behaviour, 3195  
 Color, 2907  
 Colour, 711, 3165  
 Combustion synthesis, 3361, 3657  
 Compliance, 2817  
 Composites, Porosity, 3639  
 Composites, 13, 55, 65, 301, 335, 577, 589, 599, 837, 1025, 1067, 1191, 1241, 1293, 1307, 1365, 1269, 1341, 1381, 1419, 1455, 1515, 1541, 1629, 1699, 1717, 1723, 1733, 1743, 1749, 1757, 1765, 1771, 1781, 1813, 2061, 2089, 221, 2457, 2547, 2587, 2623, 2627, 2637, 2821, 2943, 3097, 3383, 3485, 3605, 3629, 3649  
 Coprecipitation, 663  
 Corrosion, 1, 903, 1033, 1041, 1049, 1269, 1597, 1699, 1717, 1723, 1733, 1749, 1757, 1771, 1781, 1797, 1805, 1813, 3135  
 Crack healing, 569  
 Crack tip toughness, 543  
 Crack-healing, 549, 1953, 3495, 3649  
 Creep, 857, 1225, 1275, 1717, 1819  
 Crosslinking, 175  
 Crystal growth, 2731  
 Crystal structure, 49, 501  
 Crystalline plates, 2543  
 Crystallinity, 157  
 Crystallite size, 1479  
 Crystallization, 283, 1525, 1829, 1855  
 CsAlSi<sub>2</sub>O<sub>6</sub>, 3173  
 CuAlO<sub>2</sub>, 2219  
 Cutting tools, 605, 1073  
 Cutting, 1073  
 CVI-R, 817  
 Defects, 433, 1805, 2061, 2081, 2211, 2347, 2353, 2477, 2487, 2567, 2683, 2805, 2809, 3293, 3307  
 Degradable, 3533  
 Degradation, 1597  
 Dehydration, 639  
 Dehydroxylation, 1463  
 Densification, 2115, 3323, 3579  
 Density, 1057  
 Design of experiments (DOE), 3593  
 Desorption processes, 271  
 De-wax, 1081  
 Diamond, 1929  
 Dielectric and piezoelectric properties, 425  
 Dielectric constant, 3459  
 Dielectric loss, 3459  
 Dielectric properties, Pb(Fe<sub>2/3</sub>W<sub>1/3</sub>)O<sub>3</sub>, 1657  
 Dielectric properties, 407, 433, 759, 957, 963, 2009, 2085, 2089, 2133, 2197, 2247, 2285, 2289, 2295, 2299, 2319, 2357, 2397, 2401, 2429, 2437, 2443, 2471, 2477, 2515, 2521, 2527, 2531, 2563, 2731, 2749, 2755, 2759, 2763, 2769, 2779, 2785, 2791, 2799, 2813, 2829, 2835, 2839, 2853, 2859, 2871, 2883, 2901, 2977, 3005, 3063, 3069, 3079, 3085, 3187, 3223, 3229, 3235, 3347, 3451  
 Dielectric property, 2877, 2897  
 Diffusion, 1325, 1591, 1743, 2201, 2495, 559  
 Dilatometry, 417  
 Diluents, 3361  
 Diopside, 1133  
 Direct coagulation casting, 1109  
 Directionally solidified, 1275  
 Directionally solidified Al<sub>2</sub>O<sub>3</sub>–YAG eutectics, 1225  
 Directionally solidified eutectics, 1341, 1419, 1455  
 Discolouration, 3157  
 Dislocations, sapphire, 1431  
 Dispersants, 863  
 Dispersion, 1143  
 Dolomite, 1499  
 Domain switching, 425  
 Domains, 447  
 Dopants, 1657  
 Doping, 857, 2487, 3207  
 Drying, 1551  
 DTA, 1525  
 EBSP, 3055  
 EELS, 875  
 Effect of the bias field, 2405  
 Elastic modulus, 969  
 Elastic recoil detection analysis, 1597  
 Electrical breakdown, 2821  
 Electrical conductivity, 65, 455, 473, 489, 949, 1455, 2129, 2137, 2219, 2487, 2577, 2583, 2587, 2599, 2609, 2655, 2669, 2735, 2825, 3005, 3469  
 Electrical parameters, 3443  
 Electrical properties, 13, 441, 943, 1167, 1723, 1965, 2065, 2121, 2141, 2161, 2167, 2269, 2277, 2309, 2353, 2613, 2623, 2633, 2637, 2651, 2795, 2799, 2925, 2959, 2969, 3005, 3011, 3051, 3301, 3307, 3323

- Electrochromics, 2907  
 Electrodes, 1647  
 Electron microscopy, 1095, 1351, 1381, 1389, 1447, 1565, 1733, 1743, 1991, 2197, 2201, 2211, 2219, 2401, 2421, 2471, 2505, 2735, 2743, 2769, 2805, 2809, 2853, 2865, 2871, 2897, 3017, 3249, 401, 433, 509, 639, 711, 735, 875, 891, 903, 919  
 Electron spin resonance, 3033  
 Electro-optics, 2273  
 Electrophoretic deposition, 577, 2041  
 Elongated grains, 3361  
 Emission band, 277  
 Engine applications, 1717  
 Engine components, 1191, 1269  
 Environmental barrier coating, 1705  
 Epitaxial growth, 2231  
 Epitaxy, 2185  
 Equilibrium thickness, 875  
 Erosion, 3265  
 Etching damage, 2269  
 Ethylene glycol, 3611  
 Eutectic fiber, 1405  
 Eutectic oxides, 1215  
 Eutectic, 1397  
 EXAFS, 2241  
 Extrusion, 137  
 Failure analysis, 1241, 2627, 599  
 Fatigue, 1953, 2253, 2281, 2505, 2559, 3393  
 Fault current limiters, 2925  
 Ferrites, 719, 1681, 1689, 2013, 2029, 2061, 2603, 3045  
 Ferroelastic domain switching, 447  
 Ferroelectric hysteresis, 2553  
 Ferroelectric materials, 749  
 Ferroelectric properties, 1637, 2115, 2125, 2253, 2263, 2277, 2281, 2299, 2305, 2309, 2331, 2341, 2357, 2363, 2369, 2373, 2453, 2471, 2477, 2483, 2491, 2495, 2509, 2521, 2537, 2547, 2567, 2693, 2719, 2723, 2731, 2739, 2817, 2991, 3059, 3069, 3203, 3235, 447, 735, 759, 963  
 Ferroelectric random access memory (FeRAM), 2277  
 Ferroelectric, 2197, 2505  
 Fibres, 111, 123, 137, 599, 817, 1081, 1225, 1637, 2037, 1259, 1301, 1929, 2387, 3249  
 Films, 735, 759, 1689, 1765, 1781, 1813, 2017, 2041, 2045, 2051, 2105, 2115, 2141, 2147, 2151, 2155, 2167, 2175, 2181, 2241, 2247, 2257, 2263, 2269, 2273, 2281, 2285, 2289, 2299, 2305, 2313, 2325, 2337, 2341, 2347, 2357, 2379, 2495, 2727, 2739, 2795, 2907, 2921, 2951, 3027, 3063, 3079, 3287, 3301, 3443, 3587, 3611  
 Filters, 3145  
 Finite element analysis, 2457  
 Finite Element Method, 1015  
 Firing, 2037, 2045, 2065, 2531  
 Flow field, 2627  
 Fly ash, 81  
 Forming, 627  
 Fracture strength, 3257  
 Fracture toughness, 1119, 543, 801  
 Fracture, 1191, 1717, 2223, 2421, 2817, 29, 3293, 385, 749  
 Free energy of formation, 695  
 Friction, 1073, 1603  
 Fuel cells, 463, 473, 863, 943, 1455, 1991, 2003, 2017, 2181, 2235, 2583, 2587, 2593, 2599, 2623, 2627, 2633, 2643, 2651, 2655, 2665, 2669, 2673, 3619  
 Functional applications, 1067, 1351, 1885, 1965, 1997, 2089, 2105, 2171, 2263, 2331, 2401, 2499, 2955, 3207, 3479  
 FWHM, 277  
 Gahnite, 1829  
 GdAlO<sub>3</sub>, 1251  
 Gd<sub>2</sub>O<sub>3</sub>:Eu phosphor particles, 2023  
 Gel-casting, 1089, 2071, 3547  
 Gelcasting, 375  
 Gelling, 627  
 Gels, 613  
 Geopolymers, 1471  
 Glass ceramics, 349, 417, 891, 899, 1333, 1525, 1531, 1835, 1855, 2029, 2877, 3187  
 Glass, 417, 633, 711, 883, 903, 979, 1133, 1515, 1541, 2121  
 Glassy phase, 875  
 Glazes, 349  
 Grain boundaries, 401, 857, 875, 1591, 1681, 2033, 2191, 2373, 2421, 2599, 2609, 2613, 2809, 2813, 2981, 3017, 3045, 3055  
 Grain growth, 529, 719, 1301, 1565, 1611, 1663, 2097, 2191, 2227, 2231, 2727, 2935, 2939, 2943, 2955, 2999, 3249, 3593  
 Grain size, 455, 857, 949, 1095, 1675, 1681, 2013, 2097, 2191, 2269, 2273, 2425, 2537, 2739, 3045, 3059, 3117, 3249  
 Grain-size, 1919  
 Green compacts, 3547  
 Green machining, 781  
 Hafnium diboride, 1789  
 Halides, 2779, 2977  
 Hard magnets, 719, 1681  
 Hardness, 529, 649, 837, 969, 1215, 3657  
 HCl, 3573  
 Hertz crack, 1119  
 Heterojunction, 2167  
 HfB<sub>2</sub>, 1025  
 High temperature, 251  
 High-temperature elasticity measurements by Brillouin scattering, 1313  
 HIP, 535  
 Historical glass windows, 903  
 Hollow microsphere, 3563  
 Hot corrosion, 1033  
 Hot forging, 1359  
 Hot isostatic pressing, 301, 1749  
 Hot pressing, 55, 695, 1025, 1359, 1515, 3437, 3579, 3629,  
 Hybrid materials, 2617  
 Hydrothermal methods, 3165, 3181  
 Hydrothermal, 2749  
 Hydroxyapatite, 3181  
 Hysteresis, 2357  
<sup>41</sup>I<sub>13/2</sub>, 277  
 Image analysis, 891, 3427  
 Impedance, 1167, 2085, 2515, 2609, 2669, 2969, 2985, 3027, 3045  
 Impurities, 3079  
 Inclusions, 1355  
 Indentation, 969  
 Indium tin oxide (ITO), 3307  
 Industrial wastes, 1531  
 Infiltration, 633, 2943  
 Insertion reactions, 729  
 Instrumented press, 3509  
 Insulators, 1479, 2795, 2799, 2805, 2839, 3085  
 Interactions, 3443  
 Intercalation, 729  
 Interfaces, 19, 535, 599, 655, 1167, 1381, 1389, 1943, 2201, 2223, 3055, 3485  
 Internal friction, 935, 3203, 3281

- Inverse spinel, 3469  
Investment casting, 1081  
Ion-exchange material, 1885  
Ionic conductivity, 2017, 2085, 2191, 2487, 2573, 2583, 2603, 2617, 2623, 2651, 2655, 2665, 2669, 2973, 3243, 3315, 3619, 455, 481, 489  
IR- and NMR-spectroscopy, 199  
Irradiation damage, 2677
- Joining, 3403
- Kaolinite, 1463  
Kinetics, 1699, 3503, 613  
KNbO<sub>3</sub>, 2713
- (La, Gd)<sub>2</sub>(Mo, W)<sub>2</sub>O<sub>9</sub>, 3619  
(La, Sr) MnO<sub>3</sub>, 3611  
La(Co,Ti)O<sub>3</sub>, 433  
LaAlO<sub>3</sub>, 407  
LaCoO<sub>3</sub>, 3243  
LaFeO<sub>3</sub>, 927  
LaGaO<sub>3</sub>, 2655  
La<sub>2</sub>Mo<sub>2</sub>O<sub>9</sub>, 3315, 481  
La<sub>2</sub>RuO<sub>5</sub>, 943  
Laminated composites, 3393  
Laminates, 367, 589, 847, 3553  
LaMnO<sub>3</sub>, 935  
Lanthanum gallate, 2599  
Laser gelling, 627  
Laser interferometry, 2257  
Layered manufacturing, 2991  
Layered perovskite, 2727  
Lead iron tantalate, 2133  
Lead metaniobate, 2443  
Lead-free piezoceramics, 2701  
LiCoVO<sub>4</sub>, 3469  
Lifetime, 1629  
Liquid nitrogen, 3657  
Liquid phase coating, 221  
Liquid phase sintering, 801, 987, 997, 1005  
Lisicon, 2969  
Ln<sub>4</sub>Si<sub>2</sub>O<sub>7</sub>N<sub>2</sub>, 793  
LNO, 2253  
LSGM, 2587  
LTCC material, 2531  
LTCC, 417, 2029, 2061, 2065, 3187, 3443  
Lubricants, 3509  
Lubrication, 1073  
Luminescence, 1175
- Machinability, 781, 899, 3547  
Machined components, 3495
- Machining, 1073  
Magnetic properties, 1689, 1965, 2029, 2147, 2925, 2931, 2935, 3033, 3051  
Manganites, 2093, 2661  
Martensitic transformation, 1597  
MAS NMR, 37  
Mechanical activation, 455  
Mechanical losses, 3213  
Mechanical properties, 55, 301, 375, 589, 605, 649, 781, 927, 1089, 1215, 1241, 1251, 1285, 1313, 137, 1419, 1471, 1487, 1507, 1541, 1611, 1619, 1723, 1805, 1819, 1829, 1877, 1929, 1953, 2947, 2985, 3109, 3145, 3203, 3229, 3353, 3383, 3485, 3523, 3547, 3553, 3639  
Membranes, 257, 489, 1895, 1991, 2577, 2603, 3097, 3243  
Metallic inclusions, 65  
Metastable material, 227  
MgAl<sub>2</sub>O<sub>4</sub>, 1499  
MgAl<sub>2</sub>O<sub>4</sub>/MgO eutectic crystal, 1351  
MgAlON, 501  
MgB<sub>2</sub>, 3517  
MgO, 1499, 2791, 2795, 2865, 3579  
MgSiN<sub>2</sub>, 767  
MgTa<sub>1.5</sub>Nb<sub>0.5</sub>O<sub>6</sub>, 2849  
Microcrack toughening, 3287  
Micro-Raman spectroscopy, 3063  
Microspheres, 3563  
Microstructure final, 2065  
Microstructure pre-firing, 743  
Microstructure, 19, 143, 335, 349, 407, 605, 781, 817, 957, 1025, 1119, 1133, 1215, 1341, 1351, 1499, 1637, 1771, 1919, 1929, 2207, 2235, 2935, 3109, 3353, 3427, 3437, 3657  
Microstructure-final, 357, 385, 401, 703, 801, 1225, 1269, 1293, 1355, 1365, 1611, 1663, 1835, 2041, 2181, 2185, 2215, 2227, 2241, 2387, 2499, 2509, 2531, 2647, 2939, 2951, 3017, 3079, 3335, 3517  
Microstructure-prefiring, 1977, 2337  
Microstructures, 1411  
Microwave devices, 1689  
Microwave dielectric characteristic, 2849  
Microwave dielectric properties, 2563  
Microwave dielectrics, 1183, 3347
- Microwave process, 2939  
Microwave processing, 2235  
Microwave properties, 2901  
Microwave-induced plasma, 3563  
Milling synthesis, 3269  
Milling, 521, 2081, 2219, 2599, 2613, 3207, 3553, 3619  
Mixed conductor, 2637, 489  
Mixed-oxide, 3235  
Mixing, 1575, 3097  
MnO<sub>2</sub>, 2425  
Modelling, 1819, 2567, 2673, 3293  
Molecular dynamics, 3243  
Molten salts, 1033, 73  
Monoliths, 3533  
Monomer, 3547  
Morphology, 2387  
MoSi<sub>2</sub>, 1  
Mould, 1081  
Mullite, 1479, 1781, 3249, 577, 613, 703, 73  
Mullite/SiC, 549  
Mullite/SiC/Y<sub>2</sub>O<sub>3</sub> composite, 3495  
Multilayer processing, 2463
- Na<sub>2</sub>SO<sub>4</sub>-NaCl melts, 1033  
Na<sub>3</sub>Si<sub>2</sub>(Zr,Y)<sub>2</sub>PO<sub>12</sub>, 455  
Nanocomposites, 143, 473, 509, 1359, 2129, 2491, 2617, 3125  
Nanocrystalline, 3579  
Nano-hardness, 529  
Nanoindentation, 649  
Nanosheet, 2037  
Nanostructures, 91  
Nanotubes, 243  
NASICON, 455, 2965  
Near-field microwave microscopy, 407  
Neutron diffraction, 447, 1597, 2471, 2477, 3503  
NH<sub>4</sub>F additive, 3361  
Nicalon fiber, 1943  
Niobates, 1971, 2075, 2701, 2707, 2719, 2755, 2829, 2839, 2859, 2871  
Nitridation, 187  
Nitrides, 37, 767, 1067, 1575, 2687  
NMR, 129, 1325, 1333, 501  
Non-destructive evaluation, 1167, 1397  
Non-oxide ceramics, 211  
Nonstoichiometry, 2609  
Notch effect, 543  
NTC, 3443  
Nuclear applications, 1877, 2687  
Nuclear magnetic resonance spec-

- troscopy, 1471  
 Nucleation, 1525  
 Numerical simulation, 2235
- Oligomeric components, 233  
 One-step process, 181  
 Optical microscopy, 2917, 891  
 Optical properties, 1351, 2023, 2051, 2093, 2171, 2273, 2313, 2337, 2347, 2907, 2913, 2917, 2921, 3165, 3207, 711, 911  
 Ordering, 1183  
 Organic–inorganic hybrids, 2051, 3533  
 Organosilicon chemistry, 233  
 Oxidation kinetics, 1789, 3413  
 Oxidation resistance, 1025  
 Oxidation, 1723, 1743, 19, 1943, 3367, 559  
 Oxide eutectics, 1381  
 Oxide superconductors, 1355, 2925, 2931, 2935, 2939, 2947, 2951, 2955  
 Oxide, 1389  
 Oxyapatite, 2665  
 Oxygen annealing, 2955  
 Oxygen permeability, 2613  
 Oxytrinitrides, 1067, 1575
- Paper, 817  
 Particle size, 1463  
 Particulate composite, 1789  
 $\text{Pb}(\text{Mg},\text{Nb})\text{O}_3$ , 3335  
 $\text{Pb}(\text{Zr},\text{Ti},\text{Nb})\text{O}_3$ , 963  
 $\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$ , 743  
 $\text{Pb}_{0.95}\text{Ba}_{0.05}[(\text{Mg}_{1/3}\text{Nb}_{2/3})_{0.125}\text{Zr}_{0.445}\text{Ti}_{0.43}]\text{O}_3$  ceramics, 2437  
 $\text{PbTiO}_3$ , 3335, 759  
 $(\text{Pb},\text{La})\text{TiO}_3$ , 1175  
 Pechini method, 663  
 Percolation threshold, 65  
 Periodic mesoporous organosilica, 265  
 Permeability, 1301, 1895, 3257  
 Permeation, 2577  
 Perovskite, 2085, 2197, 2253, 2295, 2397  
 Pérovskite, 2429  
 Perovskites, 489, 729, 919, 1175, 1183, 1447, 1977, 1991, 2009, 2013, 2033, 2075, 2089, 2093, 2125, 2147, 2191, 2211, 2319, 2325, 2341, 2363, 2369, 2373, 2393, 2505, 2509, 2515, 2521, 2527, 2587, 2593, 2603, 2609, 2651, 2655, 2693, 2755, 2759, 2763, 2839, 2843, 2901, 2973, 3033, 3229, 3243, 3335, 3347, 3451, 3593
- pH sensors, 2973  
 Phase analysis, 801, 1863, 1905  
 Phase development, 613, 987, 997, 1005  
 Phase diagram, 313, 681, 1373, 2215, 3213  
 Phase equilibria, 681  
 Phase equilibrium, 313  
 Phase evolution, 1499  
 Phase separation, 283  
 Phase stability, 3437  
 Phase transformation, 3375, 3629, 935  
 Phase transition, 481  
 Phosphates, 81, 2003  
 Phosphors, 2921  
 Photocatalysis, 3207  
 Piezoceramics, 425, 2415  
 Piezoelectric properties, 749, 2247, 2257, 2373, 2383, 2397, 2401, 2405, 2411, 2425, 2437, 2443, 2457, 2463, 2467, 2499, 2509, 2537, 2543, 2559, 2693, 2701, 2707, 2719, 2723, 2727, 2991, 3075, 3223, 3229, 3335
- Pigments, 3165, 911  
 Pink coral, 911  
 Plasma spraying, 393, 1159, 1835, 2181  
 Plaster, 3281  
 Plastic deformation, 3265  
 Plasticity, 301, 1149, 2567, 3539  
 Platelets, 1541, 2227  
 PLM, 157  
 PLT, 1175  
 PLZT, 2285, 2299, 2917  
 PMMA, 3173  
 PMN, 3223  
 PMN–PT, 2509  
 PMN–PZT, 3235  
 p–n junction, 2141  
 Point defect, 501  
 Polarization, 425  
 Polishing, 1487, 3151  
 Pollucite, 3173  
 Poly(aminoborazine), 129  
 Polyborosilazanes, 251  
 Polycarbosilane, 233  
 Polyethylene glycol, 673  
 Polyethyleneimine, 655  
 Polymer derived ceramics, 193  
 Polymer, 129, 883  
 Polymer-derived ceramic, 163, 175
- Polymer-derived SiOC, 143  
 Polymeric organodecaboranes, 91  
 Polymeric route, 151  
 Polymeric, 257  
 Polymerization, 3611  
 Polysilanes, 123  
 Polysilazane, 257  
 Polysilylcarbodiimides, 99  
 Porcelain stoneware, 357, 1487  
 Porcelain, 1479, 1829  
 Porosity gradients, 385, 3257  
 Porosity, 335, 357, 393, 417, 589, 883, 1149, 2017, 2045, 2137, 2175, 2421, 2981, 3075, 3145, 3539, 3593, 3619  
 Porous alumina, 3257  
 Porous ceramics, 829  
 Porous glasses, 265  
 Porous structure, 3173  
 Porous thin films, 673  
 Positron annihilation, 2813  
 Powder processing, 3021  
 Powders-chemical preparation, 949, 1991, 2003, 2009, 2013, 2075, 2491, 2687, 2713, 2843, 3165, 3307  
 Powders-chemical, 919  
 Powders-gas phase reaction, 2023  
 Powders—chemical preparation, 743, 2593  
 Powders-solid state reaction, 793, 1977, 1997, 2089, 2215, 2429, 2471, 2853, 2859, 2865, 2871, 2877, 2883, 2897, 3051  
 $(\text{Pr},\text{Li},\text{Bi})\text{TiO}_3$ , 729  
 Pre-ceramic polymers, 111, 175, 211, 521  
 Precipitation, 3573  
 Precursor complex, 2537  
 Precursor organic, 187  
 Precursor solution, 3323  
 Precursor, 221  
 Precursors-organic, 143, 979, 2051, 2137, 2337, 509, 521  
 Precursors-organic:  $\text{Al}_2\text{O}_3$ ,  $\text{ZrO}_2$ , 1581  
 Preisach model, 2547  
 Preload stress, 425  
 Preparation, 919, 2437  
 Pressing, 3075, 3509, 3517  
 Pressureless sintering, 3353  
 Printing, 2055  
 Processing, 3269  
 Proof test, 549  
 PTC devices, 3017  
 PTC, 3443

- PTCR ceramics, 1905  
Pulse electric current sintering, 3125  
Pulsed laser deposition, 2313  
Pyroelectric properties, 2379  
Pyroelectric spectroscopy, 2363, 2369  
Pyrolysis, 187, 265, 271, 979  
Pyrophyllite, 1463  
Pyroxene, 349  
PZT ceramics, 2411, 3213  
PZT coating, 1637  
PZT, 1647, 1971, 2055, 2207, 2231, 2241, 2247, 2253, 2257, 2263, 2269, 2273, 2277, 2281, 2299, 2363, 2369, 2379, 2383, 2387, 2393, 2397, 2401, 2405, 2415, 2421, 2425, 2457, 2463, 2467, 2483, 2487, 2491, 2495, 2499, 2559, 2567, 2817, 2913, 2985, 3075, 3323, 425, 735, 749  
PZTN, 963  
  
Quasiductile behaviour, 187  
  
R-curve, 543  
Raman spectroscopy, 1183, 2075, 2843  
Rapid prototyping, 193, 627  
Rare earth oxides, 2097  
Rare-earth silicon-oxynitrides, 793  
RBAO, 3413  
Reaction bonding, 3413  
Refractories, 1, 313, 1041, 1049, 1301, 1325, 1333, 1499, 1819  
Refractory castables, 3135  
Relaxor behaviour, 2285  
Relaxor materials, 2433  
Relaxor single crystals, 2373  
Relaxors,  $\text{MnO}_2$ ,  $\text{Co}_3\text{O}_4$ , 1657  
Relaxors, 3069  
Residual stresses, 535, 1551, 3383  
Retained strength, 3367  
Rheology, 1143, 3097, 3195  
Rietveld analysis, 1863  
Rietveld structure refinement, 613  
 $\text{RuO}_2$ , 3443  
Ruthenates, 943  
  
Sampling, 809  
Sapphire, 1259, 3265  
Scanning thermal microscopy, 1159  
Screen-printing, 2137  
Secondary phase, 2755  
Self-propagating High-temperature Synthesis, 3517  
  
Sensor, 2965  
Sensors, 455, 863, 919, 1971, 2105, 2115, 2121, 2129, 2137, 2167, 2379, 2825, 2959, 2969, 2981  
Shaping, 1109, 2687, 2943, 2955  
Shear modulus, 3213  
 $\text{S}_5\text{Fe}_{12}\text{O}_{19}$ , 1681  
Si–B–C–N fibers, 251  
SiAlON, 2821  
Sialons, 13, 1041, 3361  
SiC fibers, 1637  
SiC whiskers, 3649  
SiC, 13, 521, 529, 569, 589, 801, 817, 987, 997, 1005, 1015, 1025, 1611, 1619, 1705, 1929, 2735, 2795, 2821, 3485  
SiC/SiC, 599, 1629  
SiC/Ti(C,N)/ $\text{Al}_2\text{O}_3$ , 605  
SiCN, 243  
 $\text{Si}_3\text{N}_4$  powders, 3509  
 $\text{Si}_3\text{N}_4$ , 19, 29, 559, 767, 1705, 1733, 1743, 1749, 1757, 3353  
 $\text{Si}_3\text{N}_4/\text{SiC}$ , 1953, 549  
Silicates, 293, 1507, 1877, 2835, 3165, 3479  
Silicides, 1, 1293  
Silicon boron carbonitrides, 211  
Silicon carbide, 151, 187  
Silicon, 163  
Siloxane, 271  
Silver addition, 2947  
Simulations, 367  
Si–B–C–N, 509  
Si–C, 123  
Single source precursors, 211  
Sinter-crystallization, 1531  
Sintering additives, 99  
Sintering aids, 1905  
Sintering, 81, 375, 385, 393, 417, 463, 473, 633, 703, 719, 847, 899, 957, 963, 1067, 1515, 1541, 1603, 1611, 1619, 1675, 1885, 2061, 2085, 2097, 2175, 2197, 2207, 2219, 2223, 2227, 2231, 2383, 2397, 2515, 2593, 2661, 2665, 2713, 2719, 2749, 2763, 2773, 2779, 2785, 2791, 2813, 2897, 2917, 2977, 2999, 3021, 3109, 3125, 3187, 3383, 3427, 3503, 3593, 3605, 3619  
 $\text{SiO}_2$ , 1, 301, 627, 903, 1479, 1855, 2799  
 $\text{SiO}_x\text{C}_y$ , 979  
Slags, 3479  
SLC approach, 193  
Slip casting, 847, 3145, 3195, 3539  
  
Slow crack growth, 1629  
 $\text{Sm}_2\text{O}_3$ , 1057  
 $\text{SnO}_2$ , 401, 3307  
Soft magnets, 3045  
Soft-mechanochemical processing, 1977  
Sol-gel processes, 2093, 2319, 1921  
Solid freeform fabrication, 3539  
Solid oxide fuel cells (SOFC), 2637  
Solid solutions, 501  
Solid state reactions, 3269  
Solid State, 129  
Solidification, 1355  
Sol-gel process, 1977  
Sol-gel processes, 265, 577, 663, 711, 743, 759, 911, 1095, 1565, 1895, 1943, 2041, 2045, 2171, 2247, 2263, 2277, 2285, 2305, 2325, 2331, 2379, 2499, 2593, 2617, 2643, 2647, 2665, 2687, 2825, 2913, 2917, 2973, 3079, 3301, 3587  
Sol-gel processing, 833, 2175, 2185, 2795  
Solvothermal process, 3307  
Sonication, 1463  
Space charge, 2809  
Spark plasma sintering, 1057, 1919, 3059, 3315, 3437  
Spectroscopy, 1313, 1325, 1333, 1447, 1855, 2151, 2155, 2347, 2495, 2515, 2981, 3063, 3085, 3335  
Spinels, 2081, 2677, 2809, 2981, 3021, 3027, 3051  
Spray drying, 3323  
Spray pyrolysis, 2951  
Spray winding, 181  
 $\text{SrTiO}_3$ , 2769, 3079, 3207  
(Sr,Ba) $\text{Nb}_2\text{O}_6$ , 957  
(Sr,Ca)(Fe,Al) $\text{O}_3$ , 489  
Stabilization, 335  
Stabilized zirconia, 2573  
Stain resistance, 357  
Statistical model, 3293  
Steam, 1081  
Steel, 1041  
Stereolithography, 1581  
Steric repulsion, 655  
Stoneware, 293  
Strain, 425  
Strength recovery, 3495  
Strength, 335, 535, 569, 927, 1143, 1215, 1225, 1241, 1259, 1411, 1629, 293, 3125  
Stress distribution, 1015

- Stress mapping, 1447  
 Stress–rupture testing, 1629  
 Structural application, 521, 1365, 1411, 1717  
 Structural integrity, 3495, 549  
 Structural transition temperatures, 2429  
 Substrates, 1997, 2835, 767  
 Sulfates, 73  
 “Superconductor permanent magnets”, 2931  
 Superconductivity, 1965, 2931, 2935, 2939, 2943, 2947, 3517  
 Superconductors, 969  
 Superlattice, 1183  
 Surfaces, 13, 1591, 1813, 2211, 2353, 2577, 2821, 3479, 655  
 Surfactants, 3509  
 Suspensions, 65, 375, 463, 627, 655, 863, 1109, 1877, 2055, 2643, 3195  
 Synthesis, 73  
  
 1T FRAM, 2309  
 Ta<sub>2</sub>O<sub>5</sub>, 1863  
 Talc, 335, 81  
 Tantalates, 2151, 2155, 2527, 2723, 3451  
 Tape casting, 1551, 2231, 2463, 2985, 3403, 3639  
 Technical issues for application, 1191  
 TEM sample preparation, 809  
 TEM, 157  
 Temperature coefficient of resonant frequency, 3459  
 Templating, 673  
 Ternary derivatives, 163  
 Ternary eutectic, 1365, 1411  
 Testing, 1049, 543  
 Tetrahydrofuran, 99  
 Texture, 719  
 Texturing, 1663  
 Theoretical estimate, 767  
 Thermal barrier coatings, 1159, 1167, 393  
 Thermal behaviour, 1463  
 Thermal conductivity, 1057, 367, 393, 767  
 Thermal conversion, 979  
 Thermal expansion coefficient, 335  
 Thermal expansion, 1885, 2121, 2583, 2603, 3173, 3605, 481  
 Thermal properties, 1251, 1575, 2411, 2925, 3485, 703, 767, 943  
  
 Thermal shock, 3367  
 Thermistors, 3027, 3051, 3055  
 Thermodynamic calculations, 3375  
 Thermodynamic modeling, 313, 681  
 Thermodynamics, 3109  
 Thermoelectric properties, 2735  
 Thermolysis, 227  
 Thermophotovoltaic, 1285  
 Thick films, 2125, 2133, 2633, 2643  
 Thin films, 2319, 2331  
 Tialite, 335  
 TiB<sub>2</sub>, 1073, 3629  
 TiC, 829  
 TiCl<sub>4</sub>, 3573  
 TiCN, 1919  
 Ti<sub>3</sub>AlC<sub>2</sub>, 3367  
 Ti<sub>3</sub>SiC<sub>2</sub>, 1033, 3503  
 Tiles, 81, 293, 349, 357, 1149, 1487, 1835, 3151  
 Tin dioxide, 2825  
 TiN, 1733, 3657  
 Ti–6Al–4V alloy, 1159  
 TiO<sub>2</sub>, 1813, 2013, 2175, 3573, 407, 673  
 Titanates, 2305, 2313, 2613, 2779, 2785, 2965, 2977, 3207  
 Toughening, 3089  
 Toughness and toughening, 29, 749, 1191, 1835, 3117, 3293  
 Toughness, 3393, 3629, 55, 927  
 Traditional ceramics, 1149  
 Transducers, 1971  
 Transition metal oxides, 1997, 2141, 2627, 2669  
 Transitions, 481  
 Transmission electron microscopy, 1183, 809  
 Transparent and conducting oxide, 2161  
 Tribochemical wear, 1603  
 Tunable applications, 2289  
 Twinning, 639  
 TZP, 1597, 3109, 3117, 875  
  
 Ultrasonic spraying, 3563  
 Unidirectional solidification, 1441  
 UO<sub>2</sub>, 2683  
  
 Vaporization, 1675  
 Varistors, 401, 1663, 1675, 2105, 2115, 2215, 2999, 3005, 3011  
 Vitreous ceramic, 3151  
  
 Waste materials, 1149, 1531, 1855, 3145, 3479  
 Water effect, 3281  
 Waveguide, 2913  
 WC, 1603, 55  
 Wear parts, 3553  
 Wear resistance, 1835, 605  
 Wear, 1603, 837  
 Weathering, 903  
 Weibull modulus, 1487  
 Wetting, 1041, 1757  
 Whiskers, 509, 3181, 3485  
  
 X-ray diffraction analyses, 3375  
 X-ray diffraction, 49, 283, 613, 639, 1575  
 X-ray lithography, 199  
 X-ray methods, 433, 695, 759, 793, 911, 919, 1095, 1479, 1441, 1565, 1689, 1885, 2023, 2045, 2075, 2081, 2171, 2325, 2387, 2393, 2429, 2707, 2727, 2835, 2853, 2859, 2865, 2871, 2877, 2883, 2897, 2943, 3213, 3469, 3587, 3605  
 X-ray powder diffraction, 3037, 3041  
 XRD, 37  
  
 YAG, 1565  
 Yb α-SiAlON, 3361  
 YBCO, 969  
 Y<sub>2</sub>O<sub>3</sub>, 2647, 2791, 559  
 Young’s modulus, 3213  
 YSZ, 1159, 463  
  
 Zircon, 911  
 ZnAl<sub>2</sub>O<sub>4</sub>, 3157  
 Zn<sub>2</sub>SiO<sub>4</sub>, 3165  
 ZnO, 1663, 1675, 1829, 2037, 2161, 2167, 2215, 3005, 3301  
 ZnO–B<sub>2</sub>O<sub>3</sub>, 3459  
 ZrO, 695  
 ZrO<sub>2</sub>, 393, 463, 695, 863, 875, 1159, 1167, 1365, 1373, 1591, 1603, 1771, 1805, 2181, 2577, 2633, 2643, 2647, 2959, 3109, 3117, 3393, 3403, 3437, 3605, 3629  
 ZrO<sub>2</sub>–WC, 55  
 ZrO<sub>2</sub>–Y<sub>2</sub>O<sub>3</sub>, 2017  
 ZrW<sub>2</sub>O<sub>8</sub>, 3605