

List of Contents for Volume 26

Volume 26 Numbers 1–2 2006

- 1 Silver nanoparticles supported on α -, η - and δ -alumina
A. ESTEBAN-CUBILLO, C. DÍAZ, A. FERNÁNDEZ, L.A. DÍAZ, C. PECHARROMÁN, R. TORRECILLAS & J.S. MOYA (Spain)
- 9 Nitrogen pressure effects on non-isothermal alumina sintering
C. NIVOT, F. VALDIVIESO & P. GOEURIOT (France)
- 17 Sintering stresses and distortion produced by density differences in bi-layer structures
D. RAVI & D.J. GREEN (USA)
- 27 Multilayer coatings with improved reliability produced by aqueous electrophoretic deposition
B. FERRARI, S. GONZÁLEZ, R. MORENO & C. BAUDÍN (Spain)
- 37 An extended two-state model for grain growth during gas phase production of powders
F. QIU, T.A. EGERTON & I.L. COOPER (UK)
- 49 Liquid-phase-infiltration of EB-PVD-TBCs with ageing inhibitor
B. SARUHAN, A. FLORES RENTERIA (Germany), M. KESHMIRI & T. TROCZYNSKI (Canada)
- 59 Wetting, densification and phase transformation of $\text{La}_2\text{O}_3/\text{Al}_2\text{O}_3/\text{B}_2\text{O}_3$ -based glass–ceramics
C.-L. CHEN, W.-C.J. WEI (Taiwan) & A. ROOSEN (Germany)
- 67 Aqueous tape casting processing of low dielectric constant cordierite-based glass-ceramics—selection of binder
S. MEI (Germany, Portugal), J. YANG (Portugal, Norway), X. XU, S. QUARESMA, S. AGATHOPOULOS & J.M.F. FERREIRA (Portugal)
- 73 Preparation and sintering of nanocrystalline ITO powders with different SnO_2 content
S.-M. KIM, K.-H. SEO, J.-H. LEE, J.-J. KIM, H.Y. LEE & J.-S. LEE (Republic of Korea)
- 81 Preparation of calcium doped LaCrO_3 fine powders by hydrothermal method and its sintering
L.P. RIVAS-VÁZQUEZ, J.C. RENDÓN-ANGELES, J.L. RODRÍGUEZ-GALICIA, C.A. GUTIÉRREZ-CHAVARRIA (México), K.J. ZHU & K. YANAGISAWA (Japan)
- 89 New $\text{Bi}(\text{Mg}_{0.75}\text{W}_{0.25})\text{O}_3$ – PbTiO_3 ferroelectric ceramics
M.D. SNEL, W.A. GROEN & G. DE WITH (The Netherlands)
- 95 Fatigue crack growth in ferroelectrics under electrical loading
J. SHIEH (Taiwan), J.E. HUBER & N.A. FLECK (UK)
- 111 Reaction sintering of lead zinc niobate–lead zirconate titanate ceramics
S.-H. LEE, C.-B. YOON, S.-M. LEE & H.-E. KIM (Republic of Korea)
- 117 Preparation of sub-micron PZT particles with the sol–gel technique
S. LINARDOS, Q. ZHANG & J.R. ALCOCK (UK)
- 125 HF^2EPR investigation of a Cr-bearing gahnite pigment
G. LORENZI, G. BALDI, F. DI BENEDETTO, V. FASO, L.A. PARDI & M. ROMANELLI (Italy)
- 131 Anisotropic X-ray peak broadening and twin formation in hematite derived from natural and synthetic goethite
L. LÖFFLER & W. MADER (Germany)

- 141 Crystal structure refinement and hydration behaviour of $3\text{CaO}\cdot\text{SiO}_2$ solid solutions with MgO , Al_2O_3 and Fe_2O_3 ,
D. STEPHAN & S. WISTUBA (Germany)
- 149 Particle shape and suspension rheology of short-fiber systems
W. PABST, E. GREGOROVÁ (Czech Republic) & C. BERTHOLD (Germany)
- 161 Sintering mechanism and ceramic phases of an illitic–chloritic raw clay
A. KHALFAOUI, S. KACIM & M. HAJJAJI (Morocco)
- 169 Mechanical behaviour of a low-clay translucent whiteware
C.B. USTUNDAG, Y.K. TUR & A. CAPOGLU (Turkey)
- 179 Behaviour of open-cell cordierite foams under compression
F.A.C. OLIVEIRA, S. DIAS, M.F. VAZ & J.C. FERNANDES (Portugal)
- 187 Oxidation of monolithic TiB_2 and TiB_2 –20 wt.% MoSi_2 composite at 850 °C
T.S.R.Ch. MURTHY, R. BALASUBRAMANIAM, B. BASU, A.K. SURI & M.N. MUNGOLE (India)
- 193 Preparation of sialon–transition metal silicide composites
W.-W. CHEN (PR China, Australia), Y.-B. CHENG (Australia) & W.-H. TUAN (Taiwan)
- 201 Variation of sintering parameters at an early stage of densification affecting β - Si_3N_4 -microstructure
W. LEHNER (Germany), H.-J. KLEEBE (USA) & G. ZIEGLER (Germany)
- 209 Carbothermal synthesis of β -sialon from mechanochemically activated precursors
K.J.D. MACKENZIE & D.V. BARNEVELD (New Zealand)
- 217 Packing density and consolidation energy of flocculated aqueous SiC suspension
K. KISHIGAWA & Y. HIRATA (Japan)

Volume 26 Number 3 2006

- 223 Wear mechanisms associated with the lubrication of zirconia ceramics in various aqueous solutions
M. KALIN, G. DRAŽIČ, S. NOVAK & J. VIŽINTIN (Slovenia)
- 233 Phase diagram of the ZrO_2 – Gd_2O_3 – Al_2O_3 system
S. LAKIZA (Ukraine, Germany), O. FABRICHNAYA, Ch. WANG, M. ZINKEVICH & F. ALDINGER (Germany)
- 247 New double-ceramic-layer thermal barrier coatings based on zirconia–rare earth composite oxides
X.Q. CAO (China), R. VASSEN, F. TIETZ & D. STOEVEER (Deutschland)
- 253 Fabrication and superplasticity of Al_2O_3 –Y-TZP laminated composite
K. ZHANG, G. WANG, Z. WANG, C. WANG & W. HAN (China)
- 259 Elaboration and mechanical characterization of nanocomposites thin films. Part I: Determination of the mechanical properties of thin films prepared by in situ polymerisation of tetraethoxysilane in poly(methyl methacrylate)
F. MAMMERI, E. LE BOURHIS, L. ROZES & C. SANCHEZ (France)
- 267 Elaboration and mechanical characterization of nanocomposites thin films. Part II. Correlation between structure and mechanical properties of SiO_2 -PMMA hybrid materials
F. MAMMERI, L. ROZES, E. LE BOURHIS & C. SANCHEZ (France)
- 273 The effect of reinforcement volume fraction and particle size on the mechanical properties of β -tricalcium phosphate–high density polyethylene composites
S.Sh. HOMAEIGO HAR, A. YARI SADI, J. JAVADPOUR & A. KHAVANDI (Iran)
- 279 Sintering and microstructure of rare earth phosphate ceramics REPO_4 with $\text{RE} = \text{La}, \text{Ce}$ or Y
D. BREGIROUX, S. LUCAS, E. CHAMPION, F. AUDUBERT & D. BERNACHE-ASSOLLANT (France)
- 289 Untypical Young's modulus evolution of model refractories at high temperature
N. TESSIER-DOYEN, J.C. GLANDUS & M. HUGER (France)
- 297 Phase and microstructure evolution during hydrothermal solidification of clay–quartz mixture with marble dust source of reactive lime
R. SARKAR, S.K. DAS, P.K. MANDAL & H.S. MAITI (India)

- 305 Incorporation of the ash from cellulignin into vitrified ceramic tiles
D.G. PINATTI, R.A. CONTE, M.C. BORLINI, B.C. SANTOS, I. OLIVEIRA, C.M.F. VIEIRA & S.N. MONTEIRO (Brazil)
- 311 Color matching algorithms in ceramic tile production
F. BONDIOLI, T. MANFREDINI & M. ROMAGNOLI (Italy)
- 317 Spectroscopic study of a Ni-bearing gahnite pigment
G. LORENZI, G. BALDI, F. DI BENEDETTO, V. FASO, P. LATTANZI & M. ROMANELLI (Italy)
- 323 Synthesis, sintering and characterization of PLZST perovskite prepared by a lactate precursor route
L. XUE, Q. LI, Y. ZHANG, R. LIU & X. ZHEN (China)
- 331 Effect of Nb doping on the relaxor behaviour of $(\text{Pb}_{0.75}\text{Ba}_{0.25})(\text{Zr}_{0.70}\text{Ti}_{0.30})\text{O}_3$ ceramics
M. ADAMCZYK, Z. UJMA, L. SZYMCZAK & I. GRUSZKA (Poland)
- 337 Fabrication of Si_3N_4 -SiC nano-composite ceramics through temperature-induced gelation and liquid phase sintering
X. XU, S. MEI & J.M.F. FERREIRA (Portugal)
- 343 Prediction of crack deflection in porous/dense ceramic laminates
D. LEGUILLON, S. TARIOLLE, E. MARTIN, T. CHARTIER & J.L. BESSON (France)
- 351 Scratch behavior of SiAlON ceramics
R. SIVAKUMAR, M.I. JONES, K. HIRAO & W. KANEMATSU (Japan)

Volume 26 Numbers 4–5 2006**Proceedings of the International Symposium on Inorganic and Environmental Materials, Eindhoven, NL, October 2004**

- 361 Editorial: International Symposium on Inorganic and Environmental Materials (ISIEM 2004)
L. WINNUBST (The Netherlands), K. ITATANI (Japan), B. HINTZEN, R. METSELAAR (The Netherlands) & H. SANGO (Japan)
- 363 Transient-liquid-phase and liquid-film-assisted joining of ceramics
J.D. SUGAR, J.T. MCKEOWN, T. AKASHI, S.M. HONG (USA), K. NAKASHIMA (Japan) & A.M. GLAESER (USA)
- 373 Filter pressing and sintering of a zirconia nanopowder
Ł. ZYCH & K. HABERKO (Poland)
- 379 Superplastic joining of 3Y-TZP
H. MUTO, A. MATSUDA & M. SAKAI (Japan)
- 385 Low-temperature sintering behavior of the nano-sized AlN powder achieved by super-fine grinding mill with Y_2O_3 and CaO additives
J.-Y. QIU, Y. HOTTA, K. WATARI, K. MITSUISHI & M. YAMAZAKI (Japan)
- 391 Synthesis, sintering and microstructure of 3Y-TZP/CuO nano-powder composites
S. RAN, L. WINNUBST, W. WIRATHA & D.H.A. BLANK (The Netherlands)
- 397 Nanocrystalline scandia-doped zirconia (ScSZ) powders prepared by a glycine–nitrate solution combustion route
Z. LEI, Q. ZHU & S. ZHANG (China)
- 403 LaNiO_3 nanopowder prepared by an ‘amorphous citrate’ route
N.T.H. LE (Vietnam), J.M. CALDERÓN-MORENO, M. POPA, D. CRESPO (Spain), L. VAN HONG & N.X. PHUC (Vietnam)
- 409 Formation and micro-Raman spectroscopic study of Aurivillius and fluorite-type $\text{SrBi}_2\text{Nb}_2\text{O}_9$ nanocrystallites obtained using an ‘amorphous citrate’ route
D. NELIS (Belgium), J.M. CALDERON-MORENO, M. POPA (Spain), M.K. VAN BAELE, J. MULLENS & L.C. VAN POUCKE (Belgium)
- 417 Synthesis, characterization and sinterability of 10 mol% Sm_2O_3 -doped CeO_2 nanopowders via carbonate precipitation
Y. WANG, T. MORI, J.-G. LI, Y. YAJIMA (Japan) & J. DRENNAN (Australia)

- 423 TiO₂ nanopowders via radio-frequency thermal plasma oxidation of organic liquid precursors: Synthesis and characterization
J.-G. LI, H. KAMIYAMA, X.-H. WANG, Y. MORIYOSHI & T. ISHIGAKI (Japan)
- 429 Structure and electrical properties of heat-treated fullerene nanowhiskers as potential energy device materials
K. MIYAZAWA, J.-I. MINATO, H. ZHOU, T. TAGUCHI, I. HONMA & T. SUGA (Japan)
- 435 Atomic structures and formation mechanism of boron nitride nanotubes and nanohorns synthesized by arc-melting LaB₆ powders
A. NISHIWAKI & T. OKU (Japan)
- 443 Atomic structures of bamboo-type boron nitride nanotubes with cup-stacked structures
T. OKU, I. NARITA & A. NISHIWAKI (Japan)
- 449 Graded porous TiO₂ membranes for microfiltration
W.A. MEULENBERG, J. MERTENS, M. BRAM, H.-P. BUCHKREMER & D. STÖVER (Germany)
- 455 Synthesis and characterization of Li-type EDI zeolite
T. MATSUMOTO, T. MIYAZAKI & Y. GOTO (Japan)
- 459 Hydrothermal synthesis of AlPO₄-5 type zeolitic materials by using aluminum dross as a raw material
N. MURAYAMA, N. OKAJIMA, S. YAMAOKA, H. YAMAMOTO & J. SHIBATA (Japan)
- 463 Synthesis and characterization of Linde A zeolite coated with a layered double hydroxide
H. YAMADA, Y. WATANABE, T. HASHIMOTO, K. TAMURA, T. IKOMA, S. YOKOYAMA, J. TANAKA & Y. MORIYOSHI (Japan)
- 469 Type-A zeolites with hydroxyapatite surface layers formed by an ion exchange reaction
Y. WATANABE, T. IKOMA, Y. SUETSUGU, H. YAMADA, K. TAMURA, Y. KOMATSU, J. TANAKA & Y. MORIYOSHI (Japan)
- 475 Effects of PMMA on porous structure of pollucite
I. YANASE, Y. ISHIKAWA, S. MATSUURA & H. KOBAYASHI (Japan)
- 481 The densification of zeolite/apatite composites using a pulse electric current sintering method: A long-term assurance material for the disposal of radioactive waste
Y. WATANABE, T. IKOMA, Y. SUETSUGU, H. YAMADA, K. TAMURA, Y. KOMATSU, J. TANAKA & Y. MORIYOSHI (Japan)
- 487 Deposition of calcium phosphate coatings with defined chemical properties using the electrostatic spray deposition technique
S.C.G. LEEUWENBURGH, J.G.C. WOLKE, J. SCHOONMAN & J.A. JANSEN (The Netherlands)
- 495 Effects of plasma gas composition on bond strength of hydroxyapatite/titanium composite coatings prepared by rf-plasma spraying
M. INAGAKI, Y. YOKOGAWA & T. KAMEYAMA (Japan)
- 501 Syntheses of calcium-deficient apatite fibres by a homogeneous precipitation method and their characterizations
M. AIZAWA, H. UENO, K. ITATANI & I. OKADA (Japan)
- 509 Preferential occupancy of metal ions in the hydroxyapatite solid solutions synthesized by hydrothermal method
K. ZHU, K. YANAGISAWA, R. SHIMANOUCI, A. ONDA & K. KAJIYOSHI (Japan)
- 515 Fabrication of structure-controlled hydroxyapatite/zirconia composite
K. YOSHIDA, K. HASHIMOTO, Y. TODA, S. UDAGAWA & T. KANAZAWA (Japan)
- 519 Protein release behavior from carbonate apatite hydrogel
Y. YOKOGAWA, F. NAGATA, K. KATO, Y. SHIOTSU & M. WATANABE (Japan)
- 525 Effect of blood addition on the biocompatibility of calcium phosphate paste
T. UMEDA, K. ITATANI, H. ENDO, H. TAKEUCHI, K. MIZUTANI & Y. MUSHA (Japan)
- 533 A method to fabricate hydroxyapatite/poly(lactic acid) microspheres intended for biomedical application
F. NAGATA, T. MIYAJIMA & Y. YOKOGAWA (Japan)
- 537 Natural hydroxyapatite—its behaviour during heat treatment
K. HABERKO, M.M. BUĆKO, J. BRZEZIŃSKA-MIECZNIK, M. HABERKO, W. MOZGAWA, T. PANZ, A. PYDA & J. ZARĘBSKI (Poland)

- 543 Characteristic reaction processes in the system brushite–NaOH solution
K. FURUTAKA, H. MONMA, T. OKURA & S. TAKAHASHI (Japan)
- 549 Development of calcium phosphate cement
M. WATANABE, M. TANAKA, M. SAKURAI & M. MAEDA (Japan)
- 553 Thermal residual stress gradients in an alumina–zirconia composite obtained by electrophoretic deposition
M. POPA (Spain, Romania), P. HVIKDOS, G. ANNE & J.M. CALDERÓN-MORENO (Spain)
- 559 Control of crystalline texture in polycrystalline TiO₂ (Anatase) by electrophoretic deposition in a strong magnetic field
T. UCHIKOSHI, T.S. SUZUKI, S. IIMURA, F. TANG & Y. SAKKA (Japan)
- 565 Advanced TiC/a-C:H nanocomposite coatings deposited by magnetron sputtering
Y.T. PEI, D. GALVAN, J.TH.M. DE HOSSON & C. STRONDL (The Netherlands)
- 571 High crystalline tungsten trioxide thin layer obtained by SPD technique
A. ENESCA (Romania), C. ENACHE (The Netherlands), A. DUTA (Romania) & J. SCHOONMAN (The Netherlands)
- 577 Preparation of Li₄Ti₅O₁₂ spherical particles for rechargeable lithium batteries
K. KANAMURA, T. CHIBA & K. DOKKO (Japan)
- 583 Synthesis and photo-catalytic property of a hollandite-type compound (K₂Ga₂Sn₆O₁₆)
T. MORI, M. TAKAHASHI, H. NAKAJIMA, T. FUJIMOTO & M. WATANABE (Japan)
- 589 Barium titanate characterization by differential scanning calorimetry
F. BAETEN, B. DERKS, W. COPPENS & E. VAN KLEEF (The Netherlands)
- 593 Preparation of SOFC anode composites by spray pyrolysis
S. SUDA, M. ITAGAKI, E. NODE, S. TAKAHASHI, M. KAWANO, H. YOSHIDA & T. INAGAKI (Japan)
- 599 A study of complex effects of alumina addition on conductivity of stabilised zirconia
D. LYBYE & Y.-L. LIU (Denmark)
- 605 Hydrothermal and electrochemical growth of complex oxide thin films for electronic devices
K. KAJIYOSHI, K. YANAGISAWA & M. YOSHIMURA (Japan)
- 613 Design of pyroelectric properties by controlling compositional distribution
K. KAKEGAWA, S.S. SUZUKI & N. UEKAWA (Japan)
- 619 Superionic conducting Na₅SmSi₄O₁₂-type glass-ceramics: Crystallization condition and ionic conductivity
T. OKURA, H. MONMA & K. YAMASHITA (Japan)
- 623 Preparation of Bi₄Ti₃O₁₂ particles by crystallization from glass
K. SUNAHARA, J.-I. YANO & K. KAKEGAWA (Japan)
- 627 Orientated crystallization of fresnoite glass-ceramics by using a thermal gradient
Y. OCHI, T. MEGURO & K. KAKEGAWA (Japan)
- 631 Crystal growth of a new aluminum sodium boride NaAlB₁₄ and some properties
S. OKADA, T. MORI, K. KUDOU, T. TANAKA, T. SHISHIDO (Japan) & T. LUNDSTRÖM (Sweden)
- 635 Mechanochemically assisted preparation of NbB₂ powder
K. IIZUMI, C. SEKIYA, S. OKADA, K. KUDOU & T. SHISHIDO (Japan)
- 639 Thermal and optical properties of transparent magnesium oxide ceramics fabricated by post hot-isostatic pressing
K. ITATANI, T. TSUJIMOTO & A. KISHIMOTO (Japan)
- 647 Preparation of single crystalline Sr_{0.5}Ba_{0.5}Nb₂O₆ particles
W. CHEN, S. KUME (Japan), C. DURAN (Japan, Turkey) & K. WATARI (Japan)
- 655 Synthesis of *p*-sulfonated calix[4]arene-intercalated layered double hydroxides and their adsorption properties for organic molecules
S. SASAKI, S. AISAWA, H. HIRAHARA, A. SASAKI, H. NAKAYAMA & E. NARITA (Japan)
- 661 Mechanical properties of textured, multilayered alumina produced using electrophoretic deposition in a strong magnetic field
T.S. SUZUKI, T. UCHIKOSHI, H. OKUYAMA, Y. SAKKA & K. HIRAGA (Japan)

- 667 Gelcasting fabrication of porous ceramics using a continuous process
F.-Z. ZHANG, T. KATO, M. FUJI & M. TAKAHASHI (Japan)
- 673 Layered sodium titanate nanofiber and microsphere synthesized from peroxotitanic acid solution
M. YADA, Y. GOTO, M. UOTA, T. TORIKAI & T. WATARI (Japan)
- 679 Slow crack propagation in Y-TZP/metal composites
Z. PEŹZICH & C. WAJLER (Poland)
- 683 Observation of the granule packing structure using a confocal laser-scanning microscope
Z. KATO, S. TANAKA, N. UCHIDA & K. UEMATSU (Japan)
- 689 Possibility of enhanced strength and self-recovery of surface damages of ceramics composites under oxidative conditions
O. ABE, Y. OHWA & Y.-I. KURANOBU (Japan)
- 697 Fabrication of net shape reaction bonded oxide ceramics
H. GEBWEIN, J.R. BINDER, H.-J. RITZHAUPT-KLEISSL & J. HAUBELT (Germany)
- 703 Thermal properties of silicon carbide composites fabricated with chopped Tyranno[®] Si–Al–C fibres
K. ITATANI, T. TANAKA (Japan) & I.J. DAVIES (Australia)
- 711 Effects of processing method and additive composition on microstructure and thermal conductivity of Si₃N₄ ceramics
X. ZHU, Y. ZHOU & K. HIRAO (Japan)
- 719 Comparison between carbonization of wood charcoal with Al-triisopropoxide and alumina
P. BRONSVELD (The Netherlands), T. HATA (Japan), T. VYSTAVEL, J. DEHOSSON (The Netherlands), H. KIKUCHI, K. NISHIMIYA & Y. IMAMURA (Japan)
- 725 Structure determination of $n = 1$ Ruddlesden–Popper compound HLaTiO₄ by powder neutron diffraction
S. NISHIMOTO, M. MATSUDA, S. HARJO, A. HOSHIKAWA, T. KAMIYAMA, T. ISHIGAKI & M. MIYAKE (Japan)
- 731 Effective algorithm for material exploration in ceramics with combinatorial technology
K. FUJIMOTO, S. ITO, S. SUEHARA, S. INOUE & M. WATANABE (Japan)
- 735 Production of brown pigments for porcelain insulator applications
E. OZEL, G. UNLUTURK & S. TURAN (Turkey)
- 741 The use of pumice (pumicite) in transparent roof tile glaze composition
H.B. POYRAZ, N. ERGINEL & N. AY (Turkey)
- 747 The influence of ultrasound on the thermal behaviour of clay minerals
J.L. PÉREZ-RODRÍGUEZ, J. PASCUAL, F. FRANCO, M.C. JIMÉNEZ DE HARO, A. DURAN, V. RAMÍREZ DEL VALLE & L.A. PÉREZ-MAQUEDA (Spain)
- 755 The effect of boron waste in phase and microstructural development of a terracotta body during firing
S. KURAMA, A. KARA & H. KURAMA (Turkey)
- 761 Development of a technique to prepare porous materials from glasses
K. YANAGISAWA, N. BAO, L. SHEN, A. ONDA, K. KAJIYOSHI (Japan), Z. MATAMORAS-VELOZA & J.C. RENDÓN-ANGELES (Mexico)
- 767 Reaction between calcium phosphate and fluoride in phosphogypsum
M. TAFU & T. CHOHJI (Japan)
- 771 Effects of components on the rate of heat liberation of the hydration in the system of glass/gypsum/lime
S. GOTO, H. FUJIMORI, A. HIDAKA & K. IOKU (Japan)
- 777 Synthesis of large plate-like gypsum dihydrate from waste gypsum board
Y. KOJIMA & T. YASUE (Japan)
- 785 A method for the determination of total Cr(VI) in cement
O. YAMAGUCHI, M. IDA, Y. UCHIYAMA & S. HANEHARA (Japan)
- 791 Resource recovery of founding waste containing transition elements: Conversion into hydrogen sulfide sorbent
M. MIYAKE, M. MATSUDA & T. HATTORI (Japan)

- 797 Fabrication of porous SiO₂/C composite from rice husks
T. WATARI, A. NAKATA, Y. KIBA, T. TORIKAI & M. YADA (Japan)
- 803 Ion-exchange characteristics of 12CaO·7Al₂O₃ for halide and hydroxyl ions
H. SANGO (Japan)
- 809 Chemistry of cement hydration in polymer-modified pastes containing lead compounds
L. ZAMPORI, I.N. SORA, R. PELOSATO, G. DOTELLI & P.G. STAMPINO (Italy)
- 817 Extrusion of alumina and cordierite-based tubes containing Al-rich anodising sludge
M.J. RIBEIRO (Portugal), S. BLACKBURN (UK), J.M. FERREIRA & J.A. LABRINCHA (Portugal)
- 825 Electrical characterisation of cordierite bodies containing Al-rich anodising sludge
J.A. LABRINCHA, C.M. ALBUQUERQUE, J.M. FERREIRA & M.J. RIBEIRO (Portugal)
- 831 Properties and vibrational spectra of magnesium phosphate glasses for nuclear waste immobilization
T. OKURA, T. MIYACHI & H. MONMA (Japan)
- 837 Reclamation of used SiC grinding powder and its sintering characteristics
N. GAO, K. WATARI, S. KUME, Y. ANDO, S. RYO & H. ITOH (Japan)
- 843 Factors affecting the phase and morphology of CaCO₃ prepared by a bubbling method
Y.S. HAN, G. HADIKO, M. FUJI & M. TAKAHASHI (Japan)

Volume 26 Number 6 2006

- 849 Combinatorial hydrothermal synthesis and characterisation of perovskites
R. WENDELBO, D.E. AKPORIAYE, A. KARLSSON, M. PLASSEN & A. OLAFSEN (Norway)
- 861 Preparation and characterization of (K_{0.5}Na_{0.5})NbO₃ ceramics
H. BIROL, D. DAMJANOVIC & N. SETTER (Switzerland)
- 867 Phase formation, microstructure and physical properties of lead iron scandium niobate
B. FANG, Y. SHAN, K. TEZUKA & H. IMOTO (Japan)
- 875 Structural determination and microwave properties of (x)Re(Co_{1/2}Ti_{1/2})O₃–(1–x)CaTiO₃ (Re = La and Nd) solid solutions
D.L. CAIRNS, I.M. REANEY, N. OTTEN, D. IDDLES & T. PRICE (UK)
- 883 Electric fatigue in antiferroelectric Pb_{0.97}La_{0.02}(Zr_{0.55}Sn_{0.33}Ti_{0.12})O₃ ceramics induced by bipolar cycling
L. ZHOU, G. RIXECKER, A. ZIMMERMANN & F. ALDINGER (Germany)
- 891 Giant permittivity phenomena in layered BaTiO₃–Ni composites
M. VALANT, A. DAKSKOBLER, M. AMBROZIC & T. KOSMAC (Slovenia)
- 897 PZT thick films on LTCC substrates with an interposed alumina barrier layer
M. HROVAT, J. HOLC, S. DRNOVŠEK, D. BELAVIČ, J. CILENŠEK & M. KOSEC (Slovenia)
- 901 Study of the preparation conditions for NiMn₂O₄ grown from hydroxide precursors
G. ASHCROFT, I. TERRY & R. GOVER (UK)
- 909 Structural and electrical properties of FeMg_{0.7}Cr_{0.6}Co_{0.7–x}Al_xO₄ (0 ≤ x ≤ 0.3) thick film NTC thermistors
K. PARK (Republic of Korea)
- 915 Sol–gel auto-igniting synthesis and structural property of cerium-doped titanium dioxide nanosized powders
Q.-Z. YAN, X.-T. SU, Z.-Y. HUANG & C.-C. GE (PR China)
- 923 Sintering of nanocrystalline Ta₂O₅ and ZrO₂ films compared to that of TiO₂ films
S. BERTAUX (France, Germany), P. REYNDERS (Germany) & J.-M. HEINTZ (France)
- 933 Influence of surfactant addition sequence on the suspension properties and electrophoretic deposition behaviour of alumina and zirconia
A.M. POPA, J. VLEUGELS, J. VERMANT & O. VAN DER BIEST (Belgium)
- 941 Comparison among different sintering routes for preparing alumina-YAG nanocomposites
P. PALMERO, A. SIMONE (Italy), C. ESNOUF, G. FANTOZZI (France) & L. MONTANARO (Italy)

- 949 Dip-coating technique for the manufacture of alumina microfilters using PVA and Na-CMC as binders: a comparative study
C. FALAMAKI, M. NAIMI & A. AGHAIE (Iran)
- 957 Preparation and properties of porous alumina ceramics with oriented cylindrical pores produced by an extrusion method
T. ISOBE, T. TOMITA, Y. KAMESHIMA, A. NAKAJIMA & K. OKADA (Japan)
- 961 Fracture of composite alumina/yttria-stabilized zirconia joints
F. GUTIERREZ-MORA (Spain), D. SINGH, N. CHEN, K.C. GORETTA, J.L. ROUTBORT, S.H. MAJUMDAR (USA) & A. DOMINGUEZ-RODRIGUEZ (Spain)
- 967 Time-of-flight secondary ion mass spectrometry as a tool for studying segregation phenomena at nickel–YSZ interfaces
K. NORRMAN, K. VELS HANSEN & M. MOGENSEN (Denmark)
- 981 Electrochemical decomposition of NO over composite electrodes on YSZ electrolyte
H.-S. SONG, J. MOON & H.J. HWANG (Republic of Korea)
- 987 Punctual investigation of surface sites of HA and magnesium-HA
L. BERTINETTI, A. TAMPIERI, E. LANDI, G. MARTRA & S. COLUCCIA (Italy)
- 993 Preparation and experimental characterization of glass–alumina functionally graded materials
V. CANNILLO, T. MANFREDINI, C. SILIGARDI & A. SOLA (Italy)
- 1003 Contact residual stress relaxation in soda-lime glass. Part I. Measurement using nanoindentation
K. KESE, M. TEHLER & B. BERGMAN (Sweden)
- 1013 Contact residual stress relaxation in soda-lime glass. Part II. Aspects relating to strength recovery
K.O. KESE, Z.C. LI & B. BERGMAN (Sweden)
- 1023 The characterisation of paper-composite porcelain in a green state
K. JEOUNG-AH (Sweden)
- 1035 Porcelain tile microstructure: implications for polishability
I.M. HUTCHINGS, Y. XU (UK), E. SÁNCHEZ, M.J. IBÁÑEZ & M.F. QUEREDA (Spain)
- 1043 Solar experimental methods for observing melting plateaux and associated temperature measurements for refractory oxides from 2000 to 3000 °C
D. HERNANDEZ & G. OLALDE (France)
- 1051 SHS of Ti_3SiC_2 : ignition temperature depression by mechanical activation
D.P. RILEY, E.H. KISI & D. PHELAN (Australia)
- 1059 Densification behaviors and high-temperature characteristics of Si_3N_4 sintered bodies using Al_2O_3 – Yb_2O_3 additives
H. YAMAMOTO, K. AKIYAMA & Y. MURAKAMI (Japan)
- 1069 Effect of chemical composition of intergranular glass on superplastic compressive deformation of β -silicon nitride
E. NARIMATSU, Y. SHINODA, T. AKATSU & F. WAKAI (Japan)

Volume 26 Number 7 2006

- 1075 Application of the acoustic emission technique to characterise liquid transfer in a porous ceramic during drying
T. CHOTARD, A. QUET, A. ERSEN & A. SMITH (France)
- 1085 Elasticity of porous ceramics—A critical study of modulus–porosity relations
W. PABST, E. GREGOROVÁ & G. TICHÁ (Czech Republic)
- 1099 Unbiased estimation of Weibull parameters with the linear regression method
D. WU, J. ZHOU & Y. LI (China)
- 1107 Mullite formation from the pyrolysis of aluminium-loaded polymethylsiloxanes: The influence of aluminium powder characteristics
J. ANGGONO & B. DERBY (UK)
- 1121 Size and shape characterization of polydisperse short-fiber systems
W. PABST (Czech Republic), C. BERTHOLD (Germany) & E. GREGOROVÁ (Czech Republic)
- 1131 Influence of lithium oxide as auxiliary flux on the properties of triaxial porcelain bodies
D.U. TULYAGANOV, S. AGATHOPOULOS, H.R. FERNANDES & J.M.F. FERREIRA (Portugal)

- 1141 Crystal phase separation and microstructure of a thermally treated vitrified solid waste
TH. KEHAGIAS, PH. KOMNINOY, P. KAVOURAS, K. CHRISSAFIS (Greece), G. NOUET (France) & TH. KARAKOSTAS (Greece)
- 1149 Microstructural characterization and crystallization behaviour of $(1 - x)\text{TeO}_{2-x}\text{WO}_3$ ($x = 0.15, 0.25, 0.3$ mol) glasses
M.L. ÖVEÇÖĞLU, G. ÖZEN & S. CENK (Turkey)
- 1159 Stress–corrosion cracking by indentation techniques of a glass coating on Ti6Al4V for biomedical applications
J. PAVÓN, E. JIMÉNEZ-PIQUÉ, M. ANGLADA (Spain), S. LÓPEZ-ESTEBAN, E. SAIZ & A.P. TOMSIA (USA)
- 1171 Hydrolysis of carboxylic lactones in alumina slurries
Y. YIN, J.G.P. BINNER, M.J. HEY & J.R. MITCHELL (UK)
- 1179 High-temperature deformation of amorphous AlPO_4 -based nano-composites
F. GUTIÉRREZ-MORA (Spain), K.C. GORETTA, D. SINGH, J.L. ROUTBORT, S. SAMBASIVAN, K.A. STEINER, J. ADABIE & K.K. RANGAN (USA)
- 1185 Viscoelastic behavior of ceramic suspensions with carrageenan
E. GREGOROVÁ, W. PABST & J. ŠTĚTINA (Czech Republic)
- 1195 Synthesis and encapsulation of yttria stabilized zirconia particles in supercritical carbon dioxide
A. HERTZ, S. SARRADE, C. GUIZARD & A. JULBE (France)
- 1205 Phase stability and mechanical properties of TZP with a low mixed $\text{Nd}_2\text{O}_3/\text{Y}_2\text{O}_3$ stabiliser content
T. XU (PR China), J. VLEUGELS, O. VAN DER BIEST (Belgium), Y. KAN & P. WANG (PR China)
- 1213 Nanocrystalline Cr_2O_3 and amorphous CrO_3 produced by solution combustion synthesis
M.D. LIMA, R. BONADIMANN, M.J. DE ANDRADE, J.C. TONIOLO & C.P. BERGMANN (Brazil)
- 1221 How Cr_2O_3 influences the microstructure and nonohmic features of the SnO_2 ($\text{Co}_x, \text{Mn}_{1-x}$) O-based varistor system
W.K. BACELAR, P.R. BUENO, E.R. LEITE, E. LONGO & J.A. VARELA (Brazil)
- 1231 Nanoporous anatase ceramic membranes as fast-proton-conducting materials
M.T. COLOMER (Spain)
- 1237 Microstructures and electrical properties of lead zinc niobate–lead titanate–lead zirconate ceramics using microwave sintering
C.-L. LI & C.-C. CHOU (Taiwan)
- 1245 Dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ based multiphased ceramics
S. GUILLEMET-FRITSCH, T. LEBEY, M. BOULOS & B. DURAND (France)
- 1259 Electrically conductive $\text{SiC}-(\text{Nb,Ti})_{\text{ss}}-(\text{Nb,Ti})\text{C}_{\text{ss}}$ cermet
M. BALOG, P. ŠAJGALÍK (Slovakia), F. HOFER, P. WARBICHLER (Austria), K. FRÖHLICH, O. VÁVRA, J. JANEGA (Slovakia) & J.-L. HUANG (Taiwan)
- 1267 Grain boundary crystallization during furnace cooling of α -SiC sintered with Y_2O_3 – Al_2O_3 –CaO
J.-H. LEE, D.-Y. KIM & Y.-W. KIM (South Korea)
- 1273 Influence of the SiC grain size on the wear behaviour of $\text{Al}_2\text{O}_3/\text{SiC}$ composites
M. BELMONTE, M.I. NIETO, M.I. OSENDI & P. MIRANZO (Spain)
- 1281 Increased high temperature strength and oxidation resistance of Al_4SiC_4 ceramics
G.W. WEN & X.X. HUANG (China)
- 1287 Interface structure and mechanical properties of the brazed joint of TiC cermet and steel
J. FENG & L. ZHANG (China)
- 1293 Tribological properties of TiB_2 and TiB_2 – MoSi_2 ceramic composites
T.S.R.CH. MURTHY, B. BASU, A. SRIVASTAVA, R. BALASUBRAMANIAM & A.K. SURTI (India)

Volume 26 Number 8 2006

- 1301 Characterization of different starch types for their application in ceramic processing
E. GREGOROVÁ, W. PABST & I. BOHÁČENKO (Czech Republic)

- 1311 Preparation and characterization of porous, biomorphic SiC ceramic with hybrid pore structure
J.-M. QIAN & Z.-H. JIN (China)
- 1317 Tribological behaviors of hot-pressed Al₂O₃/TiC ceramic composites with the additions of CaF₂ solid lubricants
D. JIANXIN, C. TONGKUN, D. ZELIANG, L. JIANHUA, S. JUNLONG & Z. JINLONG (PR China)
- 1325 Hard silicon carbonitride films obtained by RF-plasma-enhanced chemical vapour deposition using the single-source precursor bis(trimethylsilyl)carbodiimide
Y. ZHOU, D. PROBST, A. THISSEN, E. KROKE, R. RIEDEL, R. HAUSER, H. HOCHÉ, E. BROSZEIT, P. KROLL & H. STAFST (Germany)
- 1337 Reversible $\alpha' \leftrightarrow \beta'$ transformation in preferentially oriented sialon ceramics
A. CARMAN, E. PERELOMA & Y.-B. CHENG (Australia)
- 1351 Effect of LiAl₅O₈ additions on the sintering and optical transparency of LiAlON
D. CLAY, D. POSLUSNY, M. FLINDERS, S.D. JACOBS & R.A. CUTLER (USA)
- 1363 Influence of the precursors on the formation and properties of the Fe_xCr_{2-x}O₃ solid solution
R. MUÑOZ, M. MARTOS, C.M. ROTARU, H. BELTRÁN, E. CORDONCILLO & P. ESCRIBANO (Spain)
- 1371 Electronic conductivity, oxygen permeability and thermal expansion of Sr_{0.7}Ce_{0.3}Mn_{1-x}Al_xO_{3- δ}
I.P. MAROZAU (Portugal), V.V. KHARTON (Portugal, Belarus), A.P. VISKUP (Belarus), J.R. FRADE (Portugal) & V.V. SAMAKHVAL (Belarus)
- 1379 Neodymium substituted CaBi₄Ti₄O₁₅ bismuth layered compound
R.Z. HOU & X.M. CHEN (PR China)
- 1385 Quantitative analysis of lattice distortion in Ba(Zn_{1/3}Ta_{2/3})O₃ microwave dielectric ceramics with added B₂O₃ using Raman spectroscopy
C.J. LEE, G. PEZZOTTI (Japan), S.H. KANG, D.J. KIM & K.S. HONG (South Korea)
- 1393 Phase transition in barium titanate nanocrystals by chemical treatment
P. BADHEKA, L. QI & B.I. LEE (USA)
- 1401 Solvothermally synthesized tetragonal barium titanate powders using H₂O/EtOH solvent
S.-G. KWON (Republic of Korea), B.-H. PARK (Republic of Korea, South Korea), K. CHOI, E.-S. CHOI (Republic of Korea), S. NAM, J.-W. KIM & J.-H. KIM (South Korea)
- 1405 Synthesis and characterisation of nanotubular titanates and titania
L.-Q. WENG, S.-H. SONG (China), S. HODGSON, A. BAKER (UK) & J. YU (China)
- 1411 Microscale computational simulation and experimental measurement of thermal residual stresses in glass–alumina functionally graded materials
V. CANNILLO, M. MONTORSI, C. SILIGARDI, A. SOLA, G. DE PORTU, L. MICELE (Italy) & G. PEZZOTTI (Japan)
- 1421 A method to estimate the influence of the notch-root radius on the fracture toughness measurement of ceramics
D. PICARD, D. LEGUILLON & C. PUTOT (France)
- 1429 Influence of the mechanical behaviour specificities of damaged refractory castables on the Young's modulus determination
F. NAZARET, H. MARZAGUI & T. CUTARD (France)
- 1439 Effect of polysaccharides on the hydration of cement suspension
A. PESCHARD, A. GOVIN, J. POURCHEZ, E. FREDON, L. BERTRAND, S. MAXIMILIEN & B. GUILHOT (France)
- 1447 Crystallisation of amorphous spray-dried precursors in the Al₂O₃–SiO₂ system
A. DOUY (France)
- 1455 Oxidation behaviour of Li–Na–Pb–P–O–N oxynitride phosphate glasses
F. MUÑOZ, L. PASCUAL, A. DURÁN (Spain), J. ROCHERULLÉ & R. MARCHAND (France)
- 1463 Synthesis of glass–ceramics in the CaO–MgO–SiO₂ system with B₂O₃, P₂O₅, Na₂O and CaF₂ additives
D.U. TULYAGANOV, S. AGATHOPOULOS, J.M. VENTURA (Portugal), M.A. KARAKASSIDES (Greece), O. FABRICHNAYA (Germany) & J.M.F. FERREIRA (Portugal)
- 1473 EELS characterisation of β -tricalcium phosphate and hydroxyapatite
G. GREGORI (Germany), H.-J. KLEEBE (USA), H. MAYR & G. ZIEGLER (Germany)
- 1481 Mechanical properties of HAp–ZrO₂ composites
A. RAPACZ-KMITA, A. SLSARCZYK & Z. PASZKIEWICZ (Poland)
- 1489 Al₂O₃/Y-TZP and Y-TZP materials fabricated by stacking layers obtained by aqueous tape casting
J. GURAUSKIS, A.J. SÁNCHEZ-HERENCIA & C. BAUDÍN (Spain)

- 1497 Fabrication, structure, mechanical and thermal properties of zirconia-based ceramic nanocomposites
A. HIRVONEN (Japan), R. NOWAK (Japan, Finland), Y. YAMAMOTO, T. SEKINO & K. NIIHARA (Japan)
- 1507 Physical properties of 8 mol% Ceria doped yttria stabilised zirconia powder and ceramic and their behaviour during annealing and sintering
A.A. BUKAEMSKIY, D. BARRIER & G. MODOLO (Germany)
- 1517 Comments on “Thermal shock resistance of yttria-stabilized zirconia with Palmqvist indentation cracks” by G. Fargas, D. Casellas, L. Llanes, M. Anglada [J. Eur. Ceram. Soc. 23 (2003) 107–114]
F. TANCRET (France)
- 1523 Reply to the paper entitled “Comments on thermal shock resistance of yttria stabilized zirconia with Palmqvist indentation cracks by G. Fargas, D. Casellas, L. Llanes, M. Anglada”, by F. Tancret [J. Eur. Ceram. Soc. 23 (2003) 107–114]
G. FARGAS, D. CASELLAS, L. LLANES & M. ANGLADA (Spain)
- 1525 Corrigendum to “Wear mechanisms associated with the lubrication of zirconia ceramics in various aqueous solutions” [J. Eur. Ceram. Soc. 26 (3) (2006) 223–232]
M. KALIN, G. DRAŽIČ, S. NOVAK & J. VIŽINTIN (Slovenia)

Volume 26 Number 9 2006

- 1527 The critical size mechanism for the anatase to rutile transformation in TiO_2 and doped- TiO_2
D.J. REIDY, J.D. HOLMES & M.A. MORRIS (Ireland)
- 1535 One-step preparation of size-defined aggregates of TiO_2 nanocrystals with tuning of their phase and composition
Q. ZHANG & L. GAO (PR China)
- 1547 Pressure–temperature phase diagrams of pure and Ag-doped nanocrystalline TiO_2 photocatalysts
M. STIR, R. NICULA & E. BURKEL (Germany)
- 1555 Effect of polyethylenimine on the dispersion and electrophoretic deposition of nano-sized titania aqueous suspensions
F. TANG, T. UCHIKOSHI, K. OZAWA & Y. SAKKA (Japan)
- 1561 Formation of micron-sized and nanometer-sized single crystal alumina whiskers by displacement reactions
D.H.L. NG, P. YU, N.G. MA, C.K. LO, W.Y. KWOK, M.Y. YAU, C.Y. TO, T.K. LI & C.-J. DENG (China)
- 1567 Fabrication technologies for oxide–oxide ceramic matrix composites based on electrophoretic deposition
E. STOLL, P. MAHR, H.-G. KRÜGER, H. KERN (Germany), B.J.C. THOMAS & A.R. BOCCACCINI (UK)
- 1577 Effect of sodium on the creep resistance of yttrium aluminium garnet (YAG) fibres
R.C. PULLAR, M.D. TAYLOR & A.K. BHATTACHARYA (UK)
- 1585 Microstructure of nanoporous yttria-stabilized zirconia films fabricated by EB-PVD
B.-K. JANG & H. MATSUBARA (Japan)
- 1591 Slip casting of barium zirconate aqueous concentrated suspensions
F. BOSCHINI, B. GUILLAUME, A. RULMONT, R. CLOOTS (Belgium) & R. MORENO (Spain)
- 1599 The effect of milling and percentage dissociation of plasma dissociated zircon on the colour of Pr-yellow and V-blue zircon pigments
E. SNYDERS, J.H. POTGIETER & J.T. NEL (South Africa)
- 1605 Electrical properties of $(\text{Na}_2\text{O})_{35.7}(\text{RE}_2\text{O}_3)_{7.2}(\text{SiO}_2)_{57.1}$ (RE = Y, Sm, Gd, Dy, Ho, Er and Yb) glasses and ceramics
S. NAKAYAMA, T. ASAHU, H. KIYONO, Y.L. AUNG & M. SAKAMOTO (Japan)
- 1611 The structures and dielectric properties of $\text{Ba}_{0.80}\text{Sr}_{0.20}\text{TiO}_3/\text{Pb}_{0.82}\text{La}_{0.18}\text{TiO}_3$ composite thick films with addition of $\text{PbO-B}_2\text{O}_3$ glass
R. WU, P. DU, W. WENG & G. HAN (PR China)
- 1619 Inhibition of abnormal grain growth in BaTiO_3 by addition of Al_2O_3
J.G. FISHER, B.-K. LEE, S.-Y. CHOI, S.-M. WANG & S.-J.L. KANG (Republic of Korea)
- 1629 Densification, microstructural evolution and dielectric properties of $\text{Ba}_{6-3x}(\text{Sm}_{1-y}\text{Nd}_y)_8 + 2_x\text{Ti}_{18}\text{O}_{54}$ microwave ceramics
S.-F. WANG, Y.-F. HSU, Y.-R. WANG, L.-T. CHENG, Y.-C. HSU, J.P. CHU & C.-Y. HUANG (Taiwan)

- 1637 Microstructure and high temperature 4-point bending creep of sol–gel derived mullite ceramics
H. IVANKOVIC, E. TKALCEC (Croatia), R. REIN & H. SCHMIDT (Germany)
- 1647 Kinetic of mullite formation from a porcelain stoneware body for tiles production
M. ROMERO, J. MARTÍN-MÁRQUEZ & J.M. RINCÓN (Spain)
- 1653 Diffusion of copper ions into kaolinite layers
T. MARTIŠIUS & R. GIRAITIS (Lithuania)
- 1663 Porous ceramic supports for membranes prepared from kaolin and dolomite mixtures
F. BOUZERARA, A. HARABI, S. ACHOUR (Algeria) & A. LARBOT (France)
- 1673 Effect of water on the transmittance of glass plates with eroded surfaces
S. BENBAHOUCHE, F. ROUMILI, A. SEGHIR & R. ZEGADI (Algeria)
- 1679 Nucleation and crystal growth of glasses produced by a generic plasma arc-process
M^a.S. HERNÁNDEZ-CRESPO, M. ROMERO & J.M. RINCÓN (Spain)
- 1687 Preparation and mechanical properties of machinable alumina/mica composites
S. TARUTA, R. FUJISAWA & K. KITAJIMA (Japan)
- 1695 Measurement of ion elution from dental ceramics
M. JAKOVAC, J. ŽIVKO-BABIĆ, L. ČURKOVIĆ & A. AURER (Croatia)
- 1701 Preparation of dense β -CaSiO₃ ceramic with high mechanical strength and HAp formation ability in simulated body fluid
L.H. LONG, L.D. CHEN, S.Q. BAI, J. CHANG & K.L. LIN (China)
- 1707 Densification of liquid phase sintered silicon carbide
A. CAN (South Africa), M. HERRMANN (Germany), D.S. MCLACHLAN, I. SIGALAS (South Africa) & J. ADLER (Germany)
- 1715 New porous silicon carbide composite reinforced by intact high-strength carbon fibres
J. MENTZ, M. MÜLLER, M. KUNTZ, G. GRATHWOHL, H.P. BUCHKREMER & D. STÖVER (Germany)
- 1725 The yttria-stabilized zirconia and interfacial coating on Nicalon™ fiber
N.I. BAKLANOVA, A.T. TITOV, A.I. BORONIN & S.V. KOSHEEV (Russian Federation)
- 1737 Influence of additives on microstructural changes in nitride bonded SiC refractories
A.A. NOURBAKHSI, F. GOLESTANI-FARD & H.R. REZAIE (Iran)
- 1743 Verification of the stresses developed in silicon nitride by repeated thermal shocks
E. GONDAR, T. HLAVA & M. ROSKO (Slovak Republic)

Volume 26 Numbers 10–11 2006

Papers Presented at the Third International Conference on Microwave Materials and their Applications - MMA 2004 Inuyama, Japan

- 1753 Editorial
H. IKAWA, H. OHSATO (Japan) & M.T. SEBASTIAN (India)
- 1755 Effect of grain size and secondary phase on microwave dielectric properties of Ba(Mg_{1/3}Ta_{2/3})O₃ and Ba([Mg,Zn]_{1/3}Ta_{2/3})O₃ systems
N. ICHINOSE & T. SHIMADA (Japan)
- 1761 Effect of phase transition on the microwave dielectric properties of BiNbO₄
E.S. KIM & W. CHOI (Korea)
- 1767 Structure and dielectric properties of perovskite ceramics in the system Ba(Ni_{1/3}Nb_{2/3})O₃–Ba(Zn_{1/3}Nb_{2/3})O₃
M. BARWICK, F. AZOUGH & R. FREER (UK)
- 1775 Microwave dielectric losses caused by lattice defects
H. TAMURA (Japan)

- 1781 Effect of Ni substitution on the dielectric properties and lattice vibration of $\text{Ba}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$
T. SHIMADA (Japan)
- 1787 Structure and properties of $\text{La}(\text{Zn}_{1/2}\text{Ti}_{1/2})\text{O}_3$
R. UBIC, Y. HU, K. KHAMOUSHI & I. ABRAHAMS (UK)
- 1791 Tailoring the microwave dielectric properties of $\text{Ba}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$ ceramics
M.T. SEBASTIAN & K.P. SURENDRAN (India)
- 1801 Evanescent microwave probe study on dielectric properties of materials
H.-F. CHENG, Y.-C. CHEN & I.-N. LIN (Taiwan)
- 1807 THz region dielectric properties of barium titanate fine particles using infrared reflection method
S. WADA, H. YASUNO, T. HOSHINA, H. KAKEMOTO, Y. KAMESHIMA, T. TSURUMI & T. SHIMADA (Japan)
- 1811 Microwave applications of single negative materials
I. AWAI, I. MATSUDA, M. HOTTA, A. SANADA & H. KUBO (Japan)
- 1817 Novel evaluation method for complex high permittivity of BaTiO_3 families at microwave frequency
S. KUMAGAI, K. WAKINO, A. ANDO & T. KITAZAWA (Japan)
- 1821 Microwave dielectrics with enhanced permittivity
A.G. BELOUS (Ukraine)
- 1827 Characterization and dielectric behavior of willemite and TiO_2 -doped willemite ceramics at millimeter-wave frequency
Y. GUO, H. OHSATO & K.-I. KAKIMOTO (Japan)
- 1831 Annealing effect on dielectric property of AlN ceramics
S. KUME, M. YASUOKA, N. OMURA & K. WATARI (Japan)
- 1835 Precise measurement of the dielectric properties of $\text{Ba}_x\text{Sr}_{1-x}\text{TiO}_3$ thin films by on-wafer through-reflect-line (TRL) calibration method
G. BHAKDISONGKHRAM, S. OKAMURA & T. SHIOSAKI (Japan)
- 1841 Elimination of parasitic effects due to measurement conditions of SrTiO_3 thin films up to 40 GHz
Y. IWAZAKI, K. OHTA & T. SUZUKI (Japan)
- 1845 Low-temperature microwave and THz dielectric response in novel microwave ceramics
S. KAMBA, D. NOUJNI, A. PASHKIN, J. PETZELT (Czech Republic), R.C. PULLAR, A.-K. AXELSSON & N. MCN ALFORD (UK)
- 1853 Permittivity measurements at millimeter wave frequencies using dielectric rod resonator excited by NRD-guide
A. NAKAYAMA & H. YOSHIKAWA (Japan)
- 1857 Characterization of dielectric properties of oxide materials in frequency range from GHz to THz
T. FUJII, A. ANDO & Y. SAKABE (Japan)
- 1861 Strong localization of microwave in photonic fractals with Menger-sponge structure
S. KIRIHARA, M.W. TAKEDA, K. SAKODA, K. HONDA & Y. MIYAMOTO (Japan)
- 1865 Thermal tuning study of a microstrip slit-tetragonal resonator with BaTiO_3 material filling its gap
W.W. CHO, H. OHSATO & G. ZOUGANELIS (Japan)
- 1869 Dielectric constant dependence on atomic substitution of Y_2BaCuO_5 clarified by ab initio calculations
W. WUNDERLICH & H. OHSATO (Japan)
- 1873 Thickness effects on microwave properties of $(\text{Ba},\text{Sr})\text{TiO}_3$ films for frequency agile technologies
K. KAGEYAMA, A. SAKURAI, A. ANDO & Y. SAKABE (Japan)
- 1879 A low-loss BST thin film on initial nucleation layer for micro and millimeter wave tunable phase shifter
D. POPOVICI, M. NODA, M. OKUYAMA, Y. SASAKI & M. KOMARU (Japan)
- 1883 Effect of CeO_2 on the sintering behaviour, cation order and properties of $\text{Ba}_3\text{Co}_{0.7}\text{Zn}_{0.3}\text{Nb}_2\text{O}_9$ ceramics
F. AZOUGH, C. LEACH & R. FREER (UK)
- 1889 Comparison of microwave dielectric behavior between $\text{Bi}_{1.5}\text{Zn}_{0.92}\text{Nb}_{1.5}\text{O}_{6.92}$ and $\text{Bi}_{1.5}\text{ZnNb}_{1.5}\text{O}_7$
M.-C. WU (Taiwan), S. KAMBA, V. BOVTUN (Czech Republic) & W.-F. SU (Taiwan)

- 1895 Microwave dielectric properties and crystal structure of the tungstenbronze-type like $(\text{Ba}_{1-\alpha}\text{Sr}_\alpha)_6(\text{Nd}_{1-\beta}\text{Y}_\beta)_8\text{Ti}_{18}\text{O}_{54}$ solid solutions
T. NAGATOMO, T. OTAGIRI, M. SUZUKI & H. OHSATO (Japan)
- 1899 Dielectric anisotropy and sinterability improvement of $\text{Ba}_4\text{Nd}_{9.33}\text{Ti}_{18}\text{O}_{54}$ textured ceramics
K. WADA, K.-I. KAKIMOTO & H. OHSATO (Japan)
- 1903 Preparation of phase pure $\text{Ba}(\text{Zn}_{1/3}\text{Ta}_{2/3})\text{O}_3$ nanopowders for microwave dielectric resonator applications
M.R. VARMA, S. BIJU & M.T. SEBASTIAN (India)
- 1909 High Q dielectric resonator material with low dielectric constant for millimeter-wave applications
M. KONO, H. TAKAGI, T. TATEKAWA & H. TAMURA (Japan)
- 1913 Microstructure and dielectric properties of the Ti-rich BaO-TiO_2 thin films for microwave devices
B.-Y. JANG, Y.-H. JEONG, S.-J. LEE, K.-J. LEE, S. NAHM, H.-J. SUN & H.-J. LEE (South Korea)
- 1917 Preparation and tunability properties of $\text{Ba}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ thin films grown by a sol-gel process
J. ZHAI, D. HU, X. YAO (China), Z. XU & H. CHEN (Hong Kong)
- 1921 Probing point defects in $\text{Ba}(\text{B}'_{1/3}\text{B}''_{2/3})\text{O}_3$ by ESR, PAS and dielectric spectroscopy
T. KOLODIAZHNYI (Japan), G. ANNINO (Italy), A. YOUNKER, P. MALYSZ, P. MASCHER (Canada) & H. HANEDA (Japan)
- 1925 Dielectric properties of new glass-ceramics for LTCC applied to microwave or millimeter-wave frequencies
N. MORI, Y. SUGIMOTO, J. HARADA & Y. HIGUCHI (Japan)
- 1929 Low-sintering ceramic materials based on $\text{Bi}_2\text{O}_3\text{-ZnO-Nb}_2\text{O}_5$ compounds
E.A. NENASHEVA & N.F. KARTENKO (Russia)
- 1933 Bismuth titanates candidates for high permittivity LTCC
A.-K. AXELSSON & N.M. ALFORD (UK)
- 1937 Influence of processing and conduction materials on properties of co-fired resistors in LTCC structures
H. BIROL, T. MAEDER & P. RYSER (Switzerland)
- 1943 Novel microwave dielectric LTCCs based upon V_2O_5 doped $\text{M}^{2+}\text{Cu}_2\text{Nb}_2\text{O}_8$ compounds ($\text{M}^{2+} = \text{Zn, Co, Ni, Mg and Ca}$)
R.C. PULLAR, C. LAI, F. AZOUGH, R. FREER & N.MCN. ALFORD (UK)
- 1947 Synthesis and characterisation of $\text{La}_{0.4}\text{Ba}_{0.6}\text{Ti}_{0.6}\text{RE}_{0.4}\text{O}_3$ (where $\text{RE} = \text{Y, Yb}$) ceramics
A. FETEIRA (UK), R. ELSEBROCK (Germany), A. DIAS, R.L. MOREIRA (Brazil), M.T. LANAGAN (USA) & D.C. SINCLAIR (UK)
- 1953 Orientation control and electrical properties of PZT/LNO capacitor through chemical solution deposition
H. SUZUKI, Y. MIWA, T. NAOE, H. MIYAZAKI, T. OTA, M. FUJI & M. TAKAHASHI (Japan)
- 1957 Structure and microwave dielectric properties of $\text{La}_{(2-x)/3}\text{Na}_x(\text{Mg}_{1/2}\text{W}_{1/2})\text{O}_3$
J.J. BIAN, K. YAN & J. JI (China)
- 1961 Large Q factor variation within dense, highly ordered $\text{Ba}(\text{Zn}_{1/3}\text{Ta}_{2/3})\text{O}_3$ system
E. KOGA, Y. YAMAGISHI, H. MORIWAKE, K. KAKIMOTO & H. OHSATO (Japan)
- 1965 Microwave properties of $\text{Ba}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$, $\text{Ba}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ and $\text{Ba}(\text{Co}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ceramics revealed by Raman scattering
M.-Y. CHEN, C.-T. CHIA, I.-N. LIN, L.-J. LIN (Taiwan), C.-W. AHN & S. NAHM (Korea)
- 1969 Microwave dielectric characteristics of SrLaGaO_4 and SrNdGaO_4 ceramics
X.Q. LIU & X.M. CHEN (China)
- 1973 Hydrothermal synthesis of $\text{Ba}_5\text{Nb}_4\text{O}_{15}$ ultrafine powders
S.Y. WU, X.M. CHEN & H.Y. YU (PR China)
- 1977 Property control of microwave dielectric materials using self-flux compositions
M. YAMAZAKI, T. KASASHIMA, K. YAMAGIWA, T. MITSUOKA & K. OHBAYASHI (Japan)
- 1981 Effects of La_2O_3 additions on properties of $\text{Ba}_{0.6}\text{Sr}_{0.4}\text{TiO}_3\text{-MgO}$ ceramics for phase shifter applications
X. WANG, W. LU, J. LIU, Y. ZHOU & D. ZHOU (PR China)
- 1987 Temperature-stable dielectric ceramics with nominal composition of $\text{Ca}_6\text{Ti}_2\text{Ta}_8\text{O}_{30}$
Y. YUAN, X.M. CHEN & Y.H. SUN (China)

- 1991 Temperature-stable and high- ϵ dielectric ceramics based on $\text{Ag}(\text{Nb}_{1-x}\text{Ta}_x)\text{O}_3$
L. LI, D. WANG & X. WU (China)
- 1995 Citrate solution combustion derived $\text{Ba}_2\text{Ti}_9\text{O}_{20}$ ceramics
L. ZHOU, W. WENG, P. DU, G. SHEN & G. HAN (PR China)
- 1999 Preparation and dielectric properties of bismuth-based dielectric/PTFE microwave composites
F. XIANG, H. WANG & X. YAO (China)
- 2003 Microwave dielectric properties of $(\text{Bi}_{1-x}\text{R}_x)\text{NbO}_4$ ceramics ($\text{R} = \text{Ce}, \text{Nd}, \text{Dy}, \text{Er}$)
D. SHIHUA, Y. XI, M. YU & L. PULING (China)
- 2007 Mixture behavior and microwave dielectric properties of $(1-x)\text{Ca}_2\text{P}_2\text{O}_7-x\text{TiO}_2$
I.-S. CHO, S.-K. KANG, D.-W. KIM & K.-S. HONG (Korea)
- 2011 Microwave dielectric properties and sintering behaviors of scheelite compound CaMoO_4
G.-K. CHOI, S.-Y. CHO, J.-S. AN & K.S. HONG (South Korea)
- 2017 Dielectric properties and far infrared reflectivity of lanthanum aluminate–strontium titanate ceramics
T. SHIMADA, K. KURA & S. OHTSUKI (Japan)
- 2023 Microwave dielectric properties of $\text{Ca}(\text{Li}_{1/4}\text{Nb}_{3/4})\text{O}_3\text{--CaTiO}_3$ ceramic systems
S.O. YOON, D.M. KIM, S.H. SHIM, J.K. PARK & K.S. KANG (Korea)
- 2027 Effects of LnAlO_3 ($\text{Ln} = \text{La}, \text{Nd}, \text{Sm}$) additives on the properties of $\text{Ba}_{4.2}\text{Nd}_{9.2}\text{Ti}_{18}\text{O}_{54}$ ceramics
J. ZHU, E.R. KIPKOECH & W. LU (PR China)
- 2031 Microwave dielectric properties of LiNb_3O_8 ceramics with TiO_2 additions
S.O. YOON, J.H. YOON, K.S. KIM, S.H. SHIM & Y.K. PYEON (South Korea)
- 2035 Crystal structure and microwave dielectric properties of $(\text{Ba}_{1-\alpha}\text{Sr}_{\alpha/6-3x}\text{Sm}_{8+2x}\text{Ti}_{18}\text{O}_{54})$ solid solutions
M. SUZUKI, H. OHSATO, K.-I. KAKIMOTO, T. NAGATOMO & T. OTAGIRI (Japan)
- 2039 Microwave dielectric properties and crystal structure of homologous compounds $\text{ALa}_4\text{Ti}_4\text{O}_{15}$ ($\text{A} = \text{Ba}, \text{Sr}$ and Ca) for base station applications
Y. TOHDO, K. KAKIMOTO, H. OHSATO, H. YAMADA & T. OKAWA (Japan)
- 2045 Microwave dielectric properties of $\text{Ba}_3\text{Ta}_6(\text{Ni}_{1-x}\text{M}_x)\text{O}_{24}$ ($\text{M} = \text{Zn}$ and Mg) ceramics
S. KAWAGUCHI, H. OGAWA, A. KAN & S. ISHIHARA (Japan)
- 2051 Investigation of the relations between structure and microwave dielectric properties of divalent metal tungstate compounds
S.H. YOON, D.-W. KIM, S.-Y. CHO & K.S. HONG (South Korea)
- 2055 Microstructure and microwave dielectric properties of $\text{BaLa}_4\text{Ti}_4\text{O}_{15}$ ceramics with template particles
Y. FUKAMI, K. WADA, K. KAKIMOTO & H. OHSATO (Japan)
- 2059 Microwave dielectric properties of $\text{Ba}_x\text{La}_4\text{Ti}_{3+x}\text{O}_{12+3x}$ ($x = 0.0\text{--}1.0$) ceramics
H. YAMADA, T. OKAWA, Y. TOHDO & H. OHSATO (Japan)
- 2063 Low temperature sintering and microwave dielectric properties of $(\text{Mg}_{3-x}\text{Zn}_x)(\text{VO}_4)_2$ ceramics
R. UMEMURA, H. OGAWA & A. KAN (Japan)
- 2069 Microwave dielectric properties of $\text{BaO--Ta}_2\text{O}_5\text{--TiO}_2$ system
A. YOKOI, H. OGAWA & A. KAN (Japan)
- 2075 Crystal structure–microwave dielectric property relations in $\text{Sm}(\text{Nb}_{1-x}\text{Ta}_x)(\text{Ti}_{1-y}\text{Zr}_y)\text{O}_6$ ceramics
T. OISHI, A. KAN, H. OHSATO & H. OGAWA (Japan)
- 2081 Improvement on the characteristic of $\text{Ba}_2\text{Ti}_9\text{O}_{20}$ microwave dielectric materials prepared by modified co-precipitation method
L.-W. CHU, G.-H. HSIUE & I.-N. LIN (Taiwan)
- 2087 Microwave dielectric properties of $\text{Ba}_2\text{Ti}_9\text{O}_{20}$ materials prepared by reaction sintering process
C.-B. CHANG, K.-C. LEOU, W.-Y. SHU & I.-N. LIN (Taiwan)
- 2093 Improvement of the dielectric properties of rutile-doped Al_2O_3 ceramics by annealing treatment
Y. MIYAUCHI, Y. OHISHI, S. MIYAKE & H. OHSATO (Japan)

- 2097 Microwave dielectric properties of forsterite-based solid solutions
T. SUGIYAMA, T. TSUNOOKA, K.-I. KAKIMOTO & H. OHSATO (Japan)
- 2101 Low-temperature sintering and microwave dielectric properties of CaWO_4 ceramics for LTCC applications
E.S. KIM, S.H. KIM (Korea) & B.I. LEE (USA)
- 2105 Low-temperature sintering and microwave dielectric properties of $\text{Ba}_5\text{Nb}_4\text{O}_{15}$ with ZnB_2O_4 glass
J.-R. KIM, D.-W. KIM, H.S. JUNG & K.S. HONG (Korea)
- 2111 Low-temperature sintering and microwave dielectric characteristics of $\text{Ba}_2\text{Ti}_9\text{O}_{20}$ ceramics
J.-A. LEE, J.-H. LEE & J.-J. KIM (Korea)
- 2117 Effect of $\text{Li}_2\text{O}-\text{V}_2\text{O}_5$ on the low temperature sintering and microwave dielectric properties of $\text{Li}_{1.0}\text{Nb}_{0.6}\text{Ti}_{0.5}\text{O}_3$ ceramics
D.H. KANG, K.C. NAM & H.J. CHA (Korea)
- 2123 Fabrication and dielectric properties of barium titanate-based glass ceramics for tunable microwave LTCC application
J. TAKAHASHI, H. NAKANO & K. KAGEYAMA (Japan)
- 2129 Sintering behavior and microwave dielectric characteristics of $\text{BaO}-\text{Sm}_2\text{O}_3-4\text{TiO}_2$ ceramics with B_2O_3 and BaB_2O_4 addition
J.-M. YOON, J.-A. LEE, J.-H. LEE, J.-J. KIM & S.-H. CHO (Republic of Korea)
- 2135 Effect of borate glass additives on the sintering behaviour and dielectric properties of BaTi_4O_9 ceramics
J.-A. LEE, J.-H. LEE & J.-J. KIM (Republic of Korea)
- 2139 Effect of B_2O_3 and CuO additives on the sintering temperature and microwave dielectric properties of $\text{Ba}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ceramics
M.-H. KIM, Y.-H. JEONG, S. NAHM, H.-T. KIM & H.-J. LEE (South Korea)
- 2143 Effect of seeding layer on orientation control of potassium niobate thin film by CSD
T. OHNO, M. FUJIMOTO, T. OTA, M. FUJI, M. TAKAHASHI & H. SUZUKI (Japan)
- 2147 Effect of La doping on tunable behavior of sol-gel-derived PST thin film
P. DU, X. LI, Y. LIU, G. HAN & W. WENG (China)
- 2151 Microwave dielectric properties of the $\text{BaTi}_5\text{O}_{11}$ thin film grown on the poly-Si substrate using rf magnetron sputtering
B.-Y. JANG, Y.-H. JEONG, S.-J. LEE, S. NAHM (Korea), H.-J. SUN (South Korea), W.-S. LEE, M.-J. YOO, N.-K. KANG & H.-J. LEE (Korea)
- 2155 MOCVD growth of epitaxial pyrochlore $\text{Bi}_2\text{Ti}_2\text{O}_7$ thin film
M. SUZUKI, T. WATANABE, T. TAKENAKA & H. FUNAKUBO (Japan)
- 2161 Influence of strain on the dielectric properties of Bi-Zn-Ti-Nb-O solid solution thin films
J.Y. KIM, D.-W. KIM, H.S. JUNG & K.S. HONG (Republic of Korea)
- 2165 Microwave dielectric properties of BaTi_4O_9 thin film
S.-J. LEE, B.-Y. JANG, Y.-H. JUNG, S. NAHM, H.-J. LEE & Y.-S. KIM (Republic of Korea)
- 2169 Effects of composition and stacking sequence on dielectric properties of the multilayered $(\text{Pb,Sr})\text{TiO}_3$ thin films for tunable device application
D.H. KANG, S.Y. LEE, Y.H. KIM, S.K. GIL & D.S. PAIK (Republic of Korea)
- 2175 Control of dispersion frequency of BaTiO_3 -based ceramics applicable to thin absorber for millimeter electromagnetic wave
M. ANDOU, Y. HIGASHIDA, N. SHIBATA, H. TAKEUCHI, T. KASASHIMA & K. OHBAYASHI (Japan)
- 2179 FEM simulation of microwave dielectric properties for biphasic ceramics
X.C. FAN, X.M. CHEN & L. LI (China)
- 2185 Microwave reflection intensity measurement for dielectric material using a single probe
H. KAKEMOTO, S. WADA & T. TSURUMI (Japan)
- 2189 Functional microwave flat antenna using alumina ceramic substrate and piezoelectric actuator
K. KITATANI, Y. SAKAGUCHI & Y. OKAMURA (Japan)
- 2193 Whispering gallery modes in hollow spherical dielectric resonators
T. ZYCHOWICZ, J. KRUPKA (Poland) & M.E. TOBAR (Australia)

- 2195 Fabrication of three-dimensional ceramic photonic crystals and their electromagnetic properties
H. MORI, S. KIRIHARA & Y. MIYAMOTO (Japan)
- 2199 CAD of one-layer frequency selected surfaces with metamaterials properties
G. ZOUGANELIS, T. TSUNOOKA & M. ANDOU (Japan)

Volume 26 Number 12 2006

- 2205 Nickel–alumina graded coatings obtained by dipping and EPD on nickel substrates
B. FERRARI, A.J. SÁNCHEZ-HERENCIA & R. MORENO (Spain)
- 2213 Extrusion method using nylon 66 fibers for the preparation of porous alumina ceramics with oriented pores
T. ISOBE, Y. KAMESHIMA, A. NAKAJIMA, K. OKADA & Y. HOTTA (Japan)
- 2219 Titanium effect on phase transformation and sintering behavior of transition alumina
S. LARTIGUE-KORINEK, C. LEGROS, C. CARRY & F. HERBST (France)
- 2231 Photocatalytic decomposition of benzene with plasma sprayed TiO₂-based coatings on foamed aluminum
H. CHEN, S.W. LEE, T.H. KIM & B.Y. HUR (South Korea)
- 2241 Determination of free surface energy values for ceramic materials and polyurethane surface-modifying aqueous emulsions
P. KRÓL & B. KRÓL (Poland)
- 2249 Effect of ageing on microstructure changes in EB-PVD manufactured standard PYSZ top coat of thermal barrier coatings
A.F. RENTERIA & B. SARUHAN (Germany)
- 2257 Solvent effect on microstructure of yttria-stabilized zirconia (YSZ) particles in solvothermal synthesis
Z. HUA (UK, PR China), X.M. WANG, P. XIAO (UK) & J. SHI (PR China)
- 2265 Visualizing isostatic pressing of ceramic powders using finite element analysis
Y. GU, R.J. HENDERSON & H.W. CHANDLER (UK)
- 2273 Thermal expansion of CaAl₄O₇-based refractory compositions containing MgO and CaO additions
S. JONAS, F. NADACHOWSKI, D. SZWAGIERCZAK & G. WÓJCIK (Poland)
- 2279 Thermal evolution and structural study of 2:1 mullite from monophasic gels
E.R. DE SOLA, F.J. TORRES & J. ALARCÓN (Spain)
- 2285 Effect of boron oxide on the microstructure of mullite-based glass-ceramic glazes for floor-tiles in the CaO–MgO–Al₂O₃–SiO₂ system
F.J. TORRES, E.R. DE SOLA & J. ALARCÓN (Spain)
- 2293 Polymorphism in the Lu_{2–x}Y_xSi₂O₇ system at high temperatures
A.I. BECERRO & A. ESCUDERO (Spain)
- 2301 HF²EPR spectroscopy of Fe(III) impurities in a blue hercynite-based pigment
F. DI BENEDETTO, G. ANDREOZZI, G. BALDI, A. BARZANTI, G.P. BERNARDINI, V. FASO, L.A. PARDI & M. ROMANELLI (Italy)
- 2307 Crystallography of Ni-doped Zn₇Sb₂O₁₂ and phase equilibria in the system ZnO–Sb₂O₅–NiO
R. HARRINGTON, G.C. MILES & A.R. WEST (UK)
- 2313 Solid-state synthesis and spark plasma sintering of submicron BaY_xZr_{1–x}O_{3–x/2} (x = 0, 0.08 and 0.16) ceramics
U. ANSEMI-TAMBURINI (USA), M.T. BUSCAGLIA, M. VIVIANI, M. BASSOLI, C. BOTTINO, V. BUSCAGLIA, P. NANNI (Italy) & Z.A. MUNIR (USA)
- 2319 Nanocrystalline BaTiO₃ powder via a sol process ambient conditions
X. WANG, B.I. LEE, M. HU, E.A. PAYZANT & D.A. BLOM (USA)
- 2327 Effect of doping method on microstructural and defect profile of Sb–BaTiO₃
E. BRZOZOWSKI (Argentina), A.C. CABALLERO, M. VILLEGAS (Spain), M.S. CASTRO (Argentina) & J.F. FERNANDEZ (Spain)

- 2337 Investigation of local orientation and stress analysis of PZT-based materials using micro-probe polarized Raman spectroscopy
M. DELUCA (Italy, Japan), T. SAKASHITA (Japan), C. GALASSI (Italy) & G. PEZZOTTI (Japan)
- 2345 Multilayer bender-type PZT-PZN actuator by co-extrusion process
C.-B. YOON, S.-H. LEE, S.-M. LEE & H.-E. KIM (Korea)
- 2349 Property improvement of $0.3\text{Pb}(\text{Zn}_{1/3}\text{Nb}_{2/3})\text{O}_3-0.7\text{Pb}_{0.96}\text{La}_{0.04}(\text{Zr}_x\text{Ti}_{1-x})_{0.99}\text{O}_3$ ceramics by hot-pressing
G. DENG, A. DING, X. ZHENG, X. ZENG & Q. YIN (PR China)
- 2357 Synthesis and characterization of $\text{La}_{0.85}\text{Sr}_{0.15}\text{Ga}_{0.85}\text{Mg}_{0.15}\text{O}_{3-\delta}$ electrolyte by steric entrapment synthesis method
Z.-C. LI, H. ZHANG, B. BERGMAN & X. ZOU (Sweden)
- 2365 Structural and proton conductivity study of $\text{P}_2\text{O}_5\text{-TiO}_2\text{-SiO}_2$ glasses
T. UMA, S. IZUHARA & M. NOGAMI (Japan)
- 2373 Intermediate phases in synthesis of Ti_3SiC_2 and $\text{Ti}_3\text{Si}(\text{Al})\text{C}_2$ solid solutions from elemental powders
H.B. ZHANG, Y.C. ZHOU, Y.W. BAO, M.S. LI & J.Y. WANG (PR China)
- 2381 Optimization of the ceramization process for the production of three-dimensional biomorphic porous SiC ceramics by chemical vapor infiltration (CVI)
D.A. STREITWIESER, N. POPOVSKA & H. GERHARD (Germany)
- 2389 Modelling silicon carbide formation during heating at constant rate
A. LEMARCHAND & J.P. BONNET (France)
- 2397 Effect of atmosphere and sintering time on the microstructure and mechanical properties at high temperatures of $\alpha\text{-SiC}$ sintered with liquid phase $\text{Y}_2\text{O}_3\text{-Al}_2\text{O}_3$
M. CASTILLO-RODRÍGUEZ, A. MUÑOZ & A. DOMÍNGUEZ-RODRÍGUEZ (Spain)
- 2407 The interfacial and tribological properties of Ni–Cr alloy/ceramic tribo-couples under dry sliding contact
J. MENG, J. LU, J. WANG & S. YANG (PR China)
- 2413 Synthesis of AlN powder from $\text{Al}(\text{OH})_3$ by reduction–nitridation in a mixture of $\text{NH}_3\text{-C}_3\text{H}_8$ gas
T. YAMAKAWA, J. TATAMI, K. KOMEYA & T. MEGURO (Japan)
- 2419 Elastic characterization of CVD diamond by static and dynamic measurements
L. BRUNO, L. PAGNOTTA & A. POGGIALINI (Italy)

Volume 26 Number 13 2006

- 2427 Preparation of a TiB_2 composite with a nickel matrix by pulse plasma sintering with combustion synthesis
J. JAROSZEWICZ & A. MICHALSKI (Poland)
- 2431 Densification and properties of transition metal borides-based cermets via spark plasma sintering
T. VENKATESWARAN, B. BASU, G.B. RAJU (India) & D.-Y. KIM (Korea)
- 2441 Understanding the fretting wear of Ti_3SiC_2
D. SARKAR, B.V.M. KUMAR & B. BASU (India)
- 2453 Liquid phase sintered silicon carbide (LPS-SiC) ceramics having remarkably high oxidation resistance in wet air
K.A. WEIDENMANN, G. RIXECKER & F. ALDINGER (Germany)
- 2459 Development of a liquid toner for electro-photographic solid freeform fabrication
N.J. MANJOORAN, A. KUMAR & W.M. SIGMUND (USA)
- 2467 Fabrication of continuously porous $\text{SiC-Si}_3\text{N}_4$ composite using SiC powder by extrusion process
A.K. GAIN, J.-K. HAN, H.-D. JANG & B.-T. LEE (South Korea)
- 2475 Influence of the de-waxing atmosphere on the properties of AlN ceramics processed from aqueous media
S.M. OLHERO (Portugal), P. MIRANZO (Spain) & J.M.F. FERREIRA (Portugal)
- 2485 Formation of aluminium nitride whiskers by direct nitridation
M. RADWAN, M. BAHGAT & A.A. EL-GEASSY (Egypt)
- 2489 A modified SHS method for $\text{Si}_2\text{N}_2\text{O}$ elaboration
N. PRADEILLES, M.C. RECORD & R.M. MARIN-AYRAL (France)

- 2497 Mixed oxidation states of Yb and Sm in Si-Al-O-N glasses
D.DE GRAAF (The Netherlands), S.LE ROL (France), H.T. HINTZEN (The Netherlands), L.LE GENDRE (France) & G.DE WITH (The Netherlands)
- 2503 Low temperature synthesis of anorthite based glass-ceramics via sintering and crystallization of glass-powder compacts
V.M.F. MARQUES (Portugal), D.U. TULYAGANOV (Portugal, Uzbekistan), S. AGATHOPOULOS (Portugal), V.KH. GATAULLIN (Uzbekistan), G.P. KOTHIYAL (India) & J.M.F. FERREIRA (Portugal)
- 2511 Sinter-crystallisation in the diopside–albite system. Part I. Formation of induced crystallisation porosity
A. KARAMANOV & M. PELINO (Italy)
- 2519 Sinter-crystallization in the diopside–albite system. Part II. Kinetics of crystallization and sintering
A. KARAMANOV & M. PELINO (Italy)
- 2527 Indentation crack profiles of cordierite materials under mechanical and thermal biaxial stresses
A.G. TOMBA M., M.A. CAMERUCCI & A.L. CAVALIERI (Argentina)
- 2533 Porcelain tile microstructure: Implications for polished tile properties
E. SÁNCHEZ, M.J. IBÁÑEZ, J. GARCÍA-TEN, M.F. QUEREDA (Spain), I.M. HUTCHINGS & Y.M. XU (UK)
- 2541 Investigation of the setting of polyamide fibre/latex-filled plaster composites
S. EVE, M. GOMINA, J. HAMEL & G. ORANGE (France)
- 2547 Kieselguhr sludge from the deep bed filtration of beverages as a source for silicon in the production of calcium silicate bricks
W. RUSS, H. MÖRTEL, R. MEYER-PITTRUFF & A. BABECK (Germany)
- 2561 Plasma-sprayed graded ceramic coatings on refractory materials for improved chemical resistance
G. BOLELLI, V. CANNILLO, C. LUGLI, L. LUSVARGHI & T. MANFREDINI (Italy)
- 2581 Mechanochemical activation of mixtures of wolframite (FeWO_4) with carbon, studied by ^{57}Fe Mössbauer spectroscopy
K.J.D. MACKENZIE (New Zealand), J. TEMUJIN (Japan), C. MCCAMMON (Germany) & M. SENNA (Japan)
- 2587 Direct mineralogical composition of a MgO-C refractory material obtained by Rietveld methodology
Á.G. DE LA TORRE, F.J. VALLE & A.H. DE AZA (Spain)
- 2593 Biomimetic Mg- and MgCO_3 -substituted hydroxyapatites: synthesis characterization and in vitro behaviour
E. LANDI, A. TAMPIERI, M. MATTIOLI-BELMONTE, G. CELOTTI, M. SANDRI, A. GIGANTE, P. FAVA & G. BIAGINI (Italy)
- 2603 Chemically induced order disorder transition in magnesium aluminium spinel
P. BARPANDA (UK), S.K. BEHERA (USA), P.K. GUPTA, S.K. PRATIHAR & S. BHATTACHARYA (India)
- 2611 Effect of magnesium oxide on sol–gel spun alumina and alumina–zirconia fibres
J. CHANDRADASS & M. BALASUBRAMANIAN (India)
- 2619 Percolative mechanism of sliding wear in alumina/zirconia composites
J.F. BARTOLOMÉ, C. PECHARROMÁN, J.S. MOYA, A. MARTÍN, J.Y. PASTOR & J. LLORCA (Spain)
- 2627 Effect of calcination temperature on morphology of mesoporous YSZ
I.-M. HUNG, D.-T. HUNG, K.-Z. FUNG & M.-H. HON (Taiwan)
- 2633 Electrophoretic deposition and sintering of zirconia layers on microstructured steel substrates
A. PFRENGLE, H. VON BOTH, R. KNITTER & J. HAUBELT (Germany)
- 2639 Strengthening of ceramics by shot peening
W. PFEIFFER & T. FREY (Germany)
- 2647 Discrimination of failure criteria with ceramic rings subjected to internal pressure
P. SCHEUNEMANN (Germany)
- 2653 Effect of particle shape and arrangement on thermoelastic properties of porous ceramics
F. RAETHER & M. IUGA (Germany)
- 2669 Numerical calculations of the thermal conductivity of porous ceramics based on micrographs
S. GRANDJEAN, J. ABSI & D.S. SMITH (France)
- 2677 Prediction of crack propagation and fracture in residually stressed glass as a function of the stress profile and flaw size distribution
M.B. ABRAMS & D.J. GREEN (USA)

- 2685 Glass-alumina functionally graded materials: their preparation and compositional profile evaluation
V. CANNILLO, T. MANFREDINI, C. SILIGARDI & A. SOLA (Italy)
- 2695 Diffusion of gallium in sapphire
V. APOSTOLOPOULOS, L.M.B. HICKEY, D.A. SAGER & J.S. WILKINSON (UK)
- 2699 Piezo-spectroscopic characterization of alumina-aluminium titanate laminates
G. DE PORTU (Italy, Japan), S. BUENO (Spain), L. MICELE (Italy, Japan), C. BAUDIN (Spain) & G. PEZZOTTI (Japan)
- 2707 High temperature–pressure synthesis of Ti-doped tohdite and corundum from hydrous Al_2O_3 – TiO_2 gel
C. PAN, P. SHEN, W.L. HUANG, S.L. HWANG, T.F. YUI & H.T. CHU (Taiwan)
- 2719 Characterization of α - Al_2O_3 –(Al–Si) $_3$ Ti composites
S. AVRAHAM (Israel), P. BEYER, R. JANSSEN, N. CLAUSSEN (Germany) & W.D. KAPLAN (Israel)
- 2727 Fabrication of titania dense layers by electrophoretic deposition in aqueous media
S. LEBRETTE, C. PAGNOUX & P. ABÉLARD (France)
- 2735 Visible-light-induced photocatalytic activity of $\text{TiO}_{2-x}\text{N}_y$ prepared by solvothermal process in urea–alcohol system
S. YIN, Y. AITA, M. KOMATSU & T. SATO (Japan)
- 2743 Cellulose acetate based gelcasting process for Gd-containing ceramic bodies
A. MÜLLER, F. YU & M. WILLERT-PORADA (Germany)
- 2753 Low-temperature crystallization of tantalum pentoxide films under elevated pressure
C.-H. LU & C.-H. WU (Taiwan)
- 2761 Investigation on crystallization and influence of Nd^{3+} doping of transparent oxyfluoride glass-ceramics
Y. YU, D. CHEN, Y. CHENG, Y. WANG, Z. HU & F. BAO (China)
- 2769 Nucleation and growth of ZnO nanorods on the ZnO-coated seed surface by solution chemical method
J. ZHAO, Z.-G. JIN, T. LI & X.-X. LIU (China)
- 2777 A mechanism for low-temperature sintering
M. VALANT, D. SUVOROV (Slovenia), R.C. PULLAR, K. SARMA & N.MCN. ALFORD (UK)
- 2785 B-site donor and acceptor doped Aurivillius phase $\text{Bi}_3\text{NbTiO}_9$ ceramics
H. YAN, H. ZHANG (UK), Z. ZHANG (China), R. UBIC & M.J. REECE (UK)
- 2793 Fabrication of patterned $\text{Ba}_{0.71}\text{Sr}_{0.29}\text{TiO}_3$ thick film on Si substrate by tape casting method
W. ZHANG, L. XUE, X. ZHOU, D. SUN & S. YIN (PR China)
- 2799 Creep in ferroelectrics due to unipolar electrical loading
Q.D. LIU & J.E. HUBER (UK)
- 2807 An architectural approach to the oxygen permeability of a $\text{La}_{0.6}\text{Sr}_{0.4}\text{Fe}_{0.9}\text{Ga}_{0.1}\text{O}_{3-\delta}$ perovskite membrane
G. ETCHEGOYEN, T. CHARTIER & P. DEL-GALLO (France)
- 2817 Microwave dielectric properties of MgTiO_3 – SrTiO_3 layered ceramics
L. LI, X.M. CHEN & X.C. FAN (China)
- 2823 Domain structure of $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ ceramics revealed by chemical etching
T. JARDIEL, A.C. CABALLERO, J.F. FERNÁNDEZ & M. VILLEGAS (Spain)
- 2827 Crystal structure, thermal expansion and electrical conductivity of perovskite oxides $\text{Ba}_x\text{Sr}_{1-x}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ ($0.3 \leq x \leq 0.7$)
B. WEI, Z. LÜ, X. HUANG, J. MIAO, X. SHA, X. XIN & W. SU (PR China)
- 2833 X-ray diffraction and infrared spectra studies of $\text{Fe}_x\text{Mn}_{2.34-x}\text{Ni}_{0.66}\text{O}_4$ ($0 < x < 1$) NTC ceramics
Z. WANG, C. ZHAO, P. YANG (China), A.J.A. WINNUBST (China, The Netherlands) & C. CHEN (China)
- 2839 Magnetoelectric effect of $\text{Ni}_{0.8}\text{Zn}_{0.2}\text{Fe}_2\text{O}_4/\text{Sr}_{0.5}\text{Ba}_{0.5}\text{Nb}_2\text{O}_6$ composites
Y.J. LI, X.M. CHEN, Y.Q. LIN & Y.H. TANG (China)
- 2845 Low temperature sintering of iron deficient Z type hexagonal ferrites
O. KIMURA, K. SHOJI & H. MAIWA (Japan)

- 2851 Erratum to “Structure and properties of $\text{La}(\text{Zn}_{1/2}\text{Ti}_{1/2})\text{O}_3$ ” [Journal of the European Ceramic Society 26 (2006) 1787–1790]
R. UBIC, Y. HU, K. KHAMOUSHI & I. ABRAHAMS (UK)

Volume 26 Number 14 2006

Grain Boundary Engineering of Electronic Ceramics

- 2853 Grain boundary engineering of electronic ceramics
R. FREER (UK)
- 2855 Grain boundary effects on dielectric, infrared and Raman response of SrTiO_3 nanograin ceramics
J. PETZELT, T. OSTAPCHUK, I. GREGORA, M. SAVINOV, D. CHVOSTOVA (Czech Republic), J. LIU & Z. SHEN (Sweden)
- 2861 Correlation between infrared, THz and microwave dielectric properties of vanadium doped antiferroelectric BiNbO_4
S. KAMBA (Czech Republic), H. WANG (China), M. BERTA, F. KADLEC, J. PETZELT (Czech Republic), D. ZHOU & X. YAO (China)
- 2867 Broad-band dielectric response of $\text{PbMg}_{1/3}\text{Nb}_{2/3}\text{O}_3$ relaxor ferroelectrics: Single crystals, ceramics and thin films
V. BOVTUN, S. VELJKO, S. KAMBA, J. PETZELT (Czech Republic), S. VAKHRUSHEV (Russia), Y. YAKYMENKO (Ukraine), K. BRINKMAN & N. SETTER (Switzerland)
- 2877 Effect of nonstoichiometry on the structure and microwave dielectric properties of $\text{Ba}(\text{Co}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ceramics
F. AZOUGH, C. LEACH & R. FREER (UK)
- 2885 Ordering structure of barium magnesium niobate ceramic with A-site substitution
J.-H. PAIK, S.-K. KIM, M.-J. LEE, B.-H. CHOI, E.-K. LIM & S. NAHM (Republic of Korea)
- 2889 Grain size and grain boundary-related effects on the properties of nanocrystalline barium titanate ceramics
V. BUSCAGLIA, M.T. BUSCAGLIA, M. VIVIANI (Italy), L. MITOSERIU (Italy, Romania), P. NANNI, V. TREFILETTI, P. PIAGGIO (Italy), I. GREGORA, T. OSTAPCHUK, J. POKORNY & J. PETZELT (Czech Republic)
- 2899 Grain boundary reoxidation of donor-doped barium titanate ceramics
H.T. LANGHAMMER (Germany), D. MAKOVEC (Slovenia), Y. PU, H.-P. ABICHT (Germany) & M. DROFENIK (Slovenia)
- 2909 The effect of TiCl_3 on the microstructure of donor-doped boron-added Ti-excess BaTiO_3
H. ERKALFA, B. YUKSEL & T.O. OZKAN (Turkey)
- 2915 Influence of stoichiometry on the dielectric and ferroelectric properties of the tunable $(\text{Ba,Sr})\text{TiO}_3$ ceramics investigated by First Order Reversal Curves method
L. MITOSERIU (Romania, Italy), L. STOLERIU (Romania), M. VIVIANI, D. PIAZZA, M.T. BUSCAGLIA, R. CALDERONE, V. BUSCAGLIA (Italy), A. STANCU (Romania), P. NANNI & C. GALASSI (Italy)
- 2923 Anelastic spectroscopy for studying O vacancies in perovskites
F. CORDERO, A. FRANCO, V.R. CALDERONE, P. NANNI & V. BUSCAGLIA (Italy)
- 2931 Equilibrium phases in the $\text{Bi}_2\text{O}_3\text{--TiO}_2\text{--WO}_3$ system
T. JARDIEL, A.C. CABALLERO, M. VILLEGAS (Spain), M. VALANT, B. JANCAR & D. SUVOROV (Slovenia)
- 2937 Ferroelectric thin films obtained by pulsed laser deposition
A. PURICE, G. DINESCU, N. SCARISOREANU (Romania), P. VERARDI, F. CRACIUN, C. GALASSI (Italy) & M. DINESCU (Romania)
- 2945 Perovskite nanostructures obtained by a hydrothermal electrochemical process
R.M. PITICESCU (Romania), P. VILARNHO (Portugal), L.M. POPESCU & R.R. PITICESCU (Romania)
- 2951 Processing of porous ceramics: Piezoelectric materials
C. GALASSI (Italy)
- 2959 Characterisation of porous PZT ceramics by first-order reversal curves (FORC) diagrams
D. PIAZZA (Italy), L. STOLERIU (Romania), L. MITOSERIU (Romania, Italy), A. STANCU (Romania) & C. GALASSI (Italy)

- 2963 PLZT—Synthesis, sintering and ceramics microstructure
M. DAMBEKALNE, M. ANTONOVA, M. LIVINSH (Latvia), B. GARBARZ-GLOS, W. SMIGA (Poland) & A. STERNBERG (Latvia)
- 2967 Simultaneous WDXS and EBSD investigations of dense PLZT ceramics
M. FARYNA, K. SZTWIERTNIA & K. SIKORSKI (Poland)
- 2973 Misorientation characteristics of interphase boundaries in particulate Al₂O₃-based composites
K. SZTWIERTNIA, M. FARYNA & G. SAWINA (Poland)
- 2979 Synthesis of Al-doped ZnO nanomaterials with controlled luminescence
R.R. PITICESCU, R.M. PITICESCU (Romania) & C.J. MONTY (France)
- 2985 Thick film ZnO based varistors prepared by screen printing
M.A. DE LA RUBIA LÓPEZ, M. PEITEADO, J.F. FERNÁNDEZ, A.C. CABALLERO (Spain), J. HOLC, S. DRNOVSEK, D. KUSCER, S. MACEK & M. KOSEC (Slovenia)
- 2991 Mixed conduction induced by grain boundary engineering
E. GOMES, F.M. FIGUEIREDO & F.M.B. MARQUES (Portugal)
- 2999 Synthesis, structure and oxygen thermally programmed desorption spectra of La_{1-x}Ca_xAl_yFe_{1-y}O_{3-δ} perovskites
J. CIHLAR, D. DELFAVERO, J. CIHLAR JR., A. BUCHAL (Czech Republic) & J. VAN HERLE (Switzerland)
- 3005 Thermodynamic properties and spin dynamics of some micro and nanostructured magnetoresistive lanthanum manganites
S. TANASESCU, C. MARINESCU, F. MAXIM, O. RAITA, M.-N. GRECU & L. GIURGIU (Romania)
- 3011 Synthesis, structure and properties of doped Bi₂O₃
V. FRUTH, A. IANCULESCU, D. BERGER, S. PREDĂ, G. VOICU, E. TENEA & M. POPA (Romania)
- 3017 Structure and magnetism in the Zn–Mn–O system: A candidate for room temperature ferromagnetic semiconductor
J.F. FERNÁNDEZ, A.C. CABALLERO, M. VILLEGAS, S.J. KHATIB, M.A. BAÑARES, J.L.G. FIERRO, J.L. COSTA-KRAMER, E. LOPEZ-PONCE, M.S. MARTÍN-GONZÁLEZ, F. BRIONES, A. QUESADA, M. GARCÍA & A. HERNANDO (Spain)
- 3027 Preparation and characterisation of the magneto-electric xBiFeO₃–(1 – x)BaTiO₃ ceramics
M.T. BUSCAGLIA (Italy), L. MITOSERIU (Italy, Romania), V. BUSCAGLIA, I. PALLECCHI, M. VIVIANI, P. NANNI & A.S. SIRI (Italy)
- 3031 Preparation of multiferroic composites of BaTiO₃–Ni_{0.5}Zn_{0.5}Fe₂O₄ ceramics
A. TESTINO (Italy), L. MITOSERIU (Italy, Romania), V. BUSCAGLIA, M.T. BUSCAGLIA, I. PALLECCHI (Italy), A.S. ALBUQUERQUE (Brazil), V. CALZONA, D. MARRÉ, A.S. SIRI & P. NANNI (Italy)
- 3037 Dielectric properties of some low-lead or lead-free perovskite-derived materials: Na_{0.5}Bi_{0.5}TiO₃–PbZrO₃, Na_{0.5}Bi_{0.5}TiO₃–BiScO₃ and Na_{0.5}Bi_{0.5}TiO₃–BiFeO₃ ceramics
P. MARCHET, E. BOUCHER, V. DORCET & J.P. MERCURIO (France)

Volume 26 Number 15 2006

- 3043 Some notes on the correlation between fracture and defect statistics: Are Weibull statistics valid for very small specimens?
R. DANZER (Austria)
- 3051 Global description of crack propagation in ceramics
C. OLAGNON, J. CHEVALIER & V. PAUCHARD (France)
- 3061 Statistical analysis of slow crack growth experiments
T. PFINGSTEN & K. GLIEN (Germany)
- 3067 Microstructure-based modelling and experimental investigation of crack propagation in glass–alumina functionally graded materials
V. CANNILLO, T. MANFREDINI, M. MONTORSI, C. SILIGARDI & A. SOLA (Italy)
- 3075 Evaluation of fracture toughness of as plasma sprayed alumina–13 wt.% titania coatings by micro-indentation techniques
R. VENKATARAMAN & R. KRISHNAMURTHY (India)

- 3083 Gelation process in low-toxic gelcasting systems
M. KOKABI, A.A. BABALUO & A. BARATI (Islamic Republic of Iran)
- 3091 Coagulation of mixed organic systems and alumina particles for paste production
C. PAGNOUX, M. MOUGENOT, P.G. PEREZ, T. CHARTIER & J.-F. BAUMARD (France)
- 3099 Synthesis of the metastable α - $\text{Al}_{1.8}\text{Fe}_{0.2}\text{O}_3$ solid solution from precursors prepared by combustion
A. CORDIER, A. PEIGNEY (France), E. DE GRAVE (Belgium), E. FLAHAUT & C. LAURENT (France)
- 3113 Processing, microstructure and mechanical properties of directionally-solidified Al_2O_3 - $\text{Y}_3\text{Al}_5\text{O}_{12}$ - ZrO_2 ternary eutectics
J.I. PEÑA, M. LARSSON, R.I. MERINO, I. DE FRANCISCO, V.M. ORERA, J. LLORCA, J.Y. PASTOR, A. MARTÍN & J. SEGURADO (Spain)
- 3123 Drying behaviour of droplets of mixed powder suspensions
J. WANG & J.R.G. EVANS (UK)
- 3133 Synthesis of zirconia–alumina and alumina–zirconia core–shell particles via a heterocoagulation mechanism
E. GEUZENS, G. VANHOYLAND, J. D’HAEN, S. MULLENS, J. LUYTEN, M.K. VAN BAELE, H. VAN DEN RUL & J. MULLENS (Belgium)
- 3139 Diffusion of niobium in yttria-stabilized zirconia and in titania-doped yttria-stabilized zirconia polycrystalline materials
K. KOWALSKI, A. BERNASIK, J. CAMRA, M. RADECKA & J. JEDLIŃSKI (Poland)
- 3145 Comparison of nanosized zirconia synthesized by gas and liquid phase methods
V.V. SRDIĆ (Serbia and Montenegro) & M. WINTERER (Germany)
- 3153 Thick YSZ films prepared via a modified sol–gel route: Thickness control (8–80 μm)
M. GAUDON, CH. LABERTY-ROBERT, F. ANSART (France) & P. STEVENS (Germany)
- 3161 Sintering, microstructural development, and electrical properties of gadolinia-doped ceria electrolyte with bismuth oxide as a sintering aid
V. GIL, J. TARTAJ, C. MOURE & P. DURÁN (Spain)
- 3173 Electrically conductive ZrO_2 -TiN composites
S. SALEHI, O. VAN DER BIEST & J. VLEUGELS (Belgium)
- 3181 Crystallography, microstructure and morphology of $\text{Mg}_4\text{Nb}_2\text{O}_9/\text{MgO}$ and $\text{Mg}_4\text{Ta}_2\text{O}_9/\text{MgO}$ interfaces formed by topotaxial solid state reactions
D.C. SUN, S. SENZ & D. HESSE (Germany)
- 3191 Influence of the shaping effect on hardness homogeneity by Vickers indentation analysis
B. GUILLAUME, F. BOSCHINI, A. RULMONT, M. AUSLOOS & R. CLOOTS (Belgium)
- 3197 Structure and electrical properties of PZT–PMS–PZN piezoelectric ceramics
Z. YANG, H. LI, X. ZONG & Y. CHANG (PR China)
- 3203 Influences of water content on synthesis of $(\text{Pb}_{0.5}\text{Ba}_{0.5})\text{TiO}_3$ materials using acetylacetone as chelating agent in a sol–gel process
W.-D. YANG (Taiwan) & S.M. HAILE (USA)
- 3211 Effect of deposition parameters on the growth rate and dielectric properties of the $\text{Ba}(\text{Sn}_x\text{Ti}_{1-x})\text{O}_3$ thin films prepared by radio frequency magnetron sputtering
H.-H. HUANG, M.-C. WANG, C.-Y. CHEN, N.-C. WU & H.-J. LIN (Taiwan)
- 3221 The current detour effect observed on materials with random microstructure: Experimental evidence from $\text{Li}_{3x}\text{La}_{2/3-x}\text{TiO}_3$ studied by impedance spectroscopy
M. VIJAYAKUMAR & O. BOHNKE (France)
- 3233 SPS processing of bismuth-layer structured ferroelectric ceramics yielding highly textured microstructures
J. LIU, Z. SHEN, M. NYGREN (Sweden), Y. KAN & P. WANG (PR China)
- 3241 Sol–gel synthesis and characterization of Ce doped- BaTiO_3
M. CERNEA (Romania), O. MONNEREAU, P. LLEWELLYN, L. TORTET (France) & C. GALASSI (Italy)
- 3247 Piezoelectric and ferroelectric properties of lead-free $[\text{Bi}_{1-y}(\text{Na}_{1-x-y}\text{Li}_x)]_{0.5}\text{Ba}_y\text{TiO}_3$ ceramics
D. LIN, D. XIAO, J. ZHU & P. YU (China)

- 3253 Interaction between metallic interconnect and constituent oxides of (La, Sr)MnO₃ coating of solid oxide fuel cells
Y.D. ZHEN, S.P. JIANG, S. ZHANG & V. TAN (Singapore)
- 3265 Microwave dielectric characteristics and finite element analysis of MgTiO₃–CaTiO₃ layered dielectric resonators
L. LI, X.M. CHEN & X.C. FAN (China)
- 3273 Structural, chemical and dielectric properties of ceramic injection moulded Ba(Zn_{1/3}Ta_{2/3})O₃ microwave dielectric ceramics
S. LIU, V.A. MERRICK & N. NEWMAN (USA)
- 3279 Fabrication and characterization of zinc phosphate passivation layers for ZnO-based varistor
W.S. LEE, W.T. CHEN, T. YANG, Y.C. LEE, C.Y. SU, S.P. LIN & C.L. HU (Taiwan)
- 3287 Phase development in the catalytic system V₂O₅/TiO₂ under oxidising conditions
D. HABEL, J.B. STELZER, E. FEIKE, C. SCHRÖDER, A. HÖSCH, C. HESS, A. KNOP-GERICKE, J. CARO & H. SCHUBERT (Germany)
- 3295 Fabrication of transparent ceramics through melt solidification of near eutectic compositions in HfO₂–Al₂O₃–GdAlO₃ system
S. ARAKI & M. YOSHIMURA (Japan)
- 3301 Erbium-doped LAS glass ceramics prepared by spark plasma sintering (SPS)
P. RIELLO, S. BUCELLA, L. ZAMENGO (Italy), U. ANSELMINI-TAMBURINI (Italy, USA), R. FRANCIANI, S. PIETRANTONI (Italy) & Z.A. MUNIR (USA)
- 3307 Comparison between barium and strontium-glass composites for sealing SOFCs
M. BROCHU, B.D. GAUNTT, R. SHAH, G. MIYAKE & R.E. LOEHMAN (USA)
- 3315 Transport properties of sealants for high-temperature electrochemical applications: RO–BaO–SiO₂ (R = Mg, Zn) glass–ceramics
M.J. PASCUAL (Spain), V.V. KHARTON, E. TSIPIS, A.A. YAREMCHENKO (Portugal), C. LARA, A. DURÁN (Spain) & J.R. FRADE (Portugal)
- 3325 Crystallization kinetics of La₂O₃–Al₂O₃–B₂O₃ glass–ceramic composites
C.-L. CHEN, W.-C.J. WEI (Taiwan) & A. ROOSEN (Germany)
- 3335 Sintered sanidine glass-ceramics from industrial wastes
E. BERNARDO, R. CASTELLAN, S. HREGLICH & I. LANCELLOTTI (Italy)
- 3343 NMR techniques: A non-destructive analysis to follow microstructural changes induced in ceramics
R. VIOLA, A. TUCCI, G. TIMELLINI & P. FANTAZZINI (Italy)
- 3351 Formation of high-temperature crystalline phases in ceramic from illite clay and dolomite
G. SEDMALE, I. SPERBERGA, U. SEDMALIS (Latvia) & Z. VALANCIUS (Lithuania)
- 3357 Cyclic fatigue and lifetime of a concrete refractory
F. THUMMEN, C. OLAGNON & N. GODIN (France)
- 3365 Influence of combustion aids on suspension combustion synthesis of mullite powders
O. BURGOS-MONTES, R. MORENO, M.T. COLOMER & J.C. FARIÑAS (Spain)
- 3373 Colour and proportion of grains measurement in through-body porcelain tiles by means of image processing
J.A. PEÑARANDA, C. FLORES, L.G. CORZO & I. GUTIERREZ (Spain)
- 3383 Effects of solvents on properties of nanocrystalline hydroxyapatite produced from hydrothermal process
X. GUO & P. XIAO (UK)
- 3393 Microstructure and properties of Al₂O₃–TiC nanocomposites fabricated by spark plasma sintering from high-energy ball milled reactants
Y. ZHANG, L. WANG, W. JIANG, L. CHEN & G. BAI (China)
- 3399 Reinforcement of precursor-derived Si–C–N ceramics with carbon nanotubes
Y. KATSUDA (Germany, Japan), P. GERSTEL, J. NARAYANAN, J. BILL & F. ALDINGER (Germany)
- 3407 Long term oxidation behaviour of liquid phase pressureless sintered SiC–AlN ceramics obtained without powder bed
G. MAGNANI & L. BEAULARDI (Italy)
- 3415 Fabrication and residual stresses characterization of novel non-oxide multilayer ceramics
D. SCITI, M. NAGLIATI (Italy, Japan), S. TOCHINO, G. PEZZOTTI (Japan) & S. GUICCIARDI (Italy, Japan)

- 3425 Measurement of output voltage of aluminum nitride thin film as a pressure sensor at high temperature
K. KISHI, Y. OOISHI, H. NOMA, E. USHIJIMA, N. UENO, M. AKIYAMA & T. TABARU (Japan)
- 3431 Effects of CaCO₃ content on the densification of aluminum nitride
A.L. MOLISANI, H.N. YOSHIMURA, H. GOLDENSTEIN (Brazil) & K. WATARI (Japan)
- 3441 Silicon oxycarbide-based composites produced from pyrolysis of polysiloxanes with active Ti filler
H.D. AKKAŞ, M.L. ÖVEÇOĞLU & M. TANOĞLU (Turkey)
- 3451 Physico-chemical characterisation of silicon carbide refractories
M.F. GAZULLA, M.P. GÓMEZ, M. ORDUÑA & A. BARBA (Spain)
- 3459 Interfacial microstructure of the Si₃N₄/Si₃N₄ joint brazed with Cu–Pd–Ti filler alloy
J. ZHANG, Y. ZHOU (PR China) & M. NAKA (Japan)
- 3467 Effect of post-sintering heat-treatment on thermal and mechanical properties of Si₃N₄ ceramics sintered with different additives
T. WASANAPIARNPONG (Japan), S. WADA (Thailand), M. IMAI & T. YANO (Japan)
- 3477 Friction and wear behavior of C-based composites in situ reinforced with W₂B₅
Y. LV, G. WEN & T.Q. LEI (China)

Volume 26 Number 16 2006

- 3487 Sintering of NaCl powder: Mechanisms and first stage kinetics
R. GOODALL, J.-F. DESPOIS & A. MORTENSEN (Switzerland)
- 3499 Synthesis of ultra fine particles by plasma transferred arc: Influence of anode material on particle properties
C. CHAZELAS, J.F. COUDERT, J. JARRIGE & P. FAUCHAIS (France)
- 3509 Structure and mechanical properties of plasma sprayed coatings of titania and alumina
P. CTIBOR, P. BOHÁČ, M. STRANYÁNEK & R. ČTVRTLÍK (Czech Republic)
- 3515 High temperature neutron diffraction study of the Al₂O₃–Y₂O₃ system
M. MEDRAJ, R. HAMMOND, M.A. PARVEZ, R.A.L. DREW & W.T. THOMPSON (Canada)
- 3525 Fabrication of pore-gradient Al₂O₃–ZrO₂ sintered bodies by fibrous monolithic process
B.-T. LEE, I.C. KANG, A.K. GAIN, K.-H. KIM & H.-Y. SONG (South Korea)
- 3531 Ketone-amine based suspensions for electrophoretic deposition of Al₂O₃ and ZrO₂
G. ANNÉ, K. VANMEENSEL, B. NEIRINCK, O. VAN DER BIEST & J. VLEUGELS (Belgium)
- 3539 Effect of the volume ratio of zirconia and alumina on the mechanical properties of fibrous zirconia/alumina bi-phase composites prepared by co-extrusion
H. MIYAZAKI, Y.-I. YOSHIZAWA & K. HIRAO (Japan)
- 3547 Wear of zirconia-dispersed alumina at ambient temperature, 140 °C and 250 °C
G.A. CARTER, A. VAN RIESEN & R.D. HART (Australia)
- 3557 Corrosion of selected ceramic materials in hot gas environment
M. FRITSCH, H. KLEMM, M. HERRMANN (Germany) & B. SCHENK (USA)
- 3567 Thermal conductivity of highly porous zirconia
B. NAIT-ALI (France), K. HABERKO (Poland), H. VESTEGHEM, J. ABSI & D.S. SMITH (France)
- 3575 R-curve behaviour of 2Y-TZP with submicron grain size
J. EICHLER (Germany), M. HOFFMAN (Australia), U. EISELE & J. RÖDEL (Germany)
- 3583 Modification of thermal barrier coating architecture by in situ laser remelting
G. ANTOU, G. MONTAVON, F. HLAWKA, A. CORNET, C. CODDET & F. MACHI (France)
- 3599 Agglomeration on drying of yttria-stabilised-zirconia slurry on a metal substrate
W. LAN, X. WANG & P. XIAO (UK)
- 3607 Yb₂O₃ and Y₂O₃ co-doped zirconia ceramics
Y. KAN, G. ZHANG, P. WANG (PR China), O. VAN DER BIEST & J. VLEUGELS (Belgium)

- 3613 Composition dependent structure and elasticity of lithium silicate glasses: Effect of ZrO_2 additive and the combination of alkali silicate glasses
C.-C. LIN, P. SHEN, H.M. CHANG & Y.J. YANG (Taiwan)
- 3621 Effect of specimen shape on the behavior of brittle materials using probabilistic and deterministic methods
J. JEONG & H. ADIB-RAMEZANI (France)
- 3631 Room temperature synthesis of chitosan/apatite powders and coatings
J. PEÑA, I. IZQUIERDO-BARBA, M.A. GARCÍA & M. VALLET-REGÍ (Spain)
- 3639 Hydroxyapatite nano-powders produced hydrothermally from nacreous material
A.F. LEMOS, J.H.G. ROCHA, S.S.F. QUARESMA, S. KANNAN (Portugal), F.N. OKTAR (Portugal, Turkey), S. AGATHOPOULOS & J.M.F. FERREIRA (Portugal)
- 3647 Modelling the mechanical properties of microporous and macroporous biphasic calcium phosphate bioceramics
F. TANCRET, J.-M. BOULER, J. CHAMOUSSET & L.-M. MINOIS (France)
- 3657 Synthesis and hierarchical pore structure of biomorphic manganese oxide derived from woods
X. LI, T. FAN, Z. LIU, J. DING (PR China), Q. GUO (Japan) & D. ZHANG (PR China)
- 3665 Sintering behaviour of $La_{1-x}Sr_xFeO_{3-\delta}$ mixed conductors
L.T. SAGDAHL, M.-A. EINARSRUD & T. GRANDE (Norway)
- 3675 Nanocrystalline orthoferrite powders: Synthesis and magnetic properties
M. RAJENDRAN & A.K. BHATTACHARYA (UK)
- 3681 The low-temperature formation of barium hexaferrites
D. LISJAK & M. DROFENIK (Slovenia)
- 3687 Iron, nickel and zinc stoichiometric influences on the dynamic magneto-elastic properties of spinel ferrites
V. GRIMAL, D. AUTISSIER, L. LONGUET, H. PASCARD & M. GERVAIS (France)
- 3695 Oxygen transport in ferrite-based ceramic membranes: Effects of alumina sintering aid
V.V. KHARTON (Portugal, Belarus), A.L. SHAULA (Portugal), F.M.M. SNIJKERS, J.F.C. COOYMANS, J.J. LUYTEN (Belgium), I.P. MAROZAU (Portugal), A.P. VISKUP (Belarus), F.M.B. MARQUES & J.R. FRADE (Portugal)
- 3705 Fabrication and microstructure of directionally solidified $SrCe_{1-x}Y_xO_{3-\delta}$ ($x = 0.1, 0.2$) high temperature proton conductors
J. RAMÍREZ-RICO, M.J. LÓPEZ-ROBLEDO, A.R. DE ARELLANO-LÓPEZ, J. MARTÍNEZ-FERNÁNDEZ (Spain) & A. SAYIR (USA)
- 3711 The application of a milling map in the mechanochemical synthesis of ceramic oxides
T. ROJAC, M. KOSEC, B. MALIČ & J. HOLC (Slovenia)
- 3717 Synthesis and characterization of nanocrystalline $SrBi_2Nb_2O_9$ ferroelectric ceramics using TEA as the polymeric matrix
D. DHAK, S.K. BISWAS & P. PRAMANIK (India)
- 3725 Phase diagram of the Al_2O_3 – ZrO_2 – Nd_2O_3 system
S.M. LAKIZA & L.M. LOPATO (Ukraine)
- 3733 The homogeneity range and the microwave dielectric properties of the $BaZn_2Ti_4O_{11}$ ceramics
A.G. BELOUS, O.V. OVCHAR (Ukraine), M. MACEK-KRZMANC & M. VALANT (Slovenia)
- 3741 Microstructure evolution of the full transition of bismuth metal to a bismuth oxide particulate
R. METZ, J. MOREL, R. PUYANE & M. HASSANZADEH (France)
- 3745 Growth and morphology of ZnO nanorods prepared from $Zn(NO_3)_2/NaOH$ solutions
J. ZHAO, Z.-G. JIN, X.-X. LIU & Z.-F. LIU (China)
- 3753 A study on co-firing between $Zn_{0.9}Mg_{0.1}TiO_3$ and ZnO-based multilayer varistor
W.S. LEE, W.T. CHEN, T. YANG, Y.C. LEE, S.P. LIN, C.Y. SU & C.L. HU (Taiwan)
- 3761 Effect of quartz particle size on the strength of triaxial porcelain
S.R. BRAGANÇA, C.P. BERGMANN (Brazil) & H. HÜBNER (Germany)
- 3769 Development of a multipurpose tile body: Phase and microstructural development
A. KARA, F. ÖZER, K. KAYACI & P. ÖZER (Turkey)

- 3783 The role of a coal gasification fly ash as clay additive in building ceramic
M. AINETO, A. ACOSTA & I. IGLESIAS (Spain)
- 3789 (Micro)-structural comparison between geopolymers, alkali-activated slag cement and Portland cement
I. LECOMTE, C. HENRIST, M. LIÉGEOIS, F. MASERI, A. RULMONT & R. CLOOTS (Belgium)
- 3799 Thermomechanical characteristics of calcium aluminate cement and sand tapes prepared by tape casting
J. SORO, A. SMITH & C. GAULT (France)
- 3809 Floor tile glass-ceramic glaze for improvement of glaze surface properties
B.E. YEKTA, P. ALIZADEH & L. REZAZADEH (Iran)
- 3813 Copper and silver nanocrystals in lustre lead glazes: Development and optical properties
J. ROQUÉ, J. MOLERA (Spain), P. SCIAU (France), E. PANTOS (UK) & M. VENDRELL-SAZ (Spain)
- 3825 Study of chemical interaction at Al–ZERODUR interface
L.I. BEREZHINSKY, V.P. MASLOV, B.K. SERDEGA, V.V. TETYORKIN & V.A. YUKHYMCHUK (Ukraine)
- 3831 Degradation mechanisms of magnesia-chromite refractories by high-alumina stainless steel slags under vacuum conditions
M. GUO, P.T. JONES, S. PARADA, E. BOYDENS, J.V. DYCK, B. BLANPAIN & P. WOLLANTS (Belgium)
- 3845 Thermal stability of tungsten carbide in 7 mol.% calcia–zirconia solid solution matrix heat treated in argon
N. MOSKALA & W. PYDA (Poland)
- 3853 High strength TiC matrix Fe₂₈Al toughened composites prepared by spontaneous melt infiltration
M.X. GAO (PR China, Portugal), Y. PAN (PR China), F.J. OLIVEIRA, J.L. BAPTISTA & J.M. VIEIRA (Portugal)
- 3861 Effects of TiC/TiN addition on the microstructure and mechanical properties of ultra-fine grade Ti (C, N)–Ni cermets
N. LIU, S. CHAO & X. HUANG (PR China)
- 3871 Hot corrosion and protection of Ti₂AlC against Na₂SO₄ salt in air
Z. LIN, Y. ZHOU, M. LI & J. WANG (China)
- 3881 Wetting behaviour of Y₂O₃/AlN additive on SiC ceramics
R.M. BALESTRA, S. RIBEIRO, S.P. TAGUCHI, F.V. MOTTA & C. BORMIO-NUNES (Brazil)
- 3887 A method to distinguish extrinsic and intrinsic fracture-origin populations in monolithic ceramics
L.G. ROSA (Portugal), J. LAMON (France), I. FIGUEIREDO & F.A. COSTA OLIVEIRA (Portugal)
- 3897 Lithium containing silazanes as precursors for SiCN:Li ceramics—A potential material for electrochemical applications
V. LIEBAU-KUNZMANN, C. FASEL, R. KOLB & R. RIEDEL (Germany)
- 3903 SiCN/C-ceramic composite as anode material for lithium ion batteries
R. KOLB, C. FASEL, V. LIEBAU-KUNZMANN & R. RIEDEL (Germany)
- 3909 Corrosion of Si₃N₄-ceramics in aqueous solutions Part I: Characterisation of starting materials and corrosion in 1 N H₂SO₄
J. SCHILM, W. GRÜNER, M. HERRMANN & G. MICHAEL (Germany)
- 3919 Microstructure development and properties of novel Ba-doped phase Sialon ceramics
B. BASU (India), M.H. LEWIS, M.E. SMITH, M. BUNYARD & T. KEMP (UK)
- 3925 Time-of-flight Rietveld neutron structure refinement and quantum chemistry study of Y- α -sialon
L. SMRČOK, D. SALAMON, E. SCHOLTZOVA (Slovak Republic) & J.W. RICHARDSON JR. (USA)
- 3933 Creep mechanisms in quasi-plastic silicon nitride by instrumented indentation
F. LOFAJ (Slovakia)
- II List of contents for volume 26
- XXIX Author index for volume 26
- XL Keywords index for volume 26