

## Keyword Index

- Al<sub>2</sub>O<sub>3</sub>, 2685  
β-Al<sub>2</sub>O<sub>3</sub>, 3725  
γ-Al<sub>2</sub>O<sub>3</sub>, 2219  
Abnormal grain growth, 1619  
Acoustic emission, 1075  
Actuators, 2189, 2345  
Ag, 1, 3813  
Agglomeration, 3599  
(Al, Fe)<sub>2</sub>O<sub>3</sub>, 3099  
Al, 3825  
Al<sub>2</sub>O<sub>3</sub>, 1, 9, 17, 49, 59, 253, 363, 553, 661, 689, 897, 909, 933, 949, 957, 961, 993, 1043, 1085, 1171, 1273, 1317, 1411, 1489, 1561, 1567, 1619, 1687, 1853, 2093, 2185, 2213, 2219, 2241, 2413, 2611, 2619, 2639, 2695, 2699, 2707, 2719, 2743, 2973, 3067, 3083, 3091, 3113, 3123, 3133, 3295, 3499, 3509, 3515, 3531, 3547, 3557, 3725, 3871  
Al<sub>2</sub>O<sub>3</sub>/glass, 289  
Al<sub>2</sub>O<sub>3</sub>/TiO<sub>2</sub>, 3075  
Al<sub>2</sub>O<sub>3</sub>/TZP, 27  
Al<sub>2</sub>O<sub>3</sub>-TiC, 3393  
Al<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>, 1909  
Al<sub>2</sub>O<sub>3</sub>-YAG, 941  
Al<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub>, 3525  
Al<sub>2</sub>TiO<sub>5</sub>, 1909, 2699  
Al<sub>4</sub>SiC<sub>4</sub>, 1281  
Albite, 2511, 2519  
Alcohol–water, 3383  
ALN, 2413  
AlN, 2475, 2485, 3407, 3415, 3425, 3431, 3881  
Al(OH)<sub>3</sub>, 2413  
AlON, 1351  
AlPO<sub>4</sub>, 1179  
(Al–Si)<sub>3</sub>Ti, 2719  
Alumina granule compact, 683  
Alumina, 817  
Aluminum dross, 459  
Aluminum nitride (AlN), 385  
Analysis, 2587  
Analytical models, 3567  
Anatase, 3287  
Anelastic spectroscopy, 2923  
Anisotropy, 1899  
Annealing, 1831  
Anorthite, 2503  
Apatite, 469, 481, 487, 501, 509, 515, 533, 543, 987, 1473, 1481, 1701, 2593, 3383, 3631, 3639, 3647  
Aqueous corrosion, 3909  
Aurivillius phase material, 2785  
B<sub>2</sub>O<sub>3</sub>, 59  
(Ba,Sm)TiO<sub>3</sub>, 1629  
(Ba,Sr) (Co,Fe)O<sub>3</sub>, 2827  
(Ba,Sr)TiO<sub>3</sub>, 1611, 2793  
Ba<sub>2</sub>Ti<sub>9</sub>O<sub>20</sub>, 2081, 2111  
Ba<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub>, 2105  
Ba(Co<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>, 2877  
BaFe<sub>12</sub>O<sub>19</sub>, 3681  
BaO–R<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub>, 1629  
BaO–Sm<sub>2</sub>O<sub>3</sub>–4TiO<sub>2</sub>, 2129  
Barium titanate, 1995, 2909  
BaTiO<sub>3</sub> and titanates, 2059  
BaTi<sub>4</sub>O<sub>9</sub>, 2135, 2165  
BaTi<sub>5</sub>O<sub>11</sub>, 2151  
BaTiO<sub>3</sub> and titanates, 589, 605, 1619, 1817, 1841, 1899, 1947, 1981, 2027, 2055, 2087, 2123, 2175, 2327, 2777, 2793, 2899, 2915, 3211  
BaTiO<sub>3</sub>, 1393, 1401, 1807, 2319, 2889, 3241  
BaTiO<sub>3</sub>–Ni, 891  
Batteries, 577, 3897, 3903  
Ba(Zn, Ta)O<sub>3</sub>, 3273  
Ba(Zn<sub>1/3</sub>Nb<sub>2/3</sub>)O<sub>3</sub>, 2139  
BaZn<sub>2</sub>Ti<sub>4</sub>O<sub>11</sub>, 3733  
Ba(Zn)TaO<sub>3</sub>, 1385  
BaZrO<sub>3</sub>, 1591, 2313  
Benzene, 2231  
(Bi, Na, Li, Ba)TiO<sub>3</sub>, 3247  
Bi<sub>2</sub>O<sub>3</sub>, 3741  
Bi<sub>3</sub>NbTiO<sub>9</sub>, 2785  
Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub> ceramics, 2931  
Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub>, 2823, 3233  
Bi(Mg,W)O<sub>3</sub>, 89  
BiNbO<sub>4</sub> ceramic, 2003  
BiNbO<sub>4</sub>, 1761  
Binder, 67  
Binders, 949  
Biomedical applications, 273, 487, 495, 501, 519, 525, 533, 537, 987, 1159, 1473, 1701, 2593, 3383, 3631, 3639  
Biomedical, 843  
Biomimetic materials, 2593  
Biomorphic ceramics, 2381  
Bismuth layered compounds, 1379  
Bone or gin hydroxyapatite, 537  
Borax waste, 755  
Boride, 631  
Borides, 635, 2111, 2135, 2427  
Bricks, 2547  
Brittle materials, 3621  
Brushite, 543  
BST, 1835, 1879  
BZT, 1385  
C. Dielectric properties, 1929  
C/SiC, 1715  
CA cement, 3799  
CaAl<sub>4</sub>O<sub>7</sub>, 2273  
CaBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub>, 3233  
CaBi<sub>4</sub>Ti<sub>4</sub>O<sub>15</sub>, 1379  
CaCu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub>, 1245  
CaF<sub>2</sub>, 1317  
Calcination, 37, 537, 761, 1281, 1507, 1653, 2023, 2081, 3279, 3287, 3657  
Calcium phosphate paste, 525  
Calcium-deficient hydroxyapatite, 501  
12CaO·7Al<sub>2</sub>O<sub>3</sub>, 803  
CaO–Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub> glass, 771  
Capacitors, 589, 623, 1245, 1401, 1807, 1841, 1913, 1991, 2155, 2161, 2165, 2777, 3211  
Carbides, 1051, 1707  
Carbon nanotubes, 3399  
Carbon, 797, 2581  
Carbothermal synthesis, 209

- CaSiO<sub>3</sub>, 1701  
 Catalyst, 3287  
 CaTiO<sub>3</sub>, 875, 3265  
 CaWO<sub>4</sub>, 2101  
 Cellular ceramics, 179  
 Cement paste, 809  
 Cements, 1439, 3789, 3799  
 CeO<sub>2</sub>, 247, 417, 593  
 CeO<sub>2</sub>–Gd<sub>2</sub>O<sub>3</sub>, 3161  
 Ceramics, 1999  
 Cermets, 1259  
 Chemical preparation, 2603  
 Chemical properties, 141, 487, 509, 655, 767, 771, 791, 809, 843, 1439, 1695, 1973, 2561, 2735, 3253, 3613  
 Chemical vapour infiltration, 2381  
 Chemisorption, 2999  
 Chip inductors, 2845  
 Chromium, 785  
 Clays, 161, 655, 747, 3351  
 CO<sub>2</sub>, 1195  
 Coagulation, 1171, 3091  
 Coated particles, 3133  
 Coatings, 1725, 2231, 2561, 2633, 2727, 3075, 3583  
 Co-extrusion, 3539  
 Cold pressing, 1489  
 Colour, 311, 735, 741, 1599, 2301, 3373  
 Combinatorial chemistry, 731  
 Combinatorial, 849  
 Combustion synthesis, 3099, 3365  
 Complex perovskite, 1957  
 Composite materials, 1999  
 Composite refractories, 3451  
 Composites, 193, 273, 469, 449, 481, 495, 515, 525, 533, 549, 553, 593, 679, 689, 697, 703, 891, 1273, 1293, 1317, 1439, 1481, 1497, 1567, 1611, 1687, 1715, 1811, 1861, 1895, 2059, 2179, 2199, 2205, 2427, 2467, 2541, 2719, 2817, 2839, 3031, 3133, 3173, 3265, 3307, 3325, 3415, 3441, 3477, 3525, 3799, 3845, 3853  
 Concrete, 3357  
 Consolidation energy, 217  
 Constraining sintering, 3753  
 Contact angle, 2241  
 Coprecipitation, 81  
 Cordierite, 67, 179, 825, 2527  
 Corrosion, 1159, 1673, 1695, 2453, 3557, 3831, 3871, 3909  
 Cr, 125  
 Cr<sub>2</sub>O<sub>3</sub>, 1213, 1221  
 Crack propagation, 3051, 3061, 3067  
 Creep, 1179, 1577, 1637, 2799, 3933  
 Crystal chemistry, 125  
 Crystallisation,  
 Crystallization, 619, 1149, 1267, 1447, 1463, 2503, 2511, 2519, 3325  
 Cu, 3813  
 CuO, 1653  
 Curie temperature, 89  
 CVD diamond, 2419  
 Decoration, 3813  
 Defect localization, 3621  
 Defects, 1775, 1821, 1921, 2327, 2707, 3005, 3043, 3181, 3191  
 Deformation, 1179  
 Densification, 59  
 Dental materials, 1695  
 De-waxing, 2475  
 Diamond, 2419  
 Dielectric ceramics, 1987  
 Dielectric loss, 1775  
 Dielectric properties, 331, 605, 861, 867, 875, 891, 1245, 1379, 1385, 1401, 1611, 1629, 1755, 1761, 1767, 1775, 1781, 1787, 1791, 1801, 1807, 1811, 1817, 1821, 1827, 1831, 1835, 1841, 1845, 1853, 1857, 1861, 1869, 1873, 1879, 1889, 1895, 1899, 1903, 1909, 1913, 1917, 1921, 1925, 1943, 1947, 1957, 1961, 1965, 1969, 1977, 1981, 1987, 1991, 1995, 2003, 2007, 2017, 2023, 2027, 2031, 2035, 2039, 2045, 2051, 2055, 2059, 2069, 2075, 2081, 2087, 2097, 2101, 2105, 2111, 2117, 2123, 2129, 2135, 2139, 2143, 2147, 2151, 2161, 2165, 2169, 2175, 2179, 2193, 2199, 2349, 2785, 2793, 2817, 2839, 2855, 2861, 2867, 2877, 2889, 3037, 3197, 3211, 3241, 3265, 3273, 3717, 3733  
 Dielectric resonators, 1903  
 Diffusion, 37, 2249, 2695, 3139, 3741  
 Diopside, 2511, 2519  
 Directional solidification, 3113  
 Distortion, 17  
 Dolomite, 3351  
 Doping elements, 2219  
 Double Torsion Testing, 679  
 Droplets, 3123  
 Drying, 519, 933, 1075, 3123, 3599  
 EB-PVD-coatings, 2249  
 EDM, 3173  
 Elastic modulus, 1085, 1429  
 Electric properties, 1869  
 Electrical conductivity, 571, 1231, 1605, 1853, 2327, 2431, 2785, 2827, 3173  
 Electrical properties, 323, 593, 613, 825, 909, 1237, 1259, 1371, 1811, 1835, 1937, 2093, 2799, 2839, 2909, 2985, 3011, 3027, 3031, 3161, 3315  
 Electroceramics, 95  
 Electrode, 981  
 Electromagnetic wave absorber, 2175  
 Electron beam physical vapor deposition (EB-PVD), 1585  
 Electron microscopy, 131, 423, 435, 443, 463, 469, 647, 1121, 1141, 1237, 1259, 1473, 1787, 1937, 1947, 2219, 2431, 2441, 2707, 2823, 2899, 2963, 2967, 2973, 3133, 3181, 3399, 3607, 3717, 3769, 3789, 3831, 3919  
 Electrophoresis, 2633  
 Electrophoretic deposition, 27, 559, 933, 1555, 1567, 2727, 3531  
 Elution, 1695  
 Engine components, 565, 2241  
 EPR, 125  
 Eutectics, 3113  
 Evanescent microwave microscopy, 1801  
 Extrusion, 817, 957, 1663, 2213, 2345, 2467  
 Failure analysis, 1099, 3853, 3887  
 Far infrared reflectivity, 2017  
 Fatigue, 95, 883, 3051, 3061, 3357  
 (Fe,Cr)<sub>2</sub>O<sub>3</sub>, 1363  
 Fe<sub>28</sub>Al/TiC, 3853  
 Fe<sub>2</sub>O<sub>3</sub>, 131  
 FEM, 2179  
 Fe(Mg,Cr,Co,Al)<sub>2</sub>O<sub>4</sub>, 909  
 Ferrites and soft magnets, 3687  
 Ferrites, 2845, 3027, 3675, 3681  
 Ferroelectric properties, 89, 331, 589, 867, 1379, 1953, 2337, 2785, 2855, 2915, 2937, 2959, 3211, 3247  
 Ferroelectricity, 95  
 Ferroelectrics, 2175  
 FeWO<sub>4</sub>, 2581  
 FGM, 993, 2685  
 Fibers, 149, 673, 1121, 2213  
 Fibres, 501, 1023, 1577, 1725, 2541, 2611, 2743  
 Films, 27, 259, 267, 487, 565, 571, 605, 897, 923, 1325, 1585, 1611, 1835, 1841, 1913, 1917, 1953, 2147, 2151, 2155, 2165, 2169, 2205, 2381, 2419, 2753, 2793, 2867, 2937, 2945, 3153, 3203, 3211, 3425, 3631  
 Filters, 949  
 Finite element analysis, 961, 2265, 3265  
 Finite element methods, 2669, 2817  
 Firing, 305, 755, 1131, 3769, 3813  
 Flexural strength, 169

- Foams, 179  
 Forsterite, 2097  
 Fracture toughness, 169  
 Fracture, 343, 351, 363, 679, 961,  
 1099, 1159, 1421, 1715, 2527, 2677,  
 3043, 3051, 3067, 3113, 3575, 3647  
 Freeform fabrication, 2459  
 Fresnoite, 627  
 Friction, 1293, 2441  
 FTIR, 2365  
 Fuel cells, 397, 417, 429, 571, 593,  
 599, 967, 1231, 1371, 2365, 3011,  
 3253, 3307, 3315, 3665, 3705  
 Fullerene, 429  
 Functional applications, 559, 583, 647,  
 655, 791, 1379, 1535, 1761, 1821,  
 1861, 1925, 1943, 2003, 2101, 2195,  
 2633  
 Functionally graded materials, 3067  
  
 Ga, 2695  
 Gahnite, 125  
 Gas pressure sintering, 9  
 $Gd_2O_3$ , 2743  
 $GdAlO_3$ , 3295  
 Gelation, 337  
 Gelcasting, 667, 3083  
 Geopolymers, 3789  
 Glass ceramics, 59, 67, 619, 627, 1141,  
 1463, 1679, 1695, 1925, 2123, 2285,  
 2503, 2511, 2519, 2761, 3301, 3307,  
 3315, 3325, 3335, 3809, 3813, 3825  
 Glass structure, 3613  
 Glass, 619, 623, 627, 761, 993, 1003,  
 1013, 1069, 1149, 1159, 1411, 1455,  
 1463, 1605, 1673, 2105, 2365, 2497,  
 2677, 2685, 3061, 3067, 3295, 3335,  
 3613, 3903  
 Glaze, 3809  
 Goethite, 131  
 Grain boundaries, 599, 1059, 2349,  
 2475, 2855, 2867, 2889, 2899, 2937,  
 3139, 3221  
 Grain boundary diffusion, 3139  
 Grain boundary, 1267, 1707  
 Grain growth, 37, 201, 279, 711, 843,  
 923, 941, 1385, 1755, 1899, 2055,  
 2063, 2327, 2389, 2769, 2909, 3233  
 Grain size, 9, 639, 849, 1213, 1599,  
 1629, 1701, 1755, 1903, 2045, 2307,  
 2389, 2889, 3005  
 B. Grain size, 385  
 Graphitisation, 719  
 Grinding, 209  
 Gypsum, 767  
 Halides, 3487  
 Hardness, 631, 741, 1325, 2427, 2431,  
 3075, 3191, 3441  
 Heterocoagulation, 3133  
 Hexaferrites, 3681  
 $HfO_2$ , 3295  
 Hot pressing, 253, 703, 1281, 1337,  
 1481, 2011, 2373, 2963  
 Hot-isostatic pressing, 639  
 Hot-pressing, 1547, 2349  
 Hydrothermal methods, 849, 3383  
 Hydrothermal reaction, 761  
 Hydrothermal solidification, 297  
 Hydrothermal treatment, 81  
 Hydroxyapatite/titanium, 495  
  
 Image analysis, 1121  
 Image processing, 3373  
 Impedance spectroscopy, 3221  
 Impedance, 2185  
 Impurities, 141, 599, 767, 1801, 2301,  
 2373  
 Inclusions, 73, 519, 2007, 3845  
 Indentation, 1159, 1517, 2527, 3075  
 Indirect infiltration, 3853  
 Injection moulding, 3273  
 Instrumented indentation, 3933  
 Insulators, 735, 2093, 2861  
 Interconnector, 81  
 Interfaces, 363, 967, 1259, 1287, 1619,  
 1725, 2143, 2407, 2769, 2817, 2973,  
 3181, 3253, 3459, 3881  
 Ion exchange, 2677  
 Ionic conductivity, 599, 619, 1371,  
 1439, 2357, 2991, 3221, 3315, 3695  
 Isoelectric point, 223  
 ITO, 73  
  
 Joining, 363, 379, 1287, 1489, 3307,  
 3459, 3825  
 Joints, 961  
  
 $(K, Na)NbO_3$ , 861  
 $K_2NiF_4$  structure, 1969  
 Kaolin, 1663  
 Kaolinite, 1653  
  
 $(La, Sr)(Fe, Ga)O_3$ , 3695  
 $(La, Sr)FeO_3$ , 3665  
 $(La, Sr)MnO_3$ , 3253  
 $(La, Sr)(Ga, Mg)O_3$ , 2357  
 $(La, Sr)(Fe, Ga)O_3$ , 2807  
 $La_2O_3$ , 59  
 $La_2Sn_2O_7$ , 981  
 LAB glass, 3325  
 $La(Co, Ti)O_3$ , 875  
 $LaCrO_3$ , 81  
 $LaFeO_3$ , 3675  
 Laminated composite, 253  
 Laminates, 27, 343, 1489, 2699, 3265,  
 3415  
 $LaNiO_3$ , 403  
 Lanthanum chromite, 81  
 Lanthanum gallate, 2991  
 Lanthanum nickel oxide, 1953  
 Large plate-like gypsum dihydrate, 777  
 LAS, 3301  
 Laser processing, 3705  
 Lasers, 3813  
 Lattice parameter, 635  
 Lattice vibration, 1781  
 $(Li, La)TiO_3$ , 3221  
 $Li_2O$ , 1131  
 $Li_2O-V_2O_5$  flux, 2117  
 $Li_4Ti_5O_{12}$ , 577  
 $LiAl_5O_8$ , 1351  
 $LiAlON$ , 1351  
 Lifetime, 3061, 3357  
 Lime, 297  
 Liquid-phase sintering, 1267, 2397  
 $LnAlO_3$ , 2027  
 LTCC, 1937, 1943, 2123, 2777  
 $(Lu, Y)_2Si_2O_7$ , 2293  
 Lubrication, 223  
  
 Magnesium, 987  
 Magnetic properties, 631, 1811, 1921,  
 2199, 2845, 3005, 3017, 3027, 3675,  
 3681, 3687  
 Magnetical properties, 3031  
 Magnetoelectric effect, 2839  
 Magnetoelectrics, 3027  
 Manganese, 3657  
 Marble dust, 297  
 MAS NMR, 209  
 Maximum likelihood estimation, 3887  
 Mechanical properties, 17, 27, 179,  
 259, 267, 273, 305, 495, 515, 525,  
 549, 683, 697, 755, 837, 957, 1085,  
 1099, 1131, 1159, 1205, 1281, 1317,  
 1337, 1411, 1421, 1429, 1481, 1517,  
 1523, 1687, 1701, 1715, 1737, 2265,  
 2381, 2397, 2419, 2533, 2547, 2647,  
 2653, 2677, 3173, 3335, 3393, 3415,  
 3467, 3477, 3509, 3539, 3575, 3583,  
 3607, 3613, 3647, 3799, 3845, 3853,  
 3861, 3887, 3903, 3919  
 Mechanochemical synthesis, 3711  
 Melting point, 1043  
 Membranes, 449, 949, 981, 1663,  
 2213, 2807, 2999, 3665, 3695  
 Metallic interconnect, 3253  
 $MgAl_2O_4$ , 2603  
 $MgO$ , 639, 2611  
 $MgO-C$  refractories, 2587  
 $MgTiO_3$ , 2817, 3265

- Mica, 1687  
 Microsphere, 533  
 Microstructure, 27, 169, 443, 867, 883, 909, 1035, 1205, 1287, 1411, 1507, 1707, 1889, 1913, 1925, 2139, 2151, 2165, 2219, 2285, 2397, 2719, 2761, 2967, 3161, 3325, 3343, 3459, 3525, 3761, 3919  
 Microstructure-final, 9, 73, 161, 201, 233, 279, 351, 391, 809, 837, 993, 1059, 1107, 1131, 1141, 1149, 1221, 1337, 1463, 1577, 1637, 1827, 1937, 2111, 2117, 2129, 2135, 2279, 2327, 2503, 2533, 2541, 2685, 2823, 3067, 3113, 3431, 3441, 3607, 3639, 3789, 3853  
 Microstructure-prefiring, 559, 1023, 1107  
 Microstructure—prefiring/final, 1301  
 Microwave ceramics, 1845  
 Microwave dielectric materials, 1973  
 Microwave dielectric property, 1999  
 Microwave dielectrics, 875, 1883, 2023, 2031, 3733  
 Microwave materials, 2087  
 Microwave patch antenna, 2189  
 Microwave processing, 1237, 2051  
 Microwave property, 1817  
 Microwave resonators, 2861  
 Microwave, 1841  
 Millimeter wave measurements, 1853  
 Milling, 635, 941, 1051, 1599, 1929, 2087, 2459, 2581, 2845, 3393, 3711  
 A. Milling, 385  
 Misorientations, 2973  
 Mixed conductor, 1371  
 Mixing, 273, 3123  
 Mixture experiment design, 741  
 Modelling, 3647  
 Molten salt synthesis, 2055  
 Morphology, 1637  
 MoSi<sub>2</sub>, 3415  
 Mössbauer spectroscopy, 2581  
 Mullite, 697, 1107, 1447, 1637, 1647, 1653, 2279, 2285, 3351, 3365, 3557  
 NaCl, 3487  
 Nacre, 3639  
 Nanocomposites, 1, 259, 267, 337, 391, 435, 463, 565, 655, 791, 941, 1179, 1195, 1547, 2945, 3295, 3393, 3399, 3813  
 Nanocrystalline powders, 3675  
 Nanoindentation, 259, 267, 1003, 1013  
 Nanoparticles, 2979, 3499  
 Nanoporous anatase, 1231  
 Nanopowder, 373  
 Nanorod, 2769  
 Nanotubes, 435, 1405  
 Nb, 3139  
 (Nd,Y)-TZP, 1205  
 Nd<sub>2</sub>O<sub>3</sub>, 3725  
 Nd<sup>3+</sup> doping, 2761  
 Negative  $\epsilon$  and  $\mu$ , 1811  
 Nernst law, 1605  
 Neutron diffraction, 725, 3515, 3925  
 (Ni, Zn)Fe<sub>2</sub>O<sub>4</sub>, 2839, 3687  
 Ni/Al<sub>2</sub>O<sub>3</sub>, 2205  
 NiMn<sub>2</sub>O<sub>4</sub>, 901  
 Niobates, 605, 1767, 1943, 1973, 1991, 2117, 2143, 3181, 3711  
 Nitrides, 435, 443, 1085, 1535, 1831, 2413, 2485, 2489, 3425  
 NMR, 3343  
 NO, 981  
 Non-destructive evaluation, 2419, 3343  
 Notched specimen, 1421  
 Nuclear applications, 481, 1507  
 Nucleation, 1679  
 Optical microscopy, 627, 1121, 1301, 3509  
 Optical properties, 1, 317, 639, 915, 1535, 1599, 1673, 1965, 2497, 3295, 3301, 3813  
 Ordering, 2885  
 Orientation control, 2143  
 Orientation, 661  
 Oxidation resistance, 3407  
 Oxidation, 187, 1281, 1455, 3741  
 Oxide, 3657  
 Oxygen coulometry, 2899  
 Packing density, 217  
 Palmqvist cracks, 1523  
 Paper, 1023  
 Passivation layers, 3279  
 Paste, 3091  
 (Pb,Ba)TiO<sub>3</sub>, 3203  
 (Pb,Ba)(Zr,Ti)O<sub>3</sub>, 331  
 (Pb,La)TiO<sub>3</sub>, 1611  
 (Pb,La)(Zr,Sn,Ti)O<sub>3</sub>, 883  
 Pb(Fe, Sc, Nb)O<sub>3</sub>, 867  
 PbO–B<sub>2</sub>O<sub>3</sub>, 1611  
 PbTiO<sub>3</sub>, 89  
 Pb(Zn,Nb)O<sub>3</sub>, 2349  
 Pb(Zr,Ti)O<sub>3</sub>, 897  
 PECVD, 1325  
 Percolation, 891, 1999  
 Permeability, 2807  
 Perovskites, 323, 331, 725, 849, 861, 1371, 1385, 1611, 1755, 1767, 1787, 1791, 1821, 1835, 1845, 1873, 1903, 1917, 1921, 1947, 1961, 1965, 1977, 2017, 2039, 2045, 2069, 2169, 2313, 2777, 2807, 2827, 2877, 2885, 2923, 2999, 3005, 3037, 3191, 3247, 3253, 3295, 3665, 3695, 3705, 3717  
 Phase diagram, 3725  
 Phase equilibria, 233  
 Phase transformations, 1393, 1527, 2619  
 Phase transitions, 2293  
 Phosphate glasses, 1455  
 Phosphates, 273, 279  
 Photocatalyst, 2231, 2735  
 Photonic crystal, 2195  
 Piezoelectric properties, 89, 861, 2345, 2349, 2785, 2951, 3197, 3247, 3425  
 Pigments, 125, 311, 317, 735, 1363, 1599, 2301  
 Plasma spraying, 2231, 2561, 3509  
 Plasma-laser hybrid process, 3583  
 Plaster setting, 2541  
 Plasticity, 2265, 2441  
 Platelets, 2823  
 PLZST, 323  
 PLZT, 95, 2349, 2937, 2963, 2967  
 PMMA, 267  
 Poisson's ratio, 3903  
 Polishing, 1035  
 Pollucite, 475  
 Porcelain stoneware, 1647  
 Porcelain, 1023, 1035, 1131, 3373, 3761  
 Pore-gradient, 3525  
 Porosity, 17, 305, 343, 449, 487, 525, 667, 761, 1085, 1301, 1311, 1585, 1663, 1715, 2011, 2249, 2381, 2389, 2511, 2533, 2627, 2653, 2669, 2707, 2951, 2959, 3343, 3431, 3567, 3583, 3647, 3657, 3665  
 Porous ceramics, 957, 2213  
 Potts Model, 37  
 Powder preparation, 915  
 Powder, 3741  
 Powder-gas phase reaction, 3499  
 Powders-chemical preparation, 73, 117, 409, 417, 455, 459, 501, 509, 533, 593, 849, 1213, 1245, 1401, 1447, 1535, 1701, 1973, 1995, 2081, 2257, 2319, 2357, 2593, 2735, 2793, 2963, 3099, 3145, 3365, 3639, 3681  
 Powders-gas phase reaction, 423, 3145  
 Powders-solid state reaction, 443, 725, 803, 901, 1051, 1761, 1781, 1821, 1889, 2035, 2039, 2045, 2063, 2069, 2075, 2101, 2175, 2313, 2389, 2413, 2581, 2931, 2985, 2999, 3011, 3017, 3515, 3733, 3925

- Powders-solid state reactions, 3925  
Powders-solid state, 435  
Precursors-organic, 323, 409, 423,  
1527, 1873, 3399, 3441, 3717, 3903  
Preparation, 549, 655  
Pressing, 683, 2265, 3783  
Pressure filtration, 217  
Processing, 193  
Proton conduction, 1231, 3705  
Proton conductivity, 2365  
PST, 2147  
PTC devices, 2899  
Pulse plasma sintering, 2427  
Pyrolysis, 1107  
PZN, 111, 2345  
PZN–PZ–PT, 1237  
PZT, 95, 111, 117, 613, 1953, 2189,  
2337, 2345, 2799, 2937, 2945, 2951,  
2959  
PZT–PMS–PZN, 3197
- Q factor, 1961  
Quartz, 3761
- Raman microscopy, 3575  
Raman piezospectroscopy, 2337, 3415  
Raman scattering, 1965  
Raman spectroscopy, 409  
Rapid quenching, 623  
Rare earth additives, 2453  
Rare earth doping, 2497  
Rare earth phosphates, 279  
Raw materials, 1363  
R-curve, 3575  
Reaction bonding, 697  
Reaction sintering, Piezoelectric prop-  
erties, 111  
Reaction, 711  
Recycling, 837, 2467  
Refractories, 289, 631, 1429, 1737,  
2273, 2561, 2587, 3357, 3451,  
3831  
Relaxor ferroelectrics, 2867  
Reparability, 689  
Replication process, 179  
Resonators, 2039, 3273  
Resource recovery, 791  
Rheological behaviour, 67  
Rheology, 149  
Rice husk, 797  
Rietveld analysis, 2285  
Rietveld refinement, 317, 3925  
Rietveld, 2587  
Ring tests, 2647  
Room temperature ferromagnetic semi-  
conductors, 3017  
Rutile, 187
- Sanidine, 3335  
Scale characterization, 187  
SC-CO<sub>2</sub>, 1195  
Scratch test, 351  
Sealants, 3307, 3315  
Secondary phase, 1755  
Segregation, 967  
Self-flux, 1977  
Sensors, 613, 1605, 1865, 2951, 3425  
Shaping, 337, 373, 761, 933, 1185,  
1861, 2205, 2743, 3083, 3531  
Shot peening, 2639  
SHS, 2489  
Si/C/N, 1325  
Si<sub>2</sub>N<sub>2</sub>O, 2489  
Si<sub>3</sub>N<sub>4</sub>, 201, 337, 711, 1059, 1069,  
1743, 2407, 2467, 2639, 3459, 3467,  
3909, 3925, 3933  
Sialon, 193, 209, 351, 1337, 2497, 3925  
SiC, 703, 837, 1085, 1259, 1267, 1273,  
1311, 1707, 1715, 1725, 1737, 2381,  
2389, 2453, 2459, 2467, 3407, 3415,  
3451, 3881  
 $\alpha$ -SiC, 2397  
SiC/WC-Co, 3887  
SiCN/C, 3903  
SiCN/Li, 3897  
Silazanes, 3897  
Silicates, 141, 149, 297, 1605, 2097,  
2293, 2547  
Silicide, 193  
SIMS, 967  
Single, 2185  
Sintered, 2627  
A. Sintering, 385  
Sintering, 9, 17, 37, 73, 81, 161, 201,  
279, 337, 373, 391, 397, 417, 449,  
481, 613, 711, 719, 837, 861, 867,  
923, 941, 1059, 1205, 1245, 1351,  
1379, 1385, 1463, 1561, 1591,  
1629, 1679, 1687, 1707, 1791,  
1831, 1899, 1909, 1925, 1937,  
1943, 1969, 1991, 1995, 2003,  
2011, 2051, 2055, 2105, 2111,  
2117, 2135, 2195, 2219, 2249,  
2313, 2427, 2431, 2459, 2475,  
2503, 2511, 2519, 2611, 2777,  
2839, 2845, 2861, 2909, 2963,  
2985, 3161, 3197, 3233, 3301,  
3335, 3407, 3431, 3487, 3607,  
3665, 3695, 3753, 3783, 3919  
SiO<sub>2</sub>, 259, 267, 797, 1561, 2195, 2547  
SiOC, 3441  
Slip casting, 949, 1185, 1591  
Slurry, 3599  
SnO<sub>2</sub>, 73, 1221  
SOFC cathodes, 2827
- Solar furnace, 1043  
Sol–gel methods, 1527, 3153, 3203, 3241  
Sol–gel processes, 117, 141, 259, 267,  
577, 583, 915, 1185, 1195, 1311,  
1577, 1879, 1917, 1953, 2143, 2147,  
2169, 2279, 2293, 2319, 2611, 3241,  
3631, 3675  
Sol–gel, 1547  
Solid oxide fuel cell (SOFC), 3153  
Solids loading, 67  
Solution combustion, 397  
Solvothermal synthesis, 2257  
Sonication, 747  
Spark plasma sintering, 1701, 2431,  
3301  
Spectroscopy, 317, 553, 987, 1807,  
1817, 1845, 1921, 2301, 2441, 2603,  
2699, 2855, 2861, 2867, 2889, 3613,  
3789  
Spherical dielectric resonators, 2193  
Spinels, 317, 577, 735, 791, 901, 2301,  
2603, 2833, 3831  
SPS, 3233, 3393  
(Sr, Ce)(Mn, Al)O<sub>3</sub>, 1371  
(Sr, Ba)Nb<sub>2</sub>O<sub>6</sub>, 2839  
Sr<sub>0.5</sub>Ba<sub>0.5</sub>Nb<sub>2</sub>O<sub>6</sub>, 647  
SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub> nanocrystallites, 409  
SrBi<sub>2</sub>Nb<sub>2</sub>O<sub>9</sub>, 3717  
Sr(Ce, Y)O<sub>3</sub>, 3705  
Sr(Fe, Al)O<sub>3</sub>, 3695  
SrTiO<sub>3</sub>, 2817, 2855  
S–Sialon, 3919  
Stainless steel slag, 3831  
Starch consolidation casting, 1301  
Statistical analysis, 3061, 3191  
Steel, 2633  
Strain, 2161  
Strength, 27, 363, 379, 661, 689,  
1059, 1099, 1287, 1421, 1497, 1663,  
2547, 2639, 2647, 2653, 3043, 3113,  
3761  
Stress relaxation, 1003, 1013  
Structural applications, 201, 247, 379,  
667, 1281, 2293, 2541, 3335, 3933  
Substituted Bi<sub>2</sub>O<sub>3</sub>, 3011  
Substrates, 179, 1827, 1853, 2011,  
2051, 2199, 2633, 3431  
Superplastic deformation, 379  
Superplasticity, 1069  
Surface energy, 2241  
Surfaces, 469, 571, 583, 627, 767, 987,  
1673, 1801, 2241, 2533  
Surfactant, 2627  
Suspensions, 149, 217, 337, 373, 559,  
661, 891, 933, 1171, 1185, 1555,  
1567, 1591, 1807, 2205, 2459, 2951,  
3091, 3083, 3123, 3153, 3365, 3531

- $Ta_2O_5$ , 923, 2753  
 Tantalates, 605, 1991, 3181, 3273  
 Tape casting, 67, 253, 1489, 2241, 2793, 3415, 3799  
 TCP/HDPE, 273  
 $TeO_2$ , 1149  
 TEOS, 259  
 Testing, 1421, 1743, 2647  
 Tetragonality, 1393, 1401  
 Thermal barrier coatings, 49, 247, 2249  
 Thermal conductivity, 639, 667, 703, 711, 1497, 2475, 2653, 2669, 3467, 3567  
 Thermal expansion, 289, 1411, 2273, 2699, 2827, 3769, 3825  
 Thermal properties, 247, 455, 459, 703, 735, 747, 831, 1043, 1647, 1679, 2453, 2653, 3583  
 Thermal residual stress, 553  
 Thermal shock resistance, 1517, 1523, 1743, 2527, 2561  
 Thermal tuning, 1865  
 Thermistors, 909, 2833, 2909  
 Thermodynamic modelling, 233  
 Thermodynamic properties, 3005  
 Thick film, 2985  
 THz-TDS, 1857  
 $Ti_2AlC$ , 3871  
 $Ti_3SiC_2$ , 1051, 2373, 2441  
 $TiB_2$ , 187, 2427, 2431  
 $TiB_2$ - $MoSi_2$ , 187, 1293  
 TiC cermet, 1287  
 TiC, 1317, 3853, 3861  
 TiC/a-C:H, 565  
 Tiles, 305, 311, 2285, 2533, 3373, 3769, 3809  
 Time-dependence, 2799  
 TiN, 3173, 3861  
 $TiO_2$ , 49, 423, 449, 559, 571, 673, 915, 923, 1231, 1405, 1527, 1535, 1547, 1555, 1861, 2007, 2031, 2069, 2093, 2195, 2219, 2231, 2365, 2707, 2719, 2727, 2735, 3123, 3287, 3509  
 D.  $TiO_2$ , 1929  
 Ti-rich BaO- $TiO_2$ , 1913  
 Titanates, 673, 1405, 2319  
 Tohdite, 2707  
 Toner, 2459  
 Toughening, 2639  
 Toughness and toughening, 343, 679, 1273, 1421, 2431, 2677, 3399, 3575  
 Toughness, 1517, 1523, 1715, 3075, 3173, 3761  
 Traditional ceramics, 161, 305, 741, 1647, 2533, 3343, 3351  
 Transferred arc, 3499  
 Transformation cycling, 1337  
 Transformation, 3325  
 Transition metal oxides, 317, 391, 1869, 2307, 3287, 3301  
 Transparency, 1351  
 Transparent ceramics, 3295  
 Tricalcium phosphate, 1473  
 Tunability, 1917, 1981, 2915  
 Tunable device, 2169  
 Tungstate, 2051  
 Tungstenbronze-type-like structure, 2035  
 TZP, 253  
  
 $V_2O_5$ , 3287  
 Varistor, 1221, 2307, 2985, 3279, 3753  
 Vibrational spectra, 831  
  
 $W_2B_5$ , 3477  
 Waste materials, 305, 1023, 1141, 2547, 3335, 3783  
 WC, 3845  
 WC-Co, 2407  
 Wear parts, 1213, 3887  
 Wear resistance, 223, 351, 565, 1273, 1293, 1317, 1325, 2407, 2441, 2561, 2619, 2639, 3477, 3547  
 Weibull distribution, 3621  
 Weibull statistics, 1099, 3043  
 Wettability, 3881  
 Wetting, 59  
 Whiskers, 149, 1121, 1561, 2467, 2485  
 Whiteware, 169  
 Willemite, 1827  
 $WO_3$ , 1149  
 Wollastonite, 149, 1121  
  
 Wood, 1311, 3657  
  
 X-ray methods, 233, 463, 509, 631, 635, 725, 809, 843, 901, 1023, 1507, 1547, 1653, 1761, 1895, 1961, 1969, 1973, 2003, 2035, 2039, 2059, 2063, 2075, 2101, 2105, 2279, 2285, 2293, 2307, 2357, 2373, 2587, 2603, 2753, 2833, 2931, 2999, 3011, 3017, 3197, 3441, 3451, 3733, 3789  
 XRD, 209  
  
 $Y_2O_3$ -based ceramics, 1869  
 $Y_2O_3$ , 3515, 3607, 3881  
 $Y_3Al_5O_{12}$ , 3113  
 YAG, 3557  
 $Yb_2O_3$ , 3607  
 Young's modulus, 289  
 YSZ, 2627, 3153  
 YSZ-Ni, 967  
 Yttria-stabilized zirconia, 1725  
 Yttrium aluminium garnet, 1577  
 Y-TZP, 1497  
  
 Zeolite, 463, 469, 481  
 (Zn, Mg) $TiO_3$ , 3753  
 $Zn_3(PO_4)_2$ , 3279  
 $Zn_7Sb_2O_{12}$ , 2307  
 ZnO nanorod, 3745  
 ZnO, 1857, 2063, 2769, 2979, 3017, 3279, 3753  
 $ZrO_2$ , 49, 223, 247, 373, 379, 391, 515, 553, 599, 679, 697, 923, 933, 961, 967, 981, 1085, 1185, 1195, 1205, 1481, 1489, 1585, 1725, 2075, 2241, 2249, 2257, 2313, 2611, 2627, 2633, 3113, 3123, 3133, 3139, 3145, 3153, 3173, 3307, 3531, 3547, 3557, 3567, 3575, 3583, 3599, 3607, 3725, 3845  
 $ZrO_2/Al_2O_3$  composite, 3539  
 $ZrO_2$ - $Gd_2O_3$ - $Al_2O_3$ , 233  
 $ZrO_2$ - $Y_2O_3$ - $CeO_2$ , 1507  
 $ZrSiO_4$ , 1599  
 ZTA, 2619