

## Keyword Index

- A. CaO materials, 1953  
A. Firing, 2771  
A. Joining, 3277  
A. Sintering, 2875  
A. Suspensions, 2361  
A: Drying, 2229  
Acoustic emission, 457  
Acoustic resonator, 2949  
Actuators, 3739, 4075, 4135, 4159, 4163, 4177, 4191  
Additives, 915  
Aerosol, 4489  
Aerosol deposition, 2789  
Aerosol flame deposition, 3671  
Ag, 4521  
Ageing, 1547  
Agglomerate, 231  
Ag(Nb,Ta)O<sub>3</sub>, 2549  
Air bubble, 879  
Airflow deposition, 4353  
Al<sub>2</sub>O<sub>3</sub>, 851, 3023  
Algebraic constructions, 993  
Alkali oxides, 1837, 2697  
AlMgB<sub>14</sub>, 493  
AlN, 337, 343, 351  
Al<sub>2</sub>O<sub>3</sub>, 27, 35, 41, 47, 53, 61, 91, 131, 143, 151, 157, 641, 645, 669, 733, 739, 749, 753, 759, 831, 843, 873, 879, 947, 1193, 1293, 1307, 1319, 1325, 1333, 1345, 1351, 1365, 1389, 1449, 1455, 1547, 1697, 1837, 1843, 1849, 1875, 1913, 1919, 1927, 1935, 2385, 2393, 2613, 2623, 2629, 2679, 3191, 3261, 3317, 3345, 3399, 3407, 3629, 3977, 4251, 4561, 4613, 4727, 4737, 4759  
Al<sub>2</sub>O<sub>3</sub>/SiC, 389, 2385  
Al<sub>2</sub>O<sub>3</sub>/YAG, 143  
Al<sub>2</sub>O<sub>3</sub>–Cr composites, 1273, 1281  
Al<sub>2</sub>O<sub>3</sub>–SiC, 1237  
Al<sub>2</sub>TiO<sub>5</sub>, 13, 679, 1431, 1455, 3475  
Alumina oxide, 2811  
Alumina refractory castables, 4623  
Aluminium nitride, 855  
Aluminous cement, 1469  
Amphoteric copolymer, 463  
Amplitude-dependence, 1487  
Anatase, 4529  
Anelasticity, 1475  
Anisotropy, 2623  
ANT (AgNb<sub>1-x</sub>Ta<sub>x</sub>O<sub>3</sub>), 1087, 1171  
Al<sub>2</sub>O<sub>3</sub>, 19  
Apatite, 673, 1187, 1527, 1553, 1579, 1585, 1595, 2287, 2401, 4181, 4547, 4595  
Aqueous corrosion, 3573  
Aqueous synthesis, 4537  
Artificial neural network (ANN), 641  
Asbestos, 1855  
Ascorbic acid, 1405  
B. Interfaces, 3277  
B. Nanocomposites, 2361, 4705  
B. Porosity, 1953  
(Ba, Sr)TiO<sub>3</sub>, 1047  
(Ba<sub>1-α</sub>Sr<sub>α</sub>)<sub>6-3x</sub>R<sub>8+2x</sub>Ti<sub>18</sub>O<sub>54</sub>, 3059  
BaFe<sub>12</sub>O<sub>19</sub>, 2045  
BaNb<sub>2</sub>O<sub>6</sub>, 4445  
BaO–(Sm,Nd)<sub>2</sub>O<sub>3</sub>–TiO<sub>2</sub>, 3033  
BaO–TiO<sub>2</sub>, 3069  
Barium titanate, 4367  
Basalt, 1829  
BaSm<sub>2</sub>Ti<sub>4</sub>O<sub>12</sub>, 2849  
BaSrTiO<sub>3</sub>, 2949  
Ba<sub>3</sub>Ti<sub>4</sub>Nb<sub>4</sub>O<sub>21</sub>, 3053  
Ba<sub>2</sub>Ti<sub>9</sub>O<sub>20</sub>, 2875  
BaTiO<sub>3</sub>, 247, 1077, 1113, 1129, 1159, 3149, 3439, 3723  
BaTiO<sub>3</sub> and titanates, 463, 505, 575, 749, 1177, 2245, 2789, 2845, 3655, 3739, 3753, 3847, 3861, 3901, 4017, 4061, 4353, 4437, 4489, 4547  
BaTiO<sub>3</sub> films, 3807  
Ba<sub>2</sub>Ti<sub>9</sub>O<sub>20</sub> thin film, 2871  
BaTiO<sub>3</sub>–(Ni,Zn) ferrite, 3947, 4379  
Batteries, 1137, 3823, 4199, 4215, 4413  
Bauxite Residue, 1645  
(Ba<sub>1-x</sub>Sr<sub>x</sub>)<sub>5</sub>Nb<sub>4</sub>O<sub>15</sub>, 2273  
Ba<sub>1-x</sub>Sr<sub>x</sub>(Ti<sub>1-x</sub>Li<sub>x</sub>)O<sub>3-3x</sub>F<sub>3x</sub> ceramics, 1097  
BaZrO<sub>3</sub>, 3625  
B<sub>4</sub>C, 2085  
Bentonite, 1691  
BiFeO<sub>3</sub>, 937, 4399, 4417  
Bi(Mg,Ti)O<sub>3</sub>, 237  
Binder, 2687  
Bi<sub>2</sub>O<sub>3</sub>, 4421  
Bi<sub>2</sub>O<sub>3</sub> doped ceria, 801  
Bioactivity, 1527, 4547  
Biomedical applications, 151, 1325, 1521, 1527, 1535, 1543, 1547, 1553, 1559, 1565, 1579, 1589, 1595, 1601, 2671, 3287, 3391, 4093, 4181, 4191, 4547  
Biomorphic materials, 367  
Bi<sub>2</sub>O<sub>3</sub>–ZnO–Ta<sub>2</sub>O<sub>5</sub>, 3647  
Bismuth sodium titanate, 3633  
Bismuth titanate, 663  
Bismuth-layer structure, 3641  
Bi<sub>4</sub>Ti<sub>3</sub>O<sub>12</sub> ceramics, 4115  
Blue-turquoise pigment, 1743  
BMAS, 1223  
BN, 313, 319  
B<sub>2</sub>O<sub>3</sub>, 261  
Borate anomaly, 825  
Boride (NbB<sub>2</sub>), 527  
Borides, 301, 307, 1357, 1715, 2077, 2203, 2495, 2729, 3053  
BST, 3799  
BST-COC, 3997  
BST-PPS, 2923  
C. Carbonation treatment, 1953  
C. Dielectric properties, 2771, 2875  
C. Magnetic properties, 2771  
C. Strength, 4705  
C. Wettability, 3277  
C: Chemical properties, 2229  
Ca<sub>0.85</sub>Nd<sub>0.1</sub>TiO<sub>3</sub>, 3005  
CaCu<sub>3</sub>Ti<sub>4</sub>O<sub>12</sub>, 3901, 3991  
Calcinations, 561, 585, 593, 1165, 1601, 1763, 2401, 2827

- Calcite, 1677  
Calcium aluminates, 1781, 1785  
Calcium phosphate, 3215  
Calcium silicate, 1707  
CaO, 1379  
CaO–Al<sub>2</sub>O<sub>3</sub>–SiO<sub>2</sub> base slags, 1961  
Capacitors, 247, 1047, 1087, 1171, 2549, 2561, 2789, 2803, 2849, 2871, 2983, 3149, 3605, 3683, 3799, 3847, 3987, 4017, 4445, 4489  
Carbide (NbC), 527  
Carbides, 695, 763, 1217, 1399, 1905, 2061, 2171, 2195, 3053, 3269, 3287, 3527, 3551  
Carbon, 1211, 1229, 1411, 2171, 2535, 3527, 4813  
Carbon coating, 909  
Carbon fibre, 291, 3551  
Carbon nanotubes, 2183  
Carbothermal, 743  
Carbothermal reduction, 715, 719  
(Ca,Sr)Bi<sub>4</sub>Ti<sub>4</sub>O<sub>15</sub>, 2591  
Castables, 67, 1849, 4623  
Cathodic overpotential, 4211  
CaTiO<sub>3</sub>, 4453  
CaZrO<sub>3</sub>, cement clinker, microstructure, 79  
Cellular ceramics, 367  
CeO<sub>2</sub>, 19, 523, 585, 1041, 3127, 3445, 3671, 3677, 4261, 4273  
Ceramic disk, 1  
Ceramic filter, 637  
Ceramic matrix composites, 377, 3889  
Ceramic pigments, 1899  
Ceramic tiles, 1631  
Ceramics, 41, 2281  
Cermets anodes, 4233  
Cermets, 2053, 3295  
Ce-TZP, 483  
Chemical preparation, 4261  
Chemical properties, 101, 993, 1589, 1837, 4509, 4555  
Chemical solution deposition, 3769  
Chemical stability, 3475  
Chemical vapor infiltration, 4813  
Chemical vapor infiltration (CVI), 2119  
Chemical vapor synthesis (CVS), 4333  
Chlorapatite, 2287  
Chromium hardening, 3317  
Chromium-rich ashes, 4657  
Circulator, 2771  
Clays, 1727, 1763, 1865, 743  
Cleanability, 101, 4555, 4569  
Coatings, 101, 165, 1077, 1775, 3117, 3545, 4675  
Co-continuous composites, 131  
Colloidal processing, 4613  
Color, 215, 1899, 3483  
Colour, 179, 199, 1743, 1751, 1791, 4589  
Columbite route, 3613  
Combinatorial, 2229  
Combinatorial high-throughput, 4437  
Combustion synthesis, 115, 707, 3619, 3719, 4751  
Communications, 2765  
Compliances, 223  
Composite thick PZT films, 3759  
Composites, 279, 291, 301, 307, 319, 351, 413, 419, 479, 487, 511, 541, 695, 763, 837, 843, 931, 979, 1029, 1071, 1143, 1211, 1217, 1223, 1229, 1267, 1287, 1299, 1303, 1325, 1333, 1357, 1395, 1411, 1443, 1449, 1463, 1469, 1493, 1547, 1553, 1559, 1589, 1595, 1601, 1805, 1817, 2077, 2153, 2171, 2495, 2513, 2635, 2679, 2923, 2963, 3039, 3087, 3093, 3109, 3113, 3177, 3261, 3269, 3339, 3517, 3527, 3561, 3663, 3705, 3839, 3923, 3941, 3947, 3983, 3997, 4147, 4173, 4187, 4211, 4223, 4237, 4257, 4379, 4603, 4759  
Computational study, 499  
Conductive polymer, 909  
Conductivity–temperature dependence, 1361  
Confocal scanning laser microscopy, 3497  
Connectivity 3, 4169  
Copper, 337, 855, 987  
Copper metallurgy, 2433  
Copper tracks, 851  
Coprecipitation, 451  
Cordierite, 131, 1829, 1893, 3045, 3659  
Corrosion, 79, 377, 565, 1217, 1357, 1763, 1811, 1817, 1961, 2039, 2085, 2127, 2137, 2705, 3963, 3983, 4633  
Co-sintering, 673  
Crack growth, 557  
Crack-healing, 3261  
Cracking, 2485, 3117  
Creep, 67, 143, 701, 1475, 1503, 2053, 3253, 3295, 3311, 3325, 3371, 3385, 4603, 4613, 4675  
Cr<sub>2</sub>O<sub>3</sub>, 1017, 4759  
Cryogel, 3469  
Crystal structure, 2977  
Crystallisation, 429  
Crystallization, 599, 3171, 3239  
CSLM, 1961  
Cu, 291, 337  
Cutting tools, 419  
CVI-R, 3433  
Cymbal, 4173  
D. Al<sub>2</sub>O<sub>3</sub>, 4705  
D. Borides, 3277  
D. CaCO<sub>3</sub> film, 1953  
D. Ferrites, 2771  
D. ZrO<sub>2</sub>, 2361  
Damage resistance, 4603  
Defects, 535, 769, 903, 1113, 1123, 1159, 1333, 1419, 1481, 1503, 1865, 1927, 1991, 2355, 2937, 4081, 4279  
Deformation, 3377  
Density, 753  
Dental restorations, 899  
Dielectric, 2471  
Dielectric ceramics, 4479  
Dielectric properties, 237, 247, 253, 261, 505, 655, 663, 825, 1047, 1053, 1059, 1065, 1077, 1087, 1093, 1113, 1117, 1123, 1129, 1171, 1181, 1193, 2017, 2025, 2045, 2245, 2281, 2463, 2481, 2529, 2549, 2561, 2567, 2753, 2759, 2789, 2797, 2803, 2811, 2827, 2835, 2841, 2865, 2871, 2875, 2887, 2893, 2907, 2911, 2923, 2927, 2933, 2937, 2945, 2957, 2963, 2967, 2973, 2977, 2989, 3005, 3011, 3017, 3023, 3027, 3033, 3039, 3049, 3053, 3063, 3069, 3081, 3087, 3093, 3099, 3105, 3141, 3445, 3605, 3641, 3655, 3659, 3683, 3753, 3799, 3807, 3811, 3829, 3839, 3843, 3847, 3851, 3855, 3901, 3971, 3977, 3987, 3991, 3997, 4011, 4025, 4029, 4033, 4037, 4041, 4051, 4055, 4093, 4107, 4139, 4177, 4187, 4359, 4367, 4371, 4375, 4383, 4425, 4437, 4445, 4473, 4489, 4499, 4719, 4767  
Dielectric resonator, 2841, 3001  
Dielectrics, 2747  
Dielectrics properties, 2273  
Diffusion, 969, 2355, 2983, 3221, 3295, 3459  
Dilute magnetic semiconductors, 3915  
Diopside–Ca-Tschermak, 2325  
Dip coating, 3749  
Dip-drawing method, 2223  
Dispersants, 2209  
DOE, 1883  
Dolomite, 1651  
Dolomite/quartz mixture, 535  
Domain boundaries, 1999  
Doping, 1991  
Drying, 3117, 457  
Dy<sub>2</sub>O<sub>3</sub>, 125  
E. Hydration resistance, 1953  
Eggshell, 1601  
Elastic moduli, 35

- Electric arc furnace dust, 2423  
Electric conductivity, 405  
Electrical conductivity, 253, 541, 801, 851, 909, 959, 975, 1041, 1113, 1159, 1361, 2009, 2153, 2811, 2823, 3413, 3601, 3735, 3873, 3907, 3931, 3977, 4115, 4205, 4211, 4229, 4257, 4273, 4283, 4307, 4461  
Electrical noise, 4011  
Electrical properties, 173, 571, 575, 813, 979, 1101, 1137, 1199, 1607, 2009, 2045, 2237, 2445, 2577, 2841, 2845, 2849, 2871, 2903, 2953, 3161, 3439, 3697, 3701, 3811, 3835, 3867, 3877, 3883, 3893, 3897, 3923, 3935, 3947, 3963, 4011, 4017, 4115, 4143, 4153, 4223, 4245, 4251, 4287, 4307, 4379, 4521  
Electrocaloric, 4021  
Electrocaloric cooling, 3109  
Electroceramics, 2577  
Electrochemical corrosion, 2127  
Electrochemical wiring, 909  
Electrode, 2983  
Electrolyte film, 173  
Electromechanical modelling, 4135  
Electron microscopy, 207, 253, 493, 545, 813, 927, 975, 987, 1395, 1805, 2045, 2203, 2237, 2355, 2423, 2433, 2503, 2697, 2737, 2845, 2933, 3497, 3517, 3609, 3735, 3775, 4103, 4131, 4325, 4349, 4359, 4371, 4399, 4407  
Electronic microscopy, 4245, 4421  
Electrophoretic deposition (EPD), 173, 1299  
Electrorheology, 1199  
Electrospinning, 3651  
Embedded air cavity, 2881  
Embedded resistors, 2779  
Engine components, 377, 2085  
Environmental barrier coating, 2705  
Erbium doping, 3803  
Erosion, 3221  
Eu-monazite, 109  
EuPO<sub>4</sub>, 109  
Evanescent microwave microscopy, 3069  
EXAFS, 4265  
Exchange coefficient, 1919  
Extended X-ray absorption fine structure (EXAFS), 2995  
Extrinsic behaviour, 4025  
Extrusion, 53, 61, 157, 1865, 2303, 2333, 2455, 2923  
Failure analysis, 4813  
Failure analysis, 1143, 1481, 1535, 1919, 2597, 3551, 4173  
Fatigue, 483, 1223, 2485, 3135, 3301  
Ferrimagnetism, 3911  
Ferrites, 279, 723, 921, 941, 1071, 2045, 2765, 4391, 4515  
Ferroelectric films, 2899  
Ferroelectric properties, 1093, 1177, 2025, 2549, 2567, 2927, 3109, 3655, 3663, 3687, 3705, 3709, 3713, 3723, 3765, 3789, 3793, 3835, 3951, 4007, 4021, 4033, 4061, 4071, 4075, 4081, 4107, 4187, 4321, 4353, 4359, 4363, 4383, 4403  
Ferroelectrics, 655, 2747, 2759, 2971, 2949, 4045  
FGMs (functionally graded materials), 1935  
Fibres, 53, 1543, 1759, 1837, 2119, 3253, 3651  
Films, 207, 291, 937, 1047, 1083, 1129, 2237, 2623, 2759, 2849, 2927, 2945, 2983, 3109, 3287, 3745, 3753, 3765, 3769, 3775, 3785, 3789, 3799, 3811, 3815, 3819, 3829, 3835, 3847, 3851, 3967, 3983, 4143, 4177, 4229, 4273, 4353, 4359, 4363, 4403, 4417, 4529, 4537  
Finishing, 3183  
Finite element analysis, 1143  
Finite element modelling, 4153  
Firing, 523, 701, 1325, 1665, 1671, 1767, 2953, 3489, 3509, 4657, 4665  
Flexibility, 3093  
Floating zone method, 2861  
Fluoride, 1829  
Flux synthesis, 3779  
Fly ash, 4639  
Foams, 41  
Fracture, 13, 1875, 1913, 2407, 2597, 4603  
Freeze casting, 4595  
Friction, 915  
Friction properties, 1411  
Frontal process zone, 13  
Frost resistance, 1767  
FTIR spectroscopies, 2893  
Fuel cells, 273, 487, 561, 581, 673, 1035, 1187, 1405, 1817, 3113, 3127, 3231, 3597, 3619, 3671, 3677, 3731, 4195, 4211, 4223, 4229, 4233, 4237, 4241, 4257, 4261, 4273, 4273  
Functional applications, 851, 993, 1607, 1775, 1865, 2325, 2549, 2903, 2933, 2945, 2963, 3011, 3201, 3407, 3663, 3667, 4075, 4111, 4301, 4425  
Functionally graded materials, 151, 1281, 1293, 1365, 2393, 3113  
Gadolinia-doped CeO<sub>2</sub>, 4345  
Gallium garnet, 199  
Gamma-irradiation, 4251  
Garnet structure, 2865  
Gas/solid reaction, 2111  
Geopolymers, 2697  
Glass, 397, 429, 499, 565, 629, 819, 825, 1293, 1543, 1595, 1615, 1623, 1637, 1657, 1703, 1811, 1817, 1823, 1935, 2393, 2407, 2415, 2635, 2715, 3221, 3253, 4589, 4773, 4783  
Glass ceramics, 531, 623, 1165, 1223, 1521, 1571, 1579, 1615, 1721, 1805, 1893, 2017, 2311, 2317, 2325, 2415, 2423, 2779, 2953, 3171, 3231, 4575  
Glazes, 179, 1671, 1697, 1811, 2311  
Gradient ceramic–metal composites, 651  
Grain boundaries, 429, 475, 1101, 1193, 1431, 1811, 1913, 2053, 2255, 3377, 3439, 3897, 3901, 3991, 4011, 4283, 4421, 4499, 4613, 4697  
Grain growth, 185, 267, 715, 801, 1651, 1999, 2401, 2463, 2591, 3161, 3331, 3453, 3633, 3867, 3901, 3991, 4103, 4665  
Grain size, 41, 185, 451, 689, 719, 921, 1041, 1123, 1129, 1339, 1455, 1893, 2061, 2217, 2245, 2535, 2567, 2641, 2725, 2945, 3141, 3201, 4301, 4413, 4665, 4705, 4711, 4737  
Gypsum, 3517  
Gypsum–Latex, 1395  
Hardness, 223, 493, 623, 629, 1399, 1721, 1767, 1905, 2145, 2407, 3359, 4711, 4783  
Hertzian test, 3345  
Hetero-modulus ceramics, 2171, 3527  
Hexaferrites, 4515  
High piezoelectric properties, 3613  
High throughput, 3785  
High-throughput combinatorial, 3861  
Hot isostatic pressing, 1237  
Hot pressing, 319, 327, 831, 1087, 1093, 1273, 1361, 2153, 2171, 2183, 2203, 2463, 2613, 3331, 3339, 4037  
HTS filter, 2861  
Hydration, 605  
Hydrothermal synthesis, 723  
Hydroxyapatite, 2671  
Hydroxyapatite composite, 157  
Impedance, 1035, 1361, 2759, 3601, 3731, 4115, 4153, 4237, 4245, 4251, 4257, 4261, 4283, 4421, 4489, 4521  
Impedance spectroscopy, 3935, 4313

- Impurities, 965, 2705, 2911, 3049, 3317, 3701, 3919, 4071  
 Inclusion, 637  
 Inclusions and microstructure-final, 3039  
 Indentation fracture, 2347  
 Infiltration, 1229  
 Infrared, 3745  
 Infrared spectroscopy, 4321  
 Injection moulding, 1565  
 Insulators, 41, 2217, 2753, 3701, 3977, 4051  
 Interface phase transitions, 3459  
 Interfaces, 165, 457, 1035, 1193, 1513, 1589, 1811, 3295, 3301, 3307, 3425, 3459, 3851, 3967, 3983, 4181, 4307, 4759  
 Interpenetrating structure, 831  
 Ionic conductivity, 599, 1187, 2445, 3459, 4215, 4237, 4269, 4279, 4283, 4297, 4345, 4425  
 Ionic conductor, 3469  
 Joining, 337, 855, 1281, 1351, 1389, 2513, 3539  
  
 KNbO<sub>3</sub>, 3591  
 K<sub>2</sub>NiF<sub>4</sub>, 571  
 Kramers–Kronig method, 3081  
 KSr<sub>2</sub>Nb<sub>5</sub>O<sub>15</sub>, 267  
  
 (La, Sr)(Fe, Cr, Mg)O<sub>3</sub>, 4509  
 LaCoO<sub>3</sub>, 4407  
 LaFeO<sub>3</sub>, 2455  
 Lamb waves, 4147  
 La(MgSn)<sub>0.5</sub>O<sub>3</sub>, 2973  
 La(Mg,Ti)O<sub>3</sub>, 2887  
 Laminates, 351, 1449, 1455  
 Lamp envelopes, 3629  
 LaNiO<sub>3</sub>, 1083, 3819  
 Lanthanum, 3701, 4773, 4783  
 Lanthanum aluminate, 3201  
 Laser floating zone, 3963  
 Laser pyrolysis, 931  
 Laser zone melting, 3959  
 La<sub>10</sub>Si<sub>6</sub>O<sub>27</sub>, 2445  
 Lattice defects, 2797  
 Layered ceramic composites, 1373  
 (Layered) Nitrides, 4199  
 Leaching process, 619  
 Lead free, 4125  
 Lead-free ceramics, 3453, 4093  
 Lead-free piezoelectric, 4103  
 Lichen, 1763  
 Life time, 377, 1159, 1493, 1703, 2085, 4017  
 Li(Nb,Ti)O<sub>3</sub>, 261  
 Liquid crystals, 2903  
 Liquid-phase sintering, 2521, 3351, 3359, 3935  
 Lithium disilicate, 1571  
 Lithium intercalation, 4199  
 Lithium ion batteries, 909  
 Local properties, 3439  
 Low temperature sintering, 3075, 3613  
 Low-melting glass addition, 4479  
 Low-temperature firing, 819  
 Low-temperature sintering, 3053  
 LPS SiC, 2127  
 LSGM, 599  
 LTCC, 2017, 2237, 3843  
 LTCC materials, 2779  
 LTCC system, 2785  
 Lubrication, 915  
 Lu<sub>3</sub>Ga<sub>5</sub>O<sub>12</sub>, 199  
 Lu<sub>2</sub>O<sub>3</sub>, 125, 191  
  
 Machinable ceramics, 1259, 1425  
 Magnesium fluoride, 3371  
 Magnesium titanates, 2963  
 Magnetic properties, 655, 921, 941, 1029, 1071, 2765, 3171, 3663, 3709, 3873, 3911, 3919, 3927, 3947, 3951, 3955, 3967, 4379, 4391, 4515  
 Magnetoelectricity, 3709  
 Manganites, 3919, 3941, 4395  
 Mechanical activation (MA), 527  
 Mechanical properties, 1, 13, 35, 53, 73, 131, 157, 301, 307, 319, 351, 377, 397, 413, 437, 479, 493, 511, 689, 759, 763, 781, 1203, 1211, 1237, 1247, 1273, 1281, 1293, 1307, 1339, 1365, 1389, 1399, 1419, 1425, 1443, 1463, 1469, 1487, 1513, 1535, 1553, 1559, 1565, 1665, 1677, 1697, 1775, 1875, 1893, 1905, 1935, 2077, 2085, 2287, 2303, 2325, 2385, 2393, 2407, 2415, 2485, 2521, 2671, 2679, 2729, 3135, 3207, 3215, 3253, 3269, 3317, 3339, 3345, 3359, 3385, 3391, 3425, 3475, 3489, 3509, 3551, 3739, 3959, 3963, 4065, 4575, 4675, 4697, 4719, 4767  
 Mechanochemical synthesis, 2265  
 Membranes, 53, 969, 2455, 3597, 4139, 4219, 4245, 4251, 4269, 4279, 4509  
 Metamaterials, 1029  
 MgAlON, 319  
 MgO, 73, 79, 599, 759, 1077, 1313, 1379, 1651, 1961, 3735, 3855, 4697  
 MgO–CaO–ZrO<sub>2</sub>, 4633  
 Mg<sub>2</sub>SiO<sub>4</sub>, 3105  
 Micro-drilling, 1259  
 Micro-end-milling, 1259  
 Microfabrication, 645  
 Micro-machining, 1259  
 Micromechanical modeling, 3365  
 Micro-shaping, 1259  
 Microstructural-final, 3517  
 Microstructure, 47, 109, 267, 301, 307, 319, 663, 797, 1053, 1117, 1123, 1339, 1425, 1715, 1823, 2077, 2541, 2835, 2845, 2923, 3017, 3239, 3351, 3573, 4121  
 Microstructure pre-firing, 3779  
 Microstructure-final, 511, 623, 669, 673, 801, 843, 1059, 1187, 1237, 1293, 1395, 1463, 1487, 1521, 1571, 1665, 1671, 1677, 1767, 1791, 1805, 1875, 1935, 1973, 2203, 2295, 2317, 2423, 2433, 2629, 2647, 2655, 2729, 3161, 3207, 3231, 3509, 3609, 3633, 3641, 3861, 3915, 3997, 4037, 4103, 4125, 4205, 4223, 4233, 4261, 4375, 4521  
 Microstructure-pre-firing, 645, 3399  
 Microwave, 2917, 3847  
 Microwave applications, 3023  
 Microwave dielectric ceramics, 3011  
 Microwave dielectric properties, 2861, 3045  
 Microwave dielectrics, 261, 2855, 2989, 3059, 3445, 3647  
 Microwave integrated circuits (MICs), 2941  
 Microwave processing, 343, 689, 1855, 2953, 3799  
 Microwave sintering, 3793  
 Microwaves, 1177  
 Milling, 535, 575, 729, 733, 753, 903, 1001, 1017, 1101, 2265, 2535, 3069, 3727, 3897, 4301, 4345, 4399, 4413  
 Mixed conducting oxides, 4195  
 Mixed ionic-electronic conductivity, 4291  
 Mixing, 1077, 1871, 3087, 3561, 3839  
 MLCC, 2917  
 Modelling, 2377  
 Moisture absorption and capillary suction, 1727  
 Molten salt synthesis, 4745  
 Monazite, 3207  
 Morphotropic phase boundary, 237  
 Mortars, 1735  
 MoSi<sub>2</sub>, 351, 357  
 Mo-S-I nanowires, 915  
 Mössbauer spectroscopy, 4665  
 Mullite, 743, 951, 1299, 1435, 1463, 1855, 1859, 2095, 2647, 2655, 3475, 4065, 4675, 4751  
 Multiferroics, 279  
 (Na, Bi)(Mg, Ti)O<sub>3</sub>, 2481

- $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$  (NBT), 4363  
Nano, 3637  
Nanocomposites, 143, 357, 451, 585, 683, 831, 951, 969, 993, 1023, 1029, 1247, 1527, 1585, 1983, 2145, 2183, 2665, 2823, 2937, 3287, 3413, 3671, 3753, 4181, 4613, 4711  
Nanocrystalline powder, 807  
Nano-hardness, 2145  
Nanoindentation, 1399, 1559, 3311, 4403  
Nanomaterials, 4395  
Nanoparticles, 19, 947  
Nanopowders, 867, 1017, 1041, 3413  
Nanowires, 975  
 $\text{Na}_2\text{O}$ , 791  
 $\text{NaX}$  zeolite, 561  
Nb-doped  $\text{SrTiO}_3$ , 3609  
Neural networks, 4425  
Neutron diffraction, 389  
 $\text{NiAl}_2\text{O}_4$ , 91  
Nicalon fibers, 3301  
Ni-CGO cermet, 4205  
 $\text{NiFe}_2\text{O}_4$ , 279  
 $\text{NiO}$ , 469  
 $\text{NiO/CoO}$ , 2355  
Niobates, 267, 517, 2265, 2715, 2827, 2933, 3081, 3775, 3785, 3843, 3987, 4033, 4085, 4103, 4111, 4121, 4375, 4445, 4453  
 $\text{NiO-YSZ}$  powders, 1405  
Nitrides, 313, 343, 837, 1419, 1905, 2967, 3287, 4051, 4773  
Ni-YSZ cermets, 959  
NMR, 825  
NMR spectroscopy, 4215  
Non-destructive evaluation, 469, 1071, 1487, 1973, 2823, 3489, 4147  
Non-equimolar, 679  
Non-linearity, 4029  
Nonstoichiometric, 2817  
NTC thermistor, 2009  
Nuclear applications, 619, 2061, 3545  
NZP ceramics, 1253  
Opaque glazes, 1791  
Optical fiber amplifiers, 1797  
Optical microscopy, 581, 873, 1325, 1759, 2317, 3399  
Optical nonlinearity, 531  
Optical properties, 191, 469, 545, 937, 965, 1703, 1751, 1801, 3331, 3371, 3629, 3667, 3727, 3745, 3815, 4037, 4329, 4417, 4711, 4719, 4783  
Oriented particles, 3399  
Over-firing, 819  
Overpotential electrode, 3749  
Oxidation, 2495, 861  
Oxidation resistance, 405, 73  
Oxide superconductors, 1105, 3959, 3963  
Oxide-coating, 1313  
Oxides, 2195, 2641  
Oxycarbide glass, 969  
Oxygen permeation flux, 2455  
Oxynitride, 4773, 4783  
Ozone, 3749  
Packing, 1883  
Pair potential calculations, 4719  
PbO loss, 4055  
 $\text{Pb(Zn,W)O}_3$  (PZW), 4473  
Percolation threshold, 541  
Permeability, 61  
Permeation, 4219  
Perovskites, 237, 273, 285, 729, 1065, 1087, 1171, 1899, 2031, 2039, 2455, 2463, 2481, 2561, 2747, 2753, 2789, 2797, 2803, 2887, 3109, 3201, 3597, 3605, 3655, 3683, 3687, 3701, 3709, 3713, 3775, 3811, 3829, 3851, 3877, 3923, 3927, 3951, 3955, 4007, 4021, 4071, 4081, 4085, 4125, 4211, 4229, 4269, 4279, 4291, 4301, 4321, 4363, 4367, 4371, 4375, 4383, 4395, 4407, 4425, 4453, 4473, 4499, 4509  
Phase equilibria, 523  
Phase formation, 517  
Phase transformation, 125  
Phase transitions, 887, 4041  
Phosphates, 4237  
Phosphors, 185, 191, 2605  
Photoluminescence, 109  
Photonics materials, 1797  
Physical and chemical properties, 2341  
Piezoelectric, 2471  
Piezoelectric ceramics, 4003  
Piezoelectric properties, 237, 1143, 2485, 2591, 3141, 3453, 3641, 3663, 3759, 3775, 4003, 4025, 4029, 4055, 4075, 4085, 4093, 4099, 4107, 4111, 4121, 4125, 4135, 4153, 4159, 4163, 4173, 4187, 4191, 4307, 4403, 4437, 4453  
Pigments, 199, 215, 4561  
Planar monopole antenna, 3001  
Plasma spraying, 125, 623, 4575  
Plasma spraying coatings, 1615  
Plasticity, 1503, 1889, 3317  
Platelets, 413, 1023, 1759, 3633, 4115, 4745,  
Platelike  $\text{KNbO}_3$  particle, 4085  
PLD, 2927, 4273  
PLT, 3811  
PLZT, 1093, 3141, 4037, 4359, 4499  
PNN, 3613  
Poisson's ratio, 397  
Polarizability, 3063  
Polarization, 2471  
Polishing process, 3183  
Polymer pyrolysis, 837  
Poly(vinyl alcohol) (PVA), 1585  
Porcelain, 1665, 1697, 1889, 2295, 3183, 4065  
Porcelain stoneware, 2341  
Porcelain stoneware tiles, 1875  
Porosity, 35, 47, 61, 131, 313, 405, 475, 479, 641, 669, 701, 739, 807, 879, 1165, 1325, 1345, 1395, 1435, 1475, 1727, 1883, 1973, 1983, 2025, 2217, 2223, 2255, 2295, 2355, 2529, 2613, 2641, 3433, 3517, 4169, 4245, 4257, 4537, 4595  
Porous body, 47  
Porous ceramics, 53, 1973, 2095  
Powder-gas phase reaction, 947  
Powders, 2957  
Powders solid state reaction, 851, 1253, 3687, 3955, 4215  
Powders-chemical preparation, 115, 143, 185, 231, 357, 487, 545, 585, 723, 831, 843, 921, 987, 1303, 1589, 1781, 1785, 1991, 2369, 3149, 3201, 3407, 3545, 3597, 3601, 3609, 3619, 3625, 3647, 3855, 3893, 4143, 4205, 4291, 4325, 4329, 4339, 4395, 4515, 4751  
Powders-chemical preparations, 711  
Powders-gas phase reaction, 3413, 4333  
Powders-solid state reaction, 143, 199, 215, 253, 517, 679, 711, 715, 719, 729, 813, 965, 1059, 1065, 1187, 1743, 1751, 2031, 2481, 2827, 2835, 2973, 3011, 3017, 3445, 3667, 3677, 3873, 4045, 4199, 4233, 4421, 4473, 4515, 4561  
Praseodymium nickelate, 4269  
Precipitation, 191  
Precursors-organic, 397, 405, 581, 593, 707, 1083, 1211, 1237, 1475, 2385, 2529, 3561, 3655, 3819, 4759  
Preparation, 1703  
Pressing, 397, 405, 581, 593, 707, 1083, 1211, 1237, 1475, 2385, 2529, 3561, 3655, 3819, 4759  
Propane, 285  
Protective coatings, 1493  
 $(\text{Pr,Sr})(\text{Co,Mn})\text{O}_3$ , 273  
PTC devices, 3439  
PTCR devices, 3877  
Pyrochlore, 3647, 4283

- Pyroelectric spectroscopy, 4007  
 Pyrophyllite, 1759  
 PZT, 223, 231, 279, 557, 749, 1143, 2025, 2031, 2471, 2485, 2567, 3135, 3613, 3779, 3789, 3793, 4025, 4029, 4055, 4075, 4135, 4139, 4153, 4159, 4163, 4169, 4173, 4177, 4307, 4349, 4403
- Quality factor, 3059
- Raman, 2893  
 Raman spectroscopy, 893, 1503  
 Rare earth dopants, 1913  
 RBAO, 27, 35  
 R-curve, 3339  
 Reaction-sintering, 3027  
 Reactive hot pressing, 2729  
 Reactivity, 4301, 4413  
 Recycling, 1657, 2333, 3509, 4649  
 Red mud, 1645, 1945  
 Re-entry, 1267  
 Reference material, 1203  
 Refractories, 67, 73, 79, 319, 637, 1435, 1513, 1615, 1651, 1843, 1849, 1855, 1859, 2433, 3489, 3497, 4633  
 Refractory materials, 1683  
 Relaxation, 3971  
 Relaxor materials, 4371  
 Relaxors, 1093, 4033, 4375  
 Residual stresses, 1287, 2407  
 Resistors, 2953  
 Resolved current density, 1035  
 RF thermal plasma, 941  
 Rheology, 1871, 1889, 2209, 2361  
 Rice husks, 3483  
 Rietveld, 1001  
 Ruddlesden–Popper phase, 3955
- SAW filter, 4099  
 Scaffold, 2679  
 Scrap, 843  
 Seal, 1817  
 Self-reinforcement, 437  
 Sensors, 207, 285, 561, 1607, 1983, 2237, 3739, 4099, 4131, 4139, 4143, 4169, 4177, 4191, 4589  
 Sensors and actuators, 3141  
 Sepiolite, 1983  
 Serpentinite silt, 2341  
 Shaping, 645, 655, 867, 2841, 3823, 4241, 4595  
 Short fibre reinforcement, 3561  
 SHS, 327, 343, 2245  
 SHS synthesis, 775  
 Si<sub>3</sub>N<sub>4</sub>, 2163  
 Si/SiC, 367
- Sialon, 743, 2137, 2163  
 SiC, 165, 351, 367, 405, 419, 637, 861, 1229, 1267, 1313, 1361, 1399, 1411, 1493, 1503, 2069, 2077, 2085, 2095, 2119, 2127, 2145, 2195, 2385, 2513, 2521, 2725, 2729, 3261, 3301, 3351, 3359, 3545, 3935, 3983, 4797  
 SiC fibres, 377, 2503  
 SiCNAl powders, 357  
 Silica, 1199  
 Silicate, 457, 499, 711, 743, 1023, 1181, 1521, 1527, 1579, 1585, 1691, 1759, 2445, 2705, 3045, 4099, 4509, 4773  
 Silicides, 837, 1229  
 Silicon carbide, 781, 1211  
 Silicon nitride, 3573  
 Silicon oxycarbides, 2529  
 Silver iodide, 927  
 Si<sub>3</sub>N<sub>4</sub>, 419, 429, 791, 1203, 2103, 2111, 2119, 2145, 2153, 2347, 3561, 4789  
 Single crystal, 2861  
 Si<sub>3</sub>N<sub>4</sub>-hBN composites, 1259  
 Si<sub>2</sub>N<sub>2</sub>O, 4767  
 Sintering, 27, 91, 261, 285, 301, 307, 343, 437, 469, 475, 493, 505, 517, 575, 593, 619, 683, 689, 695, 701, 759, 763, 769, 791, 801, 807, 813, 819, 867, 921, 1041, 1047, 1053, 1059, 1065, 1105, 1117, 1165, 1177, 1281, 1313, 1339, 1389, 1419, 1425, 1521, 1543, 1637, 1645, 1651, 1657, 1671, 1677, 1805, 1927, 1991, 2009, 2017, 2039, 2111, 2295, 2325, 2369, 2377, 2401, 2415, 2561, 2591, 2613, 2623, 2629, 2641, 2753, 2803, 2827, 2841, 2845, 2865, 2887, 2933, 2963, 2967, 2989, 3033, 3063, 3099, 3113, 3127, 3149, 3215, 3231, 3351, 3365, 3629, 3633, 3641, 3659, 3683, 3713, 3727, 3735, 3951, 4055, 4111, 4121, 4125, 4205, 4345, 4445, 4453, 4461, 4499, 4575, 4633, 4711, 4719, 4727, 4767, 4807  
 Sintering additives, 2153  
 Sintering kinetics, 3867  
 SiO<sub>2</sub>, 523, 611, 1843, 2705, 4509  
 SiOC, 397  
 Slag attack, 4623  
 Slip casting, 651, 669, 733, 753, 1325, 1435, 1443, 1927, 2591  
 Slurry, 3117  
 Sm<sub>2</sub>O<sub>3</sub>, 125  
 SnO<sub>2</sub>, 207, 215  
 Sn<sub>2</sub>P<sub>2</sub>S<sub>6</sub>, 3835  
 Sodium Hypochlorite, 3749  
 SOFC, 173, 487
- Soft magnets, 1029, 3911  
 Softmagnetic, 3951  
 Sol/gel processes, 1493  
 Sol–gel, 551, 3637, 3749, 3803, 4265  
 Sol–Gel method, 185  
 Sol–gel processes, 115, 231, 707, 951, 969, 1023, 1137, 1151, 1267, 1405, 1707, 2061, 2195, 2369, 2529, 2647, 2655, 3311, 3591, 3651, 3659, 3759, 3765, 3785, 3815, 3829, 4139, 4291, 4349, 4363, 4407, 4537, 4547, 4589  
 Sol–gel processing, 3691  
 Sol–Gel Synthesis, 1299  
 Solid oxide fuel cells, 2597  
 Solid solutions, 2647, 2655  
 Solid-state reaction of powders, 1181  
 Solubility, 599  
 Solution combustion method, 965  
 Spark plasma sintering, 2725, 2937, 3331  
 Spark Plasma Sintering (SPS), 979  
 Spectroscopy, 165, 179, 199, 215, 451, 469, 903, 937, 987, 1171, 1307, 1691, 2273, 2697, 2715, 2797, 2803, 3081, 3433, 3683, 3691, 3705, 3713, 3727, 4071, 4333, 4383, 4417, 4589  
 Spin reversal, 3927  
 Spinels, 67, 91, 707, 749, 903, 941, 951, 1683, 1899, 1961, 3489, 3497, 3727, 3823, 3873, 3911, 4413, 4561, 4623  
 Spinel-sialon, 2163  
 Spray deposition, 207, 4727  
 Spray pyrolysis, 4325, 4329  
 Spray-drying, 3177, 3923  
 SPS, 413, 2541, 279, 3269  
 SPS sintering, 2245  
 (Sr,Ba)Nb<sub>2</sub>O<sub>6</sub>, 2255  
 SrBi<sub>2</sub>Ta<sub>2</sub>O<sub>9</sub>, 253  
 SrCeO<sub>3</sub>, 4461  
 Sr(Ti,Fe)O<sub>3</sub>, 285  
 SrTiO<sub>3</sub>, 1123, 2949, 3377  
 Stability, 19  
 Starch consolidation casting, 669  
 Steel, 2137  
 STO/BTO, 3851  
 Stoneware tile, 4065  
 Strained SrTiO<sub>3</sub>, 2899  
 Strength, 645, 679, 879, 1247, 1333, 1351, 1481, 1571, 2069, 2333, 2513, 2597, 3177, 3261, 3301, 3339, 3539  
 Strength tests, 1  
 Stress, 2513, 3117  
 Strontium doping, 3613  
 Strontium hexaferrite, 3637  
 Structural applications, 165, 357, 679, 873, 1267, 1325, 2119, 2303, 2407, 2415, 3433, 4603, 4697, 4797

- Substrates, 337, 855, 1419, 2039, 2865, 4229,  
 Superconductivity, 1105, 2039, 3959, 3967  
 Super-high—Qf, 1117  
 Super-paramagnetism, 3171  
 Superplasticity, 41, 1351, 2217, 3385  
 Surface area, 739  
 Surface crystallization, 1579  
 Surfaces, 101, 1671, 1763, 1775, 1983, 2069, 2983, 3183, 4011, 4181, 4555, 4569  
 Surfactants, 313, 611, 3637  
 Suspension viscosity, 479  
 Suspensions, 19, 27, 47, 463, 611, 733, 797, 867, 879, 1017, 1199, 1735, 1871, 2209, 3113, 3545, 3823, 4241, 4529, 4751  
 Symmetrical fuel cell, 4223  
 Synthesis, 3893  
 Tantalates, 1117, 4121  
 Tape casting, 27, 291, 673, 1307, 1469, 2597, 2671, 3453, 3887, 4159, 4529, 4537, 4789  
 TDMAB, 2737  
 Tellurites, 2715  
 Tellurium oxide, 1151  
 TEM, 3677  
 Temperature dependence, 4107  
 TeO<sub>2</sub>-BaO glasses, 1797  
 TeO<sub>2</sub>-K<sub>2</sub>O glasses, 3239  
 Terra cotta, 2303  
 Testing, 1, 2103  
 Tetragonality, 247  
 Texture, 2255, 2463  
 Thaumassite, 1711  
 The Sr<sub>2</sub>Ru<sub>x</sub>Ti<sub>1-x</sub>O<sub>4</sub> solid solution, 4287  
 Thermal barrier coating, 3425  
 Thermal conductivity, 291, 337, 343, 475, 701, 855, 1345, 2635, 2967, 3697  
 Thermal etch pits, 4685  
 Thermal expansion, 291, 1253, 1431, 1513, 1697, 1865, 1893, 2163, 3231, 3475, 3497, 3551, 4269, 4279  
 Thermal properties, 273, 429, 479, 511, 535, 571, 825, 979, 1203, 1223, 1715, 1823, 2715, 3149, 3207, 4021, 4287, 4797, 4813  
 Thermal shock resistance, 637, 1253, 1365, 1431, 1665, 1859, 1919, 2103, 3191, 4633  
 Thermally stimulated depolarization current (TSDC), 1159  
 Thermistors, 3873, 3877  
 Thermoelectric oxides, 3697  
 Thick films, 3883, 3887  
 Thin films, 1151  
 Thin metal films, 2823  
 TiB<sub>2</sub>, 301, 307  
 Tiles, 101, 2295, 3183  
 TiN, 327, 4789  
 Tin dioxide films, 3803, 4265  
 Tin oxide, 475  
 TiO<sub>2</sub>, 715, 719, 797, 813, 1319, 1553, 1607, 1837, 2195, 2369, 2561, 2937, 3087, 3191, 3433, 4131, 4529, 4537, 4569  
 TiO<sub>2</sub>-SnO<sub>2</sub>, 3601  
 Ti<sub>3</sub>Si(Al)C<sub>2</sub>-based materials, 2069  
 Ti<sub>3</sub>SiC<sub>2</sub>, 3539, 413, 4807  
 Titanates, 3027, 3723, 3765, 4339  
 Titania, 3651  
 Toughening, 1449  
 Toughness, 1319, 1443  
 Toughness and toughening, 413, 623, 1455, 2145, 2347  
 Traditional ceramics, 179, 215, 993, 1607, 1615, 1623, 1645, 1657, 1677, 1691, 1715, 1727, 1735, 1767, 1775, 1791, 1871, 1889, 2303, 3483, 3509, 3713, 4665  
 Transducers, 4191  
 Transformation toughening, 483  
 Transition metal oxide, 1703  
 Transition metal oxides, 115, 683, 2009, 3731, 3823, 4195, 4279  
 Transition-metal oxides, 3927  
 β-Tricalcium phosphate, 2401  
 Tribology, 915  
 Tunability, 3723  
 Tunable devices, 2747  
 Tunable property, 3753  
 Tungstates, 1059, 3087  
 Tungstenbronze-type compound, 2911, 3049  
 Tungstenbronze-type like Ba<sub>6-3x</sub>R<sub>8+2x</sub>Ti<sub>18</sub>O<sub>54</sub>, 3059  
 Tunnelling, 3907  
 Two-phase materials, 2635  
 TZP, 413  
 Ultrasonic motors, 4163  
 Ultrasonic velocity, 1859  
 Unpoled ferroelectrics, 3739  
 Varistors, 1101, 1999, 3161, 3867, 3883, 3887, 3893, 3897, 3907, 4313  
 Viscoelasticity, 4697  
 Viscosity, 733  
 Viscous behaviour, 3127  
 Vitrification, 629  
 Waste materials, 91, 2415, 2423  
 Waste stabilization, 2317  
 WB<sub>2</sub>, 301, 307  
 Wear debris, 4737  
 Wear parts, 1217  
 Wear resistance, 151, 1017, 1203, 1727, 3183, 3351, 4737  
 Wetting, 3307  
 Whiskers, 389  
 Wood machining, 419  
 X-ray methods, 91, 179, 247, 267, 451, 505, 517, 535, 545, 561, 581, 711, 729, 797, 887, 927, 941, 951, 987, 1001, 1105, 1129, 1137, 1151, 1181, 1435, 1691, 1743, 1973, 2265, 2273, 2317, 2445, 2567, 2591, 2697, 2887, 2927, 2957, 2973, 3005, 3011, 3063, 3399, 3667, 3677, 3687, 3691, 3709, 3839, 3855, 3861, 3919, 4017, 4045, 4081, 4099, 4199, 4215, 4287, 4325, 4329, 4333, 4349, 4399, 4407, 4473  
 YAG, 593  
 Y<sub>2</sub>O<sub>3</sub>, 1991, 2605, 4711  
 Young's modulus, 1843  
 Y<sub>2</sub>SiO<sub>5</sub>, 185  
 YSZ, 165, 173, 2613, 4241  
 Yttrium, 1113  
 Yttrium silicate, 1303  
 Y-TZP, 2203  
 YTZP polycrystals, 3325  
 Zeolite, 581, 2535  
 Zinc aluminate, 3407  
 Zinc thiogallate, 3667  
 Zircon, 1751  
 ZnNb<sub>2</sub>O<sub>6</sub>, 4445  
 ZnO, 499, 965, 1101, 1999, 3161, 3407, 3413, 3691, 3745, 3815, 3867, 3883, 3887, 3897, 3915, 3931, 4333, 4521  
 Zn<sub>2</sub>SnO<sub>4</sub>, 3931  
 ZnTiO<sub>3</sub>, 2561  
 ZrB<sub>2</sub>, 4797  
 ZrO<sub>2</sub>, 2053  
 ZrO<sub>2</sub>, 151, 157, 165, 523, 585, 683, 689, 749, 759, 763, 769, 867, 979, 1001, 1307, 1333, 1339, 1345, 1351, 1365, 1379, 1389, 1449, 1463, 1487, 1547, 1565, 1571, 1843, 2209, 2217, 3177, 3191, 3269, 3295, 3425, 3677, 4219, 4675  
 ZrO<sub>2</sub> coatings, 2503  
 ZrO<sub>2</sub>-WC, 1247  
 ZrTiO<sub>4</sub>, 1431  
 (Zr,V)SiO<sub>4</sub>, 179