

Contents

J.F. Fernández and M. Villegas

Ceramic Processing of Electroceramics

K. Tanaka, K.-i. Kakimoto and H. Ohsato

**A.P. Almeida de Oliveira, J. Hafsaoui,
J.-F. Hoche pied, M.-H. Berger and A. Thorel**

E. Chinarro, B. Moreno and J.R. Jurado

**S. Marinel, F. Roulland, S. d'Astorg and
A. Chaouchi**

**P. Blennow, K.K. Hansen, L.R. Wallenberg and
M. Mogensen**

**F. Bamière, K. Benkert, M. Radanielina, C. Schuh
and M.J. Hoffmann**

E. Chinarro, J.R. Jurado and M.T. Colomer

M.M. Bućko and J. Obłakowski

**D.-S. Kim, J.-H. Lee, R.J. Sung, S.W. Kim,
H.S. Kim and J.S. Park**

T. Motohashi and T. Kimura

**M. Ghobeiti Hasab, S.A. Seyyed Ebrahimi and
A. Badie**

P. Ferrer, M. Algueró, J.E. Iglesias and A. Castro

S.M. Zanetti, M.G.S. Pereira and M.C.A. Nono

S.-J. Lee, N.-I. Cho and D.Y. Lee

3589 Preface

3591 Morphology and crystallinity of KNbO₃-based nano powder fabricated by sol-gel process

3597 Synthesis of BaCeO₃ and BaCe_{0.9}Y_{0.1}O_{3-δ} from mixed oxalate precursors

3601 Combustion synthesis and EIS characterization of TiO₂-SnO₂ system

3605 Effects of the sintering atmosphere on the BaZn_{1/3}Ta_{2/3}O₃ based Cu multilayer ceramic capacitors

3609 Synthesis of Nb-doped SrTiO₃ by a modified glycine-nitrate process

3613 Low temperature sintering and high piezoelectric properties of strontium doped PNZT-PNN ceramics processed via the columbite route

3619 Synthesis of ceria-based electrolyte nanometric powders by urea-combustion technique

3625 Preparation of BaZrO₃ nanopowders by spray pyrolysis method

3629 Improvement of translucency in Al₂O₃ ceramics by two-step sintering technique

3633 Development of texture in Bi_{0.5}Na_{0.5}TiO₃ prepared by reactive-templated grain growth process

3637 An investigation on physical properties of strontium hexaferrite nanopowder synthesized by a sol-gel auto-combustion process with addition of cationic surfactant

3641 Processing and dielectric properties of Bi₄Sr_n-3Ti_nO_{3n+3} (*n* = 3, 4 and 5) ceramics obtained from mechanochemically activated precursors

3647 Soft-chemical derived Bi₂O₃-ZnO-Ta₂O₅ nanopowder and ceramics

3651 Effect of collector grounding on directionality of electrospun titania fibers

**A. Ianculescu, D. Berger, M. Viviani,
C.E. Ciomaga, L. Mitoseriu, E. Vasile,
N. Drăgan and D. Crișan**

**I. Janković-Častvan, S. Lazarević, B. Jordović,
R. Petrović, D. Tanasković and D. Janačković**

**J. de Frutos, J.A. Matutes-Aquino, F. Cebollada,
M.E. Botello-Zubiate, E. Menéndez,
V. Corral-Flores, F.J. Jiménez and A.M. González**

J.W. Kim and Y.J. Kim

J.M. Im, H.J. You, Y.S. Yoon and D.W. Shin

Characterization of Electroceramics

A. Varez, E. Garcia-Gonzalez, J. Jolly and J. Sanz

N.G. Teixeira, A. Dias and R.L. Moreira

**J. Tellier, Ph. Boullay, D. Ben Jennet and
D. Mercurio**

**C.V. Santilli, S.H. Pulcinelli, M.S. Tokumoto and
V. Briois**

**A. Sotelo, E. Guilmeau, M.A. Madre, S. Marinel,
J.C. Diez and M. Prevel**

**A. Almeida, T.M. Correia, M.R. Chaves,
P.M. Vilarinho, A.L. Kholkin and A.M. Costa**

**V.A. Trepakov, M.E. Savinov, O. Okhay, A. Tkach,
P.M. Vilarinho, A.L. Kholkin, I. Gregora and
L. Jastrabik**

**A. Reyes, C. de la Vega, M.E. Fuentes and
L. Fuentes**

**J. Macutkevic, S. Kamba, J. Banys, A. Pashkin,
K. Bormanis and A. Sternberg**

**M. Mir, C.C. de Paula, D. Garcia,
R.H.G.A. Kiminami, J.A. Eiras and
Y.P. Mascarenhas**

**L. Mitoseriu, C.E. Ciomaga, V. Buscaglia,
L. Stoleriu, D. Piazza, C. Galassi, A. Stancu and
P. Nanni**

**M.V. Nikolić, T. Ivetic, K.M. Paraskevopoulos,
K.T. Zorbas, V. Blagojević and D. Vasiljević-
Radović**

**F. Mauvy, C. Lalanne, S. Fourcade, J.M. Bassat
and J.C. Grenier**

3655 Investigation of $\text{Ba}_{1-x}\text{Sr}_x\text{TiO}_3$ ceramics prepared from powders synthesized by the modified Pechini route

3659 Electrical properties of cordierite obtained by non-hydrolytic sol-gel method

3663 Synthesis and characterization of electroceramics with magnetoelectric properties

3667 Synthesis and luminescent characterization of zinc thiogallate

3671 Synthesis of nano-sized gadolinia doped ceria powder by aerosol flame deposition

3677 Structural characterization of $\text{Ce}_{1-x}\text{Zr}_x\text{O}_2$ ($0 \leq x \leq 1$) samples prepared at 1650 °C by solid state reaction. A combined TEM and XRD study

3683 Raman scattering study of the high temperature phase transitions of NaTaO_3

3687 Structure versus relaxor properties in Aurivillius type compounds

3691 *In situ* UV-vis and EXAFS studies of ZnO quantum-sized nanocrystals and Zn-HDS formations from sol-gel route

3697 Fabrication and properties of textured Bi-based cobaltite thermoelectric rods by zone melting

3701 Study of polar relaxation processes in $\text{Sr}_{(1-1.5x)}\text{La}_x\text{TiO}_3$ ceramics by using field-induced thermally stimulated currents

3705 Dielectric permittivity and Cr^{3+} impurity ion probe luminescence in SrTiO_3 sol-gel ceramics

3709 BiFeO_3 : Synchrotron radiation structure refinement and magnetoelectric geometry

3713 Far-infrared and THz spectroscopy of 0.4PMN–0.3PSN–0.3PZN relaxor ferroelectric ceramics

3719 Microstructural characterization using the Rietveld method in lead lanthanum titanate ceramics system produced by combustion synthesis

3723 Hysteresis and tunability characteristics of $\text{Ba}(\text{Zr},\text{Ti})\text{O}_3$ ceramics described by First Order Reversal Curves diagrams

3727 Far infrared reflection spectroscopy of Zn_2SnO_4 ceramics obtained by sintering mechanically activated $\text{ZnO}-\text{SnO}_2$ powder mixtures

3731 Impedance spectroscopy study of $\text{Nd}_2\text{NiO}_{4+\delta}$ LSM and platinum electrodes by micro-contact technique

- K. Park, K.Y. Ko, J.K. Seong and S. Nahm**
- A.C. Dent, C.R. Bowen, R. Stevens, M.G. Cain and M. Stewart**
- H. Song and Y.J. Kim**
- H.-J. Kim, W.-K. Son, T.-I. Kim, K.-S. Kang, T. Osaka and S.-G. Park**
- Thick and Thin Films*
- T. Yamada, V.O. Sherman, D. Su, P. Muralt, A.K. Tagantsev and N. Setter**
- Z. Wang, J. Miao and W. Zhu**
- W. Sakamoto, K. Imada, T. Shimura and T. Yogo**
- H. Suzuki, T. Naoe, H. Miyazaki and T. Ota**
- M. Kosec, J. Holc, D. Kuscer and S. Drnovšek**
- C. Courtois, S. Devemy, P. Champagne, M. Lippert, M. Rguiti, A. Leriche, D. Chateigner and E. Guilmeau**
- C. Schroeter, B. Wessler and L.M. Eng**
- G. Suchaneck, W.-M. Lin, V.S. Vidyarthi, G. Gerlach and J. Hartung**
- H.-Y. Chang, C.-I. Sheu and S.-Y. Cheng**
- T. Mazon, M.A. Zaghete, J.A. Varela and E. Longo**
- E.A. Morais and L.V.A. Scalvi**
- F.E. Kamel, P. Gonon, F. Jomni and B. Yangui**
- H.H. Kim, K.J. Lim, S.G. Park and D.H. Park**
- P.T. Hsieh, Y.C. Chen, K.S. Kao, M.S. Lee and C.C. Cheng**
- M. Počuća, G. Branković, Z. Branković, D. Vasiljević-Radović and M. Mitrić**
- B. Ferrari, R. Moreno, L. Hernán, M. Melero, J. Morales and A. Caballero**
- R. Jiménez, M.L. Calzada, I. Bretos, J.C. Goes and A.S.B. Sombra**
- 3735 Microstructure and high-temperature thermoelectric properties of polycrystalline $\text{CuAl}_{1-x}\text{Mg}_x\text{O}_2$ ceramics
- 3739 Effective elastic properties for unpoled barium titanate
- 3745 Characterization of luminescent properties of $\text{ZnO}:\text{Er}$ thin films prepared by rf magnetron sputtering
- 3749 Preparation and characterization of ZrO_2/Ti electrode for waste water purification system
- 3753 Growth process approaches for improved properties of tunable ferroelectric thin films
- 3759 Piezoelectric thick films and their application in MEMS
- 3765 Fabrication and characterization of intergrown $\text{Bi}_4\text{Ti}_3\text{O}_{12}$ -based thin films using a metal-organic precursor solution
- 3769 Deposition of highly oriented lanthanum nickel oxide thin film on silicon wafer by CSD
- 3775 $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3-\text{PbTiO}_3$ thick films from mechanochemically synthesized powder
- 3779 Comparison of two molten flux process for the elaboration of textured PZT thin plates
- 3785 High throughput method for $\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ thin films preparation by chemical solution deposition
- 3789 Multi-target reactive sputtering—A promising technology for large-area $\text{Pb}(\text{Zr,Ti})\text{O}_3$ thin film deposition
- 3793 Microwave enhanced sintering of tape-cast ferroelectric films
- 3799 Barium strontium titanate nanocrystalline thin films prepared by soft chemical method
- 3803 Electron trapping of laser-induced carriers in Er-doped SnO_2 thin films
- 3807 Dielectric properties of amorphous BaTiO_3 films deposited by RF magnetron sputtering
- 3811 Dielectric investigations of PLT(28) thin film prepared by reactive magnetron sputter
- 3815 The ultraviolet emission mechanism of ZnO thin film fabricated by sol-gel technology
- 3819 Tailoring of morphology and orientation of LaNiO_3 films from polymeric precursors
- 3823 EPD of thick films for their application in lithium batteries
- 3829 Dielectric properties of sol-gel derived $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ thin films onto $\text{Pt}/\text{TiO}_2/\text{Si}(1\ 0\ 0)$ substrates

A.A. Bogomolov, A.V. Solnyshkin, D.A. Kiselev, I.P. Raevsky, N.P. Protzenko and D.N. Sandjiev

C.-C. Wu, Y.-C. Chen, C.-F. Yang, C.-C. Su and C.-C. Diao

Microwave Dielectrics

U. Pirnat and D. Suvorov

A. Vorobiev and S. Gevorgian

B. Guigues, J. Guillan, E. Defaÿ, P. Garrec, D. Wolozan, B. André, F. Laugier, R. Pantel, X. Gagnard and M. Aid

J. Bang

R.C. Pullar, Y. Zhang, L. Chen, S. Yang, J.R.G. Evans and N.McN. Alford

Varistors and Termistors

M. Peiteado, J.F. Fernández and A.C. Caballero

A. Veres, J.G. Noudem, O. Perez, S. Fourrez and G. Bailleul

T. Shimada, K. Touji, Y. Katsuyama, H. Takeda and T. Shiosaki

C. Lucat, M.-P. Martin, H. Debéda-Hickel, A. Largeteau and F. Ménil

M.A. de la Rubia, M. Peiteado, J. de Frutos, F. Rubio-Marcos, J.F. Fernández and A.C. Caballero

A. Mosquera, J.E. Rodríguez-Páez, J.A. Varela and P.R. Bueno

M. Žunić, Z. Branković, S. Bernik, M.S. Góes and G. Branković

P. Leret, J.F. Fernandez, J. de Frutos and D. Fernández-Hevia

R. Parra, M.A. Ponce, C.M. Aldao and M.S. Castro

Semiconductors and Magnetic Materials

O. Peña, X. Cailleaux, B. Piriou, M. del Canto, S. Abarca, E. Ríos, J. Ortiz, J.L. Gautier, P.N. Lisboa-Filho and C. Moure

M. Peiteado, A.C. Caballero and D. Makovec

3835 Nonstationary photocurrent and pyroelectric response in aged $\text{Sn}_2\text{P}_2\text{S}_6$ films

3839 The dielectric properties of epoxy/AlN composites

3843 Dielectric properties and phase transitions of $\text{Bi}_3\text{Nb}_{1-x}\text{Ta}_x\text{O}_7$ fluorite-type dielectrics

3847 Microwave performance of thin film ferroelectric varactors in the wide temperature range of -223°C to $+227^\circ\text{C}$

3851 $\text{SrTiO}_3/\text{BaTiO}_3$ multilayers thin films for integrated tunable capacitors applications

3855 Microwave dielectric properties of $\text{MgCo}_2(\text{VO}_4)_2$ ceramics synthesized by a sol-gel method

3861 Manufacture and measurement of combinatorial libraries of dielectric ceramics. Part I: Physical characterisation of $\text{Ba}_{1-x}\text{Sr}_x\text{TiO}_3$ libraries

3867 Varistors based in the $\text{ZnO}-\text{Bi}_2\text{O}_3$ system: Microstructure control and properties

3873 The effect of manganese substitution to gallium on the physical properties of $\text{MgGa}_{2-x}\text{Mn}_x\text{O}_4$ spinel type ceramic thermistors

3877 Lead free PTCR ceramics and its electrical properties

3883 Screen-printed varistors: New strategy for high non-linear coefficient

3887 Improved non-linear behaviour of ZnO -based varistor thick films prepared by tape casting and screen printing

3893 Synthesis of SnO_2 by chemical routes and its use in varistors production

3897 ZnO varistors from intensively milled powders

3901 Nonlinear $I-V$ electrical behaviour of doped $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics

3907 Advances in the study of the conduction modes in SnO_2 varistors

3911 Magnetic properties of $\text{Cu}_{1+x}\text{Mn}_{2-x}\text{O}_4$ and $\text{Ni}_{1+x}\text{Mn}_{2-x}\text{O}_4$ solid solutions

3915 Phase evolution of $\text{Zn}_{1-x}\text{Mn}_x\text{O}$ system synthesized via oxalate precursors

O.I. V'yunov, A.G. Belous, A.I. Tovstolytkin and O.Z. Yanchevskii	3919	(La,Sr)(Mn,Me)O ₃ manganites doped with d metals: Study of charge compensation mechanisms by crystallographic and magnetic characterizations
B. Vertruyen, J.-F. Fagnard, Ph. Vanderbemden, M. Ausloos, A. Rulmont and R. Cloots	3923	Electrical transport and magnetic properties of Mn ₃ O ₄ -La _{0.7} Ca _{0.3} MnO ₃ ceramic composites prepared by a one-step spray-drying technique
A.B. Antunes, V. Gil, C. Moure and O. Peña	3927	Magnetic properties of Er(Co, Mn)O ₃ perovskites
Y. Iglesias, M. Peiteado, J. de Frutos and A.C. Caballero	3931	Current-voltage characteristic behaviour of dense Zn ₂ SnO ₄ -ZnO ceramics
J. Sánchez-González, A.L. Ortiz, F. Guiberteau and C. Pascual	3935	Complex impedance spectroscopy study of a liquid-phase-sintered α-SiC ceramic
G.B. Song, J.S. Amaral, V.S. Amaral and A.L. Khoklin	3941	Processing and phase separation of LSMO-based multiferroic composite ceramics
C. Harnagea, L. Mitoseriu, V. Buscaglia, I. Pallecchi and P. Nanni	3947	Magnetic and ferroelectric domain structures in BaTiO ₃ -(Ni _{0.5} Zn _{0.5})Fe ₂ O ₄ multiferroic ceramics
J.S. Kim, C.I. Cheon, H.-J. Kang and P.W. Jang	3951	High temperature properties of multiferroic BiFeO ₃ -DyFeO ₃ -BaTiO ₃ solid solutions
J. Shin and J.Y. Lee	3955	Synthesis and crystal structures of $n = 3$ Ruddlesden-Popper phase CaSr ₃ Mn _{3-x} Fe _x O ₁₀ ($x = 1.5, 1.0$)
M. Mora, A. Sotelo, H. Amaveda, M.A. Madre, J.C. Diez, F. Capel and J.M. López-Cepero	3959	Properties variation of Bi-2212 directionally solidified induced by 0.4Pb substitution
J.C. Diez, A. Sotelo, M. Mora, H. Amaveda and M.A. Madre	3963	Stress corrosion cracking of Bi-2212 thin rods
V. Peña, N. Nemes, C. Visani, F.Y. Bruno, D. Arias, Z. Sefrioui, C. Leon, S.G.E. Te Velthuis, A. Hoffmann, M. Garcia-Hernandez, J.L. Martinez and J. Santamaría	3967	Spin dependent transport at oxide La _{0.7} Ca _{0.3} MnO ₃ /YBa ₂ Cu ₃ O ₇ ferromagnet/superconductor interfaces
<i>Dielectrics, Ferroelectrics, Piezoelectrics and Pyroelectrics</i>		
L. Cai and J.C. Nino	3971	Structure and dielectric properties of Ln ₃ NbO ₇ (Ln = Nd, Gd, Dy, Er, Yb and Y)
H.-J. Fitting, N. Cornet, M. Touzin, D. Goeuriot, C. Guerret-Piécourt and D. Tréheux	3977	Injection and selfconsistent charge transport in bulk insulators
A. Ureña, M.V. Utrilla, J. Rams, P. Rodrigo and M. Ferrer	3983	Electroless multilayer coatings on aluminium–silicon carbide composites for electronics packaging
S. d'Astorg, S. Marinel, A. Chaouchi and G. Goupil	3987	Tuning of the Ba ₃ Nb ₄ O ₁₅ permittivity temperature coefficient
K.-M. Kim, S.-J. Kim, J.-H. Lee and D.-Y. Kim	3991	Microstructural evolution and dielectric properties of SiO ₂ -doped CaCu ₃ Ti ₄ O ₁₂ ceramics
T. Hu, J. Juuti, H. Jantunen and T. Vilkman	3997	Dielectric properties of BST/polymer composite
V. Samulionis, A. Salak, J. Banys, V.M. Ferreira and P. Keburis	4003	Ultrasonic and piezoelectric properties of the BT-LMT ceramic system

- A.A. Movchikova, G. Suchaneck, O.V. Malyshkina and G. Gerlach**
- J.I. Izpura**
- Y. Mizuno, H. Kishi, K. Ohnuma, T. Ishikawa and H. Ohsato**
- G. Sebald, S. Pruvost, L. Seveyrat, L. Lebrun, D. Guyomar and B. Guiffard**
- A. Albareda, R. Pérez, J.E. García, D.A. Ochoa, V. Gomis and J.A. Eiras**
- J.E. García, R. Pérez, A. Albareda and J.A. Eiras**
- J. de Los S. Guerra, M.H. Lente and J.A. Eiras**
- R. Favaretto, D. Garcia and J.A. Eiras**
- F. Guerrero, Y. Leyet, M. Venet, J. de Los S. Guerra and J.A. Eiras**
- A. Yokoi, H. Ogawa and N. Shimizu**
- D. Zientara, M.M. Bućko and J. Lis**
- C. Miclea, C. Tanasoiu, C.F. Miclea, L. Amarande, A. Gheorghiu, I. Spanulescu, C. Plavitu, C.T. Miclea, M.C. Cioangher, L. Trupina and A. Iuga**
- C. Ciomaga, M. Viviani, M.T. Buscaglia, V. Buscaglia, L. Mitoseriu, A. Stancu and P. Nanni**
- L. Carbajal, F. Rubio-Marcos, M.A. Bengochea and J.F. Fernandez**
- V.A. Trepakov, M.E. Savinov, V. Železný, P.P. Syrnikov, A. Deyneka and L. Jastrabík**
- J. de Frutos, F.J. Jiménez, E. Menéndez, A.M. González, M.C. Duro and M.A. de la Rubia**
- Lead Free Piezoelectrics*
- Y. Noguchi, K. Yamamoto, Y. Kitanaka and M. Miyayama**
- Y. Saito and H. Takao**
- E. Hollenstein, D. Damjanovic and N. Setter**
- N. Araki, H. Ohsato, K. Kakimoto, T. Kurabayashi, Y. Kudoh and H. Morikoshi**
- 4007 Characterization of ferroelectrics by thermal wave methods
- 4011 1/f electrical noise due to space charge regions
- 4017 Effect of site occupancies of rare earth ions on electrical properties in Ni-MLCC based on BaTiO₃
- 4021 Electrocaloric properties of high dielectric constant ferroelectric ceramics
- 4025 Influence of donor and acceptor substitutions on the extrinsic behaviour of PZT piezoceramics
- 4029 Non-linear dielectric and piezoelectric response in undoped and Nb⁵⁺ or Fe³⁺ doped PZT ceramic system
- 4033 Non-linear dielectric properties in based-PMN relaxor ferroelectrics
- 4037 Effects of WO₃ on the microstructure and optical transmittance of PLZT ferroelectric ceramics
- 4041 Dielectric behavior of the PbNb₂O₆ ferroelectric ceramic in the frequency range of 20 Hz to 2 GHz
- 4045 Crystal structure–polarization property relations in (Sr_{0.5-x}Ca_x)Bi_{2.25}Na_{1.25}Nb₃O₁₂ solid solutions
- 4051 Dielectric properties of aluminium nitride–γ-alon materials
- 4055 Effect of lead content on the structure and piezoelectric properties of hard type lead titanate–zirconate ceramics
- 4061 Preparation and characterisation of the Ba(Zr,Ti)O₃ ceramics with relaxor properties
- 4065 Properties related phase evolution in porcelain ceramics
- 4071 Li doping effect on properties and phase transformations of KNbO₃
- 4075 The nature and phase transition F_{RL}–F_{RH} in PZT doped with Nb
- 4081 Effects of Mn doping on the polarization and leakage current properties in Bi₄Ti₃O₁₂ single crystals
- 4085 Synthesis of polycrystalline platelike KNbO₃ particles by the topochemical micro-crystal conversion method and fabrication of grain-oriented (K_{0.5}Na_{0.5})NbO₃ ceramics
- 4093 Temperature stability of the piezoelectric properties of Li-modified KNN ceramics
- 4099 Origin of piezoelectricity for langasite A₃Ga₅SiO₁₄ (A = La and Nd) under high pressure

J.G. Fisher, A. Benčan, J. Bernard, J. Holc, M. Kosec, S. Vernay and D. Rytz

K. Higashide, K.-i. Kakimoto and H. Ohsato

K.-i. Kakimoto, T. Yoshifuji and H. Ohsato

T. Jardiel, A.C. Caballero and M. Villegas

M.-S. Kim, D.-S. Lee, E.-C. Park, S.-J. Jeong and J.-S. Song

F. Rubio-Marcos, P. Ochoa and J.F. Fernandez

Sensors, Actuators and Transducers

L. Ortolani, E. Comini, P.F. Fazzini, M. Ferroni, V. Guidi, P.G. Merli, V. Morandi, G. Pozzi, G. Sberveglieri and A. Vomiero

E. Heinonen, J. Juuti and H. Jantunen

M. Es-Souni, S. Maximov, A. Piorra, J. Krause and C.-H. Solterbeck

A. Montenegro, M. Ponce, M.S. Castro and J.E. Rodríguez-Paez

Y. Gómez-Ullate Ricón, F.J. Chinchurreta Segovia and F. Montero de Espinosa Freijo

Y. Gómez-Ullate Ricón and F.M. de Espinosa Freijo

K.-J. Lim, J.-S. Lee, S.-H. Park, S.-H. Kang and H.-H. Kim

J.L. Pons, P. Ochoa, M. Villegas, J.F. Fernández, E. Rocon and J. Moreno

K. Boumchedda, M. Hamadi and G. Fantozzi

P. Ochoa, M. Villegas, M.A. Rodriguez and J.F. Fernandez

S. Gebhardt, L. Seffner, F. Schlenkrich and A. Schönecker

Medical Applications

D. Aronov, A. Karlov and G. Rosenman

J.P. Gittings, C.R. Bowen, I.G. Turner, F. Baxter and J. Chaudhuri

J.L. Pons, E. Rocon, A. Forner-Cordero and J. Moreno

Fuel Cells, Batteries and Membranes

C. Lalanne, F. Mauvy, E. Siebert, M.L. Fontaine, J.M. Bassat, F. Ansart, P. Stevens and J.C. Grenier

4103 Growth of (Na, K, Li)(Nb, Ta)O₃ single crystals by solid state crystal growth

4107 Temperature dependence on the piezoelectric property of (1 - x)(Na_{0.5}K_{0.5})NbO₃-xLiNbO₃ ceramics

4111 Densification of tungsten-bronze KBa₂Nb₅O₁₅ lead-free piezoceramics

4115 Electrical properties in WO₃ doped Bi₄Ti₃O₁₂ materials

4121 Effect of Na₂O additions on the sinterability and piezoelectric properties of lead-free 95(Na_{0.5}K_{0.5})NbO₃-5LiTaO₃ ceramics

4125 Sintering and properties of lead-free (K,Na,Li)(Nb,Ta,Sb)O₃ ceramics

4131 Electrical and holographic characterization of gold catalyzed titania-based layers

4135 Characteristics of piezoelectric cantilevers embedded in LTCC

4139 Hybrid powder-sol-gel PZT thick films on metallic membranes for piezoelectric applications

4143 SnO₂-Bi₂O₃ and SnO₂-Sb₂O₃ gas sensors obtained by soft chemical method

4147 Lamb waves generation on thin plates using piezocomposites

4153 Piezoelectric modelling using a time domain finite element program

4159 Fabrication and characteristics of impact type ultrasonic motor

4163 Self-tuned driving of piezoelectric actuators. The case of ultrasonic motors

4169 Properties of a hydrophone produced with porous PZT ceramic

4173 Statistic analysis of electromechanical response in cymbal piezocomposites

4177 PZT thick films for sensor and actuator applications

4181 Hydroxyapatite nanoceramics: Basic physical properties and biointerface modification

4187 Characterisation of ferroelectric-calcium phosphate composites and ceramics

4191 Biomedical instrumentation based on piezoelectric ceramics

4195 Intermediate temperature SOFC single cell test using Nd_{1.95}NiO_{4 + δ} as cathode

- A. Kuhn, M. Martín-Gil, S. Kaskel, J. Strähle and F. García-Alvarado**
- V. Gil, C. Moure and J. Tartaj**
- K.B. Yoo and G.M. Choi**
- K. Arbi, J.M. Rojo and J. Sanz**
- J.M. Lee and G.M. Choi**
- J.C. Ruiz-Morales, J. Canales-Vázquez, B. Ballesteros-Pérez, J. Peña-Martínez, D. Marrero-López, J.T.S. Irvine and P. Núñez**
- M. Asamoto, H. Shirai, H. Yamaura and H. Yahiro**
- E. Chinarro, F.M. Figueiredo, G.C. Mather, J.R. Jurado and J.R. Frade**
- M.T. Colomer, S. Gallini and J.R. Jurado**
- P. García, B. Ferrari, R. Moreno, A.J. Sánchez-Herencia and M.T. Colomer**
- M.I. Vázquez, R. de Lara and J. Benavente**
- R. de Lara and J. Benavente**
- Y. Yoon, J. Im, H. You and D. Shin**
- Ionic, Electronic and Mixed Conductors*
- S.K. Tadokoro and E.N.S. Muccillo**
- V. Geraldo, V. Briois, L.V.A. Scalvi and C.V. Santilli**
- A.V. Kovalevsky, V.V. Kharton, A.A. Yaremchenko, Y.V. Pivak, E.N. Naumovich and J.R. Frade**
- J.H. Joo and G.M. Choi**
- S. Yakovlev, V. Kharton, A. Yaremchenko, A. Kovalevsky, E. Naumovich and J. Frade**
- A.L. Horovistiz, D.P. Fagg, J.C.C. Abrantes and J.R. Frade**
- 4199 The effect of cationic disordering on the electrochemical performances of the layered nitrides LiWN_2 and $\text{Li}_{0.84}\text{W}_{1.16}\text{N}_2$
- 4205 Sinterability, microstructures and electrical properties of Ni/Gd-doped ceria cermets used as anode materials for SOFCs
- 4211 Cathodic overpotential of $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_3$ and its composite cathodes LSC–LSGM on LaGaO_3 -based fuel cell
- 4215 Lithium mobility in titanium based Nasicon $\text{Li}_{1+x}\text{Ti}_{2-x}\text{Al}_x(\text{PO}_4)_3$ and $\text{LiTi}_{2-x}\text{Zr}_x(\text{PO}_4)_3$ materials followed by NMR and impedance spectroscopy
- 4219 Oxygen-permeating zirconia membrane: The effect of thickness and surface coating
- 4223 LSCM–(YSZ–CGO) composites as improved symmetrical electrodes for solid oxide fuel cells
- 4229 Fabrication of $\text{BaCe}_{0.8}\text{Y}_{0.2}\text{O}_3$ dense film on perovskite-type oxide electrode substrates
- 4233 Combustion synthesis and characterisation of Ni-MO-YSZ ($\text{M} = \text{Mg, Ca, Al}_{2/3}$) cermet anodes for SOFCs
- 4237 Synthesis and characterisation of a green $\text{NiO}/\text{La}(\text{Sr})\text{PO}_{4-\delta}$ cermet anode for phosphate based solid oxide fuel cells
- 4241 YSZ/Ni–YSZ semi-cells shaped by electrophoretic deposition
- 4245 Characterisation of two microporous ceramic membranes with different geometrical parameters: Effect of protein adsorption on electrochemical parameters
- 4251 Effect of ionizing radiation on a ceramic microporous membrane
- 4257 Fabrication of NiO/YSZ anode for solid oxide fuel cells by aerosol flame deposition
- 4261 Effect of Y and Dy co-doping on electrical conductivity of ceria ceramics
- 4265 EXAFS investigation on Sb incorporation effects to electrical transport in SnO_2 thin films deposited by sol-gel
- 4269 Stability and oxygen transport properties of $\text{Pr}_2\text{NiO}_{4+\delta}$ ceramics
- 4273 Electrical conductivity of thin film ceria grown by pulsed laser deposition
- 4279 Mixed conductivity, thermal expansion and defect chemistry of A-site deficient $\text{LaNi}_{0.5}\text{Ti}_{0.5}\text{O}_{3-\delta}$
- 4283 Effects of Fe-additions on sintering and transport properties of $\text{Yb}_2\text{Ti}_{2-y}\text{Fe}_y\text{O}_{7-\delta}$

K. Miwa, I. Kagomiya, H. Ohsato, H. Sakai and Y. Maeda	4287 Electrical properties of the $\text{Sr}_2\text{Ru}_{1-x}\text{Ti}_x\text{O}_4$ solid solutions
R. Polini, A. Falsetti, E. Traversa, O. Schäf and P. Knauth	4291 Sol–gel synthesis, X-ray photoelectron spectroscopy and electrical conductivity of Co-doped $(\text{La}, \text{Sr})(\text{Ga}, \text{Mg})\text{O}_{3-\delta}$ perovskites
H. Correa, R.A. Vargas, J. García-Barriocanal, A. Rivera, J. Santamaría and C. León	4297 Electrical conductivity relaxation in lithium doped silver iodide
<i>COST 539</i>	
M. Senna, T. Kinoshita, Y. Abe, H. Kishi, C. Ando, Y. Doshida and B. Stojanovic	4301 Smart soft-mechanochemical syntheses of well-crystallized pure phase fine particulates of mixed oxides for electroceramics
I. Stolichnov, L. Malin, P. Muralt and N. Setter	4307 Nonvolatile gate effect in the PZT/AlGaN/GaN heterostructure
P.R. Bueno, J.A. Varela and E. Longo	4313 Admittance and dielectric spectroscopy of polycrystalline semiconductors
V. Železný, D. Chvostová, I. Szafraniak, M. Alexe and D. Hesse	4321 Characterization of PZT nanostructures by infrared spectroscopy
M.E. Rabanal, L.S. Gómez, A. Khalifa, J.M. Torralba, L. Mancic and O. Milosevic	4325 Structural properties of europia-doped-gadolinia synthesized through aerosol
L. Mančić, G. Del Rosario, Z.V.M. Stanojević and O. Milošević	4329 Phase evolution in Ce-doped yttrium–aluminum-based particles derived from aerosol
W. Jin, I.-K. Lee, A. Kompch, U. Dörfler and M. Winterer	4333 Chemical vapor synthesis and characterization of chromium doped zinc oxide nanoparticles
R.R. Djenadic, L.M. Nikolic, K.P. Giannopoulos, B. Stojanovic and V.V. Srdic	4339 One-dimensional titanate nanostructures: Synthesis and characterization
K. Maca, J. Cihlar, K. Castkova, O. Zmeskal and H. Hadraba	4345 Sintering of gadolinia-doped ceria prepared by mechanochemical synthesis
E.-D. Ion, B. Malic and M. Kosec	4349 Characterization of PbZrO_3 prepared using an alkoxide-based sol–gel synthesis route with different hydrolysis conditions
M. Viviani, J. Barrel, M.T. Buscaglia, V. Buscaglia, M. Vardavoulias and E. Stytsenko	4353 Properties of compositionally graded $\text{Ba}_{(1-x)}\text{Sr}_x\text{TiO}_3$ self-standing thick films
B.D. Stojanovic, V. Mitic, V. Pejovic, M.M. Vijatovic and M.A. Zaghet	4359 Screen printed PLZT thick films prepared from nanopowders
F. Rémondière, B. Malič, M. Kosec and J.-P. Mercurio	4363 Synthesis and crystallization pathway of $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ thin film obtained by a modified sol–gel route
P. Keburis, J. Banys, J. Grigas, A. Brilingas, T. Burtilius, A.N. Salak and V.M. Ferreira	4367 Dielectric properties of BT–LMT mixed ceramics
V. Dorcet, P. Marchet and G. Trolliard	4371 Structural and dielectric studies of the $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3\text{–BiFeO}_3$ system
A. Ianculescu, A. Brăileanu, M. Viviani and L. Mitoşeriu	4375 Dielectric properties of $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ and $(\text{Pb}_{1-x}\text{La}_x)(\text{Mg}_{(1+x)/3}\text{Nb}_{(2-x)/3})\text{O}_3$ ceramics prepared by columbite route
L. Mitoseriu, V. Buscaglia, M. Viviani, M.T. Buscaglia, I. Pallecchi, C. Harnagea, A. Testino, V. Trefiletti, P. Nanni and A.S. Siri	4379 $\text{BaTiO}_3\text{–}(\text{Ni}_{0.5}\text{Zn}_{0.5})\text{Fe}_2\text{O}_4$ ceramic composites with ferroelectric and magnetic properties

R. Grigalaitis, J. Banys, A. Sternberg, K. Bormanis and V. Zauls	4383 Broadband dielectric spectroscopy of PSN ceramics
M. Maletin, E.G. Moshopoulou, A.G. Kontos, E. Devlin, A. Delimitis, V.T. Zaspalis, L. Nalbandian and V.V. Srdic	4391 Synthesis and structural characterization of In-doped $ZnFe_2O_4$ nanoparticles
D. Berger, C. Matei, F. Papa, D. Macovei, V. Fruth and J.P. Deloume	4395 Pure and doped lanthanum manganites obtained by combustion method
I. Szafraniak, M. Połomska, B. Hilczer, A. Pietraszko and L. Kępiński	4399 Characterization of $BiFeO_3$ nanopowder obtained by mechanochemical synthesis
V. Koval, J. Dusza, A.J. Bushby and M.J. Reece	4403 Local switching behavior and electrical polarization of ferroelectric thin films under nanoindentation
L. Predoana, B. Malic, M. Kosec, M. Carata, M. Calderaru and M. Zaharescu	4407 Characterization of $LaCoO_3$ powders obtained by water-based sol–gel method with citric acid
S. Nakayama, S. Nagare, K. Hamada, Y. Abe and M. Senna	4413 Evaluation and renovation of a mechanical activator for highly reactive precursors of electroceramics
V. Fruth, M. Popa, J.M. Calderon-Moreno, E.M. Anghel, D. Berger, M. Gartner, M. Anastasescu, P. Osiceanu and M. Zaharescu	4417 Chemical solution deposition and characterization of $BiFeO_3$ thin films
V. Fruth, G. Dobrescu, V. Bratan, C. Hornoiu, S. Preda, C. Andronescu and M. Popa	4421 Structural and electrochemical features of Bi_2O_3 -based fast oxide ion conductors

I Keyword List

II Notes for Authors