

Keyword Index

- A. Firing, 1987
A1. Homogeneous precipitation, 2903
A. Powder solid-state reactions, 3141
A. Processing, 1421
A. Sintering, 1769
A2. Supercritical CO₂ fluid, 2903
A3. Supercritical ethanol fluid, 2903
Abnormal grain growth, 1821
Adhesion strength, 1143
Aerosol, 2573
Aerosols, 2487
Ag–Cu brazes, 617
Ageing, 1003, 1085
Al, 3155
Al₄C₃, 633, 643
AL(H₂PO₄)₃, 2281
Alkaline earth oxides, 747
AlN, 691, 1715
AlN powder, 2281
Al₂O₃, 21, 199, 205, 217, 223, 229, 235, 407, 531, 617, 633, 643, 649, 691, 711, 747, 763, 1091, 1097, 1129, 1149, 1485, 1551, 1923, 1973, 2049, 2337, 2353, 2389, 2399, 2411, 2421, 2479, 2487, 2681, 2815, 2859, 2923, 2941, 3049, 3059
Al₂O₃ coating, 1143
Al₂O₃/SiC, 1073
Al₂O₃/YAG, 2309
Al₂O₃–(C), 2983
Al₂O₃–SiC, 2983
Al₂O₃–ZrO₂, 1575
AlPO₄, 3041
Al₂TiO₅, 2411, 2923
Alumina, 935, 1405
Alumina segregation kinetics, 401
Aluminium oxycarbides, 633, 643
Aluminium phosphate, 1135
Aluminum, 1057
Aluminum hydroxides, 1003
Aluminum nitride, 1003
Anatase, 2645
Anderson–Grüneisen parameter, 3091
Annealing, 91
Anode-supported, 3113
Anti-adhesion, 947
Apatite, 139, 159, 821, 1319, 2137, 2161, 2717
Aqueous suspensions, 2801
Arc-jet, 1899
Armour, 1091
Artificial epitaxy, 2545
Atomic force microscopy, 947
AZO, 3065
B. Composites, 1697
B. Defects, 1495
B. Grain Boundaries, 1495
B. Microstructure-final, 1111, 1769
B. Nanocomposites, 1961
B. Porosity, 1111, 2451
B. Spectroscopy, 1987
B. Surface, 2359
B. X-ray methods, 3141
(Ba, Sr) (Co, Fe) O₃, 3125
(Ba, Sr)TiO₃, 837
Ballistic performance, 1091
BaNiZnFe₁₆O₂₇, 2057
BaSrTiO₃, 2969
Ba_xTi₃Nb₄O₁₈, 2777
BaTiO₃, 599, 1205, 1213, 1821, 1845, 2063, 2573, 2581, 2589
BaTiO₃ and titanates, 109, 117, 1307, 2765
BaTiO₃ thin films, 101
BaZrO₃, 1149
Bi-2212, 2239
(Bi, Na) TiO₃, 871
BiFeO₃–PbTiO₃, 2233
Binders, 763
Bi₂O₃, 2221
Biomedical applications, 139, 149, 159, 539, 1319, 1595, 1923, 1995, 2151, 3083
Bismuth compounds, 499
Bismuth ferrite, 2567
Bismuth-doped, 3189
Bi₄Ti₃O₁₂, 1641
BiVO₄, 2955
BN, 679
B₆O, 1613
Borides, 1287, 907
Boron, 1881
Boron nitride, 1105
Boron suboxide, 1613
Brazing, 2701, 717
Brownian motion, 1169, 91
BST, 837
Buen Retiro, 757
C. Colour, 1987
C. Corrosion, 2359
C. Creep, 2451
C. Dielectric properties, 3141
C. Diffusion, 1495
C. Hardness, 1697
C. Mechanical properties, 1111, 1961
C. Strength, 1769, 2451
C. Toughening, 1961
C. Wear resistance, 1697
(Ca, Mg)SiO₃, 605
CaAl₂O₄, 747
Ca-doping, 2479
Calcination, 919, 1161, 1783, 2495, 3011
Calcinations, 747
Calcium aluminates, 747, 1737
Calcium content, 2659
Calcium phosphate, 539, 2889
CaO–SiO₂, 1595
Capacitors, 109, 1205, 1213, 2075, 2765
Ca₃(PO₄)₂, 539
Carbide-derived carbon, 1297
Carbides, 271, 633, 643, 649, 907, 1671, 2247, 3177
Carbon, 671, 1267, 1881, 2265, 3165, 3177
Carbon content, 1037
Carbon fiber, 787
Carbon nanotube, 1015
Ca–Si–O–N, 2659

- Castables, 2011, 2471, 2853
 Catalytic stability, 2183
 Cathodoluminescence, 2049
 CaTiO_3 , 2137, 585
 Ce:YSAG , 2539
 Cell connectivity, 3049
 Cell size gradient, 3049
 Cement, 183
 CeO_2 , 85, 919, 965, 2019, 2709, 3107
 Ceramic eutectics, 2301
 Ceramic fibres, 1015
 Ceramic green machining, 531
 Ceramic matrix composites, 2563, 3041
 Ceramic nanopowders, 895
 Ceramic yield, 887
 Ceramic-matrix composites (CMCs), 479, 1809
 Ceramics, 41, 1079, 1509, 2433
 Cermets, 2085
 Chemical expansion, 793
 Chemical properties, 329, 633, 643, 649, 1467, 1731, 1995, 2265, 3165, 3177
 Citrate route, 2611
 Citric method, 843
 Clay, 465
 Clays, 701, 2117, 2639, 2823
 CNB method, 663
 CoAl_2O_4 , 1987
 Coarsening, 1509
 Coated particles, 959
 Coatings, 711, 729, 1319, 2011, 2265
 Cold isostatic pressing, 1121
 Colloidal behaviour, 2171
 Colloidal spray coating, 3113
 Colloidal Y_2O_3 , 1603
 Colour, 169, 1777
 Combustion reaction, 2033
 Combustion synthesis, 289
 Combustors, 2183
 Compaction, 2441
 Complex materials constants, 133
 Composites, 117, 183, 271, 311, 321, 229, 253, 447, 671, 787, 1009, 1073, 1105, 1149, 1267, 1353, 1535, 1543, 1575, 1649, 1995, 2275, 2309, 2399, 2687, 2693, 2783, 2877, 2923, 2941, 2975, 3165, 3177
 Composition, 2653
 Condensate shape, 2545
 Constrained sintering, 1931
 Continuous process, 2573
 Coprecipitation, 1623
 Cordierite/SiC composite ceramics, 1275
 Cordierite–mullite, 1941
 Core–shell, 2589
 Corrosion, 259, 425, 431, 437, 1043, 1251, 1557, 2353, 2995, 3155
 Crack healing, 1073
 Cracking, 1251, 1381
 $\text{Cr}_3\text{C}_2/\text{Al}_2\text{O}_3$, 1909
 Creep, 241, 371, 571, 1129, 1535, 2301
 Cristobalite, 1227
 Cross-linking, 887
 CRT glass, 739
 Crystal structure, 329, 493, 585
 Crystal structure stability, 1763
 Crystallinity, 2653
 Crystallization, 1973, 3097, 555
 $\text{Cu}_2\text{Ta}_4\text{O}_{12}$ ceramic, 2075
 Cutting tools, 989
 Cyclic frequency, 2783
 D. Al_2O_3 , 1495, 1961
 D. Al_2TiO_5 , 1961
 D. Halides, 2451
 D. Mullite, 2359
 D. Silicate, 2359, 3141
 D. SiO_2 , 1769
 D. YAG, 2903
 Damage, 2835, 2895
 Defect chemistry, 811
 Defects, 345, 577, 1129, 1631, 1923, 2003, 2025, 2463, 3049
 Degradation, 2239
 Densification, 1509, 2933
 Density functional theory simulations, 995
 Dental zirconia, 1085
 Depinning, 1827
 Depth-sensing indentation technique, 1235
 Design, 1079
 Design of mixture experiments, 3027
 Diamond, 321
 Dicalcium phosphate, 547
 Dielectric loss, 585
 Dielectric permittivity, 2969
 Dielectric properties, 117, 123, 605, 837, 871, 1227, 1433, 1839, 2057, 2071, 2075, 2233, 2581, 2731, 2765, 2777, 2877, 3119, 3131, 3149, 3193
 Dielectrical properties, 1197
 Diffusion, 393, 1297
 Diopside, 199, 1569
 Directed solidification, 2331
 Directional solidification, 2411, 2433
 Directionally solidified eutectic oxides, 2345
 Directionally solidified eutectics, 2325
 Dislocations, 371, 2301
 Dispersants, 547
 Dolomite, 2853
 Domain walls, 1827
 Domains, 851
 Drying, 393, 1381, 1769, 2003, 3049
 E. Cutting tools, 1697
 E. Membranes, 3125
 E. Substrates, 3141
 Eco-friendly, 2501
 Elastic constants, 3091
 Elastic moduli, 1891
 Elastic modulus, 193
 Elastic properties, 77
 Elasticity, 1953
 Electrical conductivity, 15, 811, 1279, 1679, 2025, 2071, 2947
 Electrical properties, 35, 499, 829, 965, 1023, 1197, 1641, 2183
 Electrohydrodynamic atomization, 2739
 Electrolyte, 803, 959
 Electron microscopy, 69, 91, 407, 425, 437, 591, 617, 671, 1213, 1557, 1585, 1631, 1665, 1671, 1801, 1821, 2221, 2233, 2411, 2681, 2709, 2915
 Electronic structure, 995
 Electrophoretic deposition, 101, 1353, 1793, 2801
 Electrophoretic infiltration, 2801
 Electrospray, 3131
 Emulsions, 1177
 Enamel, 757
 Engine components, 241, 259, 711, 1097
 EPD, 935
 Epitaxy, 2747
 Er_2O_3 , 2389
 Eutectic, 2399
 Eutectic ceramics, 2337
 Eutectic composite, 2319
 Eutectic material, 2331
 Eutectic microstructures, 1973
 Eutectics, 2451, 2681
 Evaporation, 1871
 Expandable microspheres, 2815
 Extrusion, 229, 1341, 2117
 Extrusion freeforming, 159
 Failure analysis, 1, 1023, 1857, 2151, 2289
 Fatigue, 1085, 2289, 2783
 Ferrites, 2057
 Ferroelectric properties, 591, 871, 1307, 3193
 Ferroelectrics, 851, 1827
 Fibers, 447, 455, 1149, 1535
 Films, 49, 117, 591, 1297, 1353, 1397, 1451, 2003, 2177, 2225, 2433, 2739, 2765
 Finishing, 2109
 Finite element method, 1931
 Firing, 2463, 2557, 2629, 2639
 Flame, 2573

- Flame sprayed coatings, 2191
 Flexural strength, 1891
 Fluorapatite, 1995
 Fluorotopaz, 383
 Foam stability, 3049
 Foaming, 1389
 Foams, 217
 Formation mechanism, 1623
 Fractal geometry, 2809
 Fracture, 1, 193, 247, 447, 711, 1535, 1551, 2049, 2289, 2337, 2345, 2783, 2867, 2895, 3155
 Fracture mechanics, 1941
 Fracture toughness, 663, 1891, 1941
 Friction, 2117
 Friction and wear, 199
 Fuel cells, 1, 61, 77, 252, 1247, 611, 779, 821, 965, 1353, 1467, 1801, 1857, 2025, 2325, 2673, 2709, 2947, 3107
 Fuel cells $\text{La}_{9.33}(\text{SiO}_4)_6\text{O}_2$, 2717
 Functional applications, 311, 393, 913, 1389, 1397, 1585, 2177, 2955, 3131, 3149, 3189
 Functionally graded, 437
 Functionally graded materials, 2161
 Fusion, 2801
- (Gd, Ba) CoO_3 , 3125
 GdAlO_3 , 2941
 Gelcasting, 217
 Gel-casting, 2815, 2889
 Geopolymers, 177
 Glass, 193, 377, 383, 611, 739, 1091, 1197, 1319, 1475, 2399, 2421, 2581, 3189
 Glass ceramics, 1517, 1569, 2247, 2399, 2877
 Glass substrate, 2545
 Glass–ceramics, 61, 69, 267, 1319, 2521, 2687, 2693, 3021
 Glass-forming region, 2659
 Glaze, 757
 Gradient, 1871
 Grain boundaries, 829, 1129, 1485, 1845, 2771, 3155
 Grain boundary diffusion, 1509
 Grain growth, 49, 235, 383, 455, 599, 679, 773, 1485, 1509, 1527, 1657, 1821, 1881, 2063, 2259, 2755, 2933
 Grain size, 49, 539, 679, 779, 851, 901, 1161, 1467, 1585, 1777, 2479, 2845
 Granular matter, 1443
 Graphite, 2011
 Green ceramics, 2109
 Green machining, 1369
 Green strength, 701, 2823
- Grey relational analysis, 3065
 Hafnia, 2363
 Hardness, 253, 617, 729, 989, 1091, 1235, 1891, 2039, 2161, 2213
 Hetero-modulus ceramics, 3165, 3177
 Hexagonal boron nitride, 679
 HfB_2 , 1287, 1899
 HfC , 1899
 HIP, 295
 Hot isostatic pressing, 311
 Hot pressing, 1613, 1679
 Hot water vapor, 425
 Hot wire technique, 15
 Hot-pressing, 787
 H_3PO_4 , 2281
 Hydrogen storage, 1467
 Hydrolysis, 1003
 Hydrolysis-assisted solidification, 879
 Hydrothermal, 803, 2747
 Hydrothermal hot-pressing, 739
 Hydrothermal reaction, 599
 Hydrothermal synthesis, 2653, 2665
 Hydroxide catalysis bonding, 303
 Hydroxyapatite, 2151
 Hydroxypropylcellulose, 2665
 Hypothetic nanocomposites, 2331
- Image analysis, 1275, 1941
 Impedance, 1801
 Impedance spectroscopy, 2075
 Impurities, 393, 407
 Inclusions, 1749, 2405
 Indentation, 1235, 2039
 Infiltration, 617, 1267, 3155
 In-flight behavior, 1143
 Injection moulding, 547, 763, 1341, 1923, 3005
 Inorganic polymers, 177
 Interconnect, 61, 2521
 Interconnected composites, 2337
 Interfaces, 253, 611, 1149, 1405, 1657, 1723, 2265, 2405, 2701, 2783
 Interfacial coatings, 1687
 Internal barrier layer capacitor, 2075
 Ion exchange, 1763
 Ionic conductivity, 793, 821, 965, 2529, 2717, 3107
 Isoelectric point, 2597
 Iteration method, 133
- Joining, 61, 303, 531, 611, 617, 717, 2521
- (K, Na) NbO_3 , 1657
 Kinetics, 1243
 $(\text{K}, \text{Na})\text{NbO}_3$, 1191, 2963
- KNbO_3 , 133
 K_2NiF_4 structure, 2605
- La (Fe,Co,Pd) O_3 , 2611
 $\text{La}_{2/3}\text{TiO}_3$, 2025, 3119
 LaCrO_3 –Ru, 2563
 LaGaO_3 , 803, 2039, 2213
 Laminates, 1551, 1723
 LaMnO_3 , 1815
 Lanthanum hexaboride, 895
 Lanthanum magnesium hexaluminate, 1979
 Laser, 2433
 Laser ablation condensation, 1631
 Laser drilling, 2673
 LaSi_3N_5 , 1917
 $(\text{La}, \text{Sr})(\text{Co}, \text{Fe})\text{O}_3$, 49
 Layered double hydroxide, 1623
 Lead metaniobate, 863
 Lead-free, 843, 1191
 Lead-free ceramics, 2063, 2963, 3193
 Lead-free dielectrics, 871
 Li_2CO_3 , 27, 605
 Lifetime, 2783, 2859, 2867, 3071
 LiNbO_3 , 1197
 Liquid phase, 1613
 Loss tangent, 2969
 Lotus effect, 947
 Low nitrogen pressure, 289
 Low-sintering temperature, 2969
 Low-velocity impact, 2923
 LTCC, 605, 1839, 2765, 2777
- Machinability, 1569
 Macroporosity, 2815
 Magnetic field, 935
 Magnetic properties, 1665, 2057
 Magnetron sputtering, 2099
 Manufacturing, 1421
 Mechanical activation, 2085
 Mechanical modelling, 1451
 Mechanical properties, 85, 183, 193, 329, 479, 539, 555, 657, 787, 793, 901, 953, 979, 995, 1009, 1023, 1029, 1227, 1235, 1251, 1279, 1443, 1475, 1679, 1715, 2039, 2129, 2151, 2191, 2213, 2309, 2463, 247, 2471, 253, 2625, 2687, 2693, 2791, 2835, 2853, 2859, 2867, 2883, 2889, 2895, 2983, 3083, 3091
- Mechanochemical processing, 177
 Mechanochemical reaction, 1815
 Mechanosynthesis, 2755
 Membranes, 793, 1043, 1603
 Mesoporous structure, 1161
 MgAl_2O_4 , 1953, 2011, 2495
 MGC, 2353

- MgO, 1953, 2845
 MgO-Al₂O₃-SiO₂, 2129
 MgO-C, 563
 Mica, 1569
 Micro-beam, 757
 Microhardness, 1143, 2099
 Microstructure, 531, 563, 691, 747, 811, 1037, 1049, 1287, 1451, 1557, 1687, 2191, 2199, 2301, 2459, 2701, 2845, 2941, 3097, 3131
 Microstructure-final, 49, 205, 229, 729, 929, 1065, 1191, 1307, 1517, 1543, 1595, 1641, 1783, 1995, 2161, 2259, 2275, 2325, 2345, 2557, 2709, 2755, 2955, 2983, 3005, 3107, 3119
 Microwave applications, 2057
 Microwave ceramic, 605
 Microwave dielectric characteristics, 2605
 Microwave dielectrics, 585, 1433
 Microwave processing, 729, 1665, 2529
 Milling, 193, 279, 599, 1467, 2109, 2589, 2725, 2941, 3083
 Mineralization, 1517
 MOCVD, 1909
 Modelling, 1079, 1931
 Modulus, 2213
 Molecular dynamics, 345
 Molten metal, 1079
 Molten salt preparation, 1987
 MoSi₂, 1287
 Mössbauer effect, 2725
 Mullite, 329, 345, 353, 367, 371, 383, 393, 401, 407, 425, 431, 437, 447, 455, 465, 473, 479, 493, 711, 1517, 1749, 2191
 Mullitization, 377
 Multiferroic, 2567
 Multilayer, 2557
 Multilayered structures, 711
 (Na, Bi) TiO₃, 2063
 NaA zeolite, 2653
 Nanocomposites, 279, 901, 913, 919, 953, 959, 1023, 1205, 1259, 1603, 2563, 2883, 3083
 Nanocrystalline 3Y-TZP, 2933
 Nanoindentation, 1149, 2213
 Nanolaminates, 1009
 Nanometric powders, 1177
 Nanoparticles, 1671, 2487, 2665
 Nanoparticulate aluminosilicate, 1749
 Nanopowders, 2033, 2171
 Nano-sized particles, 2405
 Nanostructure, 1329, 2653
 Nanostructured zirconia, 973
 Nanostructures, 773, 2747
 Nano-wisker, 2331
 Near-net shape, 2815
 Neck formation, 1509
 Neutron diffraction, 1809
 Neutron powder diffraction, 1737
 Nextel 720 fiber, 3041
 NiO, 1185
 NiO/YSZ, 1221
 Niobates, 1191, 1657, 2771, 2963
 NITE, 657
 Ni-Ti-CO₃, 1623
 Nitridation' powders – solid state reaction, 1917
 Nitrided pressureless sintering, 1057
 Nitrides, 271, 679, 1731
 Nitrogen content, 2659
 NMR, 2421
 NMR Spectroscopy, 1135
 Non-destructive evaluation, 2129
 NTC, 35
 Nuclear applications, 2995
 Optical microscopy, 2459
 Optical properties, 169, 1065, 1091, 1527, 1777, 2539, 3189
 Organic additives, 2597
 Oxidation, 691, 1243, 1899, 2995
 Oxidation resistance, 1687
 Oxide superconductors, 2405
 Oxides, 2301
 Oxygen-permeation membranes, 3125
 Oxynitride glass, 2659
 Packing structure, 21
 Painted layers, 757
 Palladium segregation, 2611
 Particle packing, 1121
 Particle size, 2645, 2915
 Particle size distribution, 943
 Particulate material, 2441
 Paste, 1341
 Pb (Zs, 851
 PbNb₂O₆, 863
 PbTiO₃, 591
 Periclase, 2853
 Perovskite structure, 2611
 Perovskites, 49, 591, 793, 811, 843, 1433, 1657, 1815, 2025, 2039, 2213, 2755, 3071, 3119, 3149, 3193
 Phase changes, 691
 Phase diagram, 2199, 2389
 Phase equilibria, 2199, 2221, 2363, 2389, 2509, 3119
 Phase relations, 2771
 Phase stability, 1979
 Phase transformation, 2225, 91
 Phase transitions, 773, 2071
 Phosphate coating, 2281
 Photocatalysis, 2645
 Piezoelectric properties, 871, 1191, 1649, 1839, 2731, 2963, 3193
 Piezoelectricity, 843
 Piezoelectrics, 863, 2063
 Piezoelectric ceramics, 133
 Pigments, 169, 2033
 α-PIXE, 757
 Plasma spraying, 1143, 1979, 2529
 Plasticity, 1341, 2117
 Platelets, 407, 2639, 2755
 PLZST, 2597
 PMN-PT, 2755
 Poling, 851, 1827
 Polyaniline, 101
 Polycarbosilane structure, 887
 Polycrylamide gel, 773
 Polycrystalline YAG, 1065
 Polyethylene, 763
 Polymer, 117
 Polymer pyrolysis, 2247
 Polymer-derived ceramics, 253, 1037
 Porcelain, 465, 757, 2463
 Porcelain tile, 2629
 Pore formers, 1221
 Porosity, 49, 149, 217, 531, 555, 617, 657, 1029, 1043, 1161, 1297, 1389, 1451, 1783, 1793, 1871, 1995, 2809, 2947
 Porous materials, 739
 Powder preparation, 1177, 1815, 2539
 Powder-chemical preparation, 919, 2915
 Powders, 279, 1509, 2199
 Powders solid-state reaction, 821
 Powders-chemical preparation, 139, 169, 223, 1641, 1259, 2233, 2495, 2617, 2709, 2731, 2947, 2955, 3107
 Powders-gas phase reaction, 27, 109, 383, 1731, 2617, 3011
 Powders-solid state reaction, 27, 499, 679, 747, 935, 1527, 2057, 2501, 2717, 2725, 2975, 2771
 Precursors-organic, 271, 887, 907, 1389, 2983
 Pressing, 701, 2823, 3005
 Pressure-assisted sintering, 2765
 Pressureless sintering, 199, 973
 Protonic, 2433
 Pseudo-eutectic, 2941
 Pt/Al₂O₃, 2183
 PTC, 1845
 PTFE, 289
 Pulsed laser deposition (PLD), 591
 Pyrolyzed phenol resin, 311
 Pyrophyllite, 177
 PZT, 133, 1307, 1397, 1649, 1827, 1839, 2071, 2731, 2739, 2747, 3131

- Quartz, 2629
 Quasi-binary system, 2331
- Raman spectroscopy, 907
 Rapid prototyping, 1369, 2109
 Rare earth dioxygen monocarbonate, 27
 Rare-earth oxides, 2337, 2363
 Reaction bonding, 1369
 Reaction sintering, 879, 1057, 1185
 Reaction synthesis, 1917
 Reaction-bonded mullite, 3041
 Reaction-bonding, 473
 Reactive alumina, 563
 Reactive sintering, 91, 1169
 Reactive synthesis, 1369
 Rearrangement, 1121
 Recycling, 3027
 Re-entry test, 2791
 Refractories, 15, 563, 633, 643, 1105, 1275, 1517, 1557, 1731, 1737, 2129, 2471, 2835, 2845, 2867
 Refractory castables, 1953, 2853
 Refractory concrete, 2859
 Reorientation, 1169
 Residual stresses, 1809, 1909, 2319
 RF thermal plasma, 895
 Rheology, 1015
 Rolling, 2289
 Roughness parameters, 2177
 RuO_2 , 2221
 Rutile, 2645
- Screen printing, 837, 1801
 Sealant, 2521
 Secondary phases, 2581
 Sedimentation, 2597
 Seeds, 295
 Self-assembled monolayer, 101
 Self-cleaning, 947
 Self-propagating high-temperature synthesis (SHS), 2275
 Self-sealed structure, 1723
 Sensors, 27, 577, 913, 965, 1839, 2183, 2501
 Sepiolite, 1763
 Shaping, 547, 1065, 1329, 1341, 1389, 1397, 2109, 2625, 3059
 SHS, 2085
 $\text{Si}_4\text{Al}_2\text{O}_2\text{N}_6$, 879
 SiAlON, 901, 989
 SiAlON materials, 1243
 β -SiAlON/TiN, 953
 β -SiC, 311
 SiC, 303, 321, 657, 711, 877, 1029, 1043, 1267, 1279, 1535, 1715, 1881, 2247, 2259, 2265, 2791, 2809, 2995
 SiC fibers, 1687
 SiC/SiC composites, 2801
 SiCN-precursor, 1015
 Silicates, 259, 1763, 2459
 Silicides, 1267
 Silicon carbide, 2801
 Silicon dioxide, 895
 Silicon nitride, 1049, 1057, 1079
 Si_3N_4 , 289, 295, 929, 1097, 1251, 2289, 2625
 $\text{Si}_3\text{N}_4/\text{BN}$, 1723
 $\text{Si}_3\text{N}_4/\text{SiC}$, 1259
 Single crystals, 1657
 $\text{Si}_2\text{N}_2\text{O}$, 1227
 Sintering, 21, 41, 123, 139, 159, 205, 223, 235, 539, 555, 577, 599, 617, 779, 871, 901, 929, 1009, 1049, 1065, 1121, 1213, 1307, 1329, 1433, 1451, 1485, 1509, 1527, 1569, 1613, 1641, 1715, 1783, 1881, 1931, 1995, 2003, 2019, 2075, 2085, 2137, 2225, 2259, 2479, 2501, 2529, 2539, 2581, 2687, 2693, 2731, 2777, 2791, 2809, 3149
 SiO_2 , 205, 1227, 1603, 2199, 2877
 SiOC, 1037, 1871
 Slip casting, 149, 929, 935, 943, 973, 1121, 1369, 3059, 3113
 Slurry, 2597
 SnO_2 , 505, 829, 2225
 Soapnut, 3049
 SOFC, 803, 1221, 1857
 Soft chemical synthesis, 913
 Sol-gel, 123, 1649
 Sol-gel processes, 267, 907, 1397, 1595, 1749, 1871, 2177, 2479, 2265
 Sol-gel processing, 2011
 Solid oxide fuel cell, 69, 85, 959, 3113
 Solid solution, 2025
 Solid-state reaction, 2199
 Sonochemical treatment, 1585
 Space charge, 1129
 Spark plasma sintering, 671, 1279, 1287
 Specific heat, 2639
 Speckle photography, 2239
 Spectroscopy, 169, 499, 1777, 1917, 2049, 2421, 2459, 2955
 Spinel formation, 563
 Spinels, 35, 1665, 2011, 2495, 2501, 2725, 2845, 2853
 Spray Pyrolysis, 2487
 SPS, 1881
 SrSmAlO_4 , 2605
 SrTiO_3 , 811
 SrZrO_3 , 3071
 Stoneware, 465
 Strength, 217, 247, 303, 717, 1073, 1551, 1575, 2345, 2701, 2859, 2867, 2895, 2923, 2947
 Strengthening mechanism, 1909
 Stress distribution, 2117
 Stress singularity, 1857
 Structural applications, 1, 259, 431, 1097
 Structural model, 367
 Structural properties, 1197
 Structure, 2199
 Structure and microstructure, 1443
 Substrate, 2877
 Superconductivity, 2405
 Superconductors, 2239
 Supercritical fluids, 223
 Superhydrophobic, 947
 Supporting anode, 1221
 Surface polymerization, 101
 Surface roughness, 3065
 Surface strengthening, 2099
 Surface-coating, 3125
 Surfaces, 431, 577, 1603, 2019, 2177, 2995
 Surfaces modification, 943
 Surfactants, 2801
 Suspensions, 217, 547, 1205, 1353, 1381, 1443, 1793, 2625, 2739, 2889
 Synchrotron powder diffraction, 2567
 Synchrotron radiation, 2441
 Synchrotron XRD, 455
 Synthesis, 295, 979, 2975
- Ta_2AlC , 1679
 Tape casting, 21, 863, 1185, 1205, 1221, 1381, 2063, 2673, 2791
 TCP, 2889
 Tellurite glass, 3097
 TEM, 1169, 2545
 Temperature stability, 2963
 Templates, 2755
 Tensile test, 2471
 Ternary carbide, 979
 Testing, 1275, 663
 Tetragonality, 2573
 Texture, 863, 929, 2063
 Textured ceramics, 935
 Thermal barrier coatings, 241, 1405, 1979, 3071
 Thermal conductivity, 15, 1029, 1279, 1679, 1793, 2639
 Thermal expansion, 69, 353, 793, 879, 1737, 2129, 2471, 2629, 2835, 2947, 3021, 3091
 Thermal properties, 15, 329, 649, 1135, 1259, 1405, 1475, 1715, 2325, 2421, 2915, 3071, 3091,

- Thermal protection systems, 1899
 Thermal shock resistance, 1275, 1543
 Thermal stability, 1623
 Thermal stresses, 711
 Thermal treatment, 1737
 Thermistors, 1845, 2501
 Thermodynamic data, 633, 643
 Thermodynamic equilibrium, 1557
 Thermodynamic modeling, 2509
 Thermodynamic properties, 1613
 Thermoelectric materials, 41
 Thermogravimetry, 1243
 Thick film, 837, 2501
 Thin films, 691
 Threshold-stress, 571
 Ti, 1185
 Ti_2O_3 , 851
 $(Ti, Zr)O_2$, 1631
 Ti_3AlC_2 , 663, 979
 TiB_2 , 2275, 3155
 TiC, 1297, 2265, 2275, 3165, 3177
 $Ti(C, N)$, 2085
 $TiC-TiB_2$, 1697
 Tiles, 2463
 Tilos, 2629
 Time-resolved neutron diffraction, 2975
 TiO, 1185
 TiO_2 , 267, 577, 1177, 1585, 2003,
 2161, 2171, 2225, 2509, 2645, 2665
 TiO_2-SnO_2 , 91
 $Ti_3Si(Al)C_2$, 663
 Ti_3SiC_2 , 2099
 Titanium substitution, 2137
 Toughness, 2039
 Toughness and toughening, 447, 1543,
 1575
 Traditional ceramics, 1777, 2463, 2617,
 3027
 Transformation, 2259
 Transition alumina, 1121
 Transition metal carbides, 1671
 Transition metal oxides, 913, 2673
 Transition metal-ion dopants, 353
 Transmission electron microscopy, 1037
 Transparent ceramics, 2539
 Tribological property, 2099
 Tri-calcium phosphate, 2137
 β -Tricalcium phosphate (TCP), 149
 Tubular, 3113
 Two-step sintering, 2933
 Ultrasonic pulse-echo, 1953
 Ultrasonic techniques, 2835
 Ultrasonic transducers, 1649
 Ultrasonic velocity, 1275
 Urea hydrolysis, 803
 Vapour pressures, 649
 Varistor, 2557
 Varistors, 505, 829
 Vibration, 3059
 Viscoelastic toughening, 1941
 Viscosity, 2597
 Vitreous Ceramics, 465
 V_2O_5 , 3149
 Warping, 21
 Waste materials, 739, 3027
 Water content, 1815
 Weak layer, 3041
 Wear parts, 1097
 Wear resistance, 479, 989, 1543, 2983
 Weibull statistics, 1
 Weight function, 1575
 Wettability, 717
 Wetting, 577
 XPS, 2151, 35
 X-ray diffraction, 2319
 X-ray methods, 27, 169, 271, 493, 499,
 1671, 1731, 1737, 2221, 2233, 2629,
 2681, 2725, 2771, 3005, 3189
 X-ray-methods, 3083
 YAG, 1527, 2353
 $Y_3Al_5O_{12}$, 235, 1973
 Y-doped α -SiAlONs, 995
 Y_2O_3 , 879, 1251, 2281, 2509
 Young's modulus, 1723
 Y_2SiO_5 , 2895
 YSZ, 1161, 611
 Yttria, 2363
 Zeta potential, 2171, 2597
 Zircon, 3091
 Zirconia, 1405, 2363
 Zirconia Toughened Alumina (ZTA), 1809
 $(Zn, Ni)Fe_2O_4$, 2033
 ZnBO, 2969
 $ZnCr_2O_4$, 1665
 $Zn(Cu, Ni, Mn)_2O_4$, 35
 ZnO, 505, 2545, 2557, 2915
 ZnO buffer layer, 3065
 ZrB_2 , 671, 1279, 1287
 ZrB_2-MoSi_2-SiC , 1891
 ZrC, 671, 1279
 ZrO_2 , 77, 229, 241, 571, 773, 779, 787,
 919, 1161, 1191, 1551, 1687, 1793,
 1801, 1995, 2191, 2199, 2325, 2389,
 2509, 2529, 2673, 2681, 2687, 2693,
 2701, 2883
 ZrO_2 nanocrystalline, 1783
 $ZrO_2-Al_2O_3-Y_2O_3$, 2345
 $ZrSiO_4$, 2199
 $ZrTiO_4$, 1169