

List of Contents for Volume 30

Volume 30, Number 1, 2010

- 1 Solvent-based paste extrusion solid freeforming
X. LU, Y. LEE, S. YANG, Y. HAO, J.R.G. EVANS & C.G. PARINI (UK)
- 11 Functionalization of ceramic tile surface by soluble salts addition: Part I
F. BONDIOLI, T. MANFREDINI, M. GIORGI & G. VIGNALI (Italy)
- 17 Porous single-fired wall tile bodies: Influence of quartz particle size on tile properties
J.L. AMORÓS, M.J. ORTS, S. MESTRE, J. GARCIA-TEN & C. FELIU (Spain)
- 29 Phase composition of alumina–mullite–zirconia refractory materials
C. ZANELLI, M. DONDI, M. RAIMONDO & G. GUARINI (Italy)
- 37 Red ceramic pigments of terbium-doped ceria prepared through classical and non-conventional coprecipitation routes
M. LLUSAR (Spain), L. VITÁSKOVÁ, P. ŠULCOVÁ (Czech Republic), M.A. TENA, J.A. BADENES & G. MONRÓS (Spain)
- 53 Highly porous ZrO₂ ceramics fabricated by a camphene-based freeze-casting route: Microstructure and properties
J. HAN, C. HONG, X. ZHANG, J. DU & W. ZHANG (PR China)
- 61 Effect of dopants on the phase stability of zirconia-based plasma sprayed thermal barrier coatings
S.A. TSIPAS (Spain)
- 73 Nanoindentation of melt-extracted amorphous YAG and YAG:Eu, Nd micrometric fibers synthesized by the citrate precursor method
R. LÓPEZ, E.A. AGUILAR, J. ZÁRATE-MEDINA, J. MUÑOZ-SALDAÑA & D. LOZANO-MANDUJANO (Mexico)
- 81 Low temperature sintering of barium titanate ceramics assisted by addition of lithium fluoride-containing sintering additives
H. NAGHIB-ZADEH, C. GLITZKY, I. DÖRFEL & T. RABE (Germany)
- 87 Grain growth behavior in bismuth titanate-based ceramics
A. WATCHARAPASORN, P. SIRIPRAPA & S. JIANSIRISOMBOON (Thailand)
- 95 Preparation of TiO₂-enriched CaCu₃Mn_{0.1}Ti_{3.9}O₁₂ ceramics and their dielectric properties
R. SAKAMAKI, B. CHENG, J. CAI, Y.-H. LIN, C.-W. NAN & J. HE (PR China)
- 101 Study of vibratory behavior of interconnected porous PZT by impulse method
K. BOUMCHEDDA, A. AYADI, T. AOUAROUN (Algeria) & G. FANTOZZI (France)
- 107 The effect of SiO₂ addition on the development of low- Σ grain boundaries in PTC thermistors
M.A. ZUBAIR & C. LEACH (UK)
- 113 Effect of nano-AlN content on the microstructure and mechanical properties of SiC foam prepared by siliconization of carbon foam
Y. YANG, Q. GUO, X. HE, J. SHI, L. LIU & G. ZHAI (China)
- 119 Effect of Ar or N₂ sintering atmosphere on the high-temperature oxidation behaviour of pressureless liquid-phase-sintered α -SiC in air
F. RODRÍGUEZ-ROJAS, A.L. ORTIZ, O. BORRERO-LÓPEZ & F. GUIBERTEAU (Spain)

- 129 Fabrication and mechanisms of densification of ZrB₂-based ultra high temperature ceramics by reactive hot pressing
L. RANGARAJ, C. DIVAKAR & V. JAYARAM (India)

Volume 30, Number 2, 2010

Electroceramics XI Special Issue

Editorial

- 139 JECS Electroceramics XI volume—Editorial
C. LEACH & R. FREER (UK)

Processing and Basic Science

- 141 Spontaneous fractal ordering of zirconium oxide nanoparticles during synthesis from solution
A.G. BELOUS, K.V. KRAVCHYK, O.V. PASHKOVA, Y.P. GOMZA & S.D. NESIN (Ukraine)
- 147 Compositionally graded YSZ–NiO composites by surface laser melting
R.I. MERINO, J.I. PEÑA & V.M. ORERA (Spain)
- 153 Electrically conductive alumina–carbon nanocomposites prepared by Spark Plasma Sintering
F. INAM, H. YAN, D.D. JAYASEELAN, T. PEIJS & M.J. REECE (UK)
- 159 Effect of reaction sintering process on the microwave dielectric properties of Ba₂Ti₉O₂₀ materials
I.-N. LIN, C.-B. CHANG, K.-C. LEOU & H.-F. CHENG (Taiwan)
- 165 Melt synthesis of Eu-doped oxide phosphors using arc-imaging furnace
T. ISHIGAKI, M. YOSHIMURA, N. MATSUSHITA, K. UEMATSU, K. TODA & M. SATO (Japan)
- 171 Preparation of concentrated barium titanate suspensions incorporating nano-sized powders
G. LIU, D. ZHANG & T.W. BUTTON (UK)
- 177 Photoreaction of gold ions from potassium gold cyanide wastewater using solution-combusted ZnO nanopowders
S. PARK, H.-S. KIM, J.-H. LEE, Y.C. KIM, J.C. LEE & Y.-J. CHUNG (Republic of Korea)
- 181 Controlled growth of anodic aluminium oxide films with hexagonal array of nanometer-sized pores filled with textured copper nanowires
R. BERTHOLDO, M.C. ASSIS, P. HAMMER, S.H. PULCINELLI & C.V. SANTILLI (Brazil)
- 187 *In situ* photoelectron study of the (Ba,Sr)TiO₃/RuO₂ contact formation
R. SCHAFRANEK, J. SCHAFFNER & A. KLEIN (Germany)
- 193 Thermo-reversible sol–gel transition of TiO₂ nanoparticles with surface modified by p-toluene sulfonic acid
R.C.K. KAMINSKI (Brazil, France), S.H. PULCINELLI, C.V. SANTILLI (Brazil), F. MENEAU, S. BLANCHANDIN & V. BRIOIS (France)

Characterisation

- 199 Non-destructive three-dimensional Raman analysis of domain orientation in barium titanate single-crystal
G. PEZZOTTI, M. HIGASHINO, K. TSUJI & W. ZHU (Japan)
- 205 A new measurement method of piezoelectric properties of single ceramic fibres
R. STEINHAUSEN, S. KERN, C. PIENTSCHKE, H. BEIGE (Germany), F. CLEMENS & J. HEIBER (Switzerland)
- 211 Study of the pyroelectric profile in BTS piezoceramics by the single frequency thermal square wave method
O. MALYSHKINA, A. MOVCHIKOVA (Russia), R. STEINHAUSEN, H.T. LANGHAMMER & H. BEIGE (Germany)
- 215 On the localized impedance spectroscopic characterization of grain boundaries: General aspects and experiments on undoped SrTiO₃
J. FLEIG (Austria, Germany), B. RAHMATI, S. RODEWALD & J. MAIER (Germany)
- 221 Correlation between impedance spectra of bulk ceramics and films with in-plane configuration
A.A.L. FERREIRA, J.C.C. ABRANTES & J.R. FRADE (Portugal)
- 227 Thermal ageing of nanostructured tetragonal zirconia ceramics: Characterization of interfaces
R.A. ROCHA (France, Brazil), E.N.S. MUCCILLO (Brazil), L. DESSEMOND & E. DJURADO (France)

- 233 *In-situ* observation of phase transformations in layered perovskite $\text{BaEu}_2\text{Mn}_2\text{O}_7$
H. NAKANO, N. ISHIZAWA & N. KAMEGASHIRA (Japan)
- 237 Ferroelectric–relaxor crossover characteristics in $\text{Ba}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ ceramics investigated by AFM-piezoresponse study
D. RICINSCHI (Japan), C.E. CIOMAGA, L. MITOSERIU (Romania), V. BUSCAGLIA (Italy) & M. OKUYAMA (Japan)
- 243 Photoluminescence and structural characteristics of double tungstates $\text{A}(\text{M}_{1-x}\text{Pr}_x)\text{W}_2\text{O}_8$ (A = Li, Cs, M = Al, Sc, La)
K.H. LEE, K.-W. CHAE, C.I. CHEON & J.S. KIM (Republic of Korea)
- 249 Modelling of the ferroic material behaviour of piezoelectrics: Characterisation of temperature-sensitive functional properties
H. GRÜNBICHLER, J. KREITH, R. BERMEJO, P. SUPANCIC & R. DANZER (Austria)

Dielectrics and Ferroelectrics: Multiferroics and Piezoelectrics

- 255 Precursor phenomenon on ferroelectric transition in multiferroic YMn_2O_5
I. KAGOMIYA, K.-I. KAKIMOTO & H. OHSATO (Japan)
- 259 Magnetoelectric effect in composite structures based on ferroelectric–ferromagnetic perovskites
S.A. SOLOPAN, O.I. V'YUNOV, A.G. BELOUS, A.I. TOVSTOLYTKIN & L.L. KOVALENKO (Ukraine)
- 265 Hydrothermal synthesis and characterization of multiferroic $\text{Bi}_{1-x}\text{La}_x\text{FeO}_3$ crystallites
X. YAN, J. CHEN, Y. QI, J. CHENG & Z. MENG (PR China)
- 271 The study of $\text{BiCr}_x\text{Fe}_{1-x}\text{O}_3$ thin films synthesized by sol–gel technique
Y. ZHANG, S. YU & J. CHENG (China)
- 277 Multiferroic bismuth manganite prepared by mechanochemical synthesis
Z. BRANKOVIĆ, Z.M. STANOJEVIĆ, L. MANČIĆ, V. VUKOTIĆ (Serbia), S. BERNIK (Slovenia) & G. BRANKOVIĆ (Serbia)
- 283 Growth and characterisation of multiferroic BiFeO_3 films with fully saturated ferroelectric hysteresis loops and large remanent polarisations
X. QI, W.-C. CHANG, J.-C. KUO, I.-G. CHEN, Y.-C. CHEN, C.-H. KO & J.-C.-A. HUANG (Taiwan)
- 289 Size effects in Fe^{3+} -doped PbTiO_3 nanocrystals—Formation and orientation of $(\text{Fe}'_{\text{Ti}} - \text{V}_\text{O}^{**})$ defect-dipoles
E. ERDEM (Germany), K. KIRAZ, M. SOMER (Turkey) & R.-A. EICHEL (Germany)
- 295 Grain size control of lead-free $\text{Li}_{0.06}(\text{Na}_{0.5}\text{K}_{0.5})_{0.94}\text{NbO}_3$ piezoelectric ceramics by Ba and Ti doping
K.-I. KAKIMOTO, K. ANDO & H. OHSATO (Japan)
- 301 Crystal growth and ferroelectric property of $\text{Na}_{0.5}\text{K}_{0.5}\text{NbO}_3$ and Mn-doped $\text{Na}_{0.5}\text{K}_{0.5}\text{NbO}_3$ crystals grown by floating zone method
Y. INAGAKI, K.-I. KAKIMOTO & I. KAGOMIYA (Japan)

Dielectrics and Ferroelectrics: Microwave Dielectrics, Metamaterials and LTCC

- 307 Phase formation and dielectric properties of $\text{Ln}_2(\text{Ln}'_{0.5}\text{Nb}_{0.5})_2\text{O}_7$ (Ln = rare earth element)
L. CAI & J.C. NINO (USA)
- 315 Origin of improvement of Q based on high symmetry accompanying Si–Al disordering in cordierite millimeter-wave ceramics
H. OHSATO, I. KAGOMIYA, M. TERADA & K. KAKIMOTO (Japan)
- 319 Dependence of dielectric properties on structural characteristics of $(\text{Zn}_{1/3}\text{A}_{2/3})_{0.5}(\text{Ti}_{1-x}\text{B}_x)_{0.5}\text{O}_2$ (A = Nb^{5+} , Ta^{5+} , B = Ge^{4+} , Sn^{4+}) ceramics at microwave frequencies
E.S. KIM & S.N. SEO (Republic of Korea)
- 325 New high Q microwave dielectric ceramics with rock salt structures: $(1 - x)\text{Li}_2\text{TiO}_3 + x\text{MgO}$ system ($0 \leq x \leq 0.5$)
J.J. BIAN & Y.F. DONG (China)
- 331 Temperature and frequency dependence of dielectric loss of $\text{Ba}(\text{Mg}_{1/3}\text{Ta}_{2/3})\text{O}_3$ microwave ceramics
T. SHIMADA, K. ICHIKAWA, T. MINEMURA, T. KOLODIAZHNYI (Japan), J. BREEZE, N.M. ALFORD (UK) & G. ANNINO (Italy)

- 335 Raman spectra and extended X-ray absorption fine structure characterization of $\text{La}_{(2-x)/3}\text{Na}_x\text{TiO}_3$ and $\text{Nd}_{(2-x)/3}\text{Li}_x\text{TiO}_3$ microwave ceramics
M.-Y. CHEN, C.Y. CHIU, C.-T. CHIA, J.F. LEE & J.J. BIAN (Taiwan)
- 341 Microwave dielectric properties of ATiO_3 (A = Ni, Mg, Co, Mn) ceramics
E.S. KIM & C.J. JEON (Republic of Korea)
- 347 Composite electromagnetic wave absorber made of soft magnetic material and polystyrene resin and control of permeability and permittivity
K. SAKAI, N. ASANO, Y. WADA & S. YOSHIKADO (Japan)
- 355 Barium strontium titanate dielectric helical resonators
C.P. YANG, P.A. SMITH, G. DOLMAN, T.W. BUTTON, T. PRICE & D. IDDLES (UK)
- 359 Microstructure and dielectric response of $(\text{Ba,Sr})\text{TiO}_3$ filler-dispersed resin composites
K.-I. KAKIMOTO, J. FURUHASHI, H. OGAWA & M. AKI (Japan)
- 365 Development of PLZT dielectrics on base metal foils for embedded capacitors
U. BALACHANDRAN, D.K. KWON, M. NARAYANAN & B. MA (USA)
- 369 Characterization and improvement of LTCC composite materials for application at elevated temperatures
C. BIENERT & A. ROOSEN (Germany)
- 375 Effect of B_2O_3 addition on the sintering temperature and microwave dielectric properties of Zn_2SiO_4 ceramics
J.-S. KIM, M.-E. SONG, M.-R. JOUNG, J.-H. CHOI, S. NAHM, S.-I. GU, J.-H. PAIK & B.-H. CHOI (Republic of Korea)
- 381 Fabrication and properties of composites from BST and polypropylene-*graft*-poly(styrene-*stat*-divinylbenzene)
K. SONODA (Finland, Japan), T. HU, J. JUUTI (Finland), Y. MORIYA (Japan) & H. JANTUNEN (Finland)
- 385 Dielectric properties of cubic bismuth based pyrochlores containing lithium and fluorine
J. BANYS, S. RUDYS, M. IVANOV (Lithuania), J. LI & H. WANG (China)
- 389 Tunable microwave devices using low-sintering-temperature screen-printed barium strontium titanate (BST) thick films
V.K. PALUKURU, J. PERÄNTIE, M. KOMULAINEN, T. TICK & H. JANTUNEN (Finland)
- 395 Low loss microwave ferroelectric ceramics for high power tunable devices
E.A. NENASHEVA, N.F. KARTENKO, I.M. GAIDAMAKA, O.N. TRUBITSYNA, S.S. REDOZUBOV, A.I. DEDYK (Russia) & A.D. KANAREYKIN (USA)
- 401 Dielectric properties of Permalloy granular composite materials
T. KASAGI, T. TSUTAOKA & K. HATAKEYAMA (Japan)
- 407 Effects of glass additions on the microstructure and dielectric properties of barium strontium titanate (BST) ceramics
D. ZHANG, T.W. BUTTON (UK), V.O. SHERMAN, A.K. TAGANTSEV (Switzerland), T. PRICE & D. IDDLES (UK)
- 413 The synthesis and microwave dielectric properties of $\text{Mg}_3\text{B}_2\text{O}_6$ and $\text{Mg}_2\text{B}_2\text{O}_5$ ceramics
U. DOŠLER, M.M. KRŽMANC & D. SUVOROV (Slovenia)

Thin Films

- 419 Laser-transfer processing of functional ceramic films
C.W. JAMES, T. COMYN, R.A. DOREY, D. UNDERHILL & S.J. MILNE (UK)
- 423 Preparation and characterization of $\text{Zn}^{18}\text{O}/\text{Zn}^{16}\text{O}$ isotope heterostructure thin films
K. MATSUMOTO, Y. ADACHI, I. SAKAGUCHI, N. OHASHI & H. HANEDA (Japan)
- 429 Optical scattering of nanocrystalline $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ films
J. PUUSTINEN, J. LAPPALAINEN, J. HILTUNEN & V. LANTTO (Finland)
- 435 Characterization of alkaline earth metals ruthenate thin films
A. ITO, H. MASUMOTO, T. GOTO & S. SATO (Japan)
- 441 CVD elaboration and *in situ* characterization of barium silicate thin films
T. GENEVÈS, L. IMHOFF, B. DOMENICHINI, P.M. PETERLÉ & S. BOURGEOIS (France)

- 447 Dielectric and optical properties of electroceramic PBZNZT thin films prepared by pulsed laser deposition process
H.-F. CHENG, Y.-W. CHEN, P.T. JOSEPH, C.-C. HUNG, H.-Y. CHIANG & I.-N. LIN (Taiwan)
- 453 Structural and electrical properties of $\text{Pb}(\text{Zr}_{0.53}\text{Ti}_{0.47})\text{O}_3$ films prepared on $\text{La}_{0.5}\text{Sr}_{0.5}\text{CoO}_3$ coated Si substrates
F. CHEN, J. CHENG, S. YU & Z. MENG (PR China)
- 459 Optical properties of porous silicon coated with ultrathin gold film by RF-magnetron sputtering
C. HONG, H. KIM, S. PARK & C. LEE (South Korea)
- 465 Impedance spectroscopic studies of sol–gel derived barium strontium titanate thin films
D. CZEKAJ, A. LISIŃSKA-CZEKAJ, T. ORKISZ, J. ORKISZ & G. SMALARZ (Poland)
- 471 Low-temperature fabrication of $\text{Ba}_{1-x}\text{Sr}_x\text{TiO}_3$ thin films with good dielectric properties on platinized silicon substrates
X.H. ZHU, E. DEFAÏ, B. GUIGUES, G. LE RHUN, C. DUBARRY & M. AÏD (France)
- 475 Films and crystalline powder of BiI_3 intercalated with ammonia
N. PREDA, L. MIHUT, M. BAIBARAC, I. BALTOG, J. PANDELE, C. ANDRONESCU & V. FRUTH (Romania)
- 481 Characterization of the biaxial textures of MgO thin films grown by E-beam evaporation
J.-M. CHO, K.-H. LEE, C.I. CHEON, N.I. CHO & J.S. KIM (Republic of Korea)
- 485 Preparation of ultrathin PZT films by a chemical solution deposition method from a polymeric citrate precursor
K. VOJISAVLJEVIĆ, G. BRANKOVIĆ, T. SREĆKOVIĆ (Serbia), A. REČNIK (Slovenia) & Z. BRANKOVIĆ (Serbia)
- 489 Yttria-stabilized zirconia thin films by pulsed laser deposition: Microstructural and compositional control
S. HEIROTH, T. LIPPERT, A. WOKAUN, M. DÖBELI, J.L.M. RUPP, B. SCHERRER & L.J. GAUCKLER (Switzerland)
- 497 Pulsed-laser deposited amorphous-like PZT thin-films: Microstructure and optical properties
J. LAPPALAINEN, J. PUUSTINEN, J. HILTUNEN & V. LANTTO (Finland)
- 503 Electrical properties of Li-doped NiO films
W.-L. JANG, Y.-M. LU, W.-S. HWANG & W.-C. CHEN (Taiwan)
- 509 Phase development and crystallization of CuAlO_2 thin films prepared by pulsed laser deposition
J.-C. LEE, S.-Y. UM, Y.-W. HEO, J.-H. LEE & J.-J. KIM (Republic of Korea)
- 513 Leakage current mechanism and effect of oxygen vacancy on the leakage current of $\text{Bi}_5\text{Nb}_3\text{O}_{15}$ films
K.-H. CHO, C.-H. CHOI, J.-Y. CHOI, T.-G. SEONG, S. NAHM, C.-Y. KANG, S.-J. YOON & J.-H. KIM (Republic of Korea)
- 517 Investigation on the valence state of Te ions in the $\text{Bi}_6\text{Ti}_5\text{TeO}_{22}$ thin film using X-ray photoelectron spectroscopy
C.-H. CHOI, J.-Y. CHOI, K.-H. CHO, M.-J. YOO, J.-H. CHOI, S. NAHM, C.-Y. KANG, S.-J. YOON & J.-H. KIM (Republic of Korea)
- 521 Determination of residual stress in PZT films produced by laser ablation with X-ray diffraction and Raman spectroscopy
S.A.S. RODRIGUES, A.G. ROLO, A. KHODOROV, M. PEREIRA & M.J.M. GOMES (Portugal)

Thermistors and Varistors

- 525 Grain growth behaviour of ZnO-based multilayer varistors
S.-T. KUO & W.-H. TUAN (Taiwan)
- 531 Effect of thermal annealing on electrical degradation characteristics of Sb–Bi–Mn–Co-added ZnO varistors
M. TAKADA & S. YOSHIKADO (Japan)
- 539 Current limiting and negative differential resistance in indium oxide based ceramics
A.B. GLOT (Mexico), S.V. MAZURIK (Ukraine), B.J. JONES (UK), A.N. BONDARCHUK (Mexico), R. BULPETT & N. VERMA (UK)
- 545 Characterisation of $\text{SnO}_2\text{–CoO–MnO–Nb}_2\text{O}_5$ ceramics
J. FAN, H. ZHAO, Y. XI, Y. MU, F. TANG (China) & R. FREER (UK)

- 549 Electric force microscopy investigations of barrier formations in ZnO-based varistors
S.M. GHENO, R.H.G.A. KIMINAMI, M.R. MORELLI & P.I. PAULIN FILHO (Brazil)
- 555 Fabrication and positive temperature coefficient of resistivity properties of semiconducting ceramics based on the $\text{BaTiO}_3\text{-(Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ system
H. TAKEDA, H. HARINAKA, T. SHIOSAKI (Japan), M.A. ZUBAIR, C. LEACH, R. FREER (UK), T. HOSHINA & T. TSURUMI (Japan)

COST539

- 561 Percolative $\text{BaTiO}_3\text{-Ni}$ composite nanopowders from alkoxide-mediated synthesis
S. YOON, J. DORNSEIFFER, T. SCHNELLER, D. HENNINGS (Germany), S. IWAYA (Japan), C. PITHAN & R. WASER (Germany)
- 569 Characterization of lanthanum zirconate prepared by a nitrate-modified alkoxide synthesis route: From sol to crystalline powder
E.D. ION (Slovenia, Romania), B. MALIČ, I. ARČON, J.P. GOMILŠEK, A. KODRE & M. KOSEC (Slovenia)
- 577 YAG: Ce^{3+} nanostructured particles obtained *via* spray pyrolysis of polymeric precursor solution
L. MANČIĆ, K. MARINKOVIĆ (Serbia), B.A. MARINKOVIĆ (Brazil), M. DRAMICANIN & O. MILOSEVIĆ (Serbia)
- 583 Two-Step Sintering of oxide ceramics with various crystal structures
K. MACA, V. POUCHLY & P. ZALUD (Czech Republic)
- 591 Polymer-assisted precipitation of ZnO nanoparticles with narrow particle size distribution
A. AIMABLE (Switzerland), M.T. BUSCAGLIA, V. BUSCAGLIA (Italy) & P. BOWEN (Switzerland)
- 599 Tunability properties in the paraelectric state of the $\text{Pb(Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ ceramics
L.P. CURECHERIU, A. IANCULESCU & L. MITOSERIU (Romania)
- 605 Synthesis and oxygen transport properties of $\text{La}_{0.2}\text{Sr}_{0.8}\text{Fe}_{1-x}\text{Ti}_x\text{O}_{3-\delta}$ ($x = 0.2, 0.4$) intended for syn-gas production
E. BARTONICKOVA (Czech Republic), K. WIİK (Norway), K. MACA (Czech Republic), H.L. LEIN & E.A. RUDBERG (Norway)
- 613 Broadband dielectric spectroscopy of $\text{PbMg}_{1/3}\text{Nb}_{2/3}\text{O}_3\text{-PbSc}_{1/2}\text{Nb}_{1/2}\text{O}_3$ ceramics
R. GRIGALAITIS, J. BANYS, J. MACUTKEVIC, R. ADOMAVICIUS, A. KROTKUS (Lithuania), K. BORMANIS & A. STERNBERG (Latvia)
- 617 Synthesis of $\text{La}_{1-x}\text{Sr}_x\text{MO}_3$ ($M = \text{Mn, Fe, Co, Ni}$) nanopowders by alanine-combustion technique
D. BERGER, C. MATEI, G. VOICU & A. BOBARU (Romania)
- 623 The characterization of the barium titanate ceramic powders prepared by the Pechini type reaction route and mechanically assisted synthesis
Z.Ž. LAZAREVIĆ, M. VIJATOVIĆ, Z. DOHČEVIĆ-MITROVIĆ, N.Ž. ROMČEVIĆ, M.J. ROMČEVIĆ, N. PAUNOVIĆ & B.D. STOJANOVIĆ (Serbia)
- 629 Kinetics of non-isothermal oxidation of AlN powder
G.-H. ZHANG, X.-M. HOU & K.-C. CHOU (China)

I Keyword List

II Notes for Authors

Volume 30, Number 3, 2010

- 635 Synthesis and mechanical properties of porous alumina from anisotropic alumina particles
S. HASHIMOTO, S. HORITA, Y. ITO, H. HIRANO, S. HONDA & Y. IWAMOTO (Japan)
- 641 Confocal fluorescence microscopy in alumina-based ceramics: Where does the signal come from?
S. GUO & R.I. TODD (UK)
- 649 Sintering, microstructure and mechanical properties of $\text{Al}_2\text{O}_3\text{-Y}_2\text{O}_3\text{-ZrO}_2$ (AYZ) eutectic composition ceramic microcomposites
C. OELGARDT (Germany), J. ANDERSON (USA), J.G. HEINRICH (Germany) & G.L. MESSING (USA)

- 657 Effect of cation doping on lattice and grain boundary diffusion in superplastic yttria-stabilized tetragonal zirconia
M. BONIECKI, Y. NATANZON (Poland) & Z. ŁODZIANA (Switzerland, Poland)
- 669 Microstructures and mechanical properties of $\text{Ce}_{1-x}\text{Ca}_x\text{O}_{2-y}$ ($x = 0.05, 0.1, 0.2$) with different sintering temperatures
M. YAN, T. MORI (Japan), J. ZOU, H. HUANG & J. DRENNAN (Australia)
- 677 Onset coarsening/coalescence of cobalt oxides in the form of nanoplates versus equi-axed micron particles
Y. YEH, I.-H. LIU & P. SHEN (Taiwan)
- 689 Mechanical properties of PECVD thin ceramic films
G. SUBHASH, P. HITTEPOLE & S. MAITI (USA)
- 699 Low temperature synthesis of tetragonal BaTiO_3 by a novel composite-hydroxide-mediated approach and its dielectric properties
Y. XIE, S. YIN, T. HASHIMOTO, Y. TOKANO, A. SASAKI & T. SATO (Japan)
- 705 Fracture resistance of a doped PZT ceramic for multilayer piezoelectric actuators: Effect of mechanical load and temperature
R. BERMEJO, H. GRÜNBICHLER, J. KREITH & C. AUER (Austria)
- 713 Fatigue failure characteristics of lead zirconate titanate piezoelectric ceramics
M. OKAYASU, G. OZEKI & M. MIZUNO (Japan)
- 727 Microstructure and properties of Co-, Ni-, Zn-, Nb- and W-modified multiferroic BiFeO_3 ceramics
F. AZOUGH, R. FREER, M. THRALL, R. CERNIK, F. TUNA & D. COLLISON (UK)
- 737 Evolution of the intergranular phase during sintering of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics
J.J. ROMERO, P. LERET, F. RUBIO-MARCOS, A. QUESADA & J.F. FERNÁNDEZ (Spain)
- 743 Integration of transparent glass window with LTCC technology for μTAS application
P. BEMBNOWICZ & L.J. GOLONKA (Poland)
- 751 Microstructural and mechanical characterization of the $\text{Si}_3\text{N}_4/\text{Si}_3\text{N}_4$ joint brazed using Au–Ni–V filler alloys
J. ZHANG & Y. SUN (PR China)
- 759 Processing and mechanical properties of Si_3N_4 composites employing polymer-derived SiAlOC as sintering aid
T. PLACHKÝ, Z. LENČEŠ, L. HRIC, P. ŠAJGALÍK, P. BALÁŽ (Slovakia), R. RIEDEL, H.-J. KLEEBE (Germany)
- 769 Crack healing in liquid-phase-pressureless-sintered silicon carbide–aluminum nitride composites
G. MAGNANI, L. BEAULARDI, A. BRENTARI (Italy), T. TOYODA & K. TAKAHASHI (Japan)
- 775 Indentation analysis of elastic and plastic deformation of precursor-derived Si–C–N ceramics
N. JANAKIRAMAN & F. ALDINGER (Germany)
- 787 Fabrication of carbon fiber reinforced ceramic matrix composites with improved oxidation resistance using boron as active filler
Z. WANG, S. DONG, P. HE, L. GAO, H. ZHOU, J. YANG & D. JIANG (PR China)

Technical notes

- 793 WC-reinforced (Ti,W)(CN)
Y. KANG (Japan) & S. KANG (Republic of Korea)
- 799 Thermal conductivity of plasma sprayed $\text{Sm}_2\text{Zr}_2\text{O}_7$ coatings
J. YU, H. ZHAO, S. TAO, X. ZHOU & C. DING (China)

Volume 30, Number 4, 2010**Review**

- 805 Alumina based ceramics for high-voltage insulation
M. TOUZIN, D. GOEURLOT, C. GUERRET-PIÉCOURT, D. JUVÉ (France) & H.-J. FITTING (Germany)

Regular papers

- 819 Influence of microporosity and macroporosity on the mechanical properties of biphasic calcium phosphate bioceramics: Modelling and experiment
F. PECQUEUX, F. TANCRET, N. PAYRAUDEAU & J.M. BOULER (France)

- 831 CeO₂ nano-precipitation in borosilicate glasses: A redox study using EELS
G. YANG, S. COOK, R.J. HAND & G. MÖBUS (UK)
- 839 Effect of TiO₂ on the mullite formation and mechanical properties of alumina porcelain
N. MONTOYA, F.J. SERRANO, M.M. REVENTÓS, J.M. AMIGO & J. ALARCÓN (Spain)
- 847 Plasma-scan sintering of aluminosilicate sol–gel films
J. GAO, T. ZHANG, Y. BAO & D.T. GAWNE (UK)
- 857 Effect of mullite additions on the fracture mode of alumina
O. BURGOS-MONTES, R. MORENO & C. BAUDÍN (Spain)
- 865 Carbon nanotube toughened aluminium oxide nanocomposite
I. AHMAD (UK), H. CAO, H. CHEN, H. ZHAO (China), A. KENNEDY & Y.Q. ZHU (UK)
- 875 Influence of panel/back thickness on impact damage behavior of alumina/aluminum armors
Z. ZUOGUANG, W. MINGCHAO, S. SHUNCHENG, L. MIN & S. ZHIJIE (China)
- 889 Thermal stability of nanostructured 13 wt% Al₂O₃–8 wt% Y₂O₃–ZrO₂ thermal barrier coatings
Q. YU, C. ZHOU, H. ZHANG & F. ZHAO (China)
- 899 Manipulating microstructure and mechanical properties of CuO doped 3Y-TZP nano-ceramics using spark-plasma sintering
SHEN RAN (The Netherlands), JOZEF VLEUGELS, SHUIGEN HUANG, KIM VANMEENSEL (Belgium), DAVE H.A. BLANK & LOUIS WINNUBST (The Netherlands)
- 905 Thermochemical stability of the Y₂O₃–SiO₂ system
E. COURCOT, F. REBILLAT, F. TEYSSANDIER & C. LOUCHET-POUILLERIE (France)
- 911 Original synthesis of chromium (III) oxide nanoparticles
P. GIBOT & L. VIDAL (France)
- 917 Dispersant-free colloidal fabrication of Bi₂Sr₂CaCu₂O₈ superconducting thick films
M. MORA, F. GIMENO, H. AMAVEDA, L.A. ANGUREL & R. MORENO (Spain)
- 927 Fabrication and characterization of microtubular and flattened ribbed SOFCs prepared by the multi-dip coating and co-firing
K. KIKUTA, C. KUBOTA, Y. TAKEUCHI, Y. ITO & T. USUI (Japan)
- 933 New glass and glass–ceramic sealants for planar solid oxide fuel cells
F. SMEACETTO, M. SALVO, F.D. D'HÉRIN BYTNER, P. LEONE & M. FERRARIS (Italy)
- 941 Influence of point defects in KTaO₃ on low-temperature dielectric relaxation
A.-K. AXELSSON (UK), M. VALANT (UK, Slovenia) & N.M. ALFORD (UK)
- 947 Low temperature nanostructured zinc titanate by an aqueous particulate sol–gel route: Optimisation of heat treatment condition based on Zn:Ti molar ratio
M.R. MOHAMMADI (UK, Iran) & D.J. FRAY (UK)
- 963 Microwave dielectric properties and microstructures of Nb₂O₅-Zn_{0.95}Mg_{0.05}TiO₃ + 0.25TiO₂ ceramics with Bi₂O₃ addition
Y.-C. LEE, C.-S. CHIANG & Y.-L. HUANG (Taiwan)
- 971 Compositional range and electrical properties of the morphotropic phase boundary in the Na_{0.5}Bi_{0.5}TiO₃–K_{0.5}Bi_{0.5}TiO₃ system
M. OTONIČAR, S.D. ŠKAPIN, M. SPREITZER & D. SUVOROV (Slovenia)
- 981 Phase evolution in reaction sintered zirconium titanate based materials
E. LÓPEZ-LÓPEZ, M.L. SANJUÁN, R. MORENO & C. BAUDÍN (Spain)
- 993 One-step synthesis of barium hexaferrite nano-powders via microwave-assisted sol–gel auto-combustion
L. JUNLIANG, Z. YANWEI, G. CUIJING, Z. WEI & Y. XIAOWEI (PR China)
- 999 Microstructure of boron carbide pressureless sintered in an Ar atmosphere containing gaseous metal species
H. MIYAZAKI, Y. ZHOU, H. HYUGA, Y.-I. YOSHIZAWA & T. KUMAZAWA (Japan)

- 1007 Microstructural evolution during the infiltration of boron carbide with molten silicon
S. HAYUN, A. WEIZMANN, M.P. DARIEL & N. FRAGE (Israel)
- 1015 Chemical composition and microstructure of Al_3BC_3 prepared by different densification methods
S.-H. LEE, H.-D. KIM, S.-C. CHOI (Republic of Korea), T. NISHIMURA, J.-S. LEE & H. TANAKA (Japan)
- 1021 Flexural strength and fracture behavior of ZrB_2 -SiC ultra-high temperature ceramic composites at 1800 °C
P. HU & Z. WANG (PR China)
- 1027 Characterization of pop-in phenomena and indentation modulus in a polycrystalline ZrB_2 ceramic
S. GUICCIARDI, C. MELANDRI & F.T. MONTEVERDE (Italy)
- 1035 Fabrication and properties of ZrB_2 -SiC-BN machinable ceramics
H. WU & W. ZHANG (PR China)
- 1043 Pulsed electric current, in situ synthesis and sintering of textured TiB_2 ceramics
S. RAN, L. ZHANG, O. VAN DER BIEST & J. VLEUGELS (Belgium)
- 1049 Synthesis of high-purity polycrystalline MAX phases in Ti-Al-C system through Mechanically Activated Self-propagating High-temperature Synthesis
A. HENDAOU (France, Algeria), D. VREL (France), A. AMARA (Algeria), P. LANGLOIS, M. ANDASMAS (France) & M. GUERIOUNE (Algeria)
- 1059 Effect of the specimen size on strength of Si_3N_4 + SiC composite
LUCIA HEGEDŰSOVÁ, MONIKA KAŠIAROVÁ, ERIKA CSEHOVÁ & JÁN DUSZA (Slovak Republic)

Volume 30, Number 5, 2010

3rd International Conference on Electrophoretic Deposition: Fundamentals and Applications

- 1067 Electrophoretic deposition: Fundamentals and applications
A.R. BOCCACCINI (UK)
- 1069 EPD kinetics: A review
B. FERRARI & R. MORENO (Spain)
- 1079 Critical particle concentration in electrophoretic deposition
S. RADICE, C.R. BRADBURY, J. MICHLER & S. MISCHLER (Switzerland)
- 1089 Impedance study of the electrophoretic deposition of yttrium silicate from a polymeric precursor sol
O. SCHNEIDER, J. GROBE-BRAUCKMANN (Germany) & C. ARGIRUSIS (Germany, Greece)
- 1097 Electrophoretic deposition of doped ceria: Effect of solvents on deposition microstructure
S. PANIGRAHI, S. BHATTACHARJEE, L. BESRA, B.P. SINGH & S.P. SINHA (India)
- 1105 The influence of pH on particle packing in YSZ coatings electrophoretically deposited from a non-aqueous suspension
H. XU, I.P. SHAPIRO & P. XIAO (UK)
- 1115 Electrophoretic deposition of carbon nanotube-ceramic nanocomposites
A.R. BOCCACCINI, J. CHO, T. SUBHANI (UK), C. KAYA & F. KAYA (Turkey)
- 1131 Fabrication of CNT-SiC/SiC composites by electrophoretic deposition
K. KÖNIG, S. NOVAK, A. IVEKOVIČ, K. RADE (Slovenia), D. MENG, A.R. BOCCACCINI (UK) & S. KOBE (Slovenia)
- 1139 Electrophoretic deposition (EPD) of WO_3 nanorods for electrochromic application
E. KHOO, P.S. LEE & J. MA (Singapore)
- 1145 Electrophoretic deposition and characterization of Eu_2O_3 nanocrystal—Carbon nanotube heterostructures
S.V. MAHAJAN (USA), J. CHO, M.S.P. SHAFFER, A.R. BOCCACCINI (UK) & J.H. DICKERSON (USA)
- 1151 Electrophoretic deposition of surface-modified titanate nanosheets via layer-by-layer assembly and deposited film properties
A. MATSUDA, T. KAMBAYASHI, Y. DAIKO, H. MUTO & M. SAKAI (Japan)
- 1159 Electrophoretic deposition for fabrication of ceramic microparts
S. BONNAS, H.-J. RITZHAUPT-KLEISSL & J. HAUBELT (Germany)

- 1163 Electrophoretic deposition as rapid prototyping method
A. NOLD, J. ZEINER, T. ASSION & R. CLASEN (Germany)
- 1171 Fabrication of *c*-axis oriented zinc oxide by electrophoretic deposition in a rotating magnetic field
T. UCHIKOSHI, T.S. SUZUKI & Y. SAKKA (Japan)
- 1177 Fabrication of particle and composition gradients by systematic interaction of sedimentation and electrical field in electrophoretic deposition
S. BONNAS, H.-J. RITZHAUPT-KLEISSL & J. HAUBELT (Germany)
- 1187 Experimental verification of pH localization mechanism of particle consolidation at the electrode/solution interface and its application to pulsed DC electrophoretic deposition (EPD)
L. BESRA (India, Japan), T. UCHIKOSHI, T.S. SUZUKI & Y. SAKKA (Japan)
- 1195 Fabrication of textured alumina by orienting template particles during electrophoretic deposition
L. ZHANG, J. VLEUGELS & O. VAN DER BIEST (Belgium)
- 1203 ZrO₂ ceramics with aligned pore structure by EPD and their characterisation by X-ray computed tomography
K. MORITZ & T. MORITZ (Germany)
- I Keyword List
- II Notes for Authors

Volume 30, Number 6, 2010

Review

- 1211 Densification and microstructure evolution of Y-Tetragonal Zirconia Polycrystal powder during direct and hybrid microwave sintering in a single-mode cavity
S. CHARMOND, C.P. CARRY & D. BOUVARD (France)

Regular papers

- 1223 Fracture resistance estimation of elastic ceramics in edge flaking: EF baseline
G.A. GOGOTSI, V.I. GALENKO, S.P. MUDRIK, B.I. OZERSKY, V.V. KHVOROSTYANY & T.A. KHRISTEVICH (Ukraine)
- 1229 First- and second-order approaches for the direct determination of bridging stresses from R-curves
S. FÜNFSCILLING, T. FETT (Germany), S.E. GALLOPS, J.J. KRUZIC (USA), R. OBERACKER & M.J. HOFFMANN (Germany)
- 1237 More on the microstructural characterization of dense particle gels
A. WAGNER (Germany), M. HÜTTER (Switzerland) & D. STOYAN (Germany)
- 1245 Characteristics of microbubbles generated by porous mullite ceramics prepared by an extrusion method using organic fibers as the pore former
K. OKADA, M. SHIMIZU, T. ISOBE, Y. KAMESHIMA, M. SAKAI, A. NAKAJIMA & T. KURATA (Japan)
- 1253 Structural characterization of TiO₂-P₂O₅-CaO glasses by spectroscopy
A.M.B. SILVA, R.N. CORREIA, J.M.M. OLIVEIRA & M.H.V. FERNANDES (Portugal)
- 1259 Effect of spray-dried powder granulometry on the porous microstructure of polished porcelain tile
H.J. ALVES, F.G. MELCHIADES & A.O. BOSCHI (Brazil)
- 1267 Sanitary-ware vitreous body characterization method by optical microscopy, elemental maps, image processing and X-ray powder diffraction
A. PAGANI, F. FRANCESCO, A. PAVESE & V. DIELLA (Italy)
- 1277 A consecutive decomposition–sintering dilatometer method to study the effect of limestone impurities on lime microstructure and its water reactivity
D.T. BERUTO, R. BOTTER, R. CABELLA & A. LAGAZZO (Italy)
- 1287 Crystallisation behaviour and high-temperature stability of stone wool fibres
M.M. SMEDSKJAER, M. SOLVANG & Y. YUE (Denmark)
- 1297 Fracture and interfacial delamination origins of bilayer ceramic composites for dental restorations
Y. LIU, H. FENG, Y. BAO, Y. QIU, N. XING (China) & Z. SHEN (Sweden)

- 1307 Influence of chelating agent and reaction time on the swelling process for preparation of porous TiO₂ particles
J.-H. YOU & K.-Y. HSU (Taiwan)
- 1317 Effect of TiO₂ doping on the characteristics of macroporous Al₂O₃/TiO₂ membrane supports
H. QI, Y. FAN, W. XING (China) & L. WINNUST (The Netherlands)
- 1327 Interaction and dispersion stability of alumina suspension with PAA in N,N'-dimethylformamide
L. WU, Y. HUANG, Z. WANG & L. LIU (PR China)
- 1335 Transparent polycrystalline alumina using spark plasma sintering: Effect of Mg, Y and La doping
M. STUER (Switzerland, Sweden), Z. ZHAO (Sweden), U. ASCHAUER & P. BOWEN (Switzerland)
- 1345 Surface texturing inside ceramic macro/micro channels
D. SALAMON, R.G.H. LAMMERTINK & M. WESSLING (The Netherlands)
- 1351 Microstructure development, hardness, toughness and creep behaviour of pressureless sintered alumina/SiC micro-nanocomposites obtained by slip-casting
H. REVERON, O. ZAAFRANI & G. FANTOZZI (France)
- 1359 Microstructure and mechanical properties of Al₂O₃ matrix nanocomposites produced by solid state precipitation
A. MUKHOPADHYAY & R.I. TODD (UK)
- 1373 Pressureless sintering of carbon nanotube–Al₂O₃ composites
S.C. ZHANG, W.G. FAHRENHOLTZ, G.E. HILMAS & E.J. YADLOWSKY (USA)
- 1381 Tailoring the microstructure of reaction-sintered alumina/lanthanum hexaaluminate particulate composites
Z. NEGAHDARI & M. WILLERT-PORADA (Germany)
- 1391 Influence of dispersant, storage time and temperature on the rheological properties of zirconia–paraffin feedstocks for LPIM
F.A. ÇETINEL, W. BAUER, M. MÜLLER, R. KNITTER & J. HAUBELT (Germany)
- 1401 Hot-corrosion behaviors of overlay-clad yttria-stabilized zirconia coatings in contact with vanadate–sulfate salts
X.H. ZHONG, Y.M. WANG, Z.H. XU, Y.F. ZHANG, J.F. ZHANG & X.Q. CAO (China)
- 1409 Influence of microstructure and architecture on oxygen permeation of La_(1-x)Sr_xFe_(1-γ)(Ga, Ni)_γO_{3-δ} perovskite catalytic membrane reactor
E. JUSTE, A. JULIAN, P.-M. GEFFROY, A. VIVET, V. COUDERT, N. RICHET, C. PIROVANO, T. CHARTIER & P. DEL GALLO (France)
- 1419 The influence of the additive BaGeO₃ on BaSnO₃ ceramics
R. KÖFERSTEIN, L. JÄGER, M. ZENKNER, T. MÜLLER & S.G. EBBINGHAUS (Germany)
- 1427 Electrical properties of barium titanate stannate functionally graded materials
S. MARKOVIĆ, Č. JOVALEKIĆ, L. VESELINOVIĆ, S. MENTUS & D. USKOKOVIĆ (Serbia)
- 1437 0.65Pb(Mg_{1/3}Nb_{2/3})O₃–0.35PbTiO₃ thick films prepared by electrophoretic deposition from an ethanol-based suspension
D. KUSCER & M. KOSEC (Slovenia)
- 1445 In situ measurement of material properties of lead zirconate titanate piezoelectric ceramics during cyclic mechanical loading
M. OKAYASU, E. SUGIYAMA & M. MIZUNO (Japan)
- 1453 Crystallization behavior, microstructure and dielectric properties of lead titanate glass ceramics in the presence of Bi₂O₃ as a nucleating agent
S. GOLEZARDI, V.K. MARGHUSSIAN, A. BEITOLLAHI & S.M. MIRKAZEMI (Iran)
- 1461 Tape cast porosity-graded piezoelectric ceramics
E. MERCADELLI, A. SANSON, P. PINASCO, E. RONCARI & C. GALASSI (Italy)
- 1469 Effects of BaO–SiO₂ glass particle size on the microstructures and dielectric properties of Mn-doped Ba(Ti, Zr)O₃ ceramics
T.-A. JAIN, K.-Z. FUNG, S. HSIAO & J. CHAN (Taiwan)
- 1477 Nanoindentation with spherical tips of single crystals of YBCO textured by the Bridgman technique: Determination of indentation stress–strain curves
J.J. ROA, E. JIMÉNEZ-PIQUÉ, X.G. CAPDEVILA & M. SEGARRA (Spain)
- 1483 Fabrication and thermal expansion properties of ZrW₂O₈/Zr₂WP₂O₁₂ composites
J.-I. TANI, M. TAKAHASHI & H. KIDO (Japan)

- 1489 Hot isostatic pressing of optically active Nd:YAG powders doped by a colloidal processing route
M. SUÁREZ (Spain, Sweden), A. FERNÁNDEZ, J.L. MENÉNDEZ (Spain), M. NYGREN (Sweden), R. TORRECILLAS (Spain) & Z. ZHAO (Sweden)
- 1495 Micro-segregations in liquid phase sintered silicon carbide ceramics
M. HERRMANN, R. NEHER, K. BRANDT & S. HOEHN (Germany)
- 1503 Pyrolytic transformation of liquid precursors to shaped bulk ceramics
D. SU, Y.-L. LI, H.-J. AN, X. LIU, F. HOU, J.-Y. LI & X. FU (PR China)
- 1513 Effect of the sintering additive content on the non-protective oxidation behaviour of pressureless liquid-phase-sintered α -SiC in air
F. RODRÍGUEZ-ROJAS, A.L. ORTIZ, O. BORRERO-LÓPEZ & F. GUIBERTEAU (Spain)
- 1519 The carbon nonstoichiometry and the lattice parameter of $(\text{Ti}_{1-x}\text{W}_x)\text{C}_{1-y}$
S. PARK, J. JUNG, S. KANG, B.W. JEONG, C.-K. LEE & J. IHM (Republic of Korea)
- 1527 Microstructural development of a C_f/ZrC composite manufactured by reactive melt infiltration
L. ZOU, N. WALI, J.-M. YANG & N.P. BANSAL (USA)
- 1537 Synthesis of single phase Ca- α -SiAlON using Y-type zeolite
H. SASAKI, Y. OUMI, M. SADAKANE & T. SANO (Japan)

Technical reports

- 1543 A thermal-shock-resistance model for laminated ceramics and its validation
Z. ZHOU, Z. WANG, Y. YI, S. JIANG & J. LAN (PR China)
- 1549 Structural and electrical characterization of $(\text{K}_{0.48}\text{Na}_{0.52})_{0.96}\text{Li}_{0.04}\text{Nb}_{0.85}\text{Ta}_{0.15}\text{O}_3$ synthesized by spray drying
R. LÓPEZ, F. GONZÁLEZ & M.E. VILLAFUERTE-CASTREJÓN (Mexico)

Volume 30, Number 7, 2010

Review

- 1555 Micrometer and nanometer-scale parallel patterning of ceramic and organic–inorganic hybrid materials
J.E. TEN ELSHOF, S.U. KHAN & O.F. GÖBEL (The Netherlands)

Regular papers

- 1579 Influence of finite notch root radius and optically determined crack length on the measured fracture toughness of brittle materials
H. ÖZCOBAN, H. JELITTO & G.A. SCHNEIDER (Germany)
- 1585 Modeling thermal shock damage in refractory materials via direct numerical simulation (DNS)
I. ÖZDEMİR (The Netherlands, Turkey), W.A.M. BREKELMANS & M.G.D. GEERS (The Netherlands)
- 1599 Mullite development on firing in porcelain stoneware bodies
J. MARTÍN-MÁRQUEZ, J.M. RINCÓN & M. ROMERO (Spain)
- 1609 The influence of mineralogical composition on the colour of clay body
V. VALANCIENE, R. SIAUCIUNAS & J. BALTUSNIKAITE (Lithuania)
- 1619 Influence of scrap glass powders and the maturing process in the unfired state on the body properties of a kaolinitic clay after firing
A. SCHWARZ-TATARIN & S. FREYBURG (Germany)
- 1629 Mechanisms and orientation dependence of the corrosion of single crystal Cordierite by model diesel particulate ashes
N. MAIER, K.G. NICKEL, C. ENGEL & A. MATTERN (Germany)
- 1641 Silica fume as porogent agent in geo-materials at low temperature
E. PRUD'HOMME, P. MICHAUD, E. JOUSSEIN, C. PEYRATOUT, A. SMITH, S. ARRIL-CLACENS, J.M. CLACENS & S. ROSSIGNOL (France)
- 1649 Thermal cycling behaviors of the plasma sprayed thermal barrier coatings of hexaluminates with magnetoplumbite structure
X. CHEN, Y. ZHANG, X. ZHONG, Z. XU, J. ZHANG, Y. CHENG, Y. ZHAO, Y. LIU, X. FAN, Y. WANG, H. MA & X. CAO (China)

- 1659 Fracture toughness of Al_2O_3 fibers with an artificial notch introduced by a focused-ion-beam
S. OCHIAI, S. KUBOSHIMA, K. MORISHITA, H. OKUDA & T. INOUE (Japan)
- 1669 An experimental analysis of the influence of the ink properties on the drop formation for direct thermal inkjet printing of high solid content aqueous 3Y-TZP suspensions
E. ÖZKOL, J. EBERT & R. TELLE (Germany)
- 1679 Phase-transformation and grain-growth kinetics in yttria-stabilized tetragonal zirconia polycrystal doped with a small amount of alumina
K. MATSUI, H. YOSHIDA & Y. IKUHARA (Japan)
- 1691 Yttria stabilized zirconia synthesis in supercritical CO_2 : Understanding of particle formation mechanisms in CO_2 /co-solvent systems
A. HERTZ, Y.-M. CORRE, S. SARRADE, C. GUIZARD, A. JULBE, J.-C. RUIZ & B. FOURNEL (France)
- 1699 Synthesis of nano-crystalline apatite type electrolyte powders for solid oxide fuel cells
E. JOTHINATHAN, K. VANMEENSEL, J. VLEUGELS & O. VAN DER BIEST (Belgium)
- 1707 Luminescent properties of rare earth (Er, Yb) doped yttrium aluminium garnet thin films and bulk samples synthesised by an aqueous sol–gel technique
E. GARSKAITE, M. LINDGREN, M.-A. EINARSRUD & T. GRANDE (Norway)
- 1717 Synthesis and characterization of the crystalline powders on the basis of Lu_2O_3 : Eu^{3+} spherical submicron-sized particles
N.A. DULINA, Y.V. YERMOLAYEVA, A.V. TOLMACHEV, Z.P. SERGIENKO, O.M. VOVK, E.A. VOVK, N.A. MATVEEVSKAYA & P.V. MATEYCHENKO (Ukraine)
- 1725 Growth of $(\text{Na}_{0.5}\text{K}_{0.5})\text{NbO}_3$ single crystals by abnormal grain growth method from special shaped nano-powders
C. WANG, Y.-D. HOU, H.-Y. GE, M.-K. ZHU & H. YAN (People's Republic of China)
- 1731 Effects of packing fraction and bond valence on microwave dielectric properties of $\text{A}^{2+}\text{B}^{6+}\text{O}_4$ (A^{2+} : Ca, Pb, Ba; B^{6+} : Mo, W) ceramics
E.S. KIM, B.S. CHUN (Republic of Korea), R. FREER & R.J. CERNIK (UK)
- 1737 Densification, microstructure and microwave dielectric properties of ultra-low fire BaTe_4O_9 – TiTe_3O_8 ceramic composites
S.-F. WANG, Y.-R. WANG, Y.-F. HSU & J.-S. TSAI (Taiwan)
- 1743 Mechanical properties of Si_3N_4 – Al_2O_3 FGM joints with 15 layers for high-temperature applications
C.S. LEE (Republic of Korea), J.A. LEMBERG (USA), D.G. CHO, J.Y. ROH (Republic of Korea) & R.O. RITCHIE (USA)
- 1751 Study of joining of carbon/carbon composites for ultra stable structures
M. SALVO, V. CASALEGNO (Italy), Y. VITUPIER, L. CORNILLON (France), L. PAMBAGUIAN (The Netherlands) & M. FERRARIS (Italy)

Technical report

- 1761 Electrical characterization of ZnO multilayer varistors on the nanometre scale with conductive atomic force microscopy
M. SCHLOFFER, C. TEICHERT, P. SUPANCIC, A. ANDREEV, Y. HOU & Z. WANG (Austria)

Volume 30, Number 8, 2010

- 1765 Microstructural characterization of ceramic–intermetallic composites using TEM related techniques
M.J. SAYAGUÉS, M.A. AVILÉS, J.M. CÓRDOBA, M.D. ALCALÁ & F.J. GOTOR (Spain)
- 1775 Steel particles–porcelain stoneware composite tiles: An advanced experimental–computational approach
V. CANNILLO, L. ESPOSITO, G. PELLICELLI, A. SOLA & A. TUCCI (Italy)
- 1785 Utilization of recycled paper processing residues and clay of different sources for the production of porous anorthite ceramics
M. SUTCU & S. AKKURT (Turkey)
- 1795 Gelcasting of alumina with a new monomer synthesized from glucose
P. BEDNAREK, M. SZAFRAN (Poland), Y. SAKKA (Japan) & T. MIZERSKI (Poland)

- 1803 A high performance solid oxide fuel cells operating at intermediate temperature with a modified interface between cathode and electrolyte
B. FAN, J. YAN & W. SHI (PR China)
- 1809 X-ray nano computerised tomography of SOFC electrodes using a focused ion beam sample-preparation technique
P.R. SHEARING (UK), J. GELB (USA) & N.P. BRANDON (UK)
- 1815 Enhancement of the thermoelectric properties of directionally grown Bi–Ca–Co–O through Pb for Bi substitution
A. SOTELO (Spain), E. GUILMEAU (France), S. RASEKH, M.A. MADRE (Spain), S. MARINEL (France) & J.C. DIEZ (Spain)
- 1821 Formation of PZT micro-scale structures using electrohydrodynamic atomization filling of metallic moulds
D. WANG (China, UK), S.A. ROCKS & R.A. DOREY (UK)
- 1827 Piezoelectric properties and phase transition temperatures of the solid solution of $(1 - x)(\text{Bi}_{0.5}\text{Na}_{0.5})\text{TiO}_3 - x\text{SrTiO}_3$
W. KRAUSS, D. SCHÜTZ, F.A. MAUTNER (Austria), A. FETEIRA (UK) & K. REICHMANN (Austria)
- 1833 Multilayer SiC for thermal protection system of space vehicles with decreased thermal conductivity through the thickness
S. BIAMINO, A. ANTONINI (Italy), C. EISENMENGER-SITTNER (Austria), L. FUSO, M. PAVESE, P. FINO (Italy), E. BAUER (Austria) & C. BADINI (Italy)

Volume 30, Number 9, 2010

- 1841 Effect of firing temperature and atmosphere on ceramics made of NW Peloponnese clay sediments. Part I: Reaction paths, crystalline phases, microstructure and colour
C. RATHOSSI (Greece) & Y. PONTIKES (Greece, Belgium)
- 1853 Effect of firing temperature and atmosphere on ceramics made of NW Peloponnese clay sediments: Part II. Chemistry of pyrometamorphic minerals and comparison with ancient ceramics
C. RATHOSSI (Greece) & Y. PONTIKES (Greece, Belgium)
- 1867 Gravimetric and spectroscopic studies of the chemical combination of moisture by as-fired and reheated terracotta
L. TOSHEVA (UK), B. MIHAILOVA (Germany), M.A. WILSON & M.A. CARTER (UK)
- 1873 Functionalization of ceramic tile surface by soluble salts addition: Part II. Titanium and silver addition
F. BONDIOLI, M. DINELLI, R. GIOVANARDI & M. GIORGI (Italy)
- 1879 Build-up formation and corrosion of monolithic refractories in cement kiln preheaters
I.R. DOMINGUEZ (Mexico), J. GÓMEZ-MILLÁN, M. ALVAREZ, S. DE AZA, L. CONTRERAS & A.H. DE AZA (Spain)
- 1887 Blue-violet ceramic pigments based on Co and Mg $\text{Co}_{2-x}\text{Mg}_x\text{P}_2\text{O}_7$ diphosphates
M. LLUSAR (Spain), A. ZIELINSKA (Poland), M.A. TENA, J.A. BADENES & G. MONRÓS (Spain)
- 1897 Positron annihilation spectroscopic study of hydrothermally synthesized fine nanoporous hydroxyapatite agglomerates
R. MORSY (Egypt), M. ELSAYED, R. KRAUSE-REHBERG, G. DLUBEK (Germany) & T. ELNIMR (Egypt)
- 1903 Stability of rare earth oxides in a moist environment at high temperatures—Experimental and thermodynamic studies. Part I: The way to assess thermodynamic parameters from volatilisation rates
E. COURCOT, F. REBILLAT, F. TEYSSANDIER & C. LOUCHET-POUILLERIE (France)
- 1911 Stability of rare earth oxides in a moist environment at elevated temperatures—Experimental and thermodynamic studies. Part II: Comparison of the rare earth oxides
E. COURCOT, F. REBILLAT, F. TEYSSANDIER & C. LOUCHET-POUILLERIE (France)
- 1919 Grain size effect on electromechanical properties and non-linear response of dense nano and microstructured PIN–PT ceramics
K. ALILAT, M.P. THI, H. DAMMAK, C. BOGICEVIC (France), A. ALBAREDA (Spain) & M. DOISY (France)
- 1925 Combustion synthesis of single-phase β -sialons ($z = 2-4$)
M. SHAHIEN (Egypt), M. RADWAN, S. KIRIHARA, Y. MIYAMOTO & T. SAKURAI (Japan)

- 1931 Rare-earth element doped $\text{Si}_3\text{N}_4/\text{SiC}$ micro/nano-composites—RT and HT mechanical properties
S. LOJANOVÁ, P. TATARKO (Slovakia), Z. CHLUP (Czech Republic), M. HNATKO, J. DUSZA, Z. LEŇCÉŠ,
P. ŠAJGALÍK (Slovakia)
- 1945 Particle size effect of starting SiC on processing, microstructures and mechanical properties of liquid phase-
sintered SiC
Y. HIRATA, N. SUZUE, N. MATSUNAGA & S. SAMESHIMA (Japan)
- 1955 A new route to fabricate SiB_4 modified C/SiC composites
F. SHI, X. YIN, X. FAN, L. CHENG & L. ZHANG (PR China)

Technical note

- 1963 Fabrication of aligned lamellar porous alumina using directional solidification of aqueous slurries with an applied
electrostatic field
Y.F. TANG, K. ZHAO, J.Q. WEI & Y.S. QIN (PR China)

Discussion

- 1967 Some comments about “Comment on hardness definitions”, by J. Malzbender [J. Eur. Ceram. Soc. 23 (2003)
1355–1359]
G.B. DE SOUZA, A. MIKOWSKI, C.M. LEPIENSKI & C.E. FOERSTER (Brazil)

Erratum

- 1971 Erratum to ‘Fabrication of carbon fiber reinforced ceramic matrix composites with improved oxidation resistance
using boron as active filler’ [J. Eur. Ceram. Soc. 30 (2009) 787–792]
Z. WANG, S. DONG, P. HE, L. GAO, H. ZHOU, J. YANG & D. JIANG (PR China)

Volume 30, Number 10, 2010**Review**

- 1973 Overview on fabrication of three-dimensional structures in multi-layer ceramic substrate
L.E. KHOONG, Y.M. TAN & Y.C. LAM (Singapore)

Regular papers

- 1989 Calcium carbonate thermal decomposition in white-body wall tile during firing. I. Kinetic study
A. ESCARDINO, J. GARCÍA-TEN, C. FELIU & A. MORENO (Spain)
- 2003 Crystallization studies in mullite and mullite–YSZ beads
E. GARCIA, J. MESQUITA-GUIMARÃES, P. MIRANZO & M.I. OSENDI (Spain)
- 2009 Crystallization process of thermally treated vitrified EAFD waste
I. TSILIKA, I. ELEFThERiADIS, Th. KEHAGIAS, E. PAVLIDOU, Th. KARAKOSTAS & Ph. KOMNINOu (Greece)
- 2017 Effect of Al_2O_3 and K_2O content on structure, properties and devitrification of glasses in the Li_2O – SiO_2 system
H.R. FERNANDES (Portugal), D.U. TULYAGANOV (Portugal, Uzbekistan), A. GOEL, M.J. RIBEIRO (Portugal),
M.J. PASCUAL (Spain) & J.M.F. FERREIRA (Portugal)
- 2031 Different approaches to produce coatings with bioactive glasses: Enamelling vs plasma spraying
V. CANNILLO & A. SOLA (Italy)
- 2041 Constitution and morphology of hydroxyapatite whiskers prepared using amine additives
H. ZHANG (China) & B.W. DARVELL (Kuwait)
- 2049 Fabrication of bioceramic scaffolds with ordered pore structure by inverse replication of assembled particles
K. TAKAGI, T. TAKAHASHI, K. KIKUCHI & A. KAWASAKI (Japan)
- 2057 Peculiarities of crystallization of alumina, yttria and rare-earth element oxides of yttria subgroup in an optical
furnace
A.A. FROLOV, E.V. VOYNICH & V.V. GARBUZ (Ukraine)
- 2065 Effects of templating surfactant concentrations on the mesostructure of ordered mesoporous anatase TiO_2 by
an evaporation-induced self-assembly method
I.-M. HUNG, Y. WANG, C.-F. HUANG, Y.-S. FAN, Y.-J. HAN & H.-W. PENG (Taiwan)
- 2073 Molten salt synthesis of PZT powder for direct write inks
F. BORTOLANI & R.A. DOREY (UK)

- 2081 Influence of the substrate on the phase composition and electrical properties of 0.65PMN–0.35PT thick films
H. URŠIČ, M. HROVAT, J. HOLC, J. TELLIER, S. DRNOVŠEK (Slovenia), N. GUIBLIN, B. DKHIL (France) & M. KOSEC (Slovenia)
- 2093 Application of a thin intermediate cathode layer prepared by inkjet printing for SOFCs
N. YASHIRO, T. USUI & K. KIKUTA (Japan)
- 2099 Mechanochemical synthesis of vanadium nitride
M.A. ROLDAN, V. LÓPEZ-FLORES, M.D. ALCALA, A. ORTEGA & C. REAL (Spain)
- 2109 Influence of sintering and sintering additives on the mechanical and microstructural characteristics of Si₃N₄/SiC wood cutting tools
C. STREHLER, G. BLUGAN, B. EHRLE (Switzerland), B. SPEISSER (Luxembourg), T. GRAULE & J. KUEBLER (Switzerland)
- 2117 Inhibition of grain growth in liquid-phase sintered SiC ceramics by AlN additive and spark plasma sintering
M. HOTTA & J. HOJO (Japan)
- 2123 Surface strengthening of Ti₃SiC₂ through magnetron sputtering of Mo and Zr and subsequent annealing
H. GUO, A. LI, J. ZHANG, L. HE & Y. ZHOU (China)
- 2131 Effect of WC or NbC addition on lattice parameter of surrounding structure in Ti(C_{0.7}N_{0.3})–Ni cermets investigated by TEM/CBED
S. KIM (Republic of Korea, USA), J.-M. ZUO (USA) & S. KANG (Republic of Korea)

Technical note

- 2139 ZrO₂-doped Y₂O₃ transparent ceramics via slip casting and vacuum sintering
L. JIN, G. ZHOU, S. SHIMAI, J. ZHANG & S. WANG (China)

Volume 30, Number 11, 2010**Special Issue: Aerospace Materials for Extreme Environments**

- 2145 Guest Editorial
J. FULLER, G. HILMAS, W. FAHRENHOLTZ, E. CORRAL & L. RIEGEL (USA)

Mechanical and Physical Properties

- 2147 Microstructure, mechanical, thermal, and oxidation properties of a Zr₂[Al(Si)]₄C₅–SiC composite prepared by in situ reaction/hot-pressing
L.-F. HE, F.-Z. LI, X.-P. LU, Y.-W. BAO & Y.-C. ZHOU (China)
- 2155 Toughened ZrB₂-based ceramics through SiC whisker or SiC chopped fiber additions
L. SILVESTRONI, D. SCITI, C. MELANDRI & S. GUICCIARDI (Italy)
- 2165 Stress measurements in ZrB₂–SiC composites using Raman spectroscopy and neutron diffraction
J. WATTS, G. HILMAS, W.G. FAHRENHOLTZ, D. BROWN & B. CLAUSEN (USA)
- 2173 Mechanical properties of ZrB₂–SiC(ZrSi₂) ceramics
O.N. GRIGORIEV, B.A. GALANOV, V.A. KOTENKO, S.M. IVANOV, A.V. KOROTEEV & N.P. BRODNIKOVSKY (Ukraine)
- 2183 Non-contact mechanical property measurements at ultrahigh temperatures
S. GANGIREDDY, J.W. HALLORAN & Z.N. WING (USA)
- 2191 Computational methods for the analysis of, non-contact creep deformation, in ZrB₂–SiC composites
X. YE & R.W. HYERS (USA)
- 2197 Mechanical properties of reactively processed W/Ta₂C-based composites
M.C. TEAGUE, G.E. HILMAS & W.G. FAHRENHOLTZ (USA)
- 2203 Giant piezoresistivity of polymer-derived ceramics at high temperatures
K. TERAUDS, P.E. SANCHEZ-JIMENEZ, R. RAJ (USA), C. VAKIFAHMETOGLU (Italy) & P. COLOMBO (Italy, USA)
- 2209 Tensile creep and rupture of 2D-woven SiC/SiC composites for high temperature applications
G.N. MORSCHER (USA)

- 2223 Atomistic analyses of the effect of temperature and morphology on mechanical strength of Si–C–N and Si–C–O nanocomposites
V. TOMAR, M. GAN & H.S. KIM (USA)

Processing, Synthesis, and Structure

- 2239 Material property requirements for analysis and design of UHTC components in hypersonic applications
T.H. SQUIRE & J. MARSCHALL (USA)
- 2253 Synthesis, processing and properties of TaC–TaB₂–C ceramics
I.G. TALMY, J.A. ZAYKOSKI & M.M. OPEKA (USA)
- 2265 Near net-shape/net-dimension ZrC/W-based composites with complex geometries via rapid prototyping and Displacive Compensation of Porosity
D.W. LIPKE, Y. ZHANG, Y. LIU, B.C. CHURCH & K.H. SANDHAGE (USA)
- 2279 Laser modified microstructures in ZrB₂, ZrB₂/SiC and ZrC
D.D. JAYASEELAN, H. JACKSON, E. EAKINS, P. BROWN & W.E. LEE (UK)
- 2289 Synthesis of carbon-rich hafnia thin films by pulsed laser deposition
D.A. PEJAKOVIĆ, J. MARSCHALL, M.R. GEORGE, B.R. ROGERS, W.R. NIEVEEN & V. PAJCINI (USA)
- 2301 Deposition of alumina from dimethylaluminum isopropoxide
B.W. SCHMIDT, B.R. ROGERS, W.J. SWEET III, C.K. GREN & T.P. HANUSA (USA)
- 2305 Hot working of platinum group metal-modified Ni-base superalloys for thermal protection system applications
D.L. BALLARD, D.S. WEAVER, A.L. PILCHAK & S.L. SEMIATIN (USA)

Oxidation and Environmental Response

- 2313 Plasma wind tunnel testing of ultra-high temperature ZrB₂–SiC composites under hypersonic re-entry conditions
F. MONTEVERDE, R. SAVINO, M.D.S. FUMO & A. DI MASO (Italy)
- 2323 High-enthalpy test environments, flow modeling and *in situ* diagnostics for characterizing ultra-high temperature ceramics
J. MARSCHALL & D.G. FLETCHER (USA)
- 2337 Physical characterization and arcjet oxidation of hafnium-based ultra high temperature ceramics fabricated by hot pressing and field-assisted sintering
M. GASCH & S. JOHNSON (USA)
- 2345 Microstructural characterization of ZrB₂–SiC based UHTC tested in the MESOX plasma facility
D. ALFANO, L. SCATTEIA, F. MONTEVERDE (Italy), E. BËCHE & M. BALAT-PICHELIN (France)
- 2357 Improved ablation resistance of C–C composites using zirconium diboride and boron carbide
E.L. CORRAL & L.S. WALKER (USA)
- 2365 In situ microscopy observation of liquid flow, zirconia growth, and CO bubble formation during high temperature oxidation of zirconium diboride–silicon carbide
S. GANGIREDDY (USA), S.N. KARLSDOTTIR (Iceland), S.J. NORTON, J.C. TUCKER & J.W. HALLORAN (USA)
- 2375 In situ studies of oxidation of ZrB₂ and ZrB₂–SiC composites at high temperatures
P. SARIN, P.E. DRIEMEYER, R.P. HAGGERTY, D.-K. KIM, J.L. BELL, Z.D. APOSTOLOV & W.M. KRIVEN (USA)
- 2387 Oxidation resistance and strength retention of ZrB₂–SiC ceramics
W.-M. GUO & G.-J. ZHANG (China)
- 2397 Oxidation of ZrB₂–SiC–ZrSi₂ ceramics in oxygen
O.N. GRIGORIEV, B.A. GALANOV, V.A. LAVRENKO, A.D. PANASYUK, S.M. IVANOV, A.V. KOROTEEV (Ukraine) & K.G. NICKEL (Germany)
- 2407 A computational analysis of a ZrO₂–SiO₂ scale for a ZrB₂–ZrC–Zr ultrahigh temperature ceramic composite system
H. PETLA, E.P. RENOVA, A. BRONSON, J.F. CHESSA & N. MAHESWARAIAH (USA)

I Keyword List

II Notes for Authors

Volume 30, Number 12, 2010

- 2419 Analysis of the indentation size effect in brittle materials from nanoindentation load–displacement curve
T. EBISU & S. HORIBE (Japan)
- 2427 Processing and characterization of textured mullite ceramics from phyllosilicates
S. DENIEL, N. TESSIER-DOYEN, C. DUBLANCHE-TIXIER, D. CHATEIGNER & P. BLANCHART (France)
- 2435 Boron-doped mullite derived from single-phase gels
G. ZHANG, Z. FU, Y. WANG, H. WANG, W. WANG, J. ZHANG (PR China), S.W. LEE (Republic of Korea) & K. NIIHARA (Japan)
- 2443 Factors affecting glaze transparency of ceramic tiles manufactured by the single firing technique
F.G. MELCHIADES, B.T. REGO, S.M. HIGA, H.J. ALVES & A.O. BOSCHI (Brazil)
- 2451 Development of coloured glazes for tile applications using Taguchi's method
A.O. CASTELA, A.T. FONSECA & P.Q. MANTAS (Portugal)
- 2457 The influence of temper shape on the mechanical properties of archaeological ceramics
N.S. MÜLLER (Greece, UK), V. KILIKOGLU (Greece), P.M. DAY (UK) & G. VEKINIS (Greece)
- 2467 Effect of pH localization on microstructure evolution of deposits during aqueous electrophoretic deposition (EPD)
M. MISHRA (India, Japan), S. BHATTACHARJEE, L. BESRA, H.S. SHARMA (India), T. UCHIKOSHI & Y. SAKKA (Japan)
- 2475 The effects of solvents on the formation of sol–gel-derived $\text{Bi}_{12}\text{SiO}_{20}$ thin films
A. VEBER, Š. KUNEJ, R. CERC KOROŠEC & D. SUVOROV (Slovenia)
- 2481 Effects of SiO_2 addition on TiO_2 crystal structure and photocatalytic activity
D.M. TOBALDI, A. TUCCI (Italy), A.S. ŠKAPIN (Slovenia) & L. ESPOSITO (Italy)
- 2491 Thermal expansion of EB-PVD yttria stabilized zirconia
R. OCHROMBEL, J. SCHNEIDER, B. HILDMANN & B. SARUHAN (Germany)
- 2497 Anomalous increase in specific volume upon crystallization of some alloys in the zirconia–yttria–erbium system
A.A. FROLOV, Y.A. FROLOV & E.R. ANDRIEVSKAYA (Ukraine)
- 2505 Microstructural and chemical aspects of working-temperature aged Ca-doped CeO_2
M. YAN, T. MORI (Japan), J. ZOU, G.J. AUCHTERLONIE & J. DRENNAN (Australia)
- 2515 Fully densified zircon co-doped with iron and aluminium prepared by sol–gel processing
W.P.C.M. ALAHAKOON (Sri Lanka, UK), S.E. BURROWS, A.P. HOWES (UK), B.S.B. KARUNARATNE (Sri Lanka), M.E. SMITH & R. DOBEDOE (UK)
- 2525 Boehmite derived surface functionalized carbon nanotube-reinforced macroporous alumina ceramics
A.C. ZAMAN, C.B. ÜSTÜNDAĞ & C. KAYA (Turkey)
- 2533 Cr^{3+} microspectroscopy measurements and modelling of local variations in surface grinding stresses in polycrystalline alumina
S. GUO & R.I. TODD (UK)
- 2547 Three-dimensional structure analysis by X-ray micro-computed tomography of macroporous alumina templated with expandable microspheres
L. ANDERSSON (Sweden), A.C. JONES, M.A. KNACKSTEDT (Australia) & L. BERGSTRÖM (Sweden)
- 2555 Micro- and macroscopic thermal expansion of stabilized aluminum titanate
G. BRUNO (France), A. EFREMOV (Russia), B. WHEATON (USA), I. BOBRIKOV, V.G. SIMKIN (Russia) & S. MISTURE (USA)
- 2563 3D printing of bone substitute implants using calcium phosphate and bioactive glasses
C. BERGMANN, M. LINDNER, W. ZHANG, K. KOCZUR, A. KIRSTEN, R. TELLE & H. FISCHER (Germany)
- 2569 Effect of microstructure on dielectric and fatigue strengths of BaTiO_3
S.-C. LU, Y.-H. CHEN, W.-H. TUAN, J. SHIEH & C.-Y. CHEN (Taiwan)
- 2577 Effect of microstructure on lifetime performance of barium titanate ceramics under DC electric field loading
Y.-H. CHEN, W.-H. TUAN & J. SHIEH (Taiwan)

- 2585 Microwave dielectric properties of novel temperature stable high Q $\text{Li}_2\text{Mg}_{1-x}\text{Zn}_x\text{Ti}_3\text{O}_8$ and $\text{Li}_2\text{A}_{1-x}\text{Ca}_x\text{Ti}_3\text{O}_8$ (A = Mg, Zn) ceramics
S. GEORGE & M.T. SEBASTIAN (India)
- 2593 Effect of oxide additives on the sintering behavior and electrical properties of strontium- and magnesium-doped lanthanum gallate
S.B. HA, Y.H. CHO, Y.C. KANG, J.-H. LEE & J.-H. LEE (South Korea)
- 2603 Determination of reversible and irreversible contributions to the polarization and strain response of soft PZT using the partial unloading method
D. ZHOU, R. WANG & M. KAMLAH (Germany)
- 2617 Structure and physical properties of nickel manganite NiMn_2O_4 obtained from nickel permanganate precursor
A. DÍEZ (Argentina), R. SCHMIDT (Spain), A.E. SAGUA, M.A. FRECHERO (Argentina), E. MATESANZ, C. LEON & E. MORÁN (Spain)
- 2625 Microstructure and properties of ZrB_2 -SiC composites prepared by spark plasma sintering using TaSi_2 as sintering additive
C. HU, Y. SAKKA, H. TANAKA, T. NISHIMURA, S. GUO & S. GRASSO (Japan)
- 2633 ZrB_2 -SiC composites prepared by reactive pulsed electric current sintering
S. RAN, O. VAN DER BIEST & J. VLEUGELS (Belgium)
- 2643 Thermal stress relaxation creep and microstructural evolutions of nanostructured SiC ceramics by liquid phase sintering
K. SHIMODA (Japan, France), S. KONDO, T. HINOKI & A. KOHYAMA (Japan)
- 2653 High temperature oxidation of SiC under helium with low-pressure oxygen—Part 1: Sintered α -SiC
L. CHARPENTIER, M. BALAT-PICHELIN & F. AUDUBERT (France)
- 2661 High temperature oxidation of SiC under helium with low-pressure oxygen. Part 2: CVD β -SiC
L. CHARPENTIER, M. BALAT-PICHELIN, H. GLÉNAT, E. BÊCHE, E. LABORDE & F. AUDUBERT (France)
- 2671 Processing of microcellular silicon carbide ceramics with a duplex pore structure
I.-H. SONG, I.-M. KWON, H.-D. KIM & Y.-W. KIM (Republic of Korea)
- 2677 Silicon oxycarbide ceramics with reduced carbon by pyrolysis of polysiloxanes in water vapor
T. LIANG, Y.-L. LI, D. SU & H.-B. DU (PR China)
- 2683 Fast bonding α -SiAlON ceramics by spark plasma sintering
L. LIU, F. YE, Y. ZHOU, Z. ZHANG & Q. HOU (China)
- 2691 Investigation of ceramic boron nitride by terahertz time-domain spectroscopy
M. NAFTALY (UK), J. LEIST (USA) & R. DUDLEY (UK)
- 2699 Pressureless densification and mechanical properties of hafnium diboride doped with B_4C : From solid state sintering to liquid phase sintering
J. ZOU, G.-J. ZHANG & Y.-M. KAN (China)

Technical note

- 2707 High-temperature hot corrosion behavior of gadolinium zirconate by vanadium pentoxide and sodium sulfate in air
Z.-G. LIU, J.-H. OUYANG, Y. ZHOU & S. LI (China)

I Keyword List

II Notes for Authors

Volume 30, Number 13, 2010

- 2715 Damage law identification of a quasi brittle ceramic from a bending test using Digital Image Correlation
P. LEPLAY, J. RÉTHORÉ, S. MEILLE & M.-C. BAIETTO (France)
- 2727 Effects of SiC addition on the structure and properties of reticulated porous mullite ceramics
S. AKPINAR, I.A. ALTUN & K. ONEL (Turkey)
- 2735 Fine-structured patterns of porous alumina material fabricated by a replication method
H.D. KIM, T. NAKAYAMA, B.J. HONG, K. IMAKI, T. YOSHIMURA, T. SUZUKI, H. SUEMATSU & K. NIIHARA (Japan)

- 2741 Doping effect of divalent cations on sintering of polycrystalline yttria
M. KODO, K. SOGA, H. YOSHIDA & T. YAMAMOTO (Japan)
- 2749 Effect of microscale shear stresses on the martensitic phase transformation of nanocrystalline tetragonal zirconia powders
M. SKOVGAARD (Denmark), A. AHNIYAZ (Sweden), B.F. SØRENSEN, K. ALMDAL & A. VAN LELIEVELD (Denmark)
- 2757 Photocatalytic activity of titanium dioxide coatings: Influence of the firing temperature of the chemical gel
M. FASSIER, C.S. PEYRATOUT, D.S. SMITH, C. DUCROQUETZ & T. VOLAND (France)
- 2763 Effect of stoichiometry and milling processes in the synthesis and the piezoelectric properties of modified KNN nanoparticles by solid state reaction
F. RUBIO-MARCOS, J.J. ROMERO, M.S. MARTÍN-GONZALEZ & J.F. FERNÁNDEZ (Spain)
- 2773 SiC ceramic micropatterns from polycarbosilanes
Y.-S. JANG, M. JANK, V. MAIER, K. DURST, N. TRAVITZKY & C. ZOLLFRANK (Germany)
- 2781 Combustion synthesis of TiC–NiAl composite by induction heating
X. ZHU, T. ZHANG, D. MARCHANT & V. MORRIS (UK)

Volume 30, Number 14, 2010

Special Issue: 4th Conference on Shaping of Advanced Ceramics

- 2791 Guest Editorial
R. MORENO (Spain)
- 2793 Dedication
R. BROOK (UK)
- 2795 Shape forming alumina slurries via Colloidal IsoPressing
B.C. YU & F.F. LANGE (USA)
- 2805 Application of monosaccharides derivatives in colloidal processing of aluminum oxide
P. FALKOWSKI, P. BEDNAREK, A. DANELSKA, T. MIZERSKI & M. SZAFRAN (Poland)
- 2813 Effect of sintering conditions on microstructure orientation in α -SiC prepared by slip casting in a strong magnetic field
T.S. SUZUKI, T. UCHIKOSHI & Y. SAKKA (Japan)
- 2819 Effect of particle size on the shaping of ceramics by slip casting
C. TALLON (Australia), M. LIMACHER (Australia, Switzerland) & G.V. FRANKS (Australia)
- 2827 Powder-binder separation in injection moulded green parts
A. MANNSCHATZ, S. HÖHN & T. MORITZ (Germany)
- 2833 Predictive models for the photopolymerization of ceramic suspensions
V. TOMECKOVA & J.W. HALLORAN (USA)
- 2841 Rapid prototyping technique for ceramic mini-devices containing internal channels with asymmetrical contour
R.F. LOUH, Y. KU & I. TSAI (Taiwan)
- 2849 Micellar layer-by-layer synthesis of TiO₂/Ag hybrid particles for bactericidal and photocatalytic activities
W.-C. LIN, C.-N. CHEN, T.-T. TSENG, M.-H. WEI, J.H. HSIEH & W.J. TSENG (Taiwan)
- 2859 Co-extrusion of multilayered ceramic micro-tubes for use as solid oxide fuel cells
J. POWELL & S. BLACKBURN (UK)
- 2871 Porous alumina ceramics prepared with wheat flour
E. GREGOROVÁ, W. PABST, Z. ŽIVCOVÁ, I. SEDLÁŘOVÁ & S. HOLÍKOVÁ (Czech Republic)
- 2881 Two alternative routes for starch consolidation of mullite green bodies
M.H. TALOU & M.A. CAMERUCCI (Argentina)
- 2889 Fabrication and properties of ultra highly porous silicon carbide by the gelation–freezing method
M. FUKUSHIMA, M. NAKATA, Y. ZHOU, T. OHJI & Y.-I. YOSHIZAWA (Japan)

- 2897 Tape casting of strontium and cobalt doped lanthanum chromite suspensions
L.F.G. SETZ (Brazil), I. SANTACRUZ, M.T. COLOMER (Spain), S.R.H. MELLO-CASTANHO (Brazil) & R. MORENO (Spain)
- 2905 Effect of yttria doping on the microstructure and mechanical properties of $\text{Al}_2\text{O}_3\text{-FeAl}_2\text{O}_4$ nanocomposites developed via solid state precipitation
A. MUKHOPADHYAY & R.I. TODD (UK)
- 2917 Processing and mechanical response of highly textured Al_2O_3
R.J. PAVLACKA & G.L. MESSING (USA)
- 2927 Non-destructive measurement of bulk density distribution in large-sized ceramic tiles
J.L. AMORÓS, J. BOIX, D. LLORENS, G. MALLOL, I. FUENTES & C. FELIU (Spain)
- 2937 Spark plasma sintering: A powerful tool to develop new silicon nitride-based materials
M. BELMONTE, J. GONZÁLEZ-JULIÁN, P. MIRANZO & M.I. OSENDI (Spain)
- 2947 Sintering of powders in the $\text{CrSi}_2\text{-Ti(Ta)Si}_2$ systems depending on the methods for synthesis
I. UVAROVA, I. KUD', L. YEREMENKO, L. LYKHODID, D. ZIATKEVICH & T. YARMOLA (Ukraine)
- 2955 Designing particle sizing and packing for flowability and sintered mechanical strength
A.P. SILVA, D.G. PINTO, A.M. SEGADÃES & T.C. DEVEZAS (Portugal)
- 2963 A study of the electrophoretic deposition of Bioglass® suspensions using the Taguchi experimental design approach
F. PISHBIN (UK), A. SIMCHI (Iran), M.P. RYAN (UK) & A.R. BOCCACCINI (UK, Germany)
- 2971 Bubble-free electrophoretic shaping from aqueous suspension with micro point-electrode
A. NOLD & R. CLASEN (Germany)
- 2977 The effect of temperature on the pulsed current processing behaviour and structural characteristics of porous ZSM-5 and zeolite Y monoliths
P.O. VASILIEV, A. OJUVA, J. GRINS & L. BERGSTRÖM (Sweden)
- 2985 The production of $\beta\text{-SiAlON}$ ceramics with low amounts of additive, at low sintering temperature
O. ESER, S. KURAMA & G. GUNKAYA (Turkey)
- 2991 Microstructure design by mechanical alloying
T.A.G. RESTIVO & S.R.H. MELLO-CASTANHO (Brazil)
- 2997 High chemical stability of stoneware tiles containing waste metals
J.J. REINOSA (Spain), A.C. SILVA (Brazil), F. RUBIO-MARCOS (Spain), S.R.H. MELLO-CASTANHO (Brazil), J.S. MOYA & J.F. FERNANDEZ (Spain)

I Keyword List

II Notes for Authors

Volume 30, Number 15, 2010

- 3005 Improving the properties of ceramic foams by a vacuum infiltration process
U.F. VOGT (Switzerland, Germany), M. GORBAR, P. DIMOPOULOS-EGGENSCHWILER (Switzerland), A. BROENSTRUP (Germany), G. WAGNER (Liechtenstein) & P. COLOMBO (Italy)
- 3013 Partial wick-debinding of low-pressure powder injection-moulded ceramic parts
L. GORJAN, A. DAKSKOBLER & T. KOSMAČ (Slovenia)
- 3023 Cure depth for photopolymerization of ceramic suspensions
V. TOMECKOVA & J.W. HALLORAN (USA)
- 3035 Homogeneous doping of ceramics by infiltration–gelation
L. ZHANG & H. VERWEIJ (USA)
- 3041 Recovery strain of ceramics during sintering
O. GUILLON & J.-B. OLLAGNIER (Germany)

- 3047 Improvement of strength and reliability of ceramics by shot peening and crack healing
K. TAKAHASHI, Y. NISHIO, Y. KIMURA & K. ANDO (Japan)
- 3053 Improvement of high-temperature mechanical properties of heat treated C_f /geopolymer composites by Sol-SiO₂ impregnation
P. HE, D. JIA, M. WANG & Y. ZHOU (PR China)
- 3063 Effect of microstructure on mechanical properties of porcelain stoneware
J. MARTÍN-MÁRQUEZ, J.M. RINCÓN & M. ROMERO (Spain)
- 3071 The role of viscosity on microstructure development and stain resistance in porcelain stoneware tiles
E. SUVACI & N. TAMSU (Turkey)
- 3079 Use of industrial wastes in the formulation of olivine green pigments
D. ESTEVES, W. HAJJAJI, M.P. SEABRA & J.A. LABRINCHA (Portugal)
- 3087 Stability of the δ -TeO₂ phase in the binary and ternary TeO₂ glasses
A.E. ERSUNDU, G. KARADUMAN, M. ÇELIKBILEK, N. SOLAK & S. AYDIN (Turkey)
- 3093 Characterization by acoustic emission pattern recognition of microstructure evolution in a fused-cast refractory during high temperature cycling
C. PATAPY, A. PROUST, D. MARLOT, M. HUGER & T. CHOTARD (France)
- 3103 Thermal properties of homogenous lanthanum hexaaluminate/alumina composite ceramics
Z. NEGAHDARI, M. WILLERT-PORADA & F. SCHERM (Germany)
- 3111 Thermal conductivities of YSZ/Al₂O₃ composites
F. YANG, X. ZHAO & P. XIAO (UK)
- 3117 Contribution to the understanding of the relationship between mechanical and dielectric strengths of Alumina
D. MALEC, V. BLEY (France), F. TALBI & F. LALAM (Algeria)
- 3125 Study on the effect and mechanism of zirconia on the sinterability of yttria transparent ceramic
X. HOU, S. ZHOU, W. LI & Y. LI (China)
- 3131 Plasma sprayed TiO₂: The influence of power of an electric supply on particle parameters in the flight and character of sprayed coating
P. CTIBOR & M. HRABOVSKY (Czech Republic)
- 3137 CeO₂-YO_{1.5}-NdO_{1.5} system: An extensive phase relation study
V. GROVER, S.V. CHAVAN, P. SENGUPTA & A.K. TYAGI (India)
- 3145 Mechanical characterisation of miniaturised direct inkjet printed 3Y-TZP specimens for microelectronic applications
E. ÖZKOL, A.M. WÄTJEN (Germany), R. BERMEJO, M. DELUCA (Austria), J. EBERT (Germany), R. DANZER (Austria) & R. TELLE (Germany)
- 3153 Colorimetry technique on BaTiO₃ and KNbO₃ ceramics to determine the phase transition
E. SUASTE-GOMEZ, O. TERAN-JIMENEZ & H. REYES-CRUZ (Mexico)
- 3157 Low temperature preparation and electrical properties of sodium-potassium bismuth titanate lead-free piezoelectric thick films by screen printing
H. ZHANG (China, Japan), S. JIANG, J. XIAO (China) & K. KAJIYOSHI (Japan)
- 3167 Magnetic properties and remanence analysis in permanently magnetic BaFe₁₂O₁₉ foams
U. TOPAL & H.I. BAKAN (Turkey)
- 3173 Fracture properties of nickel-based anodes for solid oxide fuel cells
S. GOUTIANOS, H.L. FRANDSEN & B.F. SØRENSEN (Denmark)
- 3181 *In situ* observation of the dissolution phenomena of SiC particle in CaO-SiO₂-MnO slag
J.H. PARK, J.G. PARK, D.J. MIN, Y.E. LEE & Y.-B. KANG (Republic of Korea)
- 3187 Friction surface evolution of carbon fibre reinforced carbon/silicon carbide (C_f /C-SiC) composites
Y. WANG & H. WU (UK)
- 3203 Reaction joining of SiC ceramics using TiB₂-based composites
W. TIAN, H. KITA, H. HYUGA, N. KONDO & T. NAGAOKA (Japan)
- 3209 Oxidation behaviour of pressureless liquid-phase-sintered α -SiC with additions of 5Al₂O₃ + 3RE₂O₃ (RE = La, Nd, Y, Er, Tm, or Yb)
F. RODRÍGUEZ-ROJAS, A.L. ORTIZ, F. GUIBERTEAU (Spain) & M. NYGREN (Sweden)

- 3219 Conventional sintering of LAS–SiC nanocomposites with very low thermal expansion coefficient
O. GARCÍA-MORENO, A. FERNÁNDEZ & R. TORRECILLAS (Spain)
- 3227 Corrosion behavior of Ti_3AlC_2 in NaOH and H_2SO_4
D. LI, Y. LIANG, X. LIU & Y. ZHOU (China)
- 3235 Electrochemical studies of carbon-rich polymer-derived SiCN ceramics as anode materials for lithium-ion batteries
M. GRACZYK-ZAJAC, G. MERA, J. KASPAR & R. RIEDEL (Germany)
- 3245 Microstructure and mechanical properties of the $Si_3N_4/42CrMo$ steel joints brazed with Ag–Cu–Ti + Mo composite filler
Y.M. HE, J. ZHANG, Y. SUN & C.F. LIU (PR China)
- 3253 Spark plasma sintering of HfB_2 with low additions of silicides of molybdenum and tantalum
D. SCITI (Italy), G. BONNEFONT, G. FANTOZZI (France) & L. SILVESTRONI (Italy)

Technical notes

- 3259 Synchrotron X-ray diffraction study on a single nanowire of PX-phase lead titanate
T. YAMADA (Japan), J. WANG (Switzerland), O. SAKATA (Japan), C.S. SANDU, Z. HE (Switzerland), T. KAMO, S. YASUI (Japan), N. SETTER (Switzerland) & H. FUNAKUBO (Japan)
- 3263 Reactive hot pressing of ZrB_2 – ZrC_x ultra-high temperature ceramic composites with the addition of SiC particulate
L. RANGARAJ, C. DIVAKAR & V. JAYARAM (India)
- 3267 $MoSi_2$ -based oxidation protective coatings for SiC-coated carbon/carbon composites prepared by supersonic plasma spraying
H. WU, H.-J. LI, C. MA, Q.-G. FU, Y.-J. WANG, J.-F. WEI & J. TAO (PR China)

Corrigendum

- 3271 Corrigendum to “Thermal stress relaxation creep and microstructural evolutions of nanostructured SiC ceramics by liquid phase sintering” [J. Eur. Ceram. Soc. 30 (2010) 2643–2652]
K. SHIMODA (Japan, France), S. KONDO, T. HINOKI & A. KOHYAMA (Japan)

I Keyword List

II Notes for Authors

Volume 30, Number 16, 2010

- 3273 Critical energy for photopolymerization of ceramic suspensions in acrylate monomers
V. TOMECKOVA & J.W. HALLORAN (USA)
- 3283 Fabrication of inner complex ceramic parts by selective laser gelling
F.-H. LIU & Y.-S. LIAO (Taiwan)
- 3291 Correlation between slurry properties and structures and properties of granules
M.I. ZAINUDDIN (Japan, Malaysia), S. TANAKA, R. FURUSHIMA & K. UEMATSU (Japan)
- 3297 Crack mouth opening displacement controlled fracture tests of brittle ceramics
A. GARCÍA-PRIETO & C. BAUDÍN (Spain)
- 3303 Implementation of image analysis on thermal shock and cavitation resistance testing of refractory concrete
S. MARTINOVIC, M. DOJCINOVIC, M. DIMITRIJEVIC, A. DEVECKERSKI, B. MATOVIC & T. VOLKOV HUSOVIC (Serbia)
- 3311 Single and polycrystalline mullite fibres grown by laser floating zone technique
R.G. CARVALHO, A.J.S. FERNANDES, F.J. OLIVEIRA, E. ALVES, N. FRANCO, C. LOURO, R.F. SILVA & F.M. COSTA (Portugal)
- 3319 Co-doped willemite ceramic pigments: Technological behaviour, crystal structure and optical properties
E. OZEL, H. YURDAKUL, S. TURAN (Turkey), M. ARDIT, G. CRUCIANI & M. DONDI (Italy)
- 3331 Densification of transparent yttrium aluminum garnet (YAG) by SPS processing
N. FRAGE, S. KALABUKHOV, N. SVERDLOV, V. EZERSKY & M.P. DARIEL (Israel)
- 3339 Determination of the multiaxial failure criteria for alumina ceramics under tension–torsion test
S. NOHUT (Germany, Turkey), A. USBECK, H. ÖZCOBAN, D. KRAUSE & G.A. SCHNEIDER (Germany)

- 3351 Carbon nanotube/boehmite-derived alumina ceramics obtained by hydrothermal synthesis and spark plasma sintering (SPS)
A.C. ZAMAN, C.B. ÜSTÜNDAĞ, A. ÇELİK, A. KARA, F. KAYA & C. KAYA (Turkey)
- 3357 A first study of the high-temperature plasticity of ceria-doped zirconia polycrystals
S. DE BERNARDI-MARTÍN, D. GÓMEZ-GARCÍA, A. DOMÍNGUEZ-RODRÍGUEZ (Spain) & G. DE PORTU (Italy)
- 3363 Microstructure-mechanical-tribological property correlation of multistage spark plasma sintered tetragonal ZrO₂
K.M. REDDY (India), A. MUKHOPADHYAY (India, USA) & B. BASU (India)
- 3377 Follow-up of zirconia crystallization on a surface modified alumina powder
V. NAGLIERI (Italy, France), L. JOLY-POTTUZ, J. CHEVALIER (France), M. LOMBARDI & L. MONTANARO (Italy)
- 3389 Control of pore channel size during freeze casting of porous YSZ ceramics with unidirectionally aligned channels using different freezing temperatures
L. HU, C.-A. WANG, Y. HUANG, C. SUN, S. LU & Z. HU (PR China)
- 3397 Effect of powder, binder and process parameters on anisotropic shrinkage in tape cast ceramic products
A. HEUNISCH, A. DELLERT & A. ROOSEN (Germany)
- 3407 Curvature and stresses for bi-layer functional ceramic materials
J. MALZBENDER (Germany)
- 3415 Suppression of Ni agglomeration in PLD fabricated Ni-YSZ composite for surface modification of SOFC anode
H.-S. NOH, J.-W. SON, H. LEE, H.-I. JI, J.-H. LEE & H.-W. LEE (Republic of Korea)
- 3425 Gelation of water-based PZT slurries in the presence of ammonium polyacrylate using agarose
E.M.M. EWAS (Egypt) & A. SAFARI (USA)
- 3435 Preparation of alkaline-earth titanates by accelerated solid-state reaction in water vapor atmosphere
T. KOZAWA, A. ONDA & K. YANAGISAWA (Japan)
- 3445 Structural properties of (Bi_{0.5}Na_{0.5})_{1-x}Ba_xTiO₃ lead-free piezoelectric ceramics
G. PICHT, J. TÖPFER & E. HENNIG (Germany)

Technical note

- 3455 Viscosity of high-nitrogen content Ca–Si–O–N glasses
Y. GUEGUEN (France), A. SHARAFAT, J. GRINS (Sweden) & T. ROUXEL (France)

II List of contents for volume 30

XXVI Author index for volume 30

XXXVI Keywords index for volume 30

XLIII Keyword List

XLIV Notes for Authors