

## Keyword Index

- (A) Calcination, 1549  
(A) Powders-solid state reaction, 2763  
(A) Sintering, 395, 1549  
A. Composite, 3187  
A. Dip coating, 927  
A. Hot pressing, 1919  
A. Joining, 1751  
A. Milling, 1765  
A. Powders-chemical preparation, 617  
A. Powders-solid state reaction, 605, 635  
A. Shaping, 2955  
A. Sintering, 539, 1973, 2253  
A. Sol-gel processes, 37, 453, 1089, 1887  
A. Sol-gel processing, 2515  
A. Spray pyrolysis, 605  
A. Suspensions, 1237  
*Ab initio*, 1519  
Abnormal grain growth, 1725  
Activation energy, 95  
Active filler, 787  
Actuators, 705, 1827  
Ag, 2849  
Agarose, 3425  
Ag-Cu-Ti + Mo composite filler, 3245  
Agglomeration, 1897  
Aging, 1359, 2505  
Alkaline earth oxide, 1537  
Alkoxide-mediated synthesis, 561  
AlN, 769  
Al<sub>2</sub>O<sub>3</sub>, 1, 61, 153, 583, 641, 805, 857, 865, 1177, 1195, 1223, 1317, 1327, 1335, 1345, 1373, 1381, 1543, 1579, 1659, 1679, 1795, 1963, 2057, 2301, 2443, 2525, 2533, 2547, 2805, 2917, 2971, 3005, 3013, 3023, 3273, 3297, 3351, 3397  
Al<sub>2</sub>O<sub>3</sub> (D), 2871  
Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub>-ZrO<sub>2</sub>, 29  
Al<sub>2</sub>O<sub>3</sub>-Y<sub>2</sub>O<sub>3</sub>-ZrO<sub>2</sub>, 649  
Al<sub>2</sub>TiO<sub>5</sub>, 1317  
Al<sub>2</sub>TiO<sub>5</sub> (D), 2715  
Alumina, 1229, 2735, 2819, 3291  
Alumina porcelain, 839  
Aluminium titanate, 2555  
Amine additives, 2041  
Amorphous, 497  
Anisotropy, 1043, 2917  
Annealing, 459  
Annealing temperature, 471  
Anode, 3173, 3235  
Anodic alumina films, 181  
Anorthite ceramics, 1785  
Antibacterial, 2849  
Antistatic floor, 1873  
Apatite, 819  
Apatite type lanthanum silicates, 1699  
Aqueous media, 3425  
Aqueous particulate sol-gel, 947  
Aqueous suspension, 1187  
Archaeological ceramics, 2457  
Archaeometry, 1841, 1853  
Arc-jet testing, 2313  
Armor, 875  
Au-Ni-V filler alloy, 751  
(B) Microstructure, 395  
(B) Microstructure-prefiring (C) Piezoelectric properties, 2763  
B. Composites, 259, 1751, 2397, 3103  
B. Electron microscopy, 2345, 2515  
B. Failure analysis, 3117, 3339  
B. Fibres, 3187  
B. Grain boundaries, 539  
B. Grain size, 1021, 1237, 1919, 2073  
B. Microstructure, 2253, 2387, 2515  
B. Microstructure-final, 927, 1765, 2031, 2093  
B. Microstructure-prefiring, 1237, 2881  
B. Nanocomposites, 775  
B. Nanoparticles, 911  
B. Non-destructive evaluation, 199, 211  
B. Platelets, 635  
B. Spectroscopy, 199  
B. Surfaces, 911, 2661  
B. X-ray methods, 453, 577, 2617  
(Ba, Sr)TiO<sub>3</sub>, 407  
Bandgap, 3131  
Barium, 441  
Barium titanate, 2569, 2841  
BaTe<sub>4</sub>O<sub>9</sub>-TiTe<sub>3</sub>O<sub>8</sub>, 1737  
BaTiO<sub>3</sub>, 81, 171, 237, 561, 699, 1469, 2577  
BaTiO<sub>3</sub> and titanates, 187, 359, 555, 1427, 3435  
Ba<sub>2</sub>Ti<sub>9</sub>O<sub>20</sub> materials, 159  
Ba<sub>1-x</sub>Sr<sub>x</sub>TiO<sub>3</sub>, 465  
Ba<sub>1-x</sub>Sr<sub>x</sub>TiO<sub>3</sub>, 465  
BET, 677  
BiFeO<sub>3</sub>, 283, 727  
BiI<sub>3</sub>, 475  
BiMnO<sub>3</sub>, 277  
Bi<sub>5</sub>Nb<sub>3</sub>O<sub>15</sub>, 513  
Bi<sub>2</sub>O<sub>3</sub>, 963  
Bioactive glass, 2563  
Bioceramics, 1897  
Biodegradation, 2563  
Bioglass, 2963  
Biomedical applications, 1253, 1297, 2041, 2049, 2749  
Bi<sub>12</sub>SiO<sub>20</sub>, 2475  
Bismuth oxide, 1803  
Bismuth titanate-based compound, 87  
Bi<sub>6</sub>Ti<sub>5</sub>TeO<sub>22</sub>, 517  
Blue ceramic pigments, 1887  
BNBT, 3445  
Bond valence, 1731  
Bone substitute, 2563  
Borides, 129, 1027, 1955, 2165, 2173, 2191, 2239, 2313, 2323, 2365, 2375, 2633, 3263  
Boron carbide, 999, 1007  
Boron nitride, 1035, 2691  
Build-up, 1879  
Bulk density, 2927  
(C) Dielectric properties, 395  
(C) Piezoelectric properties, 1549  
C. Chemical properties, 2345, 2617  
C. Colour, 37, 1887, 2451

- C. Corrosion, 2661  
 C. Creep, 2183  
 C. Dielectric properties, 453, 3117  
 C. Dielectric properties. E. Thermistors, 2617  
 C. Electrical conductivity, 1089  
 C. Electrical properties, 259, 539, 605, 927, 2093  
 C. Ferroelectric properties, 211, 453  
 C. Fracture, 1021  
 C. Hardness, 775  
 C. Ionic conductivity, 227  
 C. Magnetic properties, 259, 2617  
 C. Mechanical properties, 775, 1751, 2031, 2183, 3339  
 C. Optical properties, 37  
 C. Piezoelectric properties, 1919  
 C. Plasticity, 775  
 C. SiC, 3187  
 C. Strength, 635, 1021, 2387, 2955, 3339  
 C. Thermal conductivity, 3103  
 C. Thermal expansion, 605  
 C. Thermal properties, 3103  
 C-AFM, 1761  
 Calcination, 413, 623, 1015, 1177, 1277, 1989, 3377  
 CaO, 1277  
 Capacitors, 81, 187, 513, 1469  
 Capillary extraction, 3013  
 Carbides, 129, 999, 1015, 1049, 1955, 2147, 2197, 2265, 2781, 3263  
 Carbon, 113, 153, 2289  
 Carbon content, 1519  
 Carbon (D), 1527  
 Carbon nanotubes, 865, 1373, 2525, 3351  
 Carbon nanotubes (CNTs), 1131  
 Carbon reductions, 2677  
 Carbon/carbon composites, 3267  
 Catalytic membrane reactor, 1409  
 Cation doping, 3035  
 Cavitation resistance, 3303  
 CBED (Convergent Beam Electron Diffraction), 2131  
 CCTO, 95  
 Cement kilns, 1879  
 Centrifugal cast, 171  
 Centrifugation, 2427  
 CeO<sub>2</sub>, 2505, 3137, 3357  
 Ceramic, 1555, 3283  
 Ceramic composite, 2407, 2781  
 Ceramic films, 689  
 Ceramic foam, 2727  
 Ceramic frits, 2443  
 Ceramic matrix composites, 787, 2209  
 Ceramic matrix composites (CMC), 1351  
 Ceramic membrane multilayer, 1409  
 Ceramic membranes, 1317  
 Ceramic mini-devices, 2841  
 Ceramic shaping, 2841  
 Ceramic–polymer composites, 381  
 Ceramics, 1419, 1743  
 Ceramics patterning, 2735  
 Ceria (D), 1097  
 Cermet, 2991  
 Cermets, 2131, 2197  
 Charge trapping, 805  
 Chelating agent, 1307  
 Chemical properties, 177, 905, 1641, 1911  
 Chemical solution deposition, 365  
 Clays, 1841, 1853  
 Coatings, 1131, 2031, 2963  
 Coincidence lattice, 107  
 Colloidal processing, 2795, 2805  
 Colloidal route, 1489  
 Colloidal stability, 2841  
 Colorimetry, 3153  
 Colour, 1609  
 Combustion method, 617  
 Combustion synthesis, 1925, 2781  
 Communications, 355  
 Composites, 129, 347, 369, 401, 561, 699, 759, 1059, 1297, 1373, 1381, 1483, 1775, 1955, 2165, 2173, 2191, 2197, 2265, 2337, 2357, 2365, 2625, 2749, 2849, 2859, 3053, 3111  
 Composites (B), 1527  
 Computational mechanics, 2407  
 Confocal scanning laser microscopy, 3181  
 Contact strength, 3047  
 Co<sub>3</sub>O<sub>4</sub>, 677  
 Co–MnO doping, 545  
 Copper nanowires, 181  
 Copper oxide, 899  
 Cordierite, 315, 1629  
 Core-rim structure, 1007, 2131  
 Corrosion, 905, 1629, 1879, 1903, 1911, 2147, 2653, 3181, 3209, 3227  
 Corundum, 29  
 Covalency, 341  
 Crack healing, 769, 3047  
 Crack-face bridging, 1229  
 Crack-tip toughness, 1229  
 Creep, 759, 1351, 1931, 2191, 2209, 2643, 3357, 3455  
 Critical size, 289  
 Cr<sub>2</sub>O<sub>3</sub>, 911  
 Crystallization, 831, 2009, 2057  
 CSM, 689  
 CuAlO<sub>2</sub>, 509  
 Cutting tools, 793, 2109  
 (D) BaTiO<sub>3</sub> and titanates, 395  
 (D) Niobates, 1549  
 (D) Perovskites, 2763  
 3D printing, 2563  
 D. Al<sub>2</sub>O<sub>3</sub>, 635, 2955, 3103, 3117, 3339  
 D. BaTiO<sub>3</sub> and titanates, 211  
 D. BaTiO<sub>3</sub> and titanates, 199, 259  
 D. Borides, 1021, 2183, 2253, 2345, 2397  
 D. Carbides, 2253  
 D. Carbides and nitrides, 1765  
 D. Carbon, 2253  
 D. CeO<sub>2</sub>, 37, 927, 2093  
 D. Glass, 2031  
 D. Glass ceramic, 2451  
 D. Mullite, 2881  
 D. Perovskites, 605, 617, 1919  
 D. PZT, 453, 2073  
 D. SiC, 1021, 2397, 2661  
 D. Silicides, 2397  
 D. SiO<sub>2</sub> spheres, 911  
 D. Wear parts, 3187  
 D. Y<sub>2</sub>SiO<sub>5</sub>, 1089  
 D. ZrO<sub>2</sub>, 227  
 Damage characterization, 3093  
 Damage mechanism, 875  
 DC electric field, 2577  
 DC plasma torch, 3131  
 dc-tunability, 599  
 Defect dipoles, 289  
 Defects, 423, 941, 2827, 2971  
 Deformation mechanism, 3357  
 Delafossite structure, 509  
 Delay line phase shifter, 389  
 Densification, 129, 775, 3263  
 Dielectric, 95  
 Dielectric breakdown, 2577  
 Dielectric losses, 315  
 Dielectric properties, 237, 295, 301, 307, 315, 319, 331, 335, 341, 355, 359, 365, 381, 385, 407, 413, 447, 471, 561, 699, 737, 941, 1453, 1469, 1731, 1737, 1827, 2435, 2569  
 Dielectric resonator, 963  
 Dielectric strength, 805  
 Diesel particulate filter, 1629  
 Diffusion, 629, 1079, 1495, 1679, 2009, 2467, 3209  
 Diffusion coefficient, 657  
 Digital Image Correlation, 2715  
 Dilatometry, 1277  
 Dipolar units, 599

- Direct inkjet printing, 3145  
Directional solidification, 1963  
Disordering, 315  
Displacive Compensation of Porosity, 2265  
DNS model, 1585  
Domain switching, 713, 1445, 2603  
Dopant, 657  
Drying, 1
- E. Actuators, 211  
E. Biomedical applications, 2031  
E. Friction, 3187  
E. Fuel cells, 927, 2093  
E. Insulators, 3117  
E. Nuclear applications, 2661  
E. Red ceramic pigments, 37  
E. Refractories, 2183, 2955  
E. Space instruments, 1751  
E. Structural applications, 1765  
E. Substrate, 1973  
E. Varistors, 539  
Edge chipping, 1223  
EELS, 2099  
Elastic compliance, 2603  
Electrical conductivity, 153, 215, 435, 489, 1761, 2203  
Electrical degradation, 531  
Electrical properties, 271, 369, 401, 503, 549, 971, 1427, 1803, 1815, 2081, 2203  
Electrical stability, 503  
Electroceramic, 107  
Electrochemical measurements, 3227  
Electrochemistry, 1079  
Electrochromic, 1139  
Electrolysis, 1187  
Electromagnetic wave absorber, 347  
Electron backscattering patterns (EBSP), 107  
Electron microscopy, 73, 233, 265, 395, 485, 831, 1049, 1469, 1599, 1629, 1717, 2003, 2009, 2279, 2313, 2443, 2741, 2827, 3319  
Electronic oxide polarizabilities, 341  
Electrophoretic deposition, 1069, 1089, 1097, 1115, 1131, 1151, 1159, 1163, 1177, 1187, 1203, 2467, 2963  
Electrophoretic deposition (EPD), 1105, 2841  
Electroplate, 1445  
Environmental barrier coatings, 2003  
EPD, 2971  
Eu<sub>2</sub>O<sub>3</sub>, 1145  
Eutectic ceramics, 649  
Eutectics, 147
- Evaporation-induced self-assembly method, 2065  
EXAFS, 569  
Exchange coupling, 3167  
Expandable microspheres, 2547  
Extrusion, 1, 381, 1245, 2859
- Failure analysis, 1297, 2223  
Fast sintering, 847  
Fatigue, 187, 713, 2569  
Fatigue strength, 1445  
Ferrites, 265, 993  
Ferroelectric properties, 255  
Ferroelectric ceramics, 2841, 3153  
Ferroelectric film, 365  
Ferroelectric properties, 237, 295, 301, 389, 419, 447, 613, 941, 1437, 1821, 3157  
Ferroelectrics, 249  
Ferroelectric-to-paraelectric phase transition, 289  
FGM, 1461  
Fibers, 1659, 1955, 2155, 3259  
Fibres, 73, 205, 1287, 3311  
Film (A), 1097  
Films, 221, 271, 423, 429, 435, 441, 447, 465, 475, 481, 485, 489, 497, 509, 513, 1115, 1145, 1437, 1707, 1821, 2081, 2289, 2301, 2467, 3407, 3415  
Final microstructure, 17  
Finite element simulations, 1775  
Fired ceramics, 1867  
Firing, 525, 1267, 1609, 1785, 1841, 1853  
Flexural strength, 839  
Fluorescence microscopy, 641, 2533  
Foaming, 2671  
Focused ion beam, 1809  
Forming, 2833, 3283  
Forming processes, 1351  
Foundry sand, 3079  
Fractal structure, 141  
Fracture, 705, 713, 857, 1059, 1223, 1579, 1659, 2173, 2917  
Fracture behavior, 3053  
Fracture energy, 3173  
Fracture strength, 2427  
Fracture stress, 819  
Fracture toughness, 1931, 2155  
Freeforming, 1  
Freeze-casting, 53  
Freezing casting, 3389  
FTIR, 569  
Fuel cells, 489, 669, 933, 1809, 2505, 2593, 2859, 3173, 3407, 3415
- Functional applications, 1, 177, 355, 359, 381, 389, 419, 481, 1139, 1245, 1327, 1963, 2481  
Functional gradient material, 147  
Functionalization, 11, 1873  
Functionally graded materials, 1427, 1743
- Galvanic waste, 2997  
Galvanising waste, 3079  
Garnet, 577  
Gd<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub>, 2707  
Gel casting, 3425  
Gelcasting, 1795  
Gelling, 3283  
Glass, 831, 1253, 1967, 2017, 2443, 3087, 3455  
Glass ceramics, 1453, 2997  
Glass frit, 407  
Glass window, 743  
Glass–ceramics, 369, 933, 1287, 2009, 2017  
Glassy phase, 29  
Glaucosite, 1609  
Gold, 459  
Grain boundaries, 215, 531, 549, 805, 1427, 1761, 2741, 3111  
Grain boundary structure, 107  
Grain growth, 87, 301, 413, 889, 1469, 1679, 1815, 2041, 2117, 2305, 3377  
Grain size, 295, 413, 429, 583, 591, 1211, 1419, 2117, 2947  
Grain-boundary segregation-induced phase-transformation, 1679  
Green pigments, 3079
- Hafnium boride, 3253  
Hafnium diboride, 2337  
Hardness, 73, 1105, 1351, 1795, 1931, 1967, 2173, 2419  
Helices, 355  
Heterogeneous materials, 1585  
HfB<sub>2</sub>, 2699  
HfO<sub>2</sub>, 2289  
High *Q*, 315  
High temperature, 2653, 2661  
High-temperature materials, 2357  
High-temperature mechanical strength, 3053  
High-temperature strength, 1743  
Hot corrosion, 1401, 2707  
Hot isostatic press, 1489  
Hot isostatic pressing, 2109  
Hot pressing, 347, 1015, 1945, 2313, 2337, 2813, 3263  
Hydrophobicity, 1151

- Hydrothermal synthesis, 3351  
Hydroxyapatite, 1897, 2041
- Ilmenite structure, 341  
Image analysis, 3303  
Impact, 875  
Impedance, 215, 465, 1089, 2593  
Impedance spectroscopy, 221, 227  
Impurities, 61  
In plane, 221  
*In situ*, 2365  
In situ reaction, 787  
In situ synthesis, 1043  
Inclusions, 2457  
Indialite, 315  
Indium oxide, 539  
Infiltration–gelation doping, 3035  
Injection moulding, 1391, 2827, 3013  
Inkjet printing, 1669, 2093  
Instrumented indentation, 1967  
Insulators, 441, 805, 1641, 3389  
Insulators, 635  
Integrity factor, 2555  
Interfaces, 187, 1297, 1327, 1543, 1803, 3111, 3181  
Intermetallics, 2781  
Interparticle pair potential, 2795  
Interphase, 1131  
Ion beam sputtering, 471  
Ionic conductivity, 2593  
Iron doping, 289  
Irreversible polarization, 2603  
Irreversible strain, 2603  
Isopressing, 2795
- Joining, 751, 933, 1743, 2683, 3203, 3245
- Kapitza resistance, 3111  
Kinetics, 2387
- Laminated ceramics, 1543  
Lamination, 1461, 1973  
Lamp envelopes (E), 243  
Lanthanum chromite, 2897  
Lanthanum hexaaluminate ( $\text{LaAl}_{11}\text{O}_{18}$ ), 1381, 3103  
Laser cladding, 1401  
Laser floating zone, 3311  
Laser heating, 2279  
Laser lift-off, 419  
Laser surface melting, 147  
Lattice parameter, 1519, 2131  
Layer-by-layer assembly, 1151  
 $\text{La}_2\text{Zr}_2\text{O}_7$ , 569  
Lead titanate ferroelectrics, 289  
Lead-free, 295
- Lead-free piezoelectric ceramics, 3445  
Leakage current density, 513  
Left-handed meta-materials, 401  
Li-doped, 503  
LiF, 81  
LiF additive, 3331  
Li-ion batteries, 3235  
Liquid-phase sintering, 119, 1513, 2699, 3209  
Lithium aluminosilicates, 3219  
Lithium disilicate, 2017  
LMT, 2585  
Low-pressure injection moulding, 1391  
Low-temperature sintering, 3157  
LTCC, 81, 369, 743, 963, 1973  
Luminescence, 1717  
 $\text{Lu}_2\text{O}_3:\text{Eu}^{3+}$ , 1717  
LZT, 2585
- Machinability, 1035  
Macroporous support, 1317  
Magnetic field, 1171, 2813  
Magnetic properties, 255, 265, 347, 993  
Magnetoplumbite, 1649  
Magnetron sputtering, 283, 2123  
Manganites, 233, 259  
Material properties, 249  
Mechanical alloying, 2991  
Mechanical properties, 17, 53, 381, 649, 669, 751, 769, 865, 899, 1027, 1035, 1223, 1359, 1373, 1445, 1579, 1775, 1833, 1967, 2109, 2147, 2197, 2203, 2209, 2239, 2457, 2633, 2699, 2715, 2727, 2905, 2985, 3063, 3093, 3145, 3203, 3245, 3253, 3311, 3407, 3455  
Mechanosynthesis, 2099  
Melt extraction, 73  
Melt synthesis, 165  
Melting, 2279  
Membrane, 2889, 3407  
Metal, 1775  
MgO, 395, 481  
Microbalance, 1867  
Microbubble, 1245  
Microhardness, 2099, 2123  
Micromoulding, 1821  
Microparts, 1159  
Micro-stresses, 2555  
Microstructural evolution, 2643  
Microstructure, 233, 545, 751, 787, 793, 819, 839, 899, 971, 1105, 1211, 1351, 1359, 1409, 1599, 1737, 1809, 2147, 2155, 2279, 2569, 2625, 2633, 2905, 3035, 3071, 3203, 3245, 3253, 3363
- Microstructure (B), 1097, 1527  
Microstructure-final, 489, 525, 583, 649, 669, 981, 999, 1049, 1259, 1381, 1437, 1815, 1841, 1853, 2017, 2505, 2577, 2773, 2937, 3063, 3087, 3377, 3415  
Microstructure-final (B), 2871  
Microstructure-prefiring, 1259, 1725, 3291, 3377  
Microtemplating, 1345  
Micro-tube, 2859  
Microwave, 315  
Microwave ceramic, 963  
Microwave dielectric properties, 159, 325, 375  
Microwave dielectrics, 2585  
Microwave processing, 993, 1211  
Millimeter-wave, 315  
Milling, 277, 699, 2749  
Milling (A), 2871  
Modeling, 819  
Modified sol–gel, 1699  
Modulus and hardness, 689  
Monosaccharides, 1795, 2805  
Morphology, 1007  
Morphotropic phase boundary, 3445  
Morphotropic phase boundary (MPB), 971  
MoSi<sub>2</sub>-based coatings, 3267  
Moulding, 1555  
Mullite, 29, 839, 857, 1245, 1599, 2003, 2427, 2435, 2727, 3063, 3311  
Multiaxial failure criteria, 3339  
Multiferroics, 265, 283, 727  
Multilayer, 525, 1833  
Multilayer piezoelectric actuator, 249  
Multiferroic, 255
- $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3\text{-K}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ , 971  
Nano film, 847  
Nanocomposites, 831, 857, 865, 1359, 2223, 2525, 2905, 3219, 3377, 3415  
Nano-indentation, 689, 2419, 2427  
Nanomaterial, 3363  
Nanoparticle, 2819  
Nanopowders, 1699, 2805  
Nano-size, 171  
Nanostructure, 947  
Nanostructured  $\text{Al}_2\text{O}_3\text{-Y}_2\text{O}_3\text{-ZrO}_2$ , 889  
Nanostructured powders-chemical preparation, 227  
Nanotubes, 1115, 1145, 2937  
 $\text{Na}_2\text{SO}_4$ , 2707  
 $\text{Nb-ZMT}' (\text{Nb}_2\text{O}_5\text{-Zn}_{0.95}\text{Mg}_{0.05}\text{TiO}_3 + 0.25\text{TiO}_2)$ , 963  
Nd:YAG, 1489

- Neutron diffraction, 2555  
NiO, 147, 503  
Niobates, 613, 1437, 1725  
Niobium doped PZT, 1461  
Ni-olivine, 3079  
Nitrate-modified alkoxide-based sol–gel, 569  
Nitrides, 2117, 3455  
Non-destructive evaluation, 481, 1203, 2547, 2827, 2927  
Non-isothermal, 629  
Non-linearity, 545  
Nuclear applications, 2653  
  
Octahedral distortion, 319, 341  
Onset coarsening–coalescence, 677  
Optical microscopy, 1267, 2365, 3291  
Optical properties, 335, 429, 447, 475, 497, 1139, 1335, 1707, 2139, 2435, 2443, 2691, 2773, 3125, 3319  
Optical properties (C), 243  
Optical transparency, 3331  
Ordering, 315  
Oxidation, 119, 629, 1287, 1513, 2279, 2375, 2387, 2397, 2407, 3209  
Oxidation resistance, 113, 787, 1035, 2337  
Oxide superconductors, 917  
Oxygen semi-permeation, 1409  
Oxygen surface exchange, 1409  
Oxygen vacancies, 289  
Oxynitrides, 759  
  
Packing fraction, 1731  
Paper processing residues, 1785  
Paraelectric state, 599  
Partial pressure, 629  
Particle packing, 2955  
Particle self-assembly, 2049  
Particle size distribution, 591  
Patterning, 1555, 1973  
Pb–Ti–O, 3259  
PECVD, 689  
Permanent magnets, 3167  
Permeability, 2671  
Perovskite,  
Perovskite  $K_2NiF_4$ -type, 165  
Perovskites, 215, 233, 271, 331, 447, 465, 613, 727, 737, 1419, 1437, 1453, 1827  
pH localization, 1187  
Phase equilibria, 2407  
Phase reactions, 1619  
Phase transformation, 233, 1401, 2749  
Phase transition, 3153  
Phonon, 331  
Phosphates, 1887  
Phosphors, 165  
Photocatalysis, 2481, 2849  
Photocatalytic activity, 1151  
Photoluminescence, 459  
Photopolymerization, 2833, 3023, 3273  
Piezoelectric and dielectric hysteresis, 2603  
Piezoelectric properties, 101, 205, 295, 301, 713, 1827, 3157, 3259  
Plasma sintering, 847  
Plasma spraying, 799, 1649, 3131  
Plasticity, 1027, 1391  
Platelets, 793, 1195, 1815, 3145  
PLZT, 365  
PMN, 599  
0.65PMN–0.35PT, 2081  
Polar domains, 941  
Pole figures (QTA), 2427  
Polyelectrolyte, 1327  
Polymer-derived ceramic, 1503, 2203, 3235  
Polymeric precursor, 577  
Polysiloxanes, 1503, 2671, 2677  
Polyvinyl alcohol, 2735  
Porcelain, 1259, 2997  
Porcelain stoneware, 1599, 1775, 3063  
Porcelain stoneware tile, 3071  
Pore arrangement, 2065  
Porosity, 17, 53, 101, 359, 889, 1105, 1163, 1245, 1259, 1307, 1381, 1461, 1691, 1785, 1897, 1963, 2049, 2065, 2547, 2671, 2691, 2889, 2977, 3389  
Porosity (B), 2871  
Porous ceramics, 2525  
Porous materials, 3167  
Porous silicon, 459  
Positive temperature coefficient (PTC), 107  
Positron annihilation lifetime, 1897  
Potassium–sodium bismuth titanate, 3157  
Powder shaping, 2795  
Powder-binder separation, 2827  
Powders solid state reaction (A), 243  
Powders-chemical preparation, 265, 591, 1691, 1717  
Powders-gas phase reaction, 3455  
Powders-solid state reaction, 87, 1049, 1419, 1537, 3137, 3435  
Power supply, 3131  
Power-molten salt synthesis, 2073  
Precursor, 677  
Precursors–organic, 485, 759, 2357, 2773  
Pressing, 2927, 3291  
Pressureless sintering, 2699  
Processing, 2905  
Properties, 2625, 3363  
PTC devices, 555  
Pulse DC, 1187  
Pulsed current processing, 2977  
Pulsed electric current sintering, 1043  
Pulsed laser deposition, 447, 509  
Pyroelectric properties, 211, 3157  
Pyrolysis, 2677  
PZT, 101, 205, 249, 419, 429, 485, 497, 705, 713, 1821, 3259, 3425  
PZT ceramic, 1445  
PZT films, 521  
  
Quality factor, 315, 963  
  
Raman spectroscopy, 521, 1867  
Rapid prototyping, 1163, 2833, 3273, 3283  
Rapid prototyping technology (RPT), 2841  
Rare earth oxides, 1911, 2497  
RBBC, 1007  
R-curve, 1229  
Reacted fraction, 629  
Reaction sintering, 159  
Reactive hot pressing, 129  
Reactive melt infiltration, 1527  
Reactive pulsed electric current sintering, 2633  
Recovery, 3041  
Refractories, 29, 1785, 1879, 1903, 1911, 2057, 2289, 2365, 2497, 3093, 3181  
Refractory concrete, 3303  
Rehydroxylation, 1867  
Relative density, 3053  
Relaxation, 307  
Relaxor, 599  
Remanence properties, 3167  
Replication, 2735  
Residual stress, 521, 641, 2081, 2165, 2533, 3047, 3407  
Resonator, 2585  
Reticulated foams, 3005  
Rheological properties, 2805  
Rheology, 917, 1391, 2795, 2819, 2897  
Ring crack, 3047  
Rock salt structure, 325  
Rupture, 2209  
Ruthenate, 435  
Rutile structure, 319  
  
Scheelite structure, 1731  
Schottky barrier height, 187  
Scratch resistance, 11, 1873  
Sealant, 933

- Second phase, 545  
 Self-organized pore arrays, 181  
 Sensors, 2203  
 Shape, 677  
 Shaping, 359, 1069, 1159, 1163, 1795, 1963, 2265, 2859, 2889, 2971, 3397  
 Shot peening, 3047  
 Shrinkage, 2735  
 Shrinkage anisotropy, 3397  
 $\beta$ -Sialon, 1925  
 SiAlON, 1537, 2683, 2985  
 SiC, 113, 119, 769, 1007, 1059, 1495, 1513, 1833, 1879, 1931, 1945, 2117, 2165, 2209, 2223, 2375, 2633, 2643, 2653, 2671, 2727, 2773, 2813, 2889, 3181, 3209, 3267  
 SiC<sub>r</sub>/SiC composite, 1131  
 SiCN ceramic, 3235  
 Silicate, 315, 441, 905, 1641  
 Silicide, 2947  
 Silicon carbide, 1495, 3203  
 Silicon nitride, 1229  
 Silicon oxycarbide, 1503  
 Silver, 1873  
 SIMS, 423  
 Si<sub>3</sub>N<sub>4</sub>, 751, 1059, 1223, 1931, 2223, 2937, 3245  
 Si<sub>3</sub>N<sub>4</sub>/SiC, 3047  
 Si<sub>3</sub>N<sub>4</sub>/SiC composite, 2109  
 Single crystal, 301  
 Single crystal X-ray diffraction, 255  
 Sintering, 87, 171, 319, 375, 407, 561, 623, 649, 669, 699, 737, 971, 981, 999, 1105, 1211, 1277, 1335, 1351, 1419, 1427, 1483, 1495, 1619, 1725, 1731, 1737, 1803, 1925, 2017, 2109, 2117, 2337, 2593, 2643, 2727, 2741, 2813, 2819, 2937, 2947, 2985, 3035, 3041, 3071, 3125, 3219, 3377, 3397, 3425  
 Sintering by activated surface, 2991  
 Sintering temperature, 1699  
 SiO<sub>2</sub>, 1163, 1903, 2223, 2833, 3023, 3273  
 SiOC, 2677  
 Size, 677  
 Size effects, 289  
 Slip cast, 857  
 Slip casting, 2049, 2139, 2813  
 Sm<sub>2</sub>Zr<sub>2</sub>O<sub>7</sub>, 799  
 SnO<sub>2</sub> varistor, 545  
 SOFC, 1809, 2897, 2991  
 Soft carbon, 3235  
 Soft lithography, 1555  
 Soft magnets, 347, 401  
 Softlithography, 2773  
 Sol–gel auto-combustion, 993  
 Sol–gel film, 847  
 Sol–gel processes, 73, 141, 271, 1691, 1707, 1725, 2357, 2435, 2475  
 Sol–gel processing, 419  
 Sol–gel transition, 193  
 Solid oxide fuel cells, 1699, 1803  
 Solid state sintering, 2699  
 Solution combustion method, 177  
 Spark Plasma Sintering, 3363  
 Spark plasma sintering, 899, 2625, 2683, 2937, 3253, 3351  
 Spark Plasma Sintering (SPS), 153  
 Spectroscopy, 331, 335, 441, 465, 475, 613, 623, 641, 759, 1253, 1267, 1537, 1629, 1641, 2301, 2533, 3319  
 Spectroscopy (B), 243  
 Spinel, 2997, 3297  
 Split Hopkinson pressure bar, 875  
 Spray drying, 1549  
 Spray pyrolysis, 577  
 SPS, 1335, 3331  
 Stable fracture, 3297  
 Stain resistance, 1259, 3071  
 Starch consolidation casting, 2871  
 Starch direct consolidation, 2881  
 Strain conversion factor, 2555  
 Stray capacitance, 221  
 Strength, 113, 1059, 1297, 1659, 1931, 1945, 2173, 2457, 3005, 3145, 3291  
 Strength (C), 2715  
 Stress intensity, 3173  
 Stress wave, 875  
 Stress–strain relationship, 1477  
 Strontium- and magnesium-doped lanthanum gallate, 2593  
 Strontium titanate, 221  
 Structural applications, 53, 905, 1015, 1159, 1345, 1619, 2305, 2889, 2971, 3311  
 Structural properties, 181  
 Structure, 277, 1253  
 Substrate, 413, 2889  
 Superalloy, 2305  
 Superconducting, 1477  
 Supercritical CO<sub>2</sub>, 1691  
 Superplasticity, 657  
 Surface area, 2065  
 Surface strengthening, 2123  
 Surfaces, 1069, 1287, 1345, 1967, 2345, 2419, 2653  
 Surfactant concentration, 2065  
 Suspension, 171, 1069, 1177, 2819, 3283  
 Suspension (A), 1097  
 Suspensions, 917, 1079, 1115, 1139, 1145, 1159, 1171, 1195, 1327, 1437, 1669, 1821, 2467, 2833, 2889, 2985, 3023, 3273  
 Swelling process, 1307  
 Taguchi design, 2963  
 Taguchi's method, 2451  
 Tantalates, 941  
 Tape casting, 917, 1461, 1833, 2897, 3397  
 Target, 2947  
 $\mu$ TAS, 743  
 TCP, 819  
 TEM, 677  
 Template, 1307  
 Templated grain growth (TGG), 2917  
 Tension, 743  
 $\delta$ -TeO<sub>2</sub>, 3087  
 Terahertz spectroscopy, 2691  
 Terracotta, 1867  
 Texture, 1043, 1195, 2917  
 TG/DTA, 569  
 Thermal ageing, 227  
 Thermal barrier coatings, 61, 799, 889, 1401, 1649  
 Thermal conductivity, 799, 1833, 3111, 3389  
 Thermal cycling behavior, 1649  
 Thermal expansion, 17, 255, 1277, 1483, 2057, 2165, 2491, 2555, 3219  
 Thermal properties, 369, 475, 889, 1287, 1641, 2147, 2239, 2313, 2357, 2497, 3087  
 Thermal protection systems, 2305  
 Thermal shock, 1585  
 Thermal shock resistance, 113, 1955, 2947  
 Thermal stability, 3303  
 Thermal treatment, 1717  
 Thermal-shock-resistance, 1543  
 ThermoCalc®, 1519  
 Thermodynamics, 905, 1903, 1911, 2407,  
 Thermo-mechanical cohesive zones, 1585  
 Thermo-mechanical compression test, 705  
 Thermo-mechanical damage, 1585  
 Thermomechanical processing, 2305  
 Thermo-piezoelectricity, 249  
 Thermopower, 1815  
 Thick films, 3157  
 Thin film, 283, 471, 517, 1555, 2475  
 Ti<sub>3</sub>AlC<sub>2</sub>, 3227  
 TiB<sub>2</sub>-based composite, 3203  
 Tile, 11, 1873  
 TiO<sub>2</sub>, 95, 177, 981, 1079, 1253, 1307, 1317, 2065, 2481, 2849, 3035, 3131

- Ti<sub>3</sub>SiC<sub>2</sub>, 2123  
Titanate nanosheet, 1151  
Titanates, 237, 1453  
Titania, 839, 1873  
Titanium diboride, 1043  
Titanium oxide, 193  
(Ti,W)C, 1519  
(Ti,W)(CN), 793  
Toughness, 865, 1351, 2457, 3117, 3297  
Toughness and toughening, 705, 793, 1659, 1945  
Tracer, 657  
Traditional ceramics, 17, 385, 1267, 1599, 1609, 1619, 1841, 1853, 1989, 2457, 2481, 2927, 3063  
Transition metal oxides, 2289, 2741  
Transition metal oxides WO<sub>3</sub>, 1139  
Transmittance, 459  
Transparent ceramics, 1489, 2139, 3125  
Transparent conducting oxide, 509  
β-Tricalcium phosphate, 2563  
Two-Step Sintering, 583  
  
Ultra high temperature ceramics, 129, 2191, 2239, 2279, 2323, 2345, 2375  
Ultrasonic sensors, 101  
  
Vacuum infiltration, 3005  
Vanadium nitride, 2099  
Varistors, 525, 531, 549, 1761  
Viscosity, 3071  
V<sub>2</sub>O<sub>5</sub>, 2707  
  
Water, 2677  
Water vapor, 3435  
Wear Parts, 2265  
Wear testing, 3131  
Wet milling, 2985  
Whiskers, 2041, 2155  
White SiOC, 2677  
Willemite, 3319  
Work of fracture, 3297  
  
XAS, 2099  
XPS, 3227  
X-ray diffraction, 521, 2555  
X-ray methods, 61, 271, 277, 335, 481, 623, 993, 1049, 1171, 1267, 1609, 1619, 1641, 1737, 1809, 2003, 2009, 2081, 2375, 2481, 2491, 2547, 2927, 2977, 3137, 3259, 3319  
X-ray methods (B), 243  
X-ray photoelectron spectrometry, 459  
X-ray photoelectron spectroscopy, 517  
XRD, 29, 569  
  
YAG, 73, 1707, 3331  
Y<sub>2</sub>O<sub>3</sub>, 1903, 2057, 2139, 2491, 2497, 2741, 3125  
Y<sub>2</sub>O<sub>3</sub>:Eu, 165  
YSZ, 147, 489  
Yttria-stabilized zirconia, 3389  
Y-type zeolite, 1537  
Y-ZrO<sub>2</sub>, 1691  
  
z value, 1925  
Zinc titanate, 947  
Zirconia, 11, 29, 657, 899  
Zirconium, 3263  
Zirconium diboride, 1035  
Zirconium titanate, 981  
ZnO, 177, 423, 525, 531, 549, 591, 1171, 1761  
Zn<sub>2</sub>SiO<sub>4</sub>, 375  
ZrB<sub>2</sub>, 2155, 2183, 2375  
ZrB<sub>2</sub>-SiC, 2387  
ZrC, 1527  
ZrO<sub>2</sub>, 53, 61, 141, 583, 981, 1159, 1177, 1211, 1391, 1543, 1669, 1679, 2003, 2139, 2419, 2491, 2497, 2749, 3093, 3145, 3357, 3363, 3415  
ZrSiO<sub>4</sub>, 2515  
ZrW<sub>2</sub>O<sub>8</sub>, 1483  
ZTA, 3005