

Additions and Corrections

Metallacarboranes derived from the $[C_2B_{10}H_{12}]^{2-}$ Anion. The Preparation, Molecular Structure, and Properties of [4-(dppe)-4-Pd-1,6- $C_2B_{10}H_{12}$], [4,4,4-H(PPh_3)₂-2-OMe-4-Ir-1,6- $C_2B_{10}H_{11}$], and [3-(dppe)-3-Pt-1,2- $C_2B_9H_{11}$]
(1987, 1805)

Nathaniel W. Alcock, John G. Taylor, and Malcolm G. H. Wallbridge

Page 1805. The list of authors' names should include '(in part) Howard M. Colquhoun.'

Reactivity of Rhenium(I) Pseudo-allyl Complexes with Heterocumulenes such as RNCS (R = Me or Ph, *p*-MeC₆H₄) and PhNCO. Part 1. Crystal Structure Determination of Two Isostructural Monothio- and Dithio-carbamate Rhenium(I) Complexes co-crystallized as $[Re(CO)_2(PPh_3)_2\{S=C(NHPh)-S\}] \cdot [Re(CO)_2(PPh_3)_2\{O-C(NHPh)=S\}]$
(1987, 2299)

Roberto Rossi, Andrea Marchi, Adriano Duatti, Luciano Magon, Umberto Casellato, and Rodolfo Graziani

Throughout the paper ' $[Re(CO)_2(PPh_3)_2(amt)]$ [amt = anion of 2-(aminomethyl)thiazole]' should read ' $[Re(CO)_2(PPh_3)(mat)]$ [mat = anion of 2-(methylamino)thiazole].'