

**Table 2 (Continued)**

T/K	P/kPa	$x_1$	$x_2$	$\sigma/(mN\ m^{-1})$	T/K	P/kPa	$x_1$	$x_2$	$\sigma/(mN\ m^{-1})$	T/K	P/kPa	$x_1$	$x_2$	$\sigma/(mN\ m^{-1})$
97.5	268.8	0.109	0.703	9.81	102.0	501.0	0.284	0.503	7.30	108.1	648.9	0.159	0.676	7.09
97.5	351.0	0.280	0.508	8.58	102.1	385.3	0.102	0.716	8.90	108.2	559.7	0.076	0.881	7.67
97.5	399.9	0.358	0.495	8.09	102.2	421.0	0.178	0.788	8.77	108.4	610.9	0.084	0.594	7.67
97.5	418.7	0.410	0.367	8.11	102.3	391.9	0.106	0.711	8.84	108.4	629.3	0.120	0.700	7.89
97.5	478.0	0.527	0.424	7.40	102.3	429.4	0.186	0.781	8.83	108.5	667.1	0.158	0.678	6.93
97.6	366.3	0.268	0.391	8.76	102.4	400.0	0.088	0.577	8.91	108.6	663.1	0.134	0.602	7.37
108.9	681.8	0.153	0.682	7.04	109.8	748.1	0.156	0.586	6.51	112.3	810.0	0.075	0.509	6.67
108.9	584.8	0.074	0.882	7.59	110.0	753.5	0.153	0.583	6.73	112.5	824.5	0.076	0.509	6.42
109.0	680.0	0.133	0.602	7.23	110.0	865.0	0.285	0.670	6.05	112.8	850.7	0.080	0.505	6.66
109.0	652.7	0.116	0.704	7.06	110.1	730.8	0.146	0.689	6.68	112.8	842.5	0.077	0.507	6.37
109.1	686.8	0.150	0.684	7.05	110.2	631.9	0.069	0.886	7.37	113.1	861.5	0.078	0.506	6.34
109.1	686.8	0.154	0.680	7.02	110.6	776.5	0.142	0.595	6.55	113.6	852.2	0.107	0.852	6.48
109.3	728.5	0.160	0.577	6.92	110.6	813.3	0.191	0.675	6.73	113.7	853.3	0.104	0.856	6.47
109.3	700.5	0.134	0.602	7.25	110.6	648.5	0.068	0.889	7.36	113.7	854.5	0.102	0.857	6.63
109.4	602.8	0.073	0.883	7.53	110.7	780.0	0.144	0.593	6.98	113.9	857.7	0.101	0.858	6.46
109.6	737.3	0.154	0.583	6.94	111.0	920.3	0.283	0.670	5.65	114.2	877.0	0.099	0.860	6.31
109.6	772.2	0.196	0.671	6.58	111.3	748.5	0.078	0.602	7.35	114.8	904.1	0.093	0.866	6.15
109.7	809.9	0.250	0.704	6.09	111.5	799.0	0.107	0.476	6.53					
109.7	616.7	0.073	0.884	7.40	111.9	788.2	0.073	0.511	6.62					

JE9403793

**Phase Equilibrium for Methane Hydrate from 190 to 262 K.** Taras Y. Makogon and E. Dendy Sloan, Jr.,\*  
*J. Chem. Eng. Data* 1994, 39, 351–353.

The pressure values in Table 1 are incorrect and should be listed as follows:

**Table 1. Methane Hydrate Equilibrium Data**

T/K	P/MPa	T/K	P/MPa
190.15	0.08471	218.15	0.3666
198.15	0.1349	243.15	0.9805
208.15	0.2278	262.40	1.847