

Cumulative Author–Title Index 1991–1996

A

- I. Aavatsmark, T. Barkve, O. Boe, and T. Mannesth, Discretization on non-orthogonal, quadrilateral grids for inhomogeneous, anisotropic media, **127**, 2–14, 1996.
 S. Abdallah, Comments on the fractional step method, **117**, 179–180, 1995.
 F. Abdolsalami, M. Abdolsalami, L. Perez, P. Gomez, and M. Silva, Study of electron molecule collision via finite-element method and R-matrix propagation technique: Exact exchange, **121**, 314–323, 1995.
 W. A. T. W. Abdullah, Seeking global minima, **110**, 320–326, 1994.
 R. Abgrall, How to prevent pressure oscillations in multicomponent flow calculations: A quasi-conservative approach, **125**, 150–160, 1996.
 R. Abgrall, On essentially non-oscillatory schemes on unstructured meshes: Analysis and implementation, **114**, 45–58, 1994.
 M. J. Ablowitz, B. M. Herbst, and C. Schober, On the numerical solution of the sine-Gordon equation. I. Integrable discretizations and homoclinic manifolds, **126**, 299–314, 1996.
 L. Abrahamsson and H.-O. Kreiss, Numerical solution of the coupled mode equations in duct acoustics, **111**, 1–14, 1994.
 D. I. Abramov, Quantum inverse scattering problem as a Cauchy problem, **97**, 516–534, 1991.
 G. A. Ache and D. Cores, Note on the two-point boundary value numerical solution of the Orr–Sommerfeld stability equation, **116**, 180–183, 1995.
 D. Adalsteinsson and J. A. Sethian, A fast level set method for propagating interfaces, **118**, 269–277, 1995.
 D. Adalsteinsson and J. A. Sethian, A level set approach to a unified model for etching, deposition, and lithography. II. Algorithms and two-dimensional simulations, **120**, 128–144, 1995.
 D. Adalsteinsson and J. A. Sethian, A level set approach to a unified model for etching, deposition, and lithography. III. Three-dimensional simulations, **122**, 348–366, 1995.
 E. Adams, W. F. Ames, W. Rufeger, W.

- Kuhn, and H. Spreuer, Computational chaos may be due to a single local error, **104**, 241–250, 1993.
 N. A. Adams and K. Shariff, A high-resolution hybrid compact-ENO scheme for shock–turbulence interaction problems, **127**, 27–51, 1996.
 S. K. Adhikari, Complex Kohn variational principle for the solution of Lippmann–Schwinger equations, **103**, 415–421, 1992.
 K. Ajmani, W.-F. Ng, and M.-S. Liou, Preconditioned conjugate gradient methods for the Navier–Stokes equations, **110**, 68–81, 1994.
 N. Z. Akopov, G. K. Savvidy, and N. G. Ter-Arutyunyan-Savvidy, Matrix generator of pseudorandom numbers, **97**, 573–579, 1991.
 K. Akselvoll and P. Moin, An efficient method for temporal integration of the Navier–Stokes equations in confined axisymmetric geometries, **125**, 454–463, 1996.
 M. J. Alava and J. A. Heikkilä, On the origin of parasitic modes in numerical modelling of wave propagation in plasmas, **114**, 85–99, 1994.
 R. Albanese and G. Rubinacci, Analysis of three-dimensional electromagnetic fields using edge elements, **108**, 236–245, 1993.
 M. Alcurbierre and B. F. Schutz, Time-symmetric ADI and causal reconnection: Stable numerical techniques for hyperbolic systems on moving grids, **112**, 44–77, 1994.
 A. Allievi and S. M. Calisal, Application of Bubnov–Galerkin formulation to orthogonal grid generation, **98**, 163–173, 1992.
 A. C. Allison, A. D. Raptis, and T. E. Simos, An eighth-order formula for the numerical integration of the one-dimensional Schrödinger equation, **97**, 240–248, 1991.
 A. S. Almgren, T. Buttke, and P. Colella, A fast adaptive vortex method in three dimensions, **113**, 177–200, 1994.
 R. Almgren, Variational algorithms and pattern formation in dendritic solidification, **106**, 337–354, 1993.
 H. M. Al-Rizzo and J. M. Tranquilla, Electromagnetic scattering from dielectrically coated axisymmetric objects using the generalized point-matching technique. I. Theoretical formulation, **119**, 342–355, 1995.
 H. M. Al-Rizzo and J. M. Tranquilla, Electromagnetic scattering from dielectrically coated axisymmetric objects using the generalized point-matching technique. II. Numerical results and comparisons, **119**, 356–373, 1995.
 I. Altas and K. Burrage, A high accuracy defect-correction multigrid method for the steady incompressible Navier–Stokes equations, **114**, 227–233, 1994.
 I. Altas and J. W. Stephenson, A two-dimensional adaptive mesh generation method, **94**, 201–224, 1991.
 A. Alvarez, Linearized Crank–Nicholson scheme for nonlinear dirac equations, **99**, 348–350, 1992.
 J. J. Ambrosiano, S. T. Brandon, R. Löhner, and C. R. DeVore, Electromagnetics via the Taylor–Galerkin finite element method on unstructured grids, **110**, 310–319, 1994.
 S. Amini and S. M. Kirkup, Solution of Helmholtz equation in the exterior domain by elementary boundary integral methods, **118**, 208–221, 1995.
 M. G. Ancona, Fully-Lagrangian and lattice-Boltzmann methods for solving systems of conservation equations, **115**, 107–120, 1994.
 C. R. Anderson and M. B. Reider, A high order explicit method for the computation of flow about a circular cylinder, **125**, 207–224, 1996.
 W. K. Anderson, A grid generation and flow solution method for the Euler equations on unstructured grids, **110**, 23–38, 1994.
 W. K. Anderson, R. D. Rausch, and D. L. Bonhaus, Implicit/multigrid algorithms for incompressible turbulent flows on unstructured grids, **128**, 391–408, 1996.
 Ø. Andreassen, I. Lie, and C. E. Wasberg, The spectral viscosity method applied to simulation of waves in a stratified atmosphere, **110**, 257–273, 1994.
 A. Aoyagi, Nonlinear leapfrog instability for Fornberg's pattern, **120**, 316–322, 1995.
 A. Aoyagi and K. Abe, Runge–Kutta smoother for suppression of computational-mode instability of leapfrog scheme, **93**, 287–296, 1991.

¹ Boldface numbers indicate appropriate volume; lightface numbers indicate pagination.

- J. P. Apruzese, R. W. Clark, and J. W. Thornhill, A single ray approximation for α particle transport, **119**, 156–163, 1995.
- H. Araseki and S. Kotake, A self-correcting procedure for computational liquid metal magnetohydrodynamics, **110**, 301–309, 1994.
- R. Arina and C. Canuto, A self-adaptive domain decomposition for the viscous/inviscid coupling. I. Burgers equation, **105**, 290–300, 1993.
- H. Arisue, T. Fujiwara, and Y. S. Hirata, Algorithm to calculate the partition function for Z(2) lattice gauge theory in four dimensions, **111**, 156–164, 1994.
- S. W. Armfield, Ellipticity, accuracy, and convergence of the discrete Navier-Stokes equations, **114**, 176–184, 1994.
- P. Arminjon and A. Dervieux, Construction of TVD-like artificial viscosities on two-dimensional arbitrary FEM grids, **106**, 176–198, 1993.
- W. Arter and J. W. Eastwood, Particle-mesh schemes for advection dominated flows, **117**, 194–204, 1995.
- F. J. Asencor and M. Panizo, Finite-difference operators in anisotropic inhomogeneous dielectrics: General case, **95**, 387–399, 1991.
- N. Ashgriz and J. Y. Poo, FLAIR: Flux line-segment model for advection and interface reconstruction, **93**, 449–468, 1991.
- T. D. Aslam, J. B. Bdzil, and D. S. Stewart, Level set methods applied to modeling detonation shock dynamics, **126**, 390–409, 1996.
- F. Assous, P. Degond, E. Heintze, P. A. Raviart, and J. Segre, On a finite-element method for solving the three-dimensional Maxwell equations, **109**, 222–237, 1993.
- F. Assous, P. Degond, and J. Segre, Numerical approximation of the Maxwell equations in inhomogeneous media by a P^1 conforming finite element method, **128**, 363–380, 1996.
- S. P. Auerbach and A. Friedman, Long-time behaviour of numerically computed orbits: Small and intermediate timestep analysis of one-dimensional systems, **93**, 189–223, 1991.
- M. A. Austin, P. S. Krishnaprasad, and L.-S. Wang, Almost Poisson integration of rigid body systems, **107**, 105–117, 1993.
- B**
- V. Babu and S. A. Korpela, On the direct solution of Poisson's equation on a non-uniform grid, **104**, 93–98, 1993.
- F. Bagnoli, R. Rechtman, and S. Ruffo, General algorithm for two-dimensional totalistic cellular automata, **101**, 176–184, 1992.
- E. Bahar and M. El-Shenawee, Full wave single and double scatter from rough surfaces, **115**, 390–398, 1994.
- D. W. Bailey and J. M. Higman, A discretized k -space method for charge transport in semiconductors, **120**, 117–127, 1995.
- H. E. Bailey and R. M. Beam, Newton's method applied to finite-difference approximations for the steady-state compressible Navier-Stokes equations, **93**, 108–127, 1991.
- G. Baker, M. Siegel, and S. Tanveer, A well-posed numerical method to track isolated conformal map singularities in Hele-Shaw flow, **120**, 348–364, 1995.
- E. G. Bakhoun and J. A. Board, Jr., The geometric solution of Laplace's equation, **123**, 274–295, 1996.
- B. L. G. Bakker, M. I. Polikarpov, and L. V. Shevchenko, Scattering in the framework of the Green's function Monte-Carlo method, **116**, 277–280, 1995.
- S. Balachandar and R. K. Madabhushi, Spurious modes in spectral collocation methods with two nonperiodic directions, **113**, 151–153, 1994.
- S. Balachandar and D. A. Yuen, Three-dimensional fully spectral numerical method for mantle convection with depth-dependent properties, **113**, 62–74, 1994.
- I. Balashazy, Simulation of particle trajectories in bifurcating tubes, **110**, 11–22, 1994.
- D. S. Balsara, Riemann solver for relativistic hydrodynamics, **114**, 284–297, 1994.
- D. S. Balsara, von Neumann stability analysis of smoothed particle hydrodynamics—Suggestions for optimal algorithms, **121**, 357–372, 1995.
- K. Banas and L. Demkowicz, Entropy controlled adaptive finite element simulations for compressible gas flow, **126**, 181–201, 1996.
- W. Bao and H. Han, Nonlocal artificial boundary conditions for the incompressible viscous flow in a channel using spectral techniques, **126**, 52–63, 1996.
- A. A. Barmin, A. G. Kulikovskiy, and N. V. Pogorelov, Shock-capturing approach and nonevolutionary solutions in magnetohydrodynamics, **126**, 77–90, 1996.
- P. Bar-Yoseph, E. Moses, U. Zrahia, and A. L. Yarin, Space-time spectral element methods for one-dimensional nonlinear advection-diffusion problems, **119**, 62–74, 1995.
- F. Baras, M. M. Mansour, A. L. Garcia, and M. Mareschal, Particle simulation of complex flows in dilute systems, **119**, 94–104, 1995.
- S. Barcza, On a class of non-separable quantum-mechanical Eigenvalue problems: Analytical and technical considerations within the frame of a Born expansion method, **110**, 242–256, 1994.
- C. F. Barenghi, Computations of transitions and Taylor vortices in temporally modulated Taylor-Couette flow, **95**, 175–194, 1991.
- R. N. Barnett, P. J. Reynolds, and W. A. Lester, Jr., Monte Carlo algorithms for expectation values of coordinate operators, **96**, 258–276, 1991.
- S. R. M. Barros, Multigrid methods for two- and three-dimensional Poisson-type equations on the sphere, **92**, 313–348, 1991.
- A. G. Basile and C. G. Gray, A relaxation algorithm for classical paths as a function of end points: Application to the semi-classical propagator for far-from-caustic and near-caustic conditions, **101**, 80–93, 1992.
- P. F. Batcho and G. E. Karniadakis, Generalized Stokes eigenfunctions: A new trial basis for the solution of incompressible Navier-Stokes equations, **115**, 121–146, 1994.
- M. Baum, T. Poinsot, and D. Thevenin, Accurate boundary conditions for multicomponent reactive flows, **116**, 247–261, 1995.
- A. Bayliss, A. Class, and B. J. Matkowsky, Adaptive approximation of solutions to problems with multiple layers by Chebyshev pseudo-spectral methods, **116**, 160–172, 1995.
- A. Bayliss, A. Class, and B. J. Matkowsky, Roundoff error in computing derivatives using the Chebyshev differentiation matrix, **116**, 380–383, 1995.
- A. Bayliss, M. Garbey, and B. J. Matkowsky, Adaptive pseudo-spectral domain decomposition and the approximation of multiple layers, **119**, 132–141, 1995.
- A. Bayliss and E. Turkel, Mappings and accuracy for Chebyshev pseudo-spectral approximations, **101**, 349–359, 1992.
- J. D. Beason, D. S. Kershaw, and M. K. Prasad, Using physical insight: The relativistic Compton scattering kernel for radiative transfer, **95**, 497–504, 1991.
- J.-M. Beckers, On destabilizing implicit factors in discrete advection-diffusion equations, **111**, 260–265, 1994.
- J.-M. Beckers and E. Deleersnijder, Stability of a FBTCS scheme applied to the propagation of shallow-water inertia-gravity waves on various space grids, **108**, 95–104, 1993.
- M. Beddhu, L. K. Taylor, and D. L. Whitfield, Strong conservative form of the incompressible Navier-Stokes equations in rotating frame with a solution procedure, **128**, 427–437, 1996.
- J. B. Bell and D. L. Marcus, A second-order

- projection method for variable-density flows, **101**, 334–348, 1992.
- J.-D. Benamou, Big ray tracing: Multivalued travel time field computation using viscosity solutions of the eikonal equation, **128**, 463–475, 1996.
- A. K. Benson, An anti-spatial-aliasing filter for explicit modeling and imaging in inhomogeneous media, **99**, 183–189, 1992.
- A. K. Benson, Decomposition and inversion of elastic reflection data; first-order angular dependence and applications, **121**, 102–114, 1995.
- D. J. Benson, Momentum advection on a staggered mesh, **100**, 143–162, 1992.
- J.-P. Berenger, A perfectly matched layer for the absorption of electromagnetic waves, **114**, 185–200, 1994.
- J.-P. Berenger, Three-dimensional perfectly matched layer for the absorption of electromagnetic waves, **127**, 363–379, 1996.
- D. Berghezan and F. Dupret, Numerical simulation of stratified coating flow by a variational method, **111**, 165–182, 1994.
- P. S. Bernard, A deterministic vortex sheet method for boundary layer flow, **117**, 132–145, 1995.
- R. S. Bernard and H. Kapitza, How to discretize the pressure gradient for curvilinear MAC grids, **99**, 288–298, 1992.
- I. B. Bernstein, L. Brookshaw, and P. A. Fox, A numerical method for solving systems of linear ordinary differential equations with rapidly oscillating solutions, **98**, 269–284, 1992.
- F. P. Bertolotti and R. D. Joslin, Effect of far-field boundary conditions on a boundary-layer transition, **118**, 392–395, 1995.
- O. Besson, J. Bourgeois, P.-A. Chevalier, J. Rappaz, and R. Touzani, Numerical modelling of electromagnetic casting processes, **92**, 482–507, 1991.
- R. P. Beyer, Jr., A computational model of the Cochlea using the immersed boundary method, **98**, 145–162, 1992.
- S. Bhattacharyya and T. K. Das, An efficient numerical algorithm for calculation of matrix elements of trinucleon system with realistic potentials, **114**, 308–311, 1994.
- J. Bielak, R. C. MacCamy, and X. Zeng, Stable coupling method for interface scattering problems by combined integral equations and finite elements, **119**, 374–384, 1995.
- J. J. Biesiadecki and R. D. Skeel, Dangers of multiple time step methods, **109**, 318–328, 1993.
- B. L. Bihari, Multiresolution schemes for conservation laws with viscosity, **123**, 207–225, 1996.
- G. T. Birk and A. Otto, A three-dimensional plasma-neutral gas-fluid code, **125**, 513–525, 1996.
- D. G. Bishop, Material-based limiters for the time-domain Maxwell equations with thin conducting sheets, **121**, 115–128, 1995.
- D. W. Black and A. P. Rothmayer, On accelerating the convergence of nonlinear iterative algorithms, **111**, 324–335, 1994.
- E. Blayo and C. Le Provost, Performance of the capacitance matrix method for solving Helmholtz-type equations in ocean modelling, **104**, 347–360, 1993.
- E. L. Blosch and W. Shyy, Scalability and performance of data-parallel pressure-based multigrid methods for viscous flows, **125**, 338–353, 1996.
- V. Blum, G. Lauritsch, J. A. Maruhn, and P.-G. Reinhard, Comparison of coordinate-space techniques in nuclear mean-field calculations, **100**, 364–376, 1992.
- M. Blunt and B. Rubin, Implicit flux limiting schemes for petroleum reservoir simulation, **102**, 194–210, 1992.
- H. Boing, K. Werner, and H. Jackisch, Construction of the entropy solution of hyperbolic conservation laws by a geometrical interpretation of the conservation principle, **95**, 40–58, 1991.
- G. Boffetta and A. R. Osborne, Computation of the direct scattering transform for the nonlinear Schroedinger equation, **102**, 252–264, 1992.
- J. E. Boillat, F. Brugè, and P. G. Kropf, A dynamic load-balancing algorithm for molecular dynamics simulation on multiprocessor systems, **96**, 1–14, 1991.
- K. Bolton and S. Nordholm, An evaluation of the Gauss–Radau algorithm for the simulation of chemical dynamics, **113**, 320–335, 1994.
- S. Bonazzola and J.-A. Marck, A 1D exact treatment of shock waves within spectral methods in plane geometry, **97**, 535–552, 1991.
- C. Börgers, E. W. Larsen, and M. L. Adams, The asymptotic diffusion limit of a linear discontinuous discretization of a two-dimensional linear transport equation, **98**, 285–300, 1992.
- L. Borne, Harmonic Stokes flow through periodic porous media: A 3D boundary element method, **99**, 214–232, 1992.
- L. Bottura, A numerical model for the simulation of quench in the ITER magnets, **125**, 26–41, 1996.
- S. Bouaoudia and P. S. Marcus, Fast and accurate spectral treatment of coordinate singularities, **96**, 217–223, 1991.
- J.-F. Bourgat, P. L. Tallec, and M. D. Tidriri, Coupling Boltzmann and Navier–Stokes equations by friction, **127**, 227–245, 1996.
- I. D. Boyd, Vectorization of a Monte Carlo simulation scheme for nonequilibrium gas dynamics, **96**, 411–427, 1991.
- J. P. Boyd, The arctan/tan and Kepler–Burgers mappings for periodic solutions with a shock, front, or internal boundary layer, **98**, 181–193, 1992.
- J. P. Boyd, Multipole expansions and pseudospectral cardinal functions: a new generalization of the fast Fourier transform, **103**, 184–186, 1992.
- J. P. Boyd, A fast algorithm for Chebyshev, Fourier, and sinc interpolation onto an irregular grid, **103**, 243–257, 1992.
- J. P. Boyd, The rate of convergence of Fourier coefficients for entire functions of infinite order with application to the Weideman–Cloot sin-mapping for pseudospectral computations on an infinite interval, **110**, 360–372, 1994.
- J. P. Boyd, A Chebyshev polynomial interval-searching method (“Lanczos economization”) for solving a nonlinear equation with application to the nonlinear Eigenvalue problem, **118**, 1–8, 1995.
- J. P. Boyd, A hyperasymptotic perturbative method for computing the radiation coefficient for weakly nonlocal solitary waves, **120**, 15–32, 1995.
- J. P. Boyd, Numerical computations of a nearly singular nonlinear equation: Weakly nonlocal bound states of solitons for the fifth-order Korteweg–deVries equation, **124**, 55–70, 1996.
- J. P. Boyd, Traps and snares in eigenvalue calculations with application to pseudospectral computations of ocean tides in a basin surrounded by meridians, **126**, 11–20, 1996.
- J. U. Brackbill, FLIP MHD: A particle-in-cell method for magnetohydrodynamics, **96**, 163–192, 1991.
- J. U. Brackbill, An adaptive grid with directional control, **108**, 38–50, 1993.
- J. U. Brackbill, D. B. Kothe, and C. Zemach, A continuum method for modeling surface tension, **100**, 335–354, 1992.
- J. U. Brackbill and G. Lapenta, A method to suppress the finite-grid instability in plasma simulations, **114**, 77–84, 1994.
- D. Braess, M. Biebighäuser, P. Grassberger, and R. Leuverink, Multi-grid methods for steady state diffusion in random media, **107**, 118–123, 1993.
- S. Bramley, L. Dieci, and R. D. Russell, Numerical solution of Eigenvalue problems for linear boundary value ODEs, **94**, 382–404, 1991.
- A. Brandt and I. Yavneh, Inadequacy of first-order upwind difference schemes for some recirculating flows, **93**, 128–143, 1991.
- A. Brandt and I. Yavneh, On multigrid solution of high-Reynolds incompressible entering flows, **101**, 151–164, 1992.
- M. Braun, S. A. Sofianos, D. G. Papageorgiou, and I. E. Lagaris, An efficient Chebyshev–Lanczos method for ob-

- taining eigensolutions of the Schrödinger equation on a grid, **126**, 315–327, 1996.
- K. S. Breuer and R. M. Everson, On the errors incurred calculating derivatives using Chebyshev polynomials, **99**, 56–67, 1992.
- K. S. Breuer and L. Sirovich, The use of the Karhunen–Loève procedure for the calculation of linear eigenfunctions, **96**, 277–296, 1991.
- L. M. Brieger and E. Bonomi, A stochastic cellular automaton model of non-linear diffusion and diffusion with reaction, **94**, 467–486, 1991.
- W. R. Briley, S. S. Neerarambam and D. L. Whitfield, Implicit lower–upper/approximate-factorization schemes, **128**, 32–42, 1996.
- E. Brizuela, Accurate normalisation of the beta-function PDF, **119**, 385–387, 1995.
- J. Broeze and J. E. Romate, Absorbing boundary conditions for free surface wave simulations with a panel method, **99**, 146–158, 1992.
- L. Bronsard and B. T. R. Wetton, A numerical method for tracking curve networks moving with curvature motion, **120**, 66–87, 1995.
- R. C. Brower, N. A. Gross, and K. J. M. Moriarty, Accelerated Monte Carlo by embedded cluster dynamics, **95**, 167–174, 1991.
- D. L. Brown and M. L. Minion, Performance of under-resolved two-dimensional incompressible flow simulations, **122**, 165–183, 1995.
- F. Brugè, Systolic calculation of pair interactions using the cell linked-lists method on multi-processor systems, **104**, 263–266, 1993.
- F. Brugè and S. L. Fornili, On the systolic calculation of all-pairs interactions using transputer arrays, **96**, 224–228, 1991.
- E. Bruno, G. M. Florio, B. Ginatempo, and E. S. Giuliano, Fast numerical solution of KKR-CPA equations: Testing new algorithms, **111**, 248–255, 1994.
- C. J. Budd and A. A. Wheeler, A numerical scheme for the solution of the space charge problem on a multiply connected region, **97**, 1–29, 1991.
- J. C. Buell, A hybrid numerical method for three-dimensional spatially-developing free-shear flows, **95**, 313–338, 1991.
- D. Burgess, D. Sulsky, and J. U. Brackbill, Mass matrix formulation of the FLIP particle-in-cell method, **103**, 1–15, 1992.
- R. D. V. Buskirk and P. S. Marcus, Spectrally accurate contour dynamics, **115**, 302–318, 1994.
- R. A. R. Butler and E. E. Slaminka, An evaluation of the Sniffer global optimization algorithm using standard test functions, **99**, 28–32, 1992.
- T. F. Buttke, The fast adaptive vortex method, **93**, 485, 1991.
- J. A. Byers, A. M. Dimits, Y. Matsuda, and A. B. Langdon, Numerical instability in a 2D gyrokinetic code caused by divergent $E \times B$ flow, **115**, 352–365, 1994.
- C**
- G. Caginalp and E. A. Socolovsky, Computation of sharp phase boundaries by spreading: The planar and spherically symmetric cases, **95**, 85–100, 1991.
- D. Cai, A. Aoyagi, and K. Abe, Parametric excitation of computational mode of the leapfrog scheme applied to the Van der Pol equation, **107**, 146–151, 1993.
- D. Cai, L. R. O. Storey, and T. Neubert, Particle loading for a plasma shear layer in a magnetic field, **107**, 84–97, 1993.
- W. Cai, H. C. Lee, and H.-S. Oh, Coupling of spectral methods and the p -version of the finite element method for elliptic boundary value problems containing singularities, **108**, 314–326, 1993.
- W. Cai and C.-W. Shu, Uniform high-order spectral methods for one- and two-dimensional Euler equations, **104**, 427–443, 1993.
- Y. Cai and I. M. Navon, Parallel block preconditioning techniques for the numerical simulation of the shallow water flow using finite element methods, **122**, 39–50, 1995.
- P. S. Cally, An inverse coordinate multigrid method for free boundary magnetohydrostatics, **93**, 411–425, 1991.
- D. Candela, Numerical methods for nonlinear Fourier analysis, prediction, and filtering, **117**, 205–214, 1995.
- J. Candy, A numerical method for solution of the generalized Liouville equation, **129**, 160–169, 1996.
- J. Candy and W. Rozmus, A symplectic integration algorithm for separable Hamiltonian functions, **92**, 230–256, 1991.
- E. H. Canfield, Jr., and J. A. Viecelli, Random access to a random number sequence, **99**, 176–178, 1992.
- W.-m. Cao and B.-y. Guo, Fourier collocation method for solving nonlinear Klein–Gordon equation, **108**, 296–305, 1993.
- S. Capstick and B. D. Keister, Multidimensional quadrature algorithms at higher degree and/or dimension, **123**, 267–273, 1996.
- E. J. Caramana, Derivation of implicit difference schemes by the method of differential approximation, **96**, 484–493, 1991.
- E. J. Caramana and R. B. Webster, Parameterized solution of one-dimensional thermal diffusion with a heat source and a moving boundary, **98**, 342–346, 1992.
- H. A. Carlson, G. Berkooz, and J. L. Lumley, Direct numerical simulation of flow in a channel with complex, time-dependent wall geometries: A pseudospectral method, **121**, 155–175, 1995.
- M. H. Carpenter and D. Gottlieb, Spectral methods on arbitrary grids, **129**, 74–86, 1996.
- M. H. Carpenter, D. Gottlieb, and S. Abarbanel, The stability of numerical boundary treatments for compact high-order finite-difference schemes, **108**, 272–295, 1993.
- M. H. Carpenter, D. Gottlieb, and S. Abarbanel, Time-stable boundary conditions for finite-difference schemes solves hyperbolic systems: Methodology and application to high-order compact schemes, **111**, 220–236, 1994.
- M. H. Carpenter and J. Otto, High-order “cyclo-difference” techniques: An alternative to finite differences, **118**, 242–260, 1995.
- G. Carte, J. Dušek, and P. Fraunié, A spectral time discretization for flows with dominant periodicity, **120**, 171–183, 1995.
- J. R. Cary and I. Doxas, An explicit symplectic integration scheme for plasma simulations, **107**, 98–104, 1993.
- C. M. Casciola, R. Piva, and P. Bassanini, Vorticity generation on a flat surface in 3D flows, **129**, 345–356, 1996.
- J. R. Cash, G. Moore, and R. W. Wright, An automatic continuation strategy for the solution of singularly perturbed linear two-point boundary value problems, **122**, 266–279, 1995.
- J. Casper and H. L. Atkins, A finite-volume high-order ENO scheme for two-dimensional hyperbolic systems, **106**, 62–76, 1993.
- K. L. Chan, H. G. Mayr, J. G. Mengel, and I. Harris, A “stratified” spectral model for stable and convective atmospheres, **113**, 165–176, 1994.
- S.-C. Chang, The method of space–time conservation element and solution element—A new approach for solving the Navier–Stokes and Euler equations, **119**, 295–324, 1995.
- Q. Chang and H. Jiang, A conservative difference scheme for the Zakharov equations, **113**, 309–319, 1994.
- Q. Chang, G. Wang, and B. Guo, Conservative scheme for a model of nonlinear dispersive waves and its solitary waves induced by boundary motion, **93**, 360–375, 1991.
- Q. Chang, Y. S. Wong, and H. Fu, On the algebraic multigrid method, **125**, 279–292, 1996.
- Y. C. Chang, T. Y. Hou, B. Merriman, and S. Osher, A level set formulation of Eulerian interface capturing methods for incompressible fluid flows, **124**, 449–464, 1996.
- C. Chen and J. M. Floryan, Numerical simula-

- tion of nonisothermal capillary interfaces, **111**, 183–193, 1994.
- G. Chen and I. D. Boyd, Statistical error analysis for the direct simulation Monte Carlo technique, **126**, 434–448, 1996.
- G. Q. Chen, Z. Gao, and Z. F. Yang, A perturbational h^4) exponential finite difference scheme for the convective diffusion equation, **104**, 129–139, 1993.
- K. Chen, Conjugate gradient methods for the solution of boundary integral equations on a piecewise smooth boundary, **97**, 127–143, 1991.
- K. Chen, M. J. Baines, and P. K. Sweby, On an adaptive time stepping strategy for solving nonlinear diffusion equations, **105**, 324–332, 1993.
- K. R. Chen and J. M. Dawson, New scheme for electromagnetic simulations, **118**, 86–91, 1995.
- S. Chen, D. B. Johnson, and P. E. Raad, Velocity boundary conditions for the simulation of free surface fluid flow, **116**, 262–276, 1995.
- Z. Chen, B. Cockburn, C. L. Gardner, and J. W. Jerome, Quantum hydrodynamic simulation hysteresis in the resonant tunneling diode, **117**, 274–280, 1995.
- W. C. Chew and C. C. Lu, A fast algorithm to compute the wave-scattering solution of a large strip, **107**, 378–387, 1993.
- R. C. Y. Chin, A domain decomposition method for generating orthogonal polynomials for a Gaussian weight on a finite interval, **99**, 321–336, 1992.
- S. Y. Cho, R. A. Yetter, and F. L. Dryer, A computer model for one-dimensional mass and energy transport in and around chemically reacting particles, including complex gas-phase chemistry, multicomponent molecular diffusion, surface evaporation, and heterogeneous reaction, **102**, 160–179, 1992.
- H. Choi and P. Moin, Effects of the computational time step on numerical solutions of turbulent flow, **113**, 1–4, 1994.
- Y.-H. Choi and C. L. Merkle, The application of preconditioning in viscous flows, **105**, 207–223, 1993.
- D. L. Chopp, Computing minimal surfaces via level set curvature flow, **106**, 77–91, 1993.
- A. J. Chorin, Hairpin removal in vortex interactions, II, **107**, 1–9, 1993.
- D. Christiansen, J. W. Perram, and H. G. Petersen, On the fast multipole method for computing the energy of periodic assemblies of charged and dipolar particles, **107**, 403–405, 1993.
- I. Christie, G. H. Ganser, and J. M. Sanz-Serna, Numerical solution of a hyperbolic system of conservation laws with source term arising in a fluidized bed model, **93**, 297–311, 1991.
- K. N. Christodoulou and L. E. Scriven, Discretization of free surface flows and other moving boundary problems, **99**, 39–55, 1992.
- C. I. Christov and G. A. Maugin, An implicit difference scheme for the long-time evolution of localized solutions of a generalized Boussinesq system, **116**, 39–51, 1995.
- M. S. Chu, J. M. Greene, M. Klasky, and M. S. Chance, Numerical study of a singular differential equation relevant for the finite β tearing mode in a toroidal plasma, **104**, 23–29, 1993.
- S. G. Chung and K. Kuwahara, Explicit streamline method for steady flows of non-Newtonian matter: History-dependence and free surfaces, **104**, 444–450, 1993.
- S. G. Chung, K. Kuwahara, and O. Richmond, Streamline-coordinate finite-difference method for hot metal deformations, **108**, 1–7, 1993.
- T. L. Clark and W. D. Hall, Multi-domain simulations of the time dependent Navier–Stokes equations: Benchmark error analysis of some nesting procedures, **92**, 456–481, 1991.
- A. S. Clarke and B. Shizgal, On the generation of orthogonal polynomials using asymptotic methods for recurrence coefficients, **104**, 140–149, 1993.
- J. F. Clarke, S. Karni, J. J. Quirk, P. L. Roe, L. G. Simmonds, and E. F. Toro, Numerical computation of two-dimensional unsteady detonation waves in high energy solids, **106**, 215–233, 1993.
- A. Clement, Coupling of two absorbing boundary conditions for 2D time-domain simulations of free surface gravity waves, **126**, 139–151, 1996.
- A. Cloot and J. A. C. Weideman, An adaptive algorithm for spectral computations on unbounded domains, **102**, 398–406, 1992.
- B. I. Cohen and T. J. Williams, Semi-implicit particle simulation of kinetic plasma phenomena, **97**, 224–234, 1991.
- B. I. Cohen and T. J. Williams, Implementation of a semi-implicit orbit-averaged gyrokinetic particle code, **107**, 282–290, 1993.
- S. B. Cohen and I. N. Kirschner, Approximating the Dirac distribution for Fourier analysis, **93**, 312–324, 1991.
- W. J. Coirier and K. G. Powell, An accuracy assessment of Cartesian-mesh approaches for the Euler equations, **117**, 121–131, 1995.
- J. P. Collins, P. Colella, and H. M. Glaz, An implicit-explicit Eulerian Godunov scheme for compressible flow, **116**, 195–211, 1995.
- A. W. Cook and J. J. Riley, Direct numerical simulation of a turbulent reactive plume on a parallel computer, **129**, 263–283, 1996.
- C. H. Cooke and A. G. McMorran, Asymptotic factorization of operators in complex time, **95**, 303–312, 1991.
- G. G. M. Coppa, G. Lapenta, G. Dellapiana, and F. Donato, Blob method for kinetic plasma simulation with variable-size particles, **127**, 268–284, 1996.
- C. Coray and J. Koebbe, Accuracy optimized methods for constrained numerical solutions of hyperbolic conservation laws, **109**, 115–132, 1993.
- R. M. Corless, D. J. Jeffrey, and H. Rasmussen, Numerical evaluation of Airy functions with complex arguments, **99**, 106–114, 1992.
- R. Corral and J. Jiménez, Fourier/Chebyshev methods for the incompressible Navier–Stokes equations in infinite domains, **121**, 261–270, 1995.
- R. Cortez, An impulse-based approximation of fluid motion due to boundary forces, **123**, 341–353, 1996.
- R. Cote and M. J. Jamieson, Comparison of phase-shift calculations by asymptotic fit and quadrature in ultra-low temperature scattering, **118**, 388–391, 1995.
- G.-H. Cottet, Artificial viscosity models for vortex and particle methods, **127**, 299–308, 1996.
- W. Couzy and M. O. Deville, A fast Schur complement method for the spectral element discretization of the incompressible Navier–Stokes equations, **116**, 135–142, 1995.
- W. Craig and C. Sulem, Numerical simulation of gravity waves, **108**, 73–83, 1993.
- H. W. Crater, A Pade extrapolated inverse power method for coupled Schrödinger-like equations applied to the two-body relativistic bound state problem in quantum electrodynamics, **115**, 470–484, 1994.
- P. I. Crumpton, J. A. Mackenzie, and K. W. Morton, Cell vertex algorithms for the compressible Navier–Stokes equations, **109**, 1–15, 1993.
- P. I. Crumpton, G. J. Shaw, and A. F. Ware, Discretisation and multigrid solution of elliptic equations with mixed derivative terms and strongly discontinuous coefficients, **116**, 343–358, 1995.
- W. Y. Crutchfield and J. B. Bell, Instabilities of the Skyrme model, **110**, 234–241, 1994.
- L. Cruzeiro-Hansson, J. O. Baum, and J. L. Finney, Two modified staging algorithms for path integral Monte Carlo simulations, **104**, 110–117, 1993.
- B. Z. Cybik, E. S. Oran, J. P. Boris, and J. D. Anderson, Jr., Combining the monotonic Lagrangian grid with a direct simulation Monte Carlo model, **122**, 323–334, 1995.

D

- R. M. S. daGama, Simulation of the steady-state energy transfer in rigid bodies, with convective/radiative boundary conditions, employing a minimum principle, **99**, 310–320, 1992.
- R. M. S. da Gama, Numerical simulation of the (nonlinear) conduction/radiation heat transfer process in a nonconvex and black cylindrical body, **128**, 341–350, 1996.
- W. Dai and P. R. Woodward, An approximate Riemann solver for ideal magnetohydrodynamics, **111**, 354–372, 1994.
- W. Dai and P. R. Woodward, Extension of the piecewise parabolic method to multi-dimensional ideal magnetohydrodynamics, **115**, 485–514, 1994.
- W. Dai and P. R. Woodward, A simple Riemann solver and high-order Godunov schemes for hyperbolic systems of conservation laws, **121**, 51–65, 1995.
- W. Dai and P. R. Woodward, Iterative implementation of an implicit-explicit hybrid scheme for hydrodynamics, **124**, 217–229, 1996.
- W. Dai and P. R. Woodward, A second-order iterative implicit-explicit hybrid scheme for hyperbolic systems of conservation laws, **128**, 181–196, 1996.
- G. Danabasoglu, S. Biringen, and C. L. Streett, Application of the spectral multi-domain method to the Navier-Stokes equations, **113**, 155–164, 1994.
- H. Dang-Vu and C. Delcarte, An accurate solution of the Poisson equation by the Chebyshev collocation method, **104**, 211–220, 1993.
- P. Daripa, Solvability condition and its application to fast numerical solution of overposed inverse problems in compressible flows, **95**, 436–449, 1991.
- P. Daripa, On a numerical method for quasi-conformal grid generation, **96**, 229–236, 1991.
- P. Daripa, Iterative schemes and algorithms for adaptive grid generation in one dimension, **100**, 284–293, 1992.
- P. Daripa, A fast algorithm to solve the Beltrami equation with applications to quasiconformal mappings, **106**, 355–365, 1993.
- P. Daripa, An investigation of some pattern selection issues in the rising plane Taylor bubble problem, **121**, 129–141, 1995.
- P. Daripa, Pointed Taylor bubble revisited, **123**, 226–230, 1996.
- D. L. Darmofal and R. Haimes, An analysis of 3D particle path integration algorithms, **123**, 182–195, 1996.
- D. L. Darmofal and P. J. Schmid, The importance of eigenvectors for local preconditioners of the Euler equations, **127**, 346–362, 1996.
- S. Das and A. K. Mitra, An algorithm for the solution of inverse Laplace problems and its application in flaw identification in materials, **99**, 99–105, 1992.
- O. Daube, Resolution of the 2D Navier-Stokes equations in velocity-vorticity form by means of an influence matrix technique, **103**, 402–414, 1992.
- K. Davstad, A multigrid conjugate residual method for the numerical solution of the Hartree-Fock equation for diatomic molecules, **99**, 33–38, 1992.
- A. S. Deakin and H. Rasmussen, Sparse boundary conditions on artificial boundaries for three-dimensional potential problems, **129**, 111–120, 1996.
- C. F. DeAraujo, Jr.; S. K. Adhikari, and L. Tomio, Complex Kohn variational principle for two-nucleon bound-state and scattering with the tensor potential, **118**, 200–207, 1995.
- E. Y. Deeba and S. A. Khuri, A decomposition method for solving the nonlinear Klein-Gordon equation, **124**, 442–448, 1996.
- J. DeFrutos, M. A. López-Marcos, and J. M. Sanz-Serna, A finite difference scheme for the K(2,2) compacton equation, **120**, 248–252, 1995.
- J. de Frutos and J. M. Sanz-Serna, An easily implementable fourth-order method for the time integration of wave problems, **103**, 160–168, 1992.
- A. T. Degani and G. C. Fox, Parallel multigrid computation of the unsteady incompressible Navier-Stokes equations, **128**, 223–236, 1996.
- A. T. Degani and J. D. A. Walker, Computation of attached three-dimensional turbulent boundary layers, **109**, 202–214, 1993.
- P. C. A. De Hass and P. J. Zanderbergen, The application of domain decomposition to time-domain computations of nonlinear water waves with a panel method, **129**, 332–344, 1996.
- R. G. Deissler and F. B. Molls, Effect of spatial resolution on apparent sensitivity to initial conditions of a decaying flow as it becomes turbulent, **100**, 430–432, 1992.
- T. K. DeLillo and A. R. Elcrat, Numerical conformal mapping methods for exterior regions with corners, **108**, 199–208, 1993.
- P. Demaret and M. O. Deville, Chebyshev collocation solutions of the Navier-Stokes equations using multi-domain decomposition and finite element preconditioning, **95**, 359–386, 1991.
- L. Demeio, The inclusion of collisional effects in the splitting scheme, **99**, 203–208, 1992.
- C. DeNicola, G. Pinto, and R. Tognaccini, On the conditional consistency of an explicit numerical scheme, **120**, 379–382, 1995.
- S. C. R. Dennis and J. D. Hudson, Methods of solution of the velocity-vorticity formulation of the Navier-Stokes equations, **122**, 300–306, 1995.
- S. C. R. Dennis, M. Ng, and P. Nguyen, Numerical solution for the steady motion of a viscous fluid inside a circular boundary using integral conditions, **108**, 142–152, 1993.
- R. E. Denton and M. Kotschenreuther, *d*/*f* algorithm, **119**, 283–294, 1995.
- T. Dereli and G. Ucoluk, A study of stationary, axially symmetric space-time geometries satisfying modified double duality equations using the exterior calculus package X^{TR} for REDUCE, **99**, 169–175, 1992.
- C. R. DeVore, Flux-corrected transport techniques for multi-dimensional compressible magnetohydrodynamics, **92**, 142–160, 1991.
- L. deWindt, P. Fischer, M. Defranceschi, J. Delhalle, and J. G. Fripiat, A combined analytical and numerical strategy to solve the atomic Hartree-Fock equations in momentum space, **111**, 266–274, 1994.
- D. De Zeeuw and K. G. Powell, An adaptively refined cartesian mesh solver for the Euler equations, **104**, 56–68, 1993.
- W. D'haeseler, W. N. G. Hitchon, and J. L. Shohet, Self-consistent numerical “bounce-averaged” transport computations in stellarators employing a multi-mesh approach, **95**, 117–166, 1991.
- S. Diebels, Numerical study of barotropic and baroclinic behavior of a nonlinear two-layer model, **117**, 114–120, 1995.
- S. Dietrich and I. D. Boyd, Scalar and parallel optimized implementation of the direct simulation Monte Carlo method, **126**, 328–342, 1996.
- S. Dietrich and H. Dette, Correlation length of time series in statistical simulations, **101**, 224–226, 1992.
- R. Dillon, L. Fauci, A. Fogelson, and D. Gaver III, Modeling biofilm processes using the immersed boundary method, **129**, 57–73, 1996.
- A. M. Dimits and W. W. Lee, Partially linearized algorithms in gyrokinetic particle simulation, **107**, 309–323, 1993.
- S. P. G. Dinavahi and S.-K. Chow, Inverse problem in incompressible, irrotational axisymmetric flow, **94**, 419–436, 1991.
- G. DiPeso, D. W. Hewett, and G. F. Simonson, Extension of the streamlined Darwin model to quasineutral plasmas, **111**, 237–247, 1994.
- G. DiPeso, E. C. Morse, and R. W. Ziolkowski, δf and particle simulations of parametric instabilities, **96**, 325–338, 1991.
- J. W. Dold, An efficient surface-integral algorithm applied to unsteady gravity waves, **103**, 90–115, 1992.

- A. Dolezal and S. S. M. Wong, Relativistic hydrodynamics and essentially non-oscillatory shock capturing schemes, **120**, 266–277, 1995.
- W. S. Don, Numerical study of pseudospectral methods in shock wave applications, **110**, 103–111, 1994.
- W. S. Don and C. B. Quillen, Numerical simulation of shock–cylinder interactions: Resolution, **122**, 244–265, 1995.
- R. Donat and A. Marquina, Capturing shock reflections: An improved flux formula, **125**, 42–58, 1996.
- V. E. Dorofeyev and A. K. Mazur, Optimization of numerical algorithms for internal coordinate molecular dynamics, **107**, 359–366, 1993.
- C. C. Douglas, M. Heroux, G. Shishman, and R. M. Smith, GEMMW: A portable level 3 BLAS Winograd variant of Strassen’s matrix–matrix multiply algorithm, **110**, 1–10, 1994.
- C. I. Draghicescu and M. Draghicescu, A fast algorithm for vortex blob interactions, **116**, 69–78, 1995.
- D. G. Dritschel and N. J. Zabusky, A new, but flawed, numerical method for vortex patch evolution in two dimensions, **93**, 481–484, 1991.
- P. D. Drummond and I. K. Mortimer, Computer simulations of multiplicative stochastic differential equations, **93**, 144–170, 1991.
- G. Dueck, New optimization heuristics. The great deluge algorithm and the record-to-record travel, **104**, 86–92, 1993.
- J. K. Dukowicz, Mesh effects for Rossby waves, **119**, 188–194, 1995.
- J. K. Dukowicz and A. S. Dvinsky, Approximate factorization as a high order splitting for the implicit incompressible flow equation, **102**, 336–347, 1992.
- J. K. Dukowicz and B. J. A. Meltz, Vorticity errors in multidimensional Lagrangian codes, **99**, 115–134, 1992.
- F. A. Dul and K. Arczewski, The two-phase method for finding a great number of eigenpairs of the symmetric or weakly non-symmetric large Eigenvalue problems, **111**, 89–109, 1994.
- G. Dumas and A. Leonard, A divergence-free spectral expansions method for three-dimensional flows in spherical-gap geometries, **111**, 205–219, 1994.
- J. H. Dunn and S. G. Lambrakos, Calculating complex interactions in molecular dynamics simulations employing Lagrangian particle tracking schemes, **111**, 15–23, 1994.
- J. H. Dunn, S. G. Lambrakos, P. G. Moore, and M. Nagumo, An algorithm for calculating intramolecular angle-dependent forces on vector computers, **100**, 17–24, 1992.
- R. Duraiswami and A. Prosperetti, Orthogonal mapping in two dimensions, **98**, 254–268, 1992.
- L. J. Durlofsky, A triangle based mixed finite element–finite volume technique for modeling two phase flow through porous media, **105**, 252–266, 1993.
- L. J. Durlofsky, B. Engquist, and S. Osher, Triangle based adaptive stencils for the solution of hyperbolic conservation laws, **98**, 64–73, 1992.
- P. Dutt and A. K. Singh, The Galerkin-collocation method for hyperbolic initial boundary value problems, **112**, 211–225, 1994.
- A. S. Dvinsky, Adaptive grid generation from harmonic maps on Riemannian manifolds, **95**, 450–476, 1991.
- S. L. Dvorak and E. F. Kuester, Numerical computation of 2D Sommerfeld integrals—Decomposition of the angular integral, **98**, 199–216, 1992.
- S. L. Dvorak and E. F. Kuester, Numerical computation of 2D Sommerfeld integrals—A novel asymptotic extraction technique, **98**, 217–230, 1992.
- E**
- W. E. and J.-G. Liu, Vorticity boundary condition and related issues for finite difference schemes, **124**, 368–382, 1996.
- W. E. and J.-G. Liu, Essentially compact schemes for unsteady viscous incompressible flows, **126**, 122–138, 1996.
- W. E. and C.-W. Shu, A numerical resolution study of high order essentially non-oscillatory schemes applied to incompressible flow, **110**, 39–46, 1994.
- L. Eca, 2D orthogonal grid generation with boundary point distribution control, **125**, 440–453, 1996.
- K. S. Eckhoff and J. H. Rolfsnes, On non-smooth solutions of linear hyperbolic systems, **125**, 1–15, 1996.
- J. R. Edwards, An implicit multigrid algorithm for computing hypersonic, chemically reacting viscous flows, **123**, 84–95, 1996.
- M. G. Edwards, Elimination of adaptive grid interface errors in the discrete cell centered pressure equation, **126**, 356–372, 1996.
- W. S. Edwards, L. S. Tuckerman, R. A. Friesner, and D. C. Sorensen, Krylov methods for the incompressible Navier–Stokes equations, **110**, 82–102, 1994.
- I. Efrat, M. Tismenetsky, B. J. Rubin, and I. Webman, Robust algorithms for the calculation of full-wave electromagnetic solutions, **117**, 163–170, 1995.
- B. Einfeldt, C. D. Munz, P. L. Roe, and B. Sjögren, On Godunov-type methods near low densities, **92**, 273–295, 1991.
- H. Eisen, W. Heinrichs, and K. Witsch, Spec-
- tral collocation methods and polar coordinate singularities, **96**, 241–257, 1991.
- M. Elghaoui and R. Pasquetti, A spectral embedding method applied to the advection–diffusion equation, **125**, 464–476, 1996.
- F. W. Elliott, Jr. and A. J. Majda, A wavelet Monte Carlo method for turbulent diffusion with many spatial scales, **113**, 82–111, 1994.
- F. W. Elliott, Jr. and A. J. Majda, A new algorithm with plane waves and wavelets for random velocity fields with many spatial scales, **117**, 146–162, 1995.
- J. S. Ely and G. R. Baker, High-precision calculations of vortex sheet motion, **111**, 275–281, 1994.
- R. Enander, Improved implicit residual smoothing for steady state computations of first-order hyperbolic systems, **107**, 291–296, 1993.
- B. Engquist and E. Luo, New coarse grid operators for highly oscillatory coefficient elliptic problems, **129**, 296–306, 1996.
- E. M. Epperlein, Implicit and conservative difference scheme for the Fokker–Planck equation, **112**, 291–297, 1994.
- A. Ern and V. Giovangigli, Fast and accurate multicomponent transport property evaluation, **120**, 105–116, 1995.
- A. Ern, V. Giovangigli, and M. D. Smooke, Numerical study of a three-dimensional chemical vapor deposition reactor with detailed chemistry, **126**, 21–39, 1996.
- A. Ern and M. D. Smooke, Vorticity–velocity formulation for three-dimensional steady compressible flows, **105**, 58–71, 1993.
- K. Esselink and P. A. J. Hilbers, Efficient parallel implementation of molecular dynamics on a toroidal network. II. Multiparticle potentials, **106**, 108–114, 1993.
- K. Esselink, B. Smit, and P. A. J. Hilbers, Efficient parallel implementation of molecular dynamics on a toroidal net-work. I. Parallelizing strategy, **106**, 101–107, 1993.
- M. E. Everett, Homotopy, polynomial equations, gross boundary data, and small Helmholtz systems, **124**, 431–441, 1996.
- V. Eyert, A comparative study on methods for convergence acceleration of iterative vector sequences, **124**, 271–285, 1996.
- D. Eyre, Cubic spline-projection method for two-dimensional integral equations of scattering theory, **114**, 1–8, 1994.
- D. Eyre, Spline–Galerkin solution of dynamic equations for particle communication and collection, **120**, 305–315, 1995.
- F**
- S. Fabre, Stability analysis of the Euler–Poisson equations, **101**, 445–451, 1992.
- J. Falconovitz and A. Birman, A singularities

- tracking conservation law scheme for compressible duct flows, **115**, 431–432, 1994.
- M. A. Fallavollita, D. Baganoff, and J. D. McDonald, Reduction of simulation cost and error for particle simulations of rarefied flows, **109**, 30–36, 1993.
- R. T. Farouki and S. Hamaguchi, Spline approximation of “effective” potentials under periodic boundary conditions, **115**, 276–287, 1994.
- E. Fatemi, B. Engquist, and S. Osher, Numerical solution of the high frequency asymptotic expansion for the scalar wave equation, **120**, 145–155, 1995.
- E. Fatemi and F. Odeh, Upwind finite difference solution of Boltzmann equation applied to electron transport in semiconductor devices, **108**, 209–217, 1993.
- W. J. Ferguson and I. W. Turner, A control volume finite element numerical simulation of the drying of spruce, **125**, 59–70, 1996.
- L. Ferm, Non-reflecting boundary conditions for the steady Euler equations, **122**, 307–316, 1995.
- G. W. Fernando, M. Winert, R. E. Watson, and J. W. Davenport, Point group symmetries and Gaussian integration, **112**, 282–290, 1994.
- R. D. Ferraro, P. C. Liewer, and V. K. Decyk, Dynamic load balancing for a 2D concurrent plasma PIC code, **109**, 329–340, 1993.
- M. Fiebig-Wittmaack and W. Börsch-Supan, Positivity preserving in difference schemes for the 2D diffusive transport of atmospheric gases, **115**, 524–529, 1994.
- J. R. Figueiredo, Performance of five-point differencing schemes for two-dimensional fluid transport equations, **101**, 256–264, 1992.
- P. F. Fischer and A. T. Patera, Parallel spectral element solution of the Stokes problem, **92**, 380–421, 1991.
- D. Fishelov, Simulation of three-dimensional turbulent flow in non-cartesian geometry, **115**, 249–266, 1994.
- T. Fla, A numerical energy conserving method for the DNLS equation, **101**, 71–79, 1992.
- J. M. Floryan and L. Czechowski, On the numerical treatment of corner singularity in the vorticity field, **118**, 222–228, 1995.
- A. L. Fogelson, Particle-method solution of two-dimensional convection-diffusion equations, **100**, 1–16, 1992.
- A. L. Fogelson and R. H. Dillon, Optimal smoothing in function-transport particle methods for diffusion problems, **109**, 155–163, 1993.
- E. Forest, Sixth-order lie group integrators, **99**, 209–213, 1992.
- B. Fornberg and R. Meyer-Spasche, A finite difference procedure for a class of free boundary problems, **102**, 72–77, 1992.
- W. Forner, The properties of the iterative solution of the inverse Dyson equation for the calculation of correlation corrected band structures of polymers, **125**, 477–487, 1996.
- A. Fortin, M. Jardak, J. J. Gervais, and R. Pierre, Old and new results on the two-dimensional Poiseuille flow, **115**, 455–469, 1994.
- E. S. Fraga and J. L. Morris, An adaptive mesh refinement method for nonlinear dispersive wave equations, **101**, 94–103, 1992.
- P. D. Frank and G. R. Shubin, A comparison of optimization-based approaches for a model computational aerodynamics design problem, **98**, 74–89, 1992.
- J. I. Frankel, Several symbolic augmented Chebyshev expansions for solving the equation of radiative transfer, **117**, 350–363, 1995.
- A. Frati, F. Pasquarelli, and A. Quarteroni, Spectral approximation to advection-diffusion problems by the fictitious interface method, **107**, 201–212, 1993.
- H. Freistuhler and E. B. Pitman, A numerical study of a rotationally degenerate hyperbolic system. I. The Riemann problem, **100**, 306–321, 1992.
- A. Friedman and S. P. Auerbach, Numerically induced stochasticity, **93**, 171–188, 1991.
- A. Friedman, S. E. Parker, S. L. Ray, and C. K. Birdsall, Multi-scale particle-in-cell plasma simulation, **96**, 54–70, 1991.
- K. Fujii, Unified zonal method based on the fortified solution algorithm, **118**, 92–108, 1995.
- D. A. Fulk and D. W. Quinn, An analysis of 1-D smoothed particle hydrodynamics kernels, **126**, 165–180, 1996.
- S. R. Fulton, A semi-implicit spectral method for the Anelastic equations, **106**, 299–305, 1993.
- G**
- R. K. Ganesh, W. W. Bowley, R. R. Bellantone, and Y. Hahn, A model for laser hole drilling in metals, **125**, 161–176, 1996.
- K. Ganguly, E. J. Allen, E. Coskun, and S. Nielsen, On the discrete-ordinates method via Case’s solution, **107**, 66–83, 1993.
- B. García-Archilla, Some practical experience with the time integration of dissipative equations, **122**, 25–29, 1995.
- B. García-Archilla, A spectral method for the equal width equation, **125**, 395–402, 1996.
- P. García-Navarro, M. E. Hubbard, and A. Priestley, Genuinely multidimensional upwinding for the 2D shallow water equations, **121**, 79–93, 1995.
- L. R. T. Gardner and G. A. Gardner, Solitary waves of the equal width wave equation, **101**, 218–223, 1992.
- L. R. T. Gardner, G. A. Gardner, and T. Geyikli, The boundary forced MKdV equation, **113**, 5–12, 1994.
- L. R. T. Gardner, G. A. Gardner, and S. I. Zaki, Collisional effects in plasmas modelled by a simplified Fokker-Planck equation, **107**, 40–50, 1993.
- D. Gavelek and T. Erber, Shadowing and iterative interpolation for Cebysev mixing transformations, **101**, 25–50, 1992.
- M. Gerritsen and P. Olsson, Designing an efficient solution strategy for fluid flows. I. A stable high order finite difference scheme and sharp shock resolution for the Euler equations, **129**, 245–262, 1996.
- O. Ghattas and X. Li, A variational finite element method for stationary nonlinear fluid-solid interaction, **121**, 347–356, 1995.
- A. Ghizzo, P. Bertrand, J. Lebas, M. Shoucri, T. Johnston, E. Fijalkow, and M. R. Feix, Comparison between 1D and 1 1/2D Eulerian Vlasov codes for the numerical simulation of stimulated Raman scattering, **102**, 417–422, 1992.
- A. Ghizzo, P. Bertrand, M. Shoucri, E. Fijalkow, and M. R. Feix, An Eulerian code for the study of the drift-kinetic Vlasov equation, **108**, 105–121, 1993.
- A. Ghizzo, T. Reveille, P. Bertrand, T. W. Johnston, J. Lebas, and M. Shoucri, An Eulerian Vlasov-Hilbert code for the numerical simulation of the interaction of high-frequency electromagnetic waves with plasma, **118**, 356–365, 1995.
- A. Ghizzo, M. Shoucri, P. Bertrand, T. Johnston, and J. Lebas, Trajectories of trapped particles in the field of a plasma wave excited by a stimulated Raman scattering, **108**, 373–376, 1993.
- S. Ghosal, An analysis of numerical errors in large-eddy simulations of turbulence, **125**, 187–206, 1996.
- S. Ghosal and P. Moin, The basic equations for the large eddy simulation of turbulent flows in complex geometry, **118**, 24–37, 1995.
- J. Giannakouras and G. E. Karniadakis, A spectral element-FCT method for the compressible Euler equations, **115**, 65–85, 1994.
- P. Giannattasio and M. Napolitano, Optimal vorticity conditions for the node-centred finite-difference discretization of the second-order vorticity-velocity equations, **127**, 208–217, 1996.
- M. R. Gibbons and D. W. Hewett, The Darwin direct implicit particle-in-cell (DADIPIC) method for simulation of

- low frequency plasma phenomena, **120**, 231–247, 1995.
- A. W. Gill and G. E. Sneddon, Complex mapped matrix methods in hydrodynamic stability problems, **122**, 13–24, 1995.
- A. W. Gill and G. E. Sneddon, Pseudospectral methods and composite complex maps for near-boundary critical points, **129**, 1–7, 1996.
- L. Giraud and G. Manzini, Parallel implementations of 2D explicit Euler solvers, **123**, 111–118, 1996.
- D. Givoli, Non-reflecting boundary conditions, **94**, 1–29, 1991.
- D. Givoli and D. Cohen, Nonreflecting boundary conditions based on Kirchhoff-type formulae, **117**, 102–113, 1995.
- P. Glaister, A Riemann solver for “barotropic” flow, **93**, 477–480, 1991.
- P. Glaister, A weak formulation of Roe’s approximate Riemann solver applied to the St. Venant equations, **116**, 189–191, 1995.
- R. T. Glassey, Approximate solutions to the Zakharov equations via finite differences, **100**, 377–383, 1992.
- E. Glikman, I. Kelson, N. V. Doan, and H. Tietz, An optimized algorithm for molecular dynamics simulation of large-scale systems, **124**, 85–92, 1996.
- R. Glowinski, Ensuring well-posedness by analogy; Stokes problem and boundary control for the wave equation, **103**, 189–221, 1992.
- R. Glowinski, T. W. Pan, J. Raymond, O. Wells, and X. Zhou, Wavelet and finite element solutions for the Neumann problem using fictitious domains, **126**, 40–51, 1996.
- S. Goedecker, Low complexity algorithms for electronic structure calculations, **118**, 261–268, 1995.
- N. S. Goel, F. Gang, and Z. Ko, Electrostatic field in inhomogeneous dielectric media. I. Indirect boundary element method, **118**, 172–179, 1995.
- N. S. Goel, Z. Ko, and F. Gang, Electrostatic field in inhomogeneous dielectric media. II. Volume element method, **118**, 180–188, 1995.
- D. Goldstein, R. Handler, and L. Sirovich, Modeling a no-slip flow boundary with an external force field, **105**, 354–366, 1993.
- F. J. Gomez and J. Sesma, Global solutions of the Schrödinger equation with Coulomb plus linear potential, **115**, 296–301, 1994.
- R. Gómez, J. Winicour, and R. Isaacson, Evolution of scalar fields from characteristic data, **98**, 11–25, 1992.
- L. Gong-yan, A family of methods for the solution of lattice models, **92**, 106–141, 1991.
- E. Goto, Y. Shi, and N. Yoshida, Extrapolated surface charge method for capacity calculation of polygons and polyhedra, **100**, 105–115, 1992.
- S. S. Gousheh, An efficient algorithm for solving coupled Schroedinger type ODE’s, whose potential include δ -functions, **123**, 162–168, 1996.
- D. A. Goussis, On the construction and use of reduced chemical kinetic mechanisms produced on the basis of given algebraic relations, **128**, 261–273, 1996.
- H. Granek and B. H. J. McKellar, Stability analysis of a non-linear diffusion-type kinetic equation, **100**, 253–269, 1992.
- D. B. Gray and G. A. McMechan, Numerical investigation of an analytic solution of a multi-dimensional Lippman–Schwinger seismic inverse problem, **119**, 195–205, 1995.
- F. R. Graziani, The product formula algorithm applied to linear and radiation diffusion, **118**, 9–23, 1995.
- L. L. Green, P. A. Newman, and K. J. Haigler, Sensitivity derivatives for advanced CFD algorithm and viscous modeling parameters via automatic differentiation, **125**, 313–325, 1996.
- A. Greenbaum, L. Greengard, and G. B. McFadden, Laplace’s equation and the Dirichlet–Neumann map in multiply connected domains, **105**, 267–278, 1993.
- J. M. Greene, Locating three-dimensional roots by a bisection method, **98**, 194–198, 1992.
- L. Greengard, M. C. Karpinski, and A. Mayo, Integral equation methods for Stokes flow and isotropic elasticity in the plane, **125**, 403–414, 1996.
- L. Greengard and J.-Y. Lee, A direct adaptive Poisson solver of arbitrary order accuracy, **125**, 415–424, 1996.
- J. C. Greer, An approximate time evolution operator to generate the Verlet algorithm, **115**, 245–247, 1994.
- F. F. Grinstein, Open boundary conditions in the simulation of subsonic turbulent shear flows, **115**, 43–55, 1994.
- F. F. Grinstein and R. H. Guirguis, Effective viscosity in the simulation of spatially evolving shear flows with monotonic FCT models, **101**, 165–175, 1992.
- W. D. Gropp, H. G. Kaper, G. K. Leaf, D. M. Levine, M. Palumbo, and V. M. Vinokur, Numerical simulation of vortex dynamics in type-II superconductors, **123**, 254–266, 1996.
- C. Grossmann, Enclosures of the solution of the Thomas–Fermi equation by monotone discretization, **98**, 26–32, 1992.
- M. J. Grote and J. B. Keller, On nonreflecting boundary conditions, **122**, 231–243, 1995.
- M. J. Grote and J. B. Keller, Nonreflecting boundary conditions for time-dependent scattering, **127**, 52–65, 1996.
- J.-L. Guermond, S. Huberson, and W.-Z. Shen, Simulation of 2D external viscous flows by means of a domain decomposition method, **108**, 343–352, 1993.
- S. Gueron, Methods for fast computation of integral transforms, **110**, 164–170, 1994.
- S. Gueron and D. Shalloway, Spatial interpolation methods for integrating Newton’s equation, **129**, 87–100, 1996.
- G. Guevremont, W. G. Habashi, P. L. Kotiuga, and M. M. Hafez, Finite element solution of the 3D compressible Navier–Stokes equations by a velocity–vorticity method, **107**, 176–187, 1993.
- H. Guillard, J. M. Male, and R. Peyret, Adaptive spectral methods with application to mixing layer computations, **102**, 114–127, 1992.
- G. Guj and F. Stella, A vorticity–velocity method for the numerical solution of 3D incompressible flows, **106**, 286–298, 1993.
- B.-y. Guo and W.-m. Cao, A combined spectral-finite element method for solving two-dimensional unsteady Navier–Stokes equations, **101**, 375–385, 1992.
- B.-y. Guo, H.-p. Ma, W.-m. Cao, and H. Huang, The Fourier–Chebyshev spectral method for solving two-dimensional unsteady vorticity equations, **101**, 207–217, 1992.
- B.-y. Guo, I. Martin, V. M. Perez-Garcia, and L. Vazquez, Numerical solutions of the Maxwell–Bloch laser equations, **129**, 181–189, 1996.
- D.-J. Guo and Q.-C. Zeng, Open boundary conditions for a numerical shelf sea model, **116**, 97–102, 1995.
- M. M. Gupta, High accuracy solutions of incompressible Navier–Stokes equations, **93**, 343–359, 1991.
- I. I. Guseinov, A. Özmen, Ü. Atav, and H. Yüksel, Computation of Clebsch–Gordon and Gaunt coefficients using binomial coefficients, **122**, 343–347, 1995.
- B. Gustafsson and P. Olsson, Fourth-order difference methods for hyperbolic IBVPs, **117**, 300–317, 1995.
- D. R. Gwynnlyw, A. R. Davies, and T. N. Phillips, A moving spectral element approach to the dynamically loaded journal bearing problem, **123**, 476–494, 1996.

H

- B. L. Haas, J. D. McDonald, and L. Dagum, Models of thermal relaxation mechanics for particle simulation methods, **107**, 348–358, 1993.
- B. Haddad, F. Clausset, and F. Combes, Vectorising the smooth particle hydrodynamics, **97**, 103–126, 1991.
- M. Haftel, R. Krivec, and V. B. Mandelzweig, Power series solution of coupled differ-

- ential equations in one variable, **123**, 149–161, 1996.
- R. Hagmeijer, Grid adaption based on modified anisotropic diffusion equations formulated in the parametric domain, **115**, 169–183, 1994.
- D. B. Haidvogel, J. L. Wilkin, and R. Young, A semi-spectral primitive equation ocean circulation model using vertical sigma and orthogonal curvilinear horizontal coordinates, **94**, 151–185, 1991.
- D. Halpern and D. P. Gaver III, Boundary element analysis of the time-dependent motion of a semi-infinite bubble in a channel, **115**, 366–375, 1994.
- J. T. Hamilton and G. Majda, On the Rokhlin–Greengard method with vortex blobs for problems posed in all space or periodic in one direction, **121**, 29–50, 1995.
- H. Han, D. B. Ingham, and Y. Yuan, The boundary element method for the solution of the backward heat conduction equation, **116**, 292–299, 1995.
- H. Han, J. Lu, and W. Bao, A discrete artificial boundary condition for steady incompressible viscous flows in a no-slip channel using a fast iterative method, **114**, 201–208, 1994.
- P. Hanley, A strategy for the efficient simulation of viscous compressible flows using a multi-domain pseudospectral method, **108**, 153–158, 1993.
- R. Hannappel, T. Hauser, and R. Friedrich, A comparison of ENO and TVD schemes for the computation of shock–turbulence interaction, **121**, 176–184, 1995.
- P. Hansbo, Explicit streamline diffusion finite element methods for the compressible Euler equations in conservation variables, **109**, 274–288, 1993.
- E. Harabetian, A subcell resolution method for viscous systems of conservation laws, **103**, 350–358, 1992.
- E. Harabetian, S. Osher, and C.-W. Shu, An Eulerian approach for vortex motion using a level set regularization procedure, **127**, 15–26, 1996.
- E. Harabetian and R. Pego, Nonconservative hybrid shock capturing schemes, **105**, 1–13, 1993.
- I. Harari and E. Turkel, Accurate finite difference methods for time-harmonic wave propagation, **119**, 252–270, 1995.
- Z. Haras and S. Ta’asan, Finite difference schemes for long-time integration, **114**, 265–279, 1994.
- S. I. Hariharan, Y. Ping, and J. R. Scott, Time domain numerical calculations of unsteady vortical flows about a flat plate airfoil, **101**, 419–430, 1992.
- T. R. Harley, C. Z. Cheng, and S. C. Jardin, The computation of resistive MHD insta-
- bilities in axisymmetric toroidal plasmas, **103**, 43–62, 1992.
- A. Harten, Adaptive multiresolution schemes for shock computations, **115**, 319–338, 1994.
- T. Hattori and H. Nakajima, Improvement of efficiency in generating random $U(1)$ variables with Boltzmann distribution (von Mises distribution revisited), **121**, 238–245, 1995.
- D. F. Hawken, J. J. Gottlieb, and J. S. Hansen, Review of some adaptive node-movement techniques in finite-element and finite-difference solutions of partial differential equations, **95**, 254–302, 1991.
- T. Hayase, J. A. C. Humphrey, and R. Greif, A consistently formulated QUICK scheme for fast and stable convergence using finite-volume iterative calculation procedures, **98**, 108–118, 1992.
- V. M. Hazins and V. V. Svetsov, A conservative stable smoothness-enhancing free-Lagrangian method, **105**, 187–198, 1993.
- X. He, L.-S. Luo, and M. Dembo, Some progress in lattice Boltzmann method. Part I. Nonuniform mesh grids, **129**, 357–363, 1996.
- A. W. Heemink and P. A. Blokland, On random walk models with space varying diffusivity, **119**, 388–389, 1995.
- A. F. Hegarty, J. J. H. Miller, E. O’Riordan, and G. I. Shishkin, Special meshes for finite difference approximations to an advection–diffusion equation with parabolic layers, **117**, 47–54, 1995.
- A. F. Hegarty, E. O’Riordan, and M. Stynes, A comparison of uniformly convergent difference schemes for two-dimensional convection–diffusion problems, **105**, 24–32, 1993.
- W. Heinrichs, A spectral multigrid method for the Stokes problem in streamfunction formulation, **102**, 310–318, 1992.
- W. Heinrichs, Spectral multigrid methods for the reformulated Stokes equations, **107**, 213–224, 1993.
- J. Helsing, Estimating effective properties of composites from cross-sectional photographs, **117**, 281–288, 1995.
- J. Helsing, Thin bridges in isotropic electrostatics, **127**, 142–151, 1996.
- F. J. Helton and J. M. Greene, A numerical technique for obtaining the complete bifurcated equilibrium solution space for a tokamak, **98**, 101–107, 1992.
- R. D. Henderson and G. E. Karniadakis, Unstructured spectral element methods for simulation of turbulent flows, **122**, 191–217, 1995.
- W. D. Henshaw, A fourth-order accurate method for the incompressible Navier–Stokes equations on overlapping grids, **113**, 13–25, 1994.
- B. M. Herbst and M. J. Ablowitz, Numerical
- chaos, symplectic integrators, and exponentially small splitting distances, **105**, 122–132, 1993.
- R. L. Herman and C. J. Knickerbocker, Numerically induced phase shift in the KdV soliton, **104**, 50–55, 1993.
- F. Hermeline, Two coupled particle-finite volume methods using Delaunay–Voronoi meshes for the approximation of Vlasov–Poisson and Vlasov–Maxwell equations, **106**, 1–18, 1993.
- D. W. Hewett, D. J. Larson, and S. Doss, Solution of simultaneous partial differential equations using dynamics ADI: Solution of the streamlined Darwin field equations, **101**, 11–24, 1992.
- R. L. Higdon, Absorbing boundary conditions for acoustic and elastic waves in stratified media, **101**, 386–418, 1992.
- R. L. Higdon and A. F. Bennett, Stability analysis of operator splitting for large-scale ocean modeling, **123**, 311–329, 1996.
- D. J. Higham and B. Owren, Nonnormality effects in a discretised nonlinear reaction–convection–diffusion equation, **124**, 309–323, 1996.
- S. P. Hirshman and O. Betancourt, Preconditioned descent algorithm for rapid calculations of magnetohydrodynamic equilibria, **96**, 99–109, 1991.
- W. N. G. Hitchon and E. R. Keiter, Kinetic simulation of a time-dependent two-dimensional plasma, **112**, 226–233, 1994.
- D. Hobson, An efficient method for computing invariant manifolds of planar maps, **104**, 14–22, 1993.
- J. M. Hobson, N. Wood, and P. J. Mason, A new finite-difference diffusion scheme, **125**, 16–25, 1996.
- G. Hoffman, Atom-centered functions in the optimized Thomas–Fermi theory, **116**, 154–159, 1995.
- J. P. Holloway, On numerical methods for Hamiltonian PDEs and a collocation method for the Vlasov–Maxwell equations, **129**, 121–133, 1996.
- P. Holmgren, An advection algorithm and an atmospheric airflow application, **115**, 27–42, 1994.
- P. Holnicki, A piecewise-quintic interpolation scheme, **127**, 316–329, 1996.
- J. Horno, C. F. Gonzalez-Fernandez, and A. Hayas, The network method for solutions of oscillating reaction–diffusion systems, **118**, 310–319, 1995.
- E. J. Horowitz, On computing electrostatic field lines for two-dimensional vacuum fields in the neighborhood of localized regions of charge, **97**, 553–558, 1991.
- L. S. Hou and S. S. Ravindran, Computations of boundary optimal control problems for an electrically conducting fluid, **128**, 319–330, 1996.

- S. Hou, Q. Zou, S. Chen, G. Doolen, and A. C. Cogley, Simulation of cavity flow by the lattice Boltzmann method, **118**, 329–347, 1995.
- T. Y. Hou, J. S. Lowengrub, and M. J. Shelley, Removing the stiffness from interfacial flows with surface tension, **114**, 312–338, 1994.
- K. Hsu and S. L. Lee, A numerical technique for two-dimensional grid generation with grid control at all of the boundaries, **96**, 451–469, 1991.
- F. Q. Hu, A spectral boundary integral equation method for the 2D Helmholtz equation, **120**, 340–347, 1995.
- F. Q. Hu, On absorbing boundary conditions for linearized Euler equations by a perfectly matched layer, **129**, 201–219, 1996.
- F. Q. Hu, M. Y. Hussaini, and J. L. Manthey, Low-dissipation and low-dispersion Runge–Kutta schemes for computational acoustics, **124**, 177–191, 1996.
- W. Huang, Y. Ren, and R. D. Russell, Moving mesh methods based on moving mesh partial differential equations, **113**, 279–290, 1994.
- H. Huang and B. R. Wetton, Discrete compatibility in finite difference methods for viscous incompressible fluid flow, **126**, 468–478, 1996.
- W. Huang and D. M. Sloan, Pole condition for singular problems: The pseudospectral approximation, **107**, 254–261, 1993.
- W. Huang and D. M. Sloan, The pseudospectral method for solving differential eigenvalue problems, **111**, 399–409, 1994.
- S. R. Hughes and U. Kaldor, On the easy generation of the diagrams representing the coupled cluster method, **109**, 108–114, 1993.
- W. H. Hui and C. Y. Loh, A new Lagrangian method for steady supersonic flow computation. II. Slip-line resolution, **103**, 450–464, 1992.
- W. H. Hui and C. Y. Loh, A new Lagrangian method for steady supersonic flow computation. III. Strong shocks, **103**, 465–471, 1992.
- G. Huiskamp, Difference formulas for the surface Laplacian on a triangulated surface, **95**, 477–496, 1991.
- S. Humphries, Jr., Numerical modeling of space-charge-limited charged-particle emission on a conformal triangular mesh, **125**, 488–497, 1996.
- S. Humphries, Jr., Finite-element models for planar hall probes of arbitrary shape and composition, **128**, 438–444, 1996.
- W. Hundsdorfer, B. Koren, M. vanLoon, and J. G. Verwer, A positive finite-difference advection scheme, **117**, 35–46, 1995.
- J. R. Hunter, P. D. Craig, and H. E. Phillips, On the use of random walk models with spatially variable diffusivity, **106**, 366–376, 1993.
- I. Husain and O. P. Chandna, Numerical simulation of viscoelastic fluid flow past a cylinder on a streamfunction coordinate system, **108**, 226–235, 1993.
- C. J. Hwang and S. J. Wu, Global and local remeshing algorithms for compressible flows, **102**, 98–113, 1992.
- Y.-H. Hwang, Arbitrary domain velocity analyses for the incompressible Navier–Stokes equations, **110**, 134–149, 1994.
- Y.-H. Hwang, Higher-order exponential difference schemes for the computations of the steady convection–diffusion equation, **129**, 134–159, 1996.
- I
- S. O. Ibraheem and A. O. Demuren, On bi-grid local mode analysis of solution techniques for 3-D Euler and Navier–Stokes equations, **125**, 354–377, 1996.
- G. Ierley, B. Spencer, and R. Worthing, Spectral methods in time for a class of parabolic partial differential equations, **102**, 88–97, 1992.
- H. Igarashi and T. Honma, Strategies for the accurate computation of potential derivatives in boundary element method: Application to two-dimensional problems, **119**, 244–251, 1995.
- O. P. Iliev and M. M. Makarov, A block-matrix iterative numerical method for coupled solving 2D Navier–Stokes equations, **121**, 324–330, 1995.
- A. Iollo and M. D. Salas, Contribution to the optimal shape design of two-dimensional internal flows with embedded shocks, **125**, 124–134, 1996.
- R. I. Issa, B. Ahmadi-Befrui, K. R. Beshay, and A. D. Gosman, Solution of the implicitly discretised reacting flow equations by operator-splitting, **93**, 388–410, 1991.
- S. Ivansson, Delta-matrix factorization for fast propagation through solid layers in a fluid–solid medium, **108**, 357–367, 1993.
- J
- A. Jablonski, Numerical evaluation of spherical Bessel functions of the first kind, **111**, 256–259, 1994.
- S. J. Jacobs, An accurate split step scheme for viscous incompressible fluid flow, **119**, 26–33, 1995.
- H. Jafroudi, H.-T. Yang, and J. Hermel, Matched asymptotic solutions of impulsive flow over an elliptic cylinder, **109**, 289–305, 1993.
- A. Jain, N. Vaidehi, and G. Rodriguez, A fast recursive algorithm for molecular dynamics simulation, **106**, 258–268, 1993.
- R. Jakob-Chien, J. J. Hack, and D. L. Williamson, Spectral transform solutions to the shallow water test set, **119**, 164–187, 1995.
- J. P. Jakubovics, Removal of apparent singularity in grid computations, **104**, 274–276, 1993.
- Y. N. Jeng and J. L. Chen, Truncation error analysis of the finite volume method for a model steady convective equation, **100**, 64–76, 1992.
- Y. N. Jeng and U. J. Payne, An adaptive TVD limiter, **118**, 229–241, 1995.
- D.-o. Jeon, Finite difference method for calculating magnetic field components off-median plane using median plane field date, **117**, 55–66, 1995.
- C. Jessop, M. Duncan, and W. Y. Chau, Multigrid methods for N-body gravitational systems, **115**, 339–351, 1994.
- X. Ji, On a shooting algorithm for Sturm–Liouville eigenvalue problems with periodic and semi-periodic boundary conditions, **111**, 74–80, 1994.
- X. Ji, On 2D bisection method for double eigenvalue problems, **126**, 91–98, 1996.
- B.-n. Jiang, Non-oscillatory and non-diffusive solution of convection problems by the iteratively reweighted least-squares finite element method, **105**, 108–121, 1993.
- B.-n. Jiang, J. Wu, and L. A. Povinelli, The origin of spurious solutions in computational electromagnetics, **125**, 104–123, 1996.
- G.-S. Jiang and C.-W. Shu, Efficient implementation of weighted ENO schemes, **126**, 202–228, 1996.
- J. C. Jimenez, R. Biscay, and E. Aubert, Parametric representation of anatomical structures of the human body by means of trigonometric interpolating sums, **126**, 243–250, 1996.
- B. X. Jin, On an essentially conservative scheme for hyperbolic conservation laws, **112**, 308–315, 1994.
- G. Jin and M. Braza, A nonreflecting outlet boundary condition for incompressible unsteady Navier–Stokes calculations, **107**, 239–253, 1993.
- S. Jin, Runge–Kutta methods for hyperbolic conservation laws with stiff relaxation terms, **122**, 51–67, 1995.
- S. Jin and C. D. Levermore, Numerical schemes for hyperbolic conservation laws with stiff relaxation terms, **126**, 449–467, 1996.
- S. Jin and J.-G. Liu, The effects of numerical viscosities. I. Slowly moving shocks, **126**, 373–389, 1996.
- C. Jinrong, Z. Ziping, Z. Qin, Y. Youmin, G. Yongchun, and Y. Detian, Computer simulation study of the properties of orthopositronium 3γ decay, **118**, 396–400, 1995.
- B. C. V. Johansson, Boundary conditions for

- open boundaries for the incompressible Navier-Stokes equation, **105**, 233–251, 1993.
- S. L. Johnsson, M. Jacquemin, and R. L. Krawitz, Communication efficient multi-processor FFT, **102**, 381–397, 1992.
- A. E. Jones and R. J. P. Bain, A generalisation of planar magnetic gradiometer design via orthogonal polynomials, **118**, 191–199, 1995.
- M. E. Jones, D. S. Lemons, R. J. Mason, V. A. Thomas, and D. Winske, A grid-based Coulomb collision model for PIC codes, **123**, 169–181, 1996.
- P. Jones, J. Ma, and V. Rokhlin, A fast direct algorithm for the solution of the Laplace equation on regions with fractal boundaries, **113**, 35–51, 1994.
- S. A. Jordan and S. A. Ragab, An efficient fractional-step technique for unsteady incompressible flows using a semi-staggered grid strategy, **127**, 218–225, 1996.
- S. A. Jordan and M. L. Spaulding, A fast algorithm for grid generation, **104**, 118–128, 1993.
- P. Jorgenson and E. Turkel, Central difference TVD schemes for time dependent and steady state problems, **107**, 297–308, 1993.
- A. H. Juffer, E. F. F. Botta, B. A. M. van Keulen, A. van der Ploeg, and H. J. C. Berendsen, The electric potential of a macromolecule in a solvent: A fundamental approach, **97**, 144–171, 1991.
- D. Juric and G. Tryggvason, A front-tracking method for dendritic solidification, **123**, 127–148, 1996.
- C. R. Justiz, R. M. Segal, and C. Dalton, A method for near field computation of coupled weakly ionized plasma flows in low earth orbit, **118**, 278–293, 1995.
- R. Jyotsna and S. P. Vanka, Multigrid calculation of steady, viscous flow in a triangular cavity, **122**, 107–117, 1995.
- K**
- S. M. O. Kaber, The Legendre pseudospectral viscosity method, **128**, 165–180, 1996.
- M. Kadioglu and S. Mudrick, On the implementation of the GMRES(m) method to elliptic equations in meteorology, **102**, 348–359, 1992.
- Y. Kallinderis, Numerical treatment of grid interfaces for viscous flows, **98**, 129–144, 1992.
- T. Kamimura, E. Montalvo, D. C. Barnes, J. N. Leboeuf, and T. Tajima, Implicit particle simulation of electromagnetic plasma phenomena, **100**, 77–90, 1992.
- I. S. Kang and L. G. Leal, Orthogonal grid generation in a 2D domain via the boundary integral technique, **102**, 78–87, 1992.
- H. G. Kaper and M. K. Kwong, Vortex configurations in type-II superconducting films, **119**, 120–131, 1995.
- A. Karageorghis, The method of fundamental solutions for the solution of steady-state free boundary problems, **98**, 119–128, 1992.
- S. Karni, Multicomponent flow calculations by a consistent primitive algorithm, **112**, 31–43, 1994.
- G. E. Karniadakis, M. Israeli, and S. A. Orszag, High-order splitting methods for the incompressible Navier-Stokes equations, **97**, 414–443, 1991.
- M. D. Kartalev, M. S. Kaschiev, and D. K. Koitchev, Finite element numerical modeling of stationary two-dimensional magnetosphere with defined boundary, **119**, 220–230, 1995.
- S. R. Karur and P. A. Ramachandran, Orthogonal collocation in the nonconforming boundary element method, **121**, 373–382, 1995.
- S. Kaushik and P. L. Hagelstein, The application of the preconditioned biconjugate gradient algorithm to NLTE rate matrix equation, **101**, 360–367, 1992.
- F. Kazeminezhad, J. M. Dawson, J. N. Leboeuf, R. Sydora, and D. Holland, A Vlasov particle ion zero mass electron model for plasma simulations, **102**, 277–296, 1992.
- F. Kazeminezhad, J. N. Leboeuf, F. Brunel, and J. M. Dawson, A discrete model for MHD incorporating the Hall term, **104**, 398–417, 1993.
- D. R. Kegley, Jr., V. E. Oberacker, M. R. Strayer, A. S. Umar, and J. C. Wells, Basis spline collocation method for solving the Schrödinger equation in axially symmetric systems, **128**, 197–208, 1996.
- J. B. Keller, Removing small features from computational domains, **113**, 148–150, 1994.
- M. Khalil and P. Wesseling, Vertex-centered and cell-centered multigrid for interface problems, **98**, 1–10, 1992.
- A. Khamayseh and C. W. Mastin, Computational conformal mapping for surface grid generation, **123**, 394–401, 1996.
- R. R. Khayrutdinov and V. E. Lukash, Studies of plasma equilibrium and transport in a tokamak fusion device with the inverse-variable technique, **109**, 193–201, 1993.
- M. R. Khorrami and M. R. Malik, Efficient computation of spatial Eigenvalues for hydrodynamic stability analysis, **104**, 267–272, 1993.
- M. Kinoshita and D. R. Berard, Analysis of the bulk and surface-induced structure of electrolyte solutions using integral equation theories, **124**, 230–241, 1996.
- I. Klapper, Biological applications of the dynamics of twisted elastic rods, **125**, 325–337, 1996.
- R. Klein, Semi-implicit extension of a Godunov-type scheme based on low mach number asymptotics. I. One-dimensional flow, **121**, 213–237, 1995.
- M. V. Klibanov and P. E. Sacks, Use of partial knowledge of the potential in the phase problem of inverse scattering, **112**, 273–281, 1994.
- A. J. Klimas and W. M. Farrell, A splitting algorithm for Vlasov simulation with filamentation filtration, **110**, 150–163, 1994.
- O. M. Knio, L. Collorec, and D. Juve, Numerical study of sound emission by 2D regular and chaotic vortex configurations, **116**, 226–246, 1995.
- O. M. Knio and A. F. Ghoniem, Three-dimensional vortex simulation of rollup entrainment in a shear layer, **97**, 172–223, 1991.
- D. A. Knoll, and P. R. McHugh, An inexact Newton algorithm for solving the tokamak edge plasma fluid equations on a multiply-connected domain, **116**, 281–291, 1995.
- D. A. Knoll, A. K. Prinja, and R. B. Campbell, A direct Newton solver for the two-dimensional tokamak edge plasma fluid equations, **104**, 418–426, 1993.
- P. Knupp, Mesh generation using vector-fields, **119**, 142–148, 1995.
- P. M. Knupp, A robust elliptic grid generator, **100**, 409–418, 1992.
- M. Kobayashi, Sturm-Liouville systems with potentials $0.5 \cos 2nx$, **94**, 487–493, 1991.
- H. Kobeissi, A. El-Haij, and M. Koberosi, A simplified shooting method for the diatomic eigenvalue problem, **96**, 470–474, 1991.
- H. Kobeissi and K. Fakhreddine, The canonical functions method and singular potentials, **95**, 505–510, 1991.
- J. K. Koga and T. Tajima, The δf algorithm for beam dynamics, **116**, 314–329, 1995.
- J. Kollar and B. Ujfaluassy, General formulas for the Slater-Koster tables, **110**, 187–189, 1994.
- K. Kontomaris, T. J. Hanratty, and J. B. McLaughlin, An algorithm for tracking fluid particles in a spectral simulation of turbulent channel flow, **103**, 231–242, 1992.
- G. P. Koomullil and Z. U. A. Warsi, Numerical mapping of arbitrary domains using spectral methods, **104**, 251–262, 1993.
- M. N. Kooper, H. A. van der Vorst, S. Poedts; and J. P. Goedbloed, Application of the implicitly updated Arnoldi method with a complex shift-and-invert strategy in MHD, **118**, 320–328, 1995.
- D. A. Kopriva, Multidomain spectral solution of compressible viscous flows, **115**, 184–199, 1994.

- D. A. Kopriva, A conservative staggered-grid Chebyshev multidomain method for compressible flows. II. A semi-structured method, **128**, 475–488, 1996.
- D. A. Kopriva and J. H. Kolias, A conservative staggered-grid Chebyshev multidomain method for compressible flows, **125**, 244–261, 1996.
- V. M. Korivi, A. C. Taylor III, P. A. Newman, G. W. Hou, and H. E. Jones, An approximately factored incremental strategy for calculating consistent discrete aerodynamic sensitivity derivatives, **113**, 336–346, 1994.
- A. Korosmeyez, C. E. Rasmussen, T. I. Gombosi, and B. van Leer, Transport of gyration-dominated space plasmas of thermal origin 2: Numerical solution, **109**, 16–29, 1993.
- D. A. Kopriva, Multidomain spectral solution of the Euler gas-dynamics equations, **96**, 428–450, 1991.
- D. Kosloff and H. Tal-Ezer, A modified Chebyshev pseudospectral method with an ON^{-1} time step restriction, **104**, 457–469, 1993.
- D. A. Kosower, Octopus: An efficient phase space mapping for light particles, **102**, 18–38, 1992.
- P. Koumoutsakos, A. Leonard, and F. Pepin, Boundary conditions for viscous vortex methods, **113**, 52–61, 1994.
- V. G. Kouris, Solving the Coulomb Schrödinger equation in $d = 2 + 1$ via sinc collocation, **128**, 1–5, 1996.
- M. A. Kovanan and W. G. F. Core, HECTOR: A code for the study of charged particles in axisymmetric tokamak plasmas, **105**, 14–23, 1993.
- A. G. Kravchenko, P. Moin, and R. Moser, Zonal embedded grids for numerical simulations of wall-bounded turbulent flows, **127**, 412–423, 1996.
- G. A. Kriegsmann and J. H. C. Luke, Rapid pulse responses for scattering problems, **111**, 390–398, 1994.
- A. Krishnan and A. F. Ghoniem, Simulation of rollup and mixing in Rayleigh–Taylor flow using the transport-element method, **99**, 1–27, 1992.
- S. Kritmeier, M. Wittkop, and D. Göritz, Computer simulation of coil deformation, **112**, 267–272, 1994.
- H. Kröger, S. Lantagne, and K. J. M. Moriarty, Momentum lattice simulation on a small lattice using stochastic quantization, **122**, 335–342, 1995.
- H.-C. Ku, Solution of flow in complex geometries by the pseudospectral element method, **117**, 215–227, 1995.
- B. Kuchta and R. D. Etters, Features of the histogram Monte Carlo method: Application to N2 monolayer melting on graphite, **108**, 353–356, 1993.
- N. M. Kuhl, Monte Carlo simulation of transport, **129**, 170–180, 1996.
- A. A. Kulikovsky, A more accurate Scharfetter–Gummel algorithm of electron transport for semiconductor and gas discharge simulation, **119**, 149–155, 1995.
- R. F. Kunz and B. Lakshminarayana, Stability of explicit Navier–Stokes procedures using $k - \varepsilon$ and $k - \varepsilon$ /algebraic Reynolds stress turbulence models, **103**, 141–159, 1992.
- T. Kurki-Suonio and T. Tajima, Transport model of optical beams in a plasma, **94**, 186–200, 1991.
- A. Kylling and K. Stammes, Efficient yet accurate solution of the linear transport equation in the presence of internal sources: The exponential-linear-in-depth approximation, **102**, 265–276, 1992.
- L**
- S. Labik, R. Pospíšil, A. Malijevsky, and W. R. Smith, An efficient Gauss–Newton-like method for the numerical solution of the Ornstein–Zernike integral equation for a class of fluid models, **115**, 12–21, 1994.
- B. Laboudigue, V. Giovangigli, and S. Candel, Numerical solution of a free-boundary problem in hypersonic flow theory: Nonequilibrium viscous shock layers, **102**, 297–309, 1992.
- B. Lafaurie, C. Nardone, R. Scardovelli, S. Zaleski, and G. Zanetti, Modelling merging and fragmentation in multiphase flows with SURFER, **113**, 134–147, 1994.
- F. Lafon and S. Osher, High order filtering methods for approximating hyperbolic systems of conservation laws, **96**, 110–142, 1991.
- F. Lafon and S. Osher, High order two dimensional nonoscillatory methods for solving Hamilton–Jacobi scalar equations, **123**, 235–253, 1996.
- I. E. Lagaris, D. G. Papageorgiou, M. Braun, and S. A. Sofianos, A relaxation method for nonlocal and non-Hermitian operators, **126**, 229–236, 1996.
- C. G. Lambert, T. A. Darden, and J. A. Board, Jr., A multipole-based algorithm for efficient calculation of forces and potentials in macroscopic periodic assemblies of particles, **126**, 274–285, 1996.
- G. Landl, T. Langthaler, H. W. Engl, and H. F. Kauffmann, Distribution of event times in time-resolved fluorescence: The exponential series approach—Algorithm, regularization, analysis, **95**, 1–28, 1991.
- A. Lang, H. Babovsky, W. Cassing, U. Mosel, H.-G. Reusch, and K. Weber, A new treatment of Boltzmann-like collision integrals in nuclear kinetic equations, **106**, 391–396, 1993.
- J. Lang and A. Walter, An adaptive discontinuous finite element method for the transport equation, **117**, 28–34, 1995.
- A. Langnau and S. J. Brodsky, Perturbation theory in light-cone quantization, **109**, 84–92, 1993.
- G. Lapenta and J. U. Brackbill, Dynamic and selective control of the number of particles in kinetic plasma simulations, **115**, 213–227, 1994.
- T. Lappas, A. Leonard, and P. E. Dimotakis, An adaptive Lagrangian method for computing 1D reacting and non-reacting flows, **104**, 361–376, 1993.
- R. W. Lardner and Y. Song, A hybrid spectral method for the three-dimensional numerical modelling of nonlinear flows in shallow seas, **100**, 322–334, 1992.
- B. Larroutou, How to preserve the mass fractions positivity when computing compressible multicomponent flows, **95**, 59–84, 1991.
- J. E. Lavery, Capturing contact discontinuities in steady-state conservation laws, **108**, 59–72, 1993.
- W. S. Lawson and P. C. Gray, Heat flow between species in one-dimensional particle plasma simulations, **95**, 195–211, 1991.
- H. Le and P. Moin, An improvement of fractional step methods for the incompressible Navier–Stokes equations, **92**, 369–379, 1991.
- M. P. Leclercq and B. Stoufflet, Characteristic multigrid method application to solve the Euler equations with unstructured and unnested grids, **104**, 329–346, 1993.
- C. K. B. Lee, R. C. Crawford, and J. M. McDonough, Improved solutions to the small strain continuum equations using a modified Engquist filter, **123**, 119–126, 1996.
- C. K. B. Lee and J. M. McDonough, Implementation of a nonlinear filter with a Lagrangian formulation for the treatment of very high pressure reflected shocks, **117**, 289–299, 1995.
- D. Lee and Y. M. Tsuei, A formula for estimation of truncation errors of convection terms in a curvilinear coordinate system, **98**, 90–100, 1992.
- D. Lee and Y. M. Tsuei, A hybrid adaptive gridding procedure for recirculating fluid flow problems, **108**, 122–141, 1993.
- D. K. Lee and S. P. Hirshman, Rapid determination of a straight magnetic coordinate system for stellarator configurations, **101**, 330–333, 1992.
- S. H. Lee, D. W. Townley, and K. O. Eshun, A boundary element model of cathodic well casing protection, **107**, 338–347, 1993.
- C. Leforestier, R. H. Bisseling, C. Cerjan, M. D. Fiet, R. Friesner, A. Gulberg, A.

- Hammerich, G. Jolicard, W. Karrlein, H.-D. Meyer, N. Lipkin, O. Roncero, and R. Kosloff, A comparison of different propagation schemes for the time dependent Schrödinger equation, **94**, 59–80, 1991.
- B. Legras and D. G. Dritschel, A comparison of the contour surgery and pseudo-spectral methods, **104**, 287–302, 1993.
- B. J. Leimkuhler and R. D. Skeel, Symplectic numerical integrators in constrained Hamiltonian systems, **112**, 117–125, 1994.
- S. K. Lele, Compact finite difference schemes with spectral-like resolution, **103**, 16–42, 1992.
- C. Y. Lepage and W. H. Hui, A shock-adaptive Godunov scheme based on the generalised Lagrangian formulation, **122**, 291–299, 1995.
- C. LeProvost, C. Bernier, and E. Blayo, A comparison of two numerical methods for integrating a quasi-geostrophic multilayer model of ocean circulations: Finite element and finite difference methods, **110**, 341–359, 1994.
- P. LeQuere, R. Masson, and P. Perrot, A Chebyshev collocation algorithm for 2D non-Boussinesq convection, **103**, 320–335, 1992.
- A. Lerat and Z. N. Wu, Stable conservative multidomain treatments for implicit Euler solvers, **123**, 45–64, 1996.
- K. Lerbinger and J. F. Luciani, A new semi-implicit method for MHD computations, **97**, 444–459, 1991.
- D. Lesnic, L. Elliot, and D. B. Ingham, Identification of the thermal conductivity and heat capacity in unsteady nonlinear heat conduction problems using the boundary element method, **126**, 410–420, 1996.
- R. J. LeVeque and K.-M. Shyue, Two-dimensional front tracking based on high resolution wave propagation methods, **123**, 354–368, 1996.
- D. W. Levy, K. G. Powell, and B. v. Leer, Use of a rotated Riemann solver for the two-dimensional Euler equations, **106**, 201–214, 1993.
- A. C. Lewandowski and T. M. Wilson, A technique for embedding clusters in ionic crystals using the GAUSSIAN 92 quantum chemical program, **129**, 233–242, 1996.
- V. G. Leyman, S. P. Litvinseva, and I. D. Rodionov, Investigation of charged particle beam stability: Numerical method and physical results, **115**, 86–106, 1994.
- B. Q. Li and J. W. Evans, Boundary element solution of heat convection-diffusion problems, **93**, 255–272, 1991.
- T. L. Li and K. J. Kuhn, Effects of mass discontinuity on the numerical solutions to quantum wells using the effective mass equation, **110**, 292–300, 1994.
- T. L. Li and K. J. Kuhn, Finite element solutions to *GaAs-AlAs* quantum wells with connection matrices at heterojunctions, **115**, 288–295, 1994.
- X. L. Li, B. X. Jin, and J. Glimm, Numerical study for the three-dimensional Rayleigh–Taylor instability through the TVD/AC scheme and parallel computation, **126**, 343–355, 1996.
- M. C. Liang and C. W. Lan, A finite-volume/Newton method for a two-phase heat flow problem using primitive variables and collocated grids, **127**, 330–345, 1996.
- L. D. Libersky, A. G. Petschek, T. C. Carney, J. R. Hipp, and F. A. Allahadi, High strain Lagrangian hydrodynamics: A three-dimensional SPH code for dynamic material response, **109**, 67–75, 1993.
- K. Liffman, A direct simulation Monte Carlo method for cluster coagulation, **100**, 116–127, 1992.
- K. Liffman, Comments on a collocation spectral solver for the Helmholtz equation, **128**, 254–258, 1996.
- A. Lifschitz, W. H. Suters, and J. T. Beale, The onset of instability in exact vortex rings with swirl, **129**, 8–29, 1996.
- H.-C. Lin, Dissipation additions to flux-difference splitting, **117**, 20–27, 1995.
- S.-Y. Lin, T.-M. Wu, and Y.-S. Chin, Upwind finite-volume method with a triangular mesh for conservation laws, **107**, 324–337, 1993.
- K. A. Lindsay and C. E. Rooney, A note on compound matrices, **103**, 472–477, 1992.
- F. H. Ling and G. Schmidt, Box-counting algorithm and dimensional analysis of a pulsar, **99**, 196–202, 1992.
- M.-S. Liou, An extended Lagrangian method, **118**, 294–309, 1995.
- M.-S. Liou, A sequel to AUSM: AUSM⁺, **129**, 364–382, 1996.
- M.-S. Liou and C. J. Steffen, Jr., A new flux splitting scheme, **107**, 23–39, 1993.
- C. Liu and Z. Liu, High order finite difference and multigrid methods for spatially evolving instability in a Planar channel, **106**, 92–100, 1993.
- C. Liu and Z. Liu, Multigrid mapping and box relaxation for simulation of the whole process of flow transition in 3D boundary layers, **119**, 325–341, 1995.
- F. Liu, A. C. McIntosh, and J. Brindley, An implicit Lagrangian method for solving one- and two-dimensional gasdynamic equations, **110**, 112–133, 1994.
- F. Liu and X. Zheng, A strongly coupled time-marching method for solving the Navier–Stokes and $k - \omega$ turbulence model equations with multigrid, **128**, 301–318, 1996.
- J. Liu, A stability analysis on Beck's procedure for inverse heat conduction problems, **123**, 65–73, 1996.
- X.-D. Liu, S. Osher, and T. Chan, Weighted essentially non-oscillatory schemes, **115**, 200–212, 1994.
- Y. Liu, Fourier analysis of numerical algorithms for the Maxwell equations, **124**, 396–416, 1996.
- Y. Liu, L. Liu, and T. Tang, The numerical computation of connecting orbits in dynamical systems: A rational spectral approach, **111**, 373–380, 1994.
- R. Loehner, Regridding surface triangulations, **126**, 1–10, 1996.
- D. Loewenthal, Improvements on the Lehmer–Schur root detection method, **109**, 164–168, 1993.
- D. Loffhagen and R. Winkler, A new non-stationary Boltzmann solver in self-consistent modelling of discharge pumped plasmas for excimer lasers, **112**, 91–101, 1994.
- C.-Y. Loh and M.-S. Liou, Lagrangian solution of supersonic real gas flows, **104**, 150–161, 1993.
- C.-Y. Loh and M.-S. Liou, A new Lagrangian method for three-dimensional steady supersonic flows, **113**, 224–248, 1994.
- R. Löhner, Robust, vectorized search algorithms for interpolation on unstructured grids, **118**, 380–387, 1995.
- P. Lötstedt, Improved convergence to the steady state of the Euler equations by enhanced wave propagation, **114**, 34–44, 1994.
- J. Z. Lou and R. Ferraro, A parallel incompressible flow solver package with a parallel multigrid elliptic kernel, **125**, 225–243, 1996.
- R. B. Lowrie and P. L. Roe, On the numerical solution of conservation laws by minimizing residuals, **113**, 304–308, 1994.
- I.-T. Lu; H. K. Jung, and C. M. Tsai, Hybrid combinations of global and local operators for solving Helmholtz and Poisson equations, **103**, 390–401, 1992.
- Z. Y. Lu and T. J. Ross, Diffusing-vortex numerical scheme for solving incompressible Navier–Stokes equations, **95**, 400–435, 1991.
- B. D. Lubachevsky, How to simulate billiards and similar systems, **94**, 255–283, 1991.
- B. D. Lubachevsky, Which algorithm is better?, **105**, 369–370, 1993.
- B. D. Lubachevsky, V. Privman, and S. C. Roy, Casting pearls ballistically: Efficient massively parallel simulation of particle deposition, **126**, 152–164, 1996.
- T. R. Lucas and H. S. Oh, The method of auxiliary mapping for the finite element solutions of elliptic problems containing singularities, **108**, 327–342, 1993.

- P. Luchini, A deferred-correction multigrid algorithm based on a new smoother for the Navier–Stokes equations, **92**, 349–368, 1991.
- P. Luchini and F. Manzo, A fast conformal mapping algorithm with no FFT, **101**, 368–374, 1992.
- P. Luchini and R. Tognaccini, Direction-adaptive nonreflecting boundary conditions, **128**, 121–133, 1996.
- S. R. Lustig, S. Rastogi, and N. Wagner, Telescoping fast multipole methods using Chebyshev economization, **122**, 317–322, 1995.
- F. Lyard and M. L. Genco, Optimisation methods for bathymetry and open boundary conditions in a finite element model of ocean tides, **114**, 234–256, 1994.
- P. M. Lyster and J.-N. Leboeuf, A fluid-ion and particle–electron model for low-frequency plasma instabilities, **102**, 180–193, 1992.
- M**
- H. Ma, A spectral element basin model for the shallow water equations, **109**, 133–149, 1993.
- R. K. Madabhushi, S. Balachandar, and S. P. Vanka, A divergence-free Chebyshev collocation procedure for incompressible flows with two non-periodic directions, **105**, 199–206, 1993.
- N. K. Madsen, Divergence preserving discrete surface integral methods for Maxwell's curl equations using non-orthogonal unstructured grids, **119**, 34–45, 1995.
- A. J. Mahajan, E. H. Dowell, and D. B. Bliss, Eigenvalue calculation procedure for the Euler/Navier–Stokes solver with application to flows over airfoils, **97**, 398–413, 1991.
- A. Mahalov and S. Leibovich, On the calculation of coupling coefficients in amplitude equations, **101**, 441–444, 1992.
- R. K. Mains and G. I. Haddad, An accurate reformulation of the Wigner function method for quantum transport modeling, **112**, 149–161, 1994.
- F. Malara, A. Chebyshev pseudospectral multidomain method for a boundary-layer problem, **124**, 254–270, 1996.
- A. V. Malevsky, Spline-characteristic method for simulation of convective turbulence, **123**, 466–475, 1996.
- N. A. Malik and T. Dracos, Interpolation schemes for three-dimensional velocity fields from scattered data using Taylor expansions, **119**, 231–243, 1995.
- G. Manfredi, M. Shoucri, M. R. Feix, P. Bertrand, E. Fijalkow, and A. Ghizzo, The numerical integration of the Vlasov equation possessing an invariant, **121**, 298–313, 1995.
- J. W. Manke, A tensor product B-spline method for numerical grid generation, **108**, 15–26, 1993.
- P. J. Mann, Smoothed particle hydrodynamics applied to relativistic spherical collapse, **107**, 188–198, 1993.
- M. Manninen and H. Hakkinen, A method for detecting vacancy diffusion in molecular dynamics, **100**, 197–199, 1992.
- D. E. Manolopoulos, M. J. Jamieson, and A. D. Pradhan, Johnson's log derivative algorithm rederived, **105**, 169–172, 1993.
- G. Mansell, J. Walter, and E. Marschall, Liquid–liquid driven cavity flow, **110**, 274–284, 1994.
- D. Mansutti, G. Graziani, and R. Piva, A discrete vector potential model for unsteady incompressible viscous flows, **92**, 161–184, 1991.
- D.-k. Mao, A treatment of discontinuities in shock-capturing finite difference methods, **92**, 422–455, 1991.
- D.-k. Mao, A treatment of discontinuities for finite difference methods, **103**, 359–369, 1992.
- D.-k. Mao, A treatment of discontinuities for finite difference methods in the two-dimensional case, **104**, 377–397, 1993.
- R. Marchand and J. P. Matte, Simulation of ionisation dynamics and electron kinetics, **97**, 352–365, 1991.
- B. Marder, Eliminating boundary-induced errors in the pseudo-current method, **104**, 273, 1993.
- M. Marin, D. Risso, and P. Cordero, Efficient algorithms for many-body hard particle molecular dynamics, **109**, 306–317, 1993.
- A. T. Marinos, Numerical experiments on compact computational schemes for solving the first biharmonic problem in rectangles, **115**, 406–422, 1994.
- M. F. Maritz and S. W. Schoombie, Exact analysis of nonlinear instability in a discrete Burgers' equation, **97**, 73–90, 1991.
- P. Marksteiner, E. Badralexe, and A. J. Freeman, Neumann-type expansion of Coulomb functions, **111**, 49–52, 1994.
- J. S. Marshall and J. R. Grant, A method for determining the velocity induced by highly anisotropic vorticity blobs, **126**, 286–298, 1996.
- J. M. a. Marti and E. Muller, Extension of the piecewise parabolic method to one-dimensional relativistic hydrodynamics, **123**, 1–14, 1996.
- P. Martin, R. Perez, and A. L. Guerrero, Two-point quasi-fractional approximations to the Airy function $\text{Ai}(x)$, **99**, 337–340, 1992.
- Y. P. Marx, Time integration schemes for the unsteady incompressible Navier–Stokes equations, **112**, 182–209, 1994.
- J. A. Masad, Analysis and computation of extremum points with application to boundary-layer stability, **127**, 464–472, 1996.
- J. A. Masad and M. R. Malik, Direct computation of boundary-layer stability characteristics, **117**, 228–239, 1995.
- M. Mascagni, S. A. Cuccaro, D. V. Pryor, and M. L. Robinson, A fast, high quality, and reproducible parallel lagged-fibonacci pseudorandom number generator, **119**, 211–219, 1995.
- F. Mashayek and N. Ashgriz, A spine-flux method for simulating free surface flows, **122**, 367–379, 1995.
- M. D. Matarrese and A. F. Messiter, A numerical method for the self-similar hypersonic viscous shear layer, **96**, 475–483, 1991.
- Y. Matsuda and G. R. Smith, A microinstability code for a uniform magnetized plasma with an arbitrary distribution function, **100**, 229–235, 1992.
- T. Matsushima and P. S. Marcus, A spectral method for polar coordinates, **120**, 365–374, 1995.
- A. P. Matthews, Current advance method and cyclic leapfrog for 2D multispecies hybrid plasma simulations, **112**, 102–116, 1994.
- D. J. Mavriplis, An advancing front Delaunay triangulation algorithm designed for robustness, **117**, 90–101, 1995.
- A. Mayo, The rapid evaluation of volume integrals of potential theory on general regions, **100**, 236–245, 1992.
- V. Mazhukin, I. Smurov, and G. Flamant, Simulation of laser plasma dynamics: Influence of ambient pressure and intensity of laser radiation, **112**, 78–90, 1994.
- A. K. Mazur, V. E. Dorofeev, and R. A. Abagyan, Derivation and testing of explicit equations of motion for polymers described by internal coordinates, **92**, 261–272, 1991.
- A. M. Mazzone, Molecular dynamics simulations of the effects of damage relaxation following high-energy implants, **112**, 247–252, 1994.
- B. E. McDonald and G. J. Orris, Performance of the matched-phase noise filter with estimated noise spectra, **122**, 185–190, 1995.
- K. B. McGrattan, R. G. Rehm, and H. R. Baum, Fire-driven flows in enclosures, **110**, 285–291, 1994.
- S. McKee, D. P. Wall, and S. K. Wilson, An alternating direction implicit scheme for parabolic equations with mixed derivative and convective terms, **126**, 64–76, 1996.
- A. McKenney, L. Greengard, and A. Mayo, A fast Poisson solver for complex geometries, **118**, 348–355, 1995.
- V. S. Melezlik, New method for solving mul-

- tidimensional scattering problem, **92**, 67–81, 1991.
- M. Meneguzzi, H. Politano, A. Pouquet, and M. Zolver, A sparse-mode spectral method for the simulation of turbulent flows, **123**, 32–44, 1996.
- B. Merriman, J. K. Bence, and S. J. Osher, Motion of multiple junctions: A level set approach, **112**, 334–365, 1994.
- W. J. Merryfield and B. Shizgal, Properties of collocation third-derivative operators, **105**, 182–185, 1993.
- G. Mesina and C. Hall, Iterative solution of Navier–Stokes dual variable difference equations, **96**, 71–98, 1991.
- S. Micheletti, A. Quarteroni, and R. Sacco, Current-voltage characteristics simulation of semiconductor devices using domain decomposition, **119**, 46–61, 1995.
- D. R. Mikkelsen, Solution of the Fokker–Planck equation with mixing of angular harmonics by beam–beam charge exchange, **93**, 336–342, 1991.
- G. H. Miller and E. G. Puckett, A high-order Godunov method for multiple condensed phases, **128**, 134–164, 1996.
- J. J. H. Miller and S. Wang, An exponentially fitted finite volume method for the numerical solution of 2D unsteady incompressible flow problems, **115**, 56–64, 1994.
- R. H. Miller, A horror story about integration methods, **93**, 469–476, 1991.
- T. L. Miller, H.-I. Lu, and K. A. Butler, A fully nonlinear, mixed spectral and finite difference model for thermally driven, rotating flows, **101**, 265–275, 1992.
- M. L. Minion, On the stability of Godunov-projection methods for incompressible flow, **123**, 435–449, 1996.
- M. L. Minion, A projection method for locally refined grids, **127**, 158–178, 1996.
- A. R. Mitchell, B. A. Murray, and B. D. Sleeman, Numerical solution of Hamiltonian systems in reaction–diffusion by symplectic difference schemes, **95**, 339–358, 1991.
- A. K. Mitra, Use of eigenfunctions in the optimization of the grid for the boundary element method, **100**, 246–252, 1992.
- R. Mittal and S. Balachandar, Direct numerical simulation of flow past elliptic cylinders, **124**, 351–367, 1996.
- Y. Mo and R. J. Perry, Basis function calculations for the massive Schwinger model in the light-front Tamm–Danoff approximation, **108**, 159–174, 1993.
- J. J. Monaghan, Simulating free surface flows with SPH, **110**, 399–406, 1994.
- J. J. Monaghan and R. J. Humble, Vortex particle methods for periodic channel flow, **107**, 152–159, 1993.
- R. O. Moody and M. J. Baines, A constrained moving finite element solution of the one-dimensional oxygen diffusion with absorption problem, **103**, 442–449, 1992.
- P. K. Moore and J. E. Flaherty, Adaptive local overlapping grid methods for parabolic systems in two space dimensions, **98**, 54–63, 1992.
- R. E. M. Moore and I. O. Angell, Voronoi polygons and polyhedra, **105**, 301–305, 1993.
- J. E. Morel, J. E. Dendy, Jr., M. L. Hall, and S. W. White, A cell-centered Lagrangian-mesh diffusion differencing scheme, **103**, 286–299, 1992.
- J. E. Morel, T. A. Wareing, and K. Smith, A linear-discontinuous spatial differencing scheme for $S(n)$ radiative transfer calculations, **128**, 445–462, 1996.
- R. B. Morgan, Generalizations of Davidson's method for computing eigenvalues of large nonsymmetric matrices, **101**, 287–291, 1992.
- W. J. Morokoff and R. E. Caflisch, Quasi-Monte Carlo integration, **122**, 218–230, 1995.
- K. W. Morton, M. A. Rudgyard, and G. J. Shaw, Upwind iteration methods for the cell vertex scheme in one dimension, **114**, 209–226, 1994.
- W. C. Moss and J. W. White, New physical criteria for using linear artificial viscosity, **106**, 397–399, 1993.
- M. A. Mostrom, D. Mitrovich, and D. R. Welch, The ARCTIC charged particle beam propagation code, **128**, 489–497, 1996.
- P. H. Mott, A. S. Argon, and U. W. Suter, The atomic strain tensor, **101**, 140–150, 1992.
- S. Mukhopadhyay and B. C. Basu, Second-order accurate no-slip conditions for solving problems in incompressible viscous flows, **111**, 53–61, 1994.
- W. Mulder, S. Osher, and J. A. Sethian, Computing interface motion in compressible gas dynamics, **100**, 209–228, 1992.
- W. A. Mulder, A high-resolution Euler solver based on multigrid, semi-coarsening, and defect correction, **100**, 91–104, 1992.
- L. S. Mulholland and D. M. Sloan, The effect of filtering on the pseudospectral solution of evolutionary partial differential equations, **96**, 369–390, 1991.
- S. G. Mulyarchik, S. S. Bielawski, and A. V. Popov, Efficient computational schemes of the conjugate gradient method for solving linear systems, **110**, 201–211, 1994.
- R. Munipalli and D. A. Anderson, An adaptive grid scheme using the boundary element method, **127**, 452–463, 1996.
- C. W. Murray, S. C. Racine, and E. R. Davidson, Improved algorithms for the lowest few eigenvalues and associated eigenvectors of large matrices, **103**, 382–389, 1992.
- R. J. Murray, Explicit generation of orthogonal grids for ocean models, **126**, 251–273, 1996.
- N
- A. Nachman, A brief perspective on computational EM, **126**, 237–239, 1996.
- B. T. Nadiga, An adaptive discrete-velocity model for the shallow water equations, **121**, 271–280, 1995.
- B. T. Nadiga and D. I. Pullin, A method for near-equilibrium discrete-velocity gas flows, **112**, 162–172, 1994.
- N. Nakagawa, A weakly singular formulation of boundary integral equations and field computation near boundaries, **122**, 143–149, 1995.
- Y. Nakamura, T. Matsumoto, M. Wakatani, S. A. Galkin, V. V. Drozdov, A. A. Martynov, Y. Y. Poshekhanov, K. Ichiguchi, L. Garcia, B. A. Carreras, C. N. n. Schwab, W. A. Copper, and J. J. Johnson, Comparison of the calculations of the stability properties of a specific stellarator equilibrium with different MHD stability codes, **128**, 43–57, 1996.
- A. Natarajan and N. Mohankumar, A comparison of some quadrature methods for approximating Cauchy principal value integrals, **116**, 365–368, 1995.
- R. Natarajan, Finite element applications on a shared-memory multiprocessor: Algorithms and experimental results, **94**, 352–381, 1991.
- R. Natarajan, An Arnoldi-based iterative scheme for nonsymmetric matrix pencils arising in finite element stability problems, **100**, 128–142, 1992.
- R. Natarajan, A numerical method of incompressible viscous flow simulation, **100**, 384–395, 1992.
- R. Natarajan and P. Pattnaik, Performance of the conjugate gradient method on VICTOR, **100**, 396–401, 1992.
- V. Natoli and D. M. Ceperley, An optimized method for treating long-range potentials, **117**, 171–178, 1995.
- V. D. Natoli, M. H. Cohen, and B. Fornberg, A new numerical algorithm for the analytic continuation of Green's functions, **126**, 99–108, 1996.
- N. Nayar and J. M. Ortega, Computation of selected eigenvalues of generalized eigenvalue problems, **108**, 8–14, 1993.
- R. M. Neal, An improved acceptance procedure for the hybrid Monte Carlo algorithm, **111**, 194–203, 1994.
- P. V. Negron-Marrero and O. Betancourt, The numerical computation of singular minimizers in two-dimensional elasticity, **113**, 291–303, 1994.
- P. Nelson, D. L. Seth, and A. K. Ray, A computational study of the discretization error in the solution of the Spencer–Lewis equation by doubling applied to the up-

- wind finite-difference approximation, **103**, 370–381, 1992.
- H. D. Nguyen and J. N. Chung, A Chebyshev–Legendre spectral method for the transient solutions of flow past a solid sphere, **104**, 303–312, 1993.
- H. D. Nguyen, S. Paik, and J. N. Chung, Application of vorticity integral conditioning to Chebyshev pseudospectral formulation for the Navier–Stokes equations, **106**, 115–124, 1993.
- A. Nicolai, A Monte Carlo code describing the neutral gas transport in pipe configurations with attenuating media, **106**, 377–390, 1993.
- R. H. Nochetto, M. Paolini, and C. Verdi, A dynamic mesh algorithm for curvature dependent evolving interfaces, **123**, 296–310, 1996.
- S. Noelle, Hyperbolic systems of conservation laws, the Weyl equation, and multidimensional upwinding, **115**, 22–26, 1994.
- P. Nogueira, Automatic Feynman graph generation, **105**, 279–289, 1993.
- H. O. Nordmark, Rezoning for higher order vortex methods, **97**, 366–397, 1991.
- H. O. Nordmark, Deterministic high order vortex methods for the 2D Navier–Stokes equation with rezoning, **129**, 41–56, 1996.
- J. Nordström, Accurate solutions of the Navier–Stokes equations despite unknown outflow boundary data, **120**, 184–205, 1995.
- D. Nunn, A novel technique for the numerical simulation of hot collision-free plasma; Vlasov hybrid simulation, **108**, 180–196, 1993.
- O**
- D. Odstrcil, Improved FCT algorithm for shock hydrodynamics, **108**, 218–225, 1993.
- H.-S. Oh and I. Babuška, The method of auxiliary mapping for the finite element solutions of elasticity problems containing singularities, **121**, 193–212, 1995.
- H. J. Oh and I. S. Kang, A non-iterative scheme for orthogonal grid generation with control function and specified boundary correspondence on three sides, **112**, 138–148, 1994.
- D. I. Okunbor, Energy conserving, Liouville, and symplectic integrators, **120**, 375–378, 1995.
- M. Olim, A truly noninterpolating semi-Lagrangian Lax–Wendroff method, **112**, 253–266, 1994.
- H. S. Olmez and J. H. Milgram, Numerical methods for nonlinear interactions between water waves, **118**, 62–72, 1995.
- L. G. Olson, G. C. Beorgiou, and W. W. Schultz, An efficient finite element method for treating singularities in Laplace's equation, **96**, 391–410, 1991.
- A. C. Ör, A shooting scheme for boundary-value problems, **114**, 280–283, 1994.
- P. J. O'Rourke, J. U. Brackbill, and B. Larrouture, On particle-grid interpolation and calculating chemistry in particle-in-cell methods, **109**, 37–52, 1993.
- A. R. Osborne, Nonlinear Fourier analysis for the infinite-interval Korteweg–de Vries equation. I. An algorithm for the direct scattering transform, **94**, 284–313, 1991.
- A. R. Osborne, The hyperelliptic inverse scattering transform for the periodic, defocusing nonlinear Schrödinger equation, **109**, 93–107, 1993.
- T. Oscarsson, Dual principles in maximum entropy reconstruction of the wave distribution function, **110**, 221–233, 1994.
- N. F. Otani, J.-S. Kim, C. K. Birdsall, B. I. Cohen, W. M. Nevins; and N. Maron, Elimination of velocity-space rings-and-spokes instabilities in magnetized electrostatic particle simulations of plasmas, **102**, 227–235, 1992.
- Y. Ozayrik and L. N. Long, A new efficient algorithm for computational aeroacoustics on parallel processors, **125**, 135–149, 1996.
- P**
- S. Paik, H. D. Nguyen, and J. N. Chung, Transient conjugated heat transfer analysis from a sphere with nonlinear boundary conditions, **115**, 423–430, 1994.
- S. Palaniswamy and S. R. Chakravarthy, Stability of explicit schemes in the physical and frequency domains, **124**, 162–176, 1996.
- B. J. Palmer, Direct application of SHAKE to the velocity verlet algorithm, **104**, 470–472, 1993.
- D. Pan and S. C. Lee, A fixed-stencil non-oscillatory scheme for hyperbolic systems, **100**, 200–204, 1992.
- A. C.-Y. Pang and C.-R. Ji, A spinor technique in symbolic Feynman diagram calculation, **115**, 267–275, 1994.
- P. Papatzacos, Numerical calculation of the equation of flow in porous media: The lattice gas approach, **104**, 313–320, 1993.
- G. J. Parker, W. N. G. Hitchon, and J. E. Lawler, Accelerated solution of the Boltzmann equation, **106**, 147–154, 1993.
- S. E. Parker and C. K. Birdsall, Numerical error in electron orbits with large $\omega_{ce}\Delta t$, **97**, 91–102, 1991.
- S. E. Parker, A. Friedman, S. L. Ray, and C. K. Birdsall, Bounded multi-scale plasma simulation: Application to sheath problems, **107**, 388–402, 1993.
- S. E. Parker, R. J. Procassini, C. K. Birdsall, and B. I. Cohen, A suitable boundary condition for bounded plasma simulation without sheath resolution, **104**, 41–49, 1993.
- B. N. Parlett and W.-L. Heng, The method of minimal representations in 2D Ising model calculations, **114**, 257–264, 1994.
- D. Pathria and G. E. Karniadakis, Spectral element methods for elliptic problems in nonsmooth domains, **122**, 83–95, 1995.
- T. W. Patzek, O. A. Basaran, R. E. Benner, and L. E. Scriven, Nonlinear oscillations of two-dimensional rotating inviscid drops, **116**, 3–25, 1995.
- T. W. Patzek, R. E. Benner, Jr., O. A. Basaran, and L. E. Scriven, Nonlinear oscillations of inviscid free drops, **97**, 489–515, 1991.
- N. A. Pelekasis, J. A. Tsamopoulos, and G. D. Manolis, A hybrid finite-boundary element method for inviscid flows with free surface, **101**, 231–251, 1992.
- R. B. Peltz, The parallel Fourier pseudospectral method, **92**, 296–312, 1991.
- R. B. Pember, J. B. Bell, P. Colella, W. Y. Crutchfield, and M. L. Welcom, An adaptive cartesian grid method for unsteady compressible flow in irregular regions, **120**, 278–304, 1995.
- P. Pendergast, Z. Darakjian, E. F. Hayes, and D. C. Sorensen, Scalable algorithms for three-dimensional reactive scattering: Evaluation of a new algorithm for obtaining surface functions, **113**, 201–214, 1994.
- D. Peng, High-order numerical method for two-point boundary value problems, **120**, 253–259, 1995.
- J. Peraire, J. Peiro, and K. Morgan, Adaptive remeshing for three-dimensional compressible flow computations, **103**, 269–285, 1992.
- J. C. F. Pereira and J. M. M. Sousa, Finite volume calculations of self-sustained oscillations in a grooved channel, **106**, 19–29, 1993.
- J. B. Perot, An analysis of the fractional step method, **108**, 51–58, 1993.
- J. B. Perot, Comments on the fractional step method, **121**, 190–191, 1995.
- P. Perrochet and P. Azerad, Space–time integrated least-squares: Solving a pure advection equation with a pure diffusion operator, **117**, 183–193, 1995.
- B. Perthame and Y. Qiu, A variant of Van Leer's method for multidimensional systems of conservation laws, **112**, 370–381, 1994.
- C. S. Peskin and B. F. Printz, Improved volume conservation in the computation of flows with immersed elastic boundaries, **105**, 33–46, 1993.
- M. C. A. M. Peters and H. W. M. Hoeijmakers, A vortex sheet method applied to unsteady flow separation from sharp edges, **120**, 88–104, 1995.

- W. P. Petersen, Some experiments on numerical simulations of stochastic differential equations and a new algorithm, **113**, 75–81, 1994.
- N. A. Petersson, Fast numerical computation of 2D free surface jet flow with surface tension, **128**, 409–426, 1996.
- N. A. Petersson and J. F. Malmgren, Computing the flow around a submerged body using composite grids, **105**, 47–57, 1993.
- A. Petschek and L. D. Libersky, Cylindrical smoothed particle hydrodynamics, **109**, 76–83, 1993.
- B. A. Pettitt, W. Danchura, and D. Labun, Spherical Bessel transforms, **105**, 178–181, 1993.
- T. N. Phillips and G. W. Roberts, The treatment of spurious pressure modes in spectral incompressible flow calculations, **105**, 150–164, 1993.
- W. M. Pickering and P. J. Harley, On Robbins boundary conditions, elliptic equations, and FFT methods, **122**, 367–370, 1995.
- A. Pinelli, C. Benocci, and M. Deville, Chebyshev pseudospectral solution of advection-diffusion equations with mapped finite difference preconditioning, **112**, 1–11, 1994.
- A. Pletzer, A. Bondeson, and R. L. Dewar, Linear stability of resistive MHD modes: Axisymmetric toroidal computation of the outer region matching data, **115**, 530–549, 1994.
- S. Plimpton, Fast parallel algorithms for short-range molecular dynamics, **117**, 1–19, 1995.
- S. Poedts and E. Schwartz, Computation of the ideal-MHD continuous spectrum in axisymmetric plasmas, **105**, 165–168, 1993.
- T. J. Poinsot and S. K. Lele, Boundary conditions for direct simulations of compressible viscous flows, **101**, 104–129, 1992.
- T. D. Pointon, Slanted conducting boundaries and field emission of particles in an electromagnetic particle simulation code, **96**, 143–162, 1991.
- M. Poliashenko and C. K. Aidun, A direct method for computation of simple bifurcations, **121**, 246–260, 1995.
- S. B. Pope, Particle method for turbulent flows: integration of stochastic model equations, **117**, 332–349, 1995.
- K. H. Prendergast and K. Xu, Numerical hydrodynamics from gas-kinetic theory, **109**, 53–66, 1993.
- L. Prigozhin, The Bean model in superconductivity: Variations formulation and numerical solution, **129**, 190–200, 1996.
- A. Priestley, A quasi-Riemannian method for the solution of one-dimensional shallow water flow, **106**, 139–146, 1993.
- A. Priestley, Exact projections and the Lagrange-Galerkin method: A realistic alternative to quadrature, **112**, 316–333, 1994.
- G. Prisco, Optimization of direct simulation Monte Carlo (DSMC) codes for vector processing, **94**, 454–466, 1991.
- V. G. Priymak, Pseudospectral algorithms for Navier-Stokes simulation of turbulent flows in cylindrical geometry with coordinate singularities, **118**, 366–379, 1995.
- R. J. Procassini and B. I. Cohen, A comparison of particle-in-cell and Fokker-Planck methods as applied to the modeling of auxiliary-heated mirror plasmas, **102**, 39–48, 1992.
- A. Provenzale and A. R. Osborne, Nonlinear Fourier analysis for the infinite-interval Korteweg-de Vries equation. II. Numerical tests of the direct scattering transform, **94**, 314–351, 1991.
- J. D. Pryce, Efficient, reliable computation of resonances of the one-dimensional Schrödinger equation, **112**, 234–246, 1994.
- T. H. Pulliam and J. A. Vaiano, Transition to chaos in an open unforced 2D flow, **105**, 133–149, 1993.
- D. K. Purnell and M. J. Revell, Energy-bounded flow approximation on a cartesian-product grid over rough terrain, **107**, 51–65, 1993.
- Q**
- A. Qi, Numerical study of wave propagation on vortex filaments, **104**, 185–210, 1993.
- S. Qian and J. Weiss, Wavelets and the numerical solution of partial differential equations, **106**, 155–175, 1993.
- R**
- P. E. Raad and A. Karageorghis, A Chebyshev spectral collocation method for the solution of the Reynolds equation of lubrication, **106**, 42–51, 1993.
- R. Radespiel and N. Kroll, Accurate flux vector splitting for shocks and shear layers, **121**, 66–78, 1995.
- R. Radespiel and R. C. Swanson, Progress with multigrid schemes for hypersonic flow problems, **116**, 103–122, 1995.
- M. M. Rai and P. Moin, Direct simulations of turbulent flow using finite-difference schemes, **96**, 15–53, 1991.
- M. M. Rai and P. Moin, Direct numerical simulation of transition and turbulence in a spatially evolving boundary layer, **109**, 169–192, 1993.
- G. Rajagopal and R. J. Needs, An optimized Ewald method for long-ranged potentials, **115**, 399–405, 1994.
- M. Rajamäki and M. Saarinen, Accurate one-dimensional computation of frontal phenomena by PLIM, **111**, 62–73, 1994.
- D. R. Rajaona and P. Sulmont, On the accuracy of the spectral interpolation methods for sampled pseudoperiodic signals, **97**, 30–52, 1991.
- P. A. Ramachandran, A numerical solution method for boundary value problems containing an undetermined parameter, **102**, 63–71, 1992.
- K. Ramakrishna, I. M. Cohen, and P. S. Ayyaswamy, Numerical methods for two-dimensional analysis of electrical breakdown in a non-uniform gap, **104**, 173–184, 1993.
- P. W. Rambo, Finite-grid instability in quasi-neutral hybrid simulations, **118**, 152–158, 1995.
- P. W. Rambo and J. Denavit, Fluid and field algorithms for time-implicit plasma simulation, **92**, 185–212, 1991.
- P. W. Rambo and J. Denavit, Time-implicit fluid simulation of collisional plasmas, **98**, 317–331, 1992.
- D. Ramsden and G. Holloway, Timestepping Lagrangian particles in two dimensional Eulerian flow fields, **95**, 101–116, 1991.
- J. D. Ramshaw and C. H. Chang, Iteration scheme for implicit calculations of kinetic and equilibrium chemical reactions in fluid dynamics, **116**, 359–364, 1995.
- D. C. Rapaport, A note on algorithms for billiard-ball dynamics, **105**, 367–368, 1993.
- R. Ratowski and J. A. Fleck, Jr., Treatment of angular derivatives in the Schrödinger equation by the finite Fourier series method, **93**, 376–387, 1991.
- G. Rawitscher, Accuracy analysis of a Bessel spectral function method for the solution of scattering equations, **94**, 81–101, 1991.
- S. Rebay, Efficient unstructured mesh generation by means of Delaunay triangulation and Bowyer-Watson algorithm, **106**, 125–138, 1993.
- J. M. Reese, L. C. Woods, F. J. P. Thivet, and S. M. Candel, A second-order description of shock structure, **117**, 240–250, 1995.
- O. Reglat, R. Labrie, and P. A. Tanguy, A new free surface model for the dip coating process, **109**, 238–246, 1993.
- D. Reid, A. Chan, and M. Al-Mudares, A direct solution of Poisson's equation in a three-dimensional field-effect transistor structure, **99**, 79–83, 1992.
- A. H. Reiman and N. Pompfrey, Computation of magnetic coordinates and action-angle variables, **94**, 225–249, 1991.
- J. Reiter, An algorithm for deconvolution by the maximum entropy method with astronomical applications, **103**, 169–183, 1992.
- M. Renardy and Y. Renardy, On the nature of boundary conditions for flows with moving free surfaces, **93**, 325–335, 1991.

- R. A. Renaut, Absorbing boundary conditions, difference operators, and stability, **102**, 236–251, 1992.
- R. Renaut and J. Frohlich, A pseudospectral Chebychev method for the 2D wave equation with domain stretching and absorbing boundary conditions, **124**, 324–336, 1996.
- J. M. Restrepo and J. L. Bona, Discretization of a model for the formation of longshore sand ridges, **122**, 129–142, 1995.
- J. M. Restrepo and G. K. Leaf, Wavelet-Galerkin discretization of hyperbolic equations, **122**, 118–128, 1995.
- C. J. Ribbens, L. T. Watson, and C.-Y. Wang, Steady viscous flow in a triangular cavity, **112**, 173–181, 1994.
- J. L. Richardson, R. C. Ferrell, and L. N. Long, Unconditionally stable explicit algorithms for nonlinear fluid dynamics problems, **104**, 69–74, 1993.
- K. S. Riedel, Optimal estimation of dynamically evolving diffusivities, **115**, 1–11, 1994.
- H. Rieff, A synopsis of Monte Carlo perturbation algorithms, **111**, 33–48, 1994.
- A. Rigal, High order difference schemes for unsteady one-dimensional diffusion-convection problems, **114**, 59–76, 1994.
- N. H. Risebro and A. Tveito, A front tracking method for conservation laws in one dimension, **101**, 130–139, 1992.
- S. Rajasanow and W. Wagner, A stochastic weighted particle method for the Boltzmann equation, **124**, 243–253, 1996.
- S. Rajasanow and W. Wagner, Numerical study of a stochastic weighted particle method for a model kinetic equation, **128**, 351–362, 1996.
- M. P. Robinson, G. Fairweather, and B. M. Herbst, On the numerical solution of the cubic Schrödinger equation in one space variable, **104**, 277–284, 1993.
- E. Robson, K. F. Ness, G. E. Sneddon, and L. A. Viehland, Comment on the discrete ordinate method in the kinetic theory of gases, **92**, 213–229, 1991.
- J. Rokicki and J. M. Floryan, Domain decomposition and the compact fourth-order algorithm for the Navier–Stokes equations, **116**, 79–96, 1995.
- J. E. Romate, Absorbing boundary conditions for free surface waves, **99**, 135–145, 1992.
- C. Ronchi, R. Iacono, and P. S. Paolucci, The “cubed sphere”: A new method for the solution of partial differential equations in spherical geometry, **124**, 93–114, 1996.
- A. R. Roosen and J. E. Taylor, Modeling crystal growth in a diffusion field using fully faceted interfaces, **114**, 113–128, 1994.
- M. Rosenfeld, D. Kwak, and M. Vinokur, A fractional step solution method for the unsteady incompressible Navier–Stokes equations in generalized coordinate systems, **94**, 102–137, 1991.
- M. Rosenfeld and Y. Yassour, The alternating direction multi-zone implicit method, **110**, 212–220, 1994.
- H. J. Ross, L. F. McAven, K. Shinagawa, and P. H. Butler, Calculating spin-orbit matrix elements with RACAH, **128**, 331–340, 1996.
- R. I. S. Roy, D. E. Hastings, and S. Taylor, Three-dimensional plasma particle-in-cell calculations of ion thruster backflow contamination, **128**, 6–18, 1996.
- A. L. Rovelstad, R. A. Handler, and P. S. Bernard, The effect of interpolation errors on the Lagrangian analysis of simulated turbulent channel flow, **110**, 190–195, 1994.
- G. Rowlands, A numerical algorithm for Hamiltonian systems, **97**, 235–239, 1991.
- C. L. Rumsey, B. v. Leer, and P. L. Roe, A multidimensional flux function with applications to the Euler and Navier–Stokes equations, **105**, 306–323, 1993.
- G. Russo, A deterministic vortex method for the Navier–Stokes equations, **108**, 84–94, 1993.
- G. Russo and J. A. Strain, Fast triangulated vortex methods for the 2D Euler equations, **111**, 291–323, 1994.
- W. M. Ruyten, Density-conserving shape factors for particle simulations in cylindrical and spherical coordinates, **105**, 224–232, 1993.
- G. Ryshkin, Diagonal shadow—A quasi-Newton iteration in spectral domain, **111**, 410–413, 1994.
- S**
- P. A. Sackinger, P. R. Schunk, and R. R. Rao, A Newton–Raphson pseudo-solid domain mapping technique for free and moving boundary problems: A finite element implementation, **125**, 83–103, 1996.
- A. Safjan and J. T. Oden, High-order Taylor–Galerkin methods for linear hyperbolic systems, **120**, 206–230, 1995.
- E. M. Saiki and S. Biringen, Numerical simulation of a cylinder in uniform flow: Application of a virtual boundary method, **123**, 450–465, 1996.
- K. Sakai, A new finite variable difference method with application to locally exact numerical scheme, **124**, 301–308, 1996.
- L. Sainsaulieu, Finite volume approximation of two phase-fluid flows based on an approximate Roe-type Riemann solver, **121**, 1–28, 1995.
- M. Saitou and A. Hirata, Two-dimensional unsteady solidification problem calculated by using the boundary-fitted coordinate system, **100**, 188–196, 1992.
- M. Saitou, E. Kanda, and M. Kawashima, A numerical solution of the steady solidification problem in two dimensions by boundary-fitted coordinate systems, **94**, 138–150, 1991.
- K. Salari and S. Steinberg, Flux-corrected transport in a moving grid, **111**, 24–32, 1994.
- M. Saleem, T. Pulliam, and A. Y. Cheer, Acceleration of convergence and spectrum transformation of implicit finite difference operators associated with Navier–Stokes equations, **104**, 1–13, 1993.
- J. K. Salmon and M. S. Warren, Skeletons from the Treecode closet, **111**, 136–155, 1994.
- J. Saltzman, An unsplit 3D upwind method for hyperbolic conservation laws, **115**, 153–168, 1994.
- J. Samareh-Abolhassani and J. E. Stewart, Surface grid generation in a parameter space, **113**, 112–121, 1994.
- R. Sanders and A. Weiser, High resolution staggered mesh approach for nonlinear hyperbolic systems of conservation laws, **101**, 314–329, 1992.
- A. Sanu, F. A. Potra, G. R. Carmichael, and V. Damian, Efficient implementation of fully implicit methods for atmospheric chemical kinetics, **129**, 101–110, 1996.
- B. S. Sathyaprakash and S. V. Dhurandhar, A parallel algorithm for filtering gravitational waves from coalescing binaries, **109**, 215–221, 1993.
- P. Sauvez, A. V. Wouwer, and W. E. Schiesser, Some observations on a static spatial remeshing method based on equidistribution principles, **128**, 274–288, 1996.
- R. Saurel, M. Larini, and J. C. Loraud, Exact and approximate Riemann solvers for real gases, **112**, 126–137, 1994.
- G. K. Savvidy and N. G. Ter-Arutyunyan-Savvidy, On the Monte Carlo simulation of physical systems, **97**, 566–572, 1991.
- M. L. Sawley and J. K. Tegnér, A comparison of parallel programming models for multiblock flow computations, **122**, 280–290, 1995.
- V. K. Saxena, L. L. Van Zandt, and W. K. Schroll, Closed form solution for localized modes on a polymer chain with a defect, **93**, 273–286, 1991.
- J. A. Scales, M. L. Smith, and T. L. Fischer, Global optimization methods for multimodal inverse problems, **103**, 258–268, 1992.
- C. L. Scandrett and G. A. Kriegsmann, Decoupling approximations applied to an infinite array of fluid loaded baffled membranes, **111**, 282–290, 1994.
- R. Schafer and R. Blendowske, On the numerical solution of the time-dependent Schrödinger equation, **119**, 206–208, 1995.
- C. Schar and P. K. Smolarkiewicz, A synchro-

- nous and iterative flux-correction formalism for coupled transport equations, **128**, 101–120, 1996.
- A. R. Schellhase and R. G. Storer, Spectral analysis of resistive MHD in toroidal geometry, **123**, 15–31, 1996.
- A. Schmidt, Computation of three dimensional dendrites with finite elements, **125**, 293–312, 1996.
- F. Schmitz and M. Kaisig, On the calculation of the gravitational force of axi-symmetric infinitely thin disks, **121**, 185–189, 1995.
- V. Schneider, U. Katscher, D. H. Rischke, B. Waldhauser, J. A. Maruhn, and C.-D. Munz, New algorithms for ultra-relativistic numerical hydrodynamics, **105**, 92–107, 1993.
- C. R. Schneider and M. O. Deville, Chebyshev collocation method and multi-domain decomposition for Navier–Stokes equations in complex curved geometries, **106**, 234–257, 1993.
- M. Schoen, Taylor-expansion Monte Carlo simulations of classical fluids in the canonical and grand canonical ensemble, **118**, 159–171, 1995.
- S. W. Schoombie, A discrete multiple scales analysis of a discrete version of the Korteweg–de Vries equation, **101**, 55–70, 1992.
- R. M. S. M. Schulkes, Interactions of an elastic solid with a viscous fluid: Eigenmode analysis, **100**, 270–283, 1992.
- M. R. Schumack, W. W. Schultz, and J. P. Boyd, Spectral method solution of the Stokes equations on nonstaggered grids, **94**, 30–58, 1991.
- B. D. Scott, A second-order accurate implicit scheme for strongly coupled fluid equations applied to fluid electron turbulence in a magnetised plasma, **124**, 71–84, 1996.
- J. R. Scott and H. M. Atassi, A finite-difference, frequency-domain numerical scheme for the solution of the gust response problem, **119**, 75–93, 1995.
- A. Serna, Implementation of hierarchical clustering methods, **129**, 30–40, 1996.
- J. A. Sethian, Curvature flow and entropy conditions applied to grid generation, **115**, 440–454, 1994.
- J. A. Sethian, J.-P. Brunet, A. Greenberg, and J. P. Mesirov, Two-dimensional, viscous, incompressible flow in complex geometries on a massively parallel processor, **101**, 185–206, 1992.
- J. A. Sethian and J. Strain, Crystal growth and dendritic solidification, **98**, 231–253, 1992.
- J. S. Shang, A fractional-step method for solving 3D, time-domain Maxwell equations, **118**, 109–119, 1995.
- J. S. Shang, Time-domain electromagnetic scattering simulations on multicomputers, **128**, 381–390, 1996.
- J. S. Shang and R. M. Fithen, A comparative study of characteristic-based algorithms for the Maxwell equations, **125**, 378–394, 1996.
- S. Shankar and L. v. Dommelen, A new diffusion procedure for vortex methods, **127**, 88–109, 1996.
- O. A. Sharafeddin, H. F. Bowen, D. J. Kouri, and D. K. Hoffman, Numerical evaluation of spherical Bessel transforms via Fast Fourier transforms, **100**, 294–296, 1992.
- M. Shashkov and S. Steinberg, Support-operator finite-difference algorithms for general elliptic problems, **118**, 131–151, 1995.
- M. Shashkov and S. Steinberg, Solving diffusion equations with rough coefficients in rough grids, **129**, 383–405, 1996.
- C.-Y. Shen, H. L. Reed, and T. A. Foley, Shepard's interpolation for solution-adaptive methods, **106**, 52–61, 1993.
- J. Shen, Hopf bifurcation of the unsteady regularized driven cavity flow, **95**, 228–245, 1991.
- J. Shen, On fast direct Poisson solver, INF-SUP constant and iterative Stokes solver by Legendre–Galerkin method, **116**, 184–188, 1995.
- L. L. Sherman, A. C. Taylor III, L. L. Green, P. A. Newman, G. W. Hou, and V. M. Korivi, First- and second-order aerodynamic sensitivity derivatives via automatic differentiation with incremental iterative methods, **129**, 307–331, 1996.
- S. J. Sherwin and G. E. Karniadakis, Tetrahedral hp finite elements: Algorithms and flow simulations, **124**, 14–45, 1996.
- S. J. Sherwin, G. E. Karniadakis, and S. A. Orszag, Numerical simulation of the ion etching process, **110**, 373–398, 1994.
- S. Shirayama, Processing of computed vector fields for visualization, **106**, 30–41, 1993.
- P. J. Shopov and Y. I. Iordanov, Numerical solutions of Stokes equations with pressure and filtration boundary conditions, **112**, 12–23, 1994.
- K. M. Short, Direct calculation of metric entropy from time series, **104**, 162–172, 1993.
- C.-W. Shu, A numerical method for systems of conservation laws of mixed type admitting hyperbolic flux splitting, **100**, 424–429, 1992.
- G. R. Shubin, Application of alternative multidisciplinary optimization formulations to a model problem for static aeroelasticity, **118**, 73–85, 1995.
- J.-S. Shuen, Upwind differencing and LU factorization for chemical non-equilibrium Navier–Stokes equations, **99**, 233–250, 1992.
- J.-S. Shuen, K.-H. Chen, and Y. Choi, A coupled implicit method for chemical non-equilibrium flows at all speeds, **106**, 306–318, 1993.
- W. Shyy, M.-H. Chen, R. Mittal, and H. S. Udaykumar, On the suppression of numerical oscillations using a non-linear filter, **102**, 49–62, 1992.
- W. Shyy and T. C. Vu, On the adoption of velocity variable and grid system for fluid flow computation in curvilinear coordinates, **92**, 82–105, 1991.
- K. L. Sidikman, B. A. Carreras, and L. Garcia, Drift wave turbulence in a plasma with sheared flow, **114**, 100–112, 1994.
- D. Sidilkover and G. E. Karniadakis, Non-oscillatory spectral element Chebyshev method for shock wave calculations, **107**, 10–22, 1993.
- S. A. Silling, Stability and accuracy of differencing methods for viscoplastic models in wavecodes, **104**, 30–40, 1993.
- R. N. Silver, H. Roeder, A. F. Voter, and J. D. Kress, Kernel polynomial approximations for densities of states and spectral functions, **124**, 115–130, 1996.
- T. E. Simos, New variable-step procedure for the numerical integration of the one-dimensional Schrödinger equation, **108**, 175–179, 1993.
- R. S. Sinkovits, J. P. Boris, and E. S. Oran, A technique for regularizing the structure of a monotonic Lagrangian grid, **108**, 368–372, 1993.
- B. Sjögreen, High order centered difference methods for the compressible Navier–Stokes equations, **117**, 67–78, 1995.
- B. Sjögreen, Numerical experiments with the multiresolution scheme for the compressible Euler equations, **117**, 251–261, 1995.
- P. K. Smolarkiewicz and G. A. Grell, A class of monotone interpolation schemes, **101**, 431–440, 1992.
- A. Solomonoff, A fast algorithm for spectral differentiation, **98**, 174–177, 1992.
- Y. Song and D. Haidvogel, A semi-implicit ocean circulation model using a generalized topography-following coordinate system, **115**, 228–244, 1994.
- Y. Song and T. Tang, Dispersion and group velocity in numerical schemes for three-dimensional hydrodynamic equations, **105**, 72–82, 1993.
- E. Sonnerdrucker, J. J. Ambrosiano, and S. T. Brandon, A finite element formulation of the Darwin PIC model for use on unstructured grids, **121**, 281–297, 1995.
- E. Soret, Fast Fourier transforms of piecewise constant functions, **116**, 369–379, 1995.
- F. Sotiropoulos and S. Abdallah, The discrete continuity equation in primitive variable

CUMULATIVE AUTHOR-TITLE INDEX

- solutions of incompressible flow, **95**, 212–227, 1991.
- F. Sotiropoulos and S. Abdallah, A primitive variable method for the solution of three-dimensional incompressible viscous flows, **103**, 336–349, 1992.
- P. R. Spalart, R. D. Moser, and M. M. Rogers, Spectral methods for the Navier–Stokes equations with one infinite and two periodic directions, **96**, 297–324, 1991.
- S. P. Spekreijse, Elliptic grid generation based on Laplace equations and algebraic transformations, **118**, 38–61, 1995.
- S. Steinberg and P. Roache, Variational curve and surface grid generation, **100**, 163–178, 1992.
- J. Steppeler, Solution of the shallow water equations using hybrid grids, **100**, 419–423, 1992.
- J. D. Sterling and S. Chen, Stability analysis of lattice Boltzmann methods, **123**, 196–206, 1996.
- N. Sternberg and V. A. Godyak, Solving the mathematical model of the electrode sheath in symmetrically driven RF discharges, **111**, 347–353, 1994.
- D. E. Stevens and S. Bretherton, A forward-in-time advection scheme and adaptive multilevel flow solver for nearly incompressible atmospheric flow, **129**, 284–295, 1996.
- L. Stiller, L. L. Daemen, and J. E. Gubernatis, N-body simulations on massively parallel architectures, **115**, 550–552, 1994.
- C. A. Stone, M. Vicanek, and N. M. Ghoniem, On the numerical accuracy of the Fokker–Planck approximation to the hierarchy of master equations, **104**, 451–456, 1993.
- J. M. Stone and D. Mihalas, Upwind monotonic interpolation methods for the solution of the time dependent radiative transfer equation, **100**, 402–408, 1992.
- J. Strain, Fast potential theory. II. Layer potentials and discrete sums, **99**, 251–270, 1992.
- J. Strain, Spectral methods for nonlinear parabolic systems, **122**, 1–12, 1995.
- J. Strain, 2D vortex methods and singular quadrature rules, **124**, 131–145, 1996.
- B. Strand, Summation by parts for finite difference approximations for d/dx , **110**, 47–67, 1994.
- D. M. Stratton, J. Gans, and E. Williams, Coagulation algorithms with size binning, **112**, 364–369, 1994.
- B. Straughan and D. W. Walker, Two very accurate and efficient methods for computing eigenvalues and eigenfunctions in porous convection problems, **127**, 138–141, 1996.
- G. R. Stuhne and W. R. Peltier, Vortex erosion and amalgamation in a new model of large scale flow on the sphere, **128**, 58–81, 1996.
- A. B. Stundzia and C. J. Lumsden, Stochastic simulation of coupled reaction–diffusion processes, **127**, 196–207, 1996.
- Y. Y. Su and B. Khomami, Numerical solution of eigenvalue problems using spectral techniques, **100**, 297–305, 1992.
- N.-D. Suh, M. R. Feix, and P. Bertrand, Numerical simulation of the quantum Liouville–Poisson system, **94**, 403–418, 1991.
- D. Sulsky and J. U. Brackbill, A numerical method for suspension flow, **96**, 339–368, 1991.
- M. T. Sun, S. T. Wu, and M. Dryer, On the time-dependent numerical boundary conditions of magnetohydrodynamic flows, **116**, 330–342, 1995.
- P. Sun, A pseudo-non-time-splitting method in air quality modeling, **127**, 152–157, 1996.
- P. Sun, D. P. Chock, and S. L. Winkler, An implicit–explicit hybrid solver for a system of stiff kinetic equations, **115**, 515–523, 1994.
- W.-Y. Sun, Numerical experiments for advection equation, **108**, 264–271, 1993.
- Y. Y. Sun, B. T. Chu, and R. E. Apfel, Radiation-induced cavitation process in a metastable superheated liquid. I. Initial and pre-bubble formation stages, **103**, 116–125, 1992.
- Y. Y. Sun, B. T. Chu, and R. E. Apfel, Radiation-induced cavitation process in a metastable superheated liquid. II. Interface formation and post-interface formation stages, **103**, 126–140, 1992.
- S. Sundaram and L. R. Collins, Numerical considerations in simulating a turbulent suspension of finite-volume particles, **124**, 337–350, 1996.
- A. Suresh, An assessment of spectral non-oscillatory schemes, **114**, 339–349, 1994.
- M. Sussman, P. Smereka, and S. Osher, A level set approach for computing solutions to incompressible two-phase flow, **114**, 146–159, 1994.
- R. C. Swanson and E. Turkel, On central-differences and upwind schemes, **101**, 292–306, 1992.
- W. L. Sweatman, The development of a parallel N-body code for the Edinburgh concurrent supercomputer, **111**, 110–119, 1994.
- J. W. Swegle, D. L. Hicks, and S. W. Attaway, Smoothed particle hydrodynamics stability analysis, **116**, 123–134, 1995.
- F. D. Swesty, Thermodynamically consistent interpolation for equation of state tables, **127**, 118–127, 1996.
- S. Szego, P. Cinnella, and A. B. Cunningham, Numerical simulation of biofilm processes in closed conduits, **108**, 246263, 1993.
- W. G. Szymczak, J. C. W. Rogers, J. M. Solomon, and A. E. Berger, A numerical algorithm for hydrodynamic free boundary problems, **106**, 319336, 1993.
- T
- E. G. Tabak, A second-order Godunov method on arbitrary grids, **124**, 383–395, 1996.
- D. Tafti, Alternate formulations for the pressure equation Laplacian on a collocated grid for solving the unsteady incompressible Navier–Stokes equations, **116**, 143–153, 1995.
- Y. Tahara and F. Stern, A large-domain approach for calculating ship boundary layers and wakes and wave fields for non-zero froude number, **127**, 398–411, 1996.
- Y. Tahara, F. Stern, and B. Rosen, An interactive approach for calculating ship boundary layers and wakes for nonzero Froude number, **98**, 33–53, 1992.
- C. H. Tai, S. L. Yin, and C. Y. Soong, A novel hyperbolic grid generation procedure with inherent adaptive dissipation, **116**, 173–79, 1995.
- K. Takatsuka, Extraction of accurate frequencies from the fast Fourier transform spectra, **102**, 374–380, 1992.
- T. Takeda and S. Tokuda, Computation of MHD equilibrium of tokamak plasma, **93**, 1–107, 1991.
- H. Tal-Ezer, R. Kosloff, and C. Cerjan, Low-order polynomial approximation of propagators for the time-dependent Schrödinger equation, **100**, 179–187, 1992.
- C. K. W. Tam and J. C. Webb, Dispersion-relation-preserving finite difference schemes for computational acoustics, **107**, 262–281, 1993.
- C. K. W. Tam and J. C. Webb, Radiation boundary condition and anisotropy correction for finite difference solutions of the Helmholtz equation, **113**, 122–133, 1994.
- P. Tamamidis and D. N. Assanis, Generation of orthogonal grids with control of spacing, **94**, 437–453, 1991.
- P. Tamamidis, G. Zhang, and D. N. Assanis, Comparison of pressure-based and artificial compressibility methods for solving 3D steady incompressible viscous flows, **124**, 1–13, 1996.
- S. Tan, N. Sepulveda, and J. P. Wikswo, Jr., A new finite-element approach to reconstruct a bounded and discontinuous two-dimensional current image from a magnetic field map, **122**, 150–164, 1995.
- Z. Tan and P. L. Varghese, The $\Delta - \varepsilon$ method for the Boltzmann equation, **110**, 327–340, 1994.
- M. Tanaka, A simulation of low-frequency electromagnetic phenomena in kinetic

- plasmas of three dimensions, **107**, 124–145, 1993.
- T. Tanaka, Finite volume TVD scheme on an unstructured grid system for three-dimensional MHD simulation of inhomogeneous systems including strong background potential fields, **111**, 381–389, 1994.
- H. S. Tang and D. Huang, A second-order accurate capturing scheme for 1D inviscid flows of gas and water with vacuum zones, **128**, 319–330, 1996.
- Y. Tang and R. Grimshaw, Radiation boundary conditions in barotropic coastal ocean numerical models, **123**, 96–110, 1996.
- T. Tang, S. McKee, and M. W. Reeks, A spectral method for the numerical solutions of a kinetic equation describing the dispersion of small particles in a turbulent flow, **103**, 222–230, 1992.
- K. Tani, M. Azumi, and R. S. Devoto, Numerical analysis of 2D MHD equilibrium with non-inductive plasma current in tokamaks, **98**, 332–341, 1992.
- H. Taseli, The influence of the boundedness of polynomial potentials on the spectrum of the Schrödinger equation, **101**, 252–255, 1992.
- E. Y. Tau, Numerical solution of the steady Stokes equations, **99**, 190–195, 1992.
- E. Y. Tau, A second-order projection method for the incompressible Navier–Stokes equations in arbitrary domains, **115**, 147–152, 1994.
- M. Taylor, A high performance spectral code for nonlinear MHD stability, **110**, 407–418, 1994.
- A. C. Taylor III, W. Ng, and R. W. Walters, Upwind relaxation methods for the Navier–Stokes equations using inner iterations, **99**, 68–78, 1992.
- A. C. Taylor III, W. Ng, and R. W. Walters, An improved upwind finite volume relaxation method for high speed viscous flows, **99**, 159–168, 1992.
- R. Temam, Multilevel methods for the simulation of turbulence: A simple model, **127**, 309–315, 1996.
- E. Tessmer, D. Kessler, D. Kosloff, and A. Behle, Multi-domain Chebyshev–Fourier method for the solution of the equations of motion of dynamic elasticity, **100**, 355–363, 1992.
- G. te Velde and E. J. Baerends, Numerical integration for polyatomic systems, **99**, 84–98, 1992.
- J. J. Thiart, Numerical solution of free-boundary problems: Calculation of interface evolution during CVD growth, **125**, 262–276, 1996.
- T. G. Thomas, D. C. Leslie, and J. J. R. Williams, Free surface simulations using a conservative 3d code, **116**, 52–68, 1995.
- J. Thuburn, Multidimensional flux-limited advection schemes, **127**, 74–83, 1996.
- M. D. Tidriri, Domain decomposition for compressible Navier–Stokes equations with different discretizations and formulations, **119**, 271–282, 1995.
- M. A. Tolstykh, Application of fifth-order compact upwind differencing to moisture transport equation in atmosphere, **112**, 394–403, 1994.
- M. F. Tome and S. McKee, GENSMAC: A computational marker and cell method for free surface flows in general domains, **110**, 171–186, 1994.
- V. T. Ton, Improved shock-capturing methods for multicomponent and reacting flows, **128**, 237–253, 1996.
- G. Toth and D. Odstrcil, Comparison of some flux corrected transport and total variation diminishing numerical schemes for hydrodynamic and magnetohydrodynamic problems, **128**, 82–100, 1996.
- I. Toumi, A weak formulation of Roe's approximate Riemann solver, **102**, 360–373, 1992.
- I. Toumi and A. Kumbaro, An approximate linearized Riemann solver for a two-fluid model, **124**, 286–300, 1996.
- Y. Tourigny and J. M. Sanz-Serna, The numerical study of blowup with application to a nonlinear Schrödinger equation, **102**, 407–416, 1992.
- J. A. Trangenstein and R. B. Pember, Numerical algorithms for strong discontinuities in elastic–plastic solids, **103**, 63–89, 1992.
- J. A. Trapp and G. A. Mortensen, A discrete particle model for bubble-slug two-phase flows, **107**, 367–377, 1993.
- J.-Y. Trepanier, M. Paraschivoiu, M. Reggio, and R. Camarero, A conservative shock fitting method on unstructured grids, **126**, 421–433, 1996.
- A. A. Tseng, J. Zou, H. P. Wang, and S. R. H. Hoole, Numerical modeling of macro and micro behaviors of materials in processing: a review, **102**, 1–17, 1992.
- S. V. Tsynkov, An application of nonlocal external conditions to viscous flow computations, **116**, 212–225, 1995.
- B. Turkington, A. Lifschitz, A. Eydeland, and J. Spruck, Multiconstrained variational problems in magnetohydrodynamics: Equilibrium and slow evolution, **106**, 269–285, 1993.
- U**
- A. S. Umar, J. Wu, M. R. Strayer, and C. Bottcher, Basis-spline collocation method for the lattice solution of boundary value problems, **93**, 426–448, 1991.
- S. O. Unverdi and G. Tryggvason, A front-tracking method for viscous, incompressible, multi-fluid flows, **100**, 25–37, 1992.
- S. Ushijima, Arbitrary Lagrangian–Eulerian numerical prediction for local scour caused by turbulent flows, **125**, 71–82, 1996.
- V**
- F. Vadillo, Spurious behavior for a numerical scheme of nonlinear elliptic equations, **121**, 94–101, 1995.
- J. P. Valleau, Density-scaling: A new Monte Carlo technique in statistical mechanics, **96**, 193–216, 1991.
- P. vanBeek, R. R. P. vanNooyen, and P. Wesseling, Accurate discretization of gradients on non-uniform curvilinear staggered grids, **117**, 364–367, 1995.
- G. A. L. van de Vorst and R. M. M. Mattheij, A BEM-BDF scheme for curvature driven moving stokes flows, **120**, 1–14, 1995.
- G. A. L. van de Vorst, R. M. M. Mattheij, and H. K. Kuiken, A boundary element solution for two-dimensional viscous sintering, **100**, 50–63, 1992.
- R. VanDooren, M. DeGroote, and H. Janssen, Numerical evidence of Feigenbaum's number δ in non-linear oscillations, **105**, 173–177, 1993.
- M. H. P. M. van Putten, A numerical implementation of MHD in divergence form, **105**, 339–353, 1993.
- V. Varadarajan and G. H. Miley, Linear instability analysis for toroidal plasma flow equilibria, **123**, 415–434, 1996.
- O. V. Vasilyev and S. Paolucci, A dynamically adaptive multilevel wavelet collocation method for solving partial differential equations in a finite domain, **125**, 498–512, 1996.
- O. V. Vasilyev, S. Paolucci, and M. Sen, A multilevel wavelet collocation method for solving partial differential equations in a finite domain, **120**, 33–47, 1995.
- P. M. Velarde, A FCT method for staggered mesh, **108**, 27–37, 1993.
- M. v. Veldhuizen, R. Nieuwenhuizen, and W. Zijl, A note on log scale Hankel transforms, **110**, 196–199, 1994.
- V. Venkatakrishnan, Convergence to steady state solutions of the Euler equations on unstructured grids with limiters, **118**, 120–130, 1995.
- V. Venkatakrishnan and D. J. Mavriplis, Implicit solvers for unstructured meshes, **105**, 83–91, 1993.
- V. Venkatakrishnan and D. J. Mavriplis, Implicit method for the computation of unsteady flows on unstructured grids, **127**, 380–397, 1996.
- J. P. Verboncoeur, M. V. Alves, V. Vahedi, and C. K. Birdsall, Simultaneous potential and circuit solution for 1D bounded plasma particle simulation codes, **104**, 321–328, 1993.
- R. Verstappen, A simple numerical algorithm

- for elastohydrodynamic lubrication, based on a dynamic variation principle, **97**, 460–488, 1991.
- J. G. Verwer and M. v. Loon, An evaluation of explicit pseudo-steady-state approximation schemes for stiff ODE systems from chemical kinetics, **113**, 347–352, 1994.
- R. Verzicco and P. Orlandi, A finite-difference scheme for three-dimensional incompressible flows in cylindrical coordinates, **123**, 402–414, 1996.
- R. A. Vesey and D. Steiner, A two-dimensional finite element model of the edge plasma, **116**, 300–313, 1995.
- C. C. Vesier and A. P. Yoganathan, A computer method for simulation of cardiovascular flow fields: Validation of approach, **99**, 271–287, 1992.
- M. Vicaneck and N. M. Ghoniem, Two-group approach to the kinetics of particle cluster aggregation, **101**, 1–10, 1992.
- J. A. Viecelli and E. H. Canfield, Jr., Functional representation of power-law random fields and time series, **95**, 29–39, 1991.
- F. Viera, Boundary surface dynamics: An algorithm for stratified geostrophic flows, **111**, 336–346, 1994.
- P. Vijayan and Y. Kallinderis, A 3d finite-volume scheme for the Euler equations on adaptive tetrahedral grids, **113**, 249–267, 1994.
- E. L. Vold, F. Najmabadi, and R. W. Conn, Computational implementation of a coupled plasma-neutral fluid model, **103**, 300–319, 1992.
- E. V. Vorozhtsov, B. Y. Scobelev, and V. G. Ganzha, Symbolic-numerical method for the stability analysis of difference schemes on the basis of the catastrophe theory, **116**, 26–38, 1995.
- E. V. Vorozhtsov, B. Y. Scobelev, and V. G. Ganzha, Symbolic-numerical method for the stability analysis of difference schemes on the basis of the catastrophe theory, **123**, 231–232, 1996.
- M. N. Vrahatis, An efficient method for locating and computing periodic orbits of nonlinear mappings, **119**, 105–119, 1995.
- C. B. Vreugdendhil, Accuracy of product-formula algorithms, **97**, 337–351, 1991.
- H. X. Vu, An adiabatic fluid electron particle-in-cell code for simulating ion-driven parametric instabilities, **124**, 417–430, 1996.
- H. X. Vu and J. U. Brackbill, Accurate numerical solution of charged particle motion in a magnetic field, **116**, 384–387, 1995.
- K. Vuik, A. G. J. Sevink, and G. C. Herman, A preconditioned Krylov subspace method for the solution of least squares problem in inverse scattering, **123**, 330–340, 1996.
- W**
- R. C. Wajszowicz, A consistent formulation of the anisotropic stress tensor for use in models of the large-scale ocean circulation, **105**, 333–338, 1993.
- F. H. Walsteijn, Robust numerical methods for 2D turbulence, **114**, 129–145, 1994.
- J.-p. Wang, Y. Nakamura, and M. Yasuhara, Global coefficient adjustment method for Neumann condition in explicit Chebyshev collocation method and its application to compressible Navier-Stokes equations, **107**, 160–175, 1993.
- S.-L. Wang and R. F. Sekerka, Algorithms for phase field computation of the dendritic operating state at large supercoolings, **127**, 110–117, 1996.
- W. X. Wang, M. Okamoto, N. Nakajima, and S. Murakami, Vector implementation of nonlinear Monte Carlo Coulomb collisions, **128**, 209–222, 1996.
- Z. Wang and B. E. Richards, High resolution schemes for steady flow computation, **97**, 53–72, 1991.
- Z. J. Wang, A fully conservative interface algorithm for overlapped grids, **122**, 96–106, 1995.
- D. J. Ward, S. C. Jardin, and C. Z. Cheng, Calculations of axisymmetric stability of tokamak plasmas with active and passive feedback, **104**, 221–240, 1993.
- T. H. Watanabe, Y. Todo, R. Horiuchi, K. Watanabe, and T. Sato, Implementation of an electrostatic implicit particle simulation scheme, **127**, 473–481, 1996.
- A. J. Wathen, Optimal moving grids for time-dependent partial differential equations, **101**, 51–54, 1992.
- W. R. Watson, M. G. Jones, S. E. Tanner, and T. L. Parrott, A finite element propagation model for extracting normal incidence impedance in nonprogressive acoustic wave fields, **125**, 177–186, 1996.
- F. Webster and G.-C. Lo, Projective block Lanczos algorithm for dense, Hermitian eigensystems, **124**, 146–161, 1996.
- C. Weiland, A split-matrix Runge-Kutta type space marching procedure, **102**, 319–335, 1992.
- S. W. J. Welch, Local simulation of two-phase flows including interface tracking with mass transfer, **121**, 142–154, 1995.
- J. Werne, Incompressibility and no-slip boundaries in the Chebyshev-tau approximation: Correction to Kleiser and Schumann's influence-matrix solution, **120**, 260–265, 1995.
- T. Westermann, Localization schemes in 2D boundary-fitted grids, **101**, 307–313, 1992.
- T. Westermann, Particle-in-cell simulations with moving boundaries-adaptive mesh generation, **114**, 161–175, 1994.
- P. P. Whalen, Algebraic limitations on two-dimensional hydrodynamics simulations, **124**, 46–54, 1996.
- N. Whitaker, Some numerical methods for the Hele-Shaw equations, **111**, 81–88, 1994.
- M. Wilcoxson and V. Manousiouthakis, On an implicit ENO scheme, **115**, 376–389, 1994.
- H. T. Williams and R. R. Silbar, Automated angular momentum recoupling algebra, **99**, 299–309, 1992.
- J. R. Williams and K. Amaralunga, A multiscale wavelet solver with $O(n)$ complexity, **122**, 30–38, 1995.
- D. L. Williamson, J. B. Drake, J. J. Hack, R. Jakob, and P. N. Swarztrauber, A standard test set for numerical approximations to the shallow water equations in spherical geometry, **102**, 211–224, 1992.
- G. S. Winckelmans and A. Leonard, Contributions to vortex particle methods for the computation of three-dimensional incompressible unsteady flows, **109**, 247–273, 1993.
- S. B. Wineberg, J. F. McGrath, E. F. Gabl, L. R. Scott, and C. E. Southwell, Implicit spectral methods for wave propagation problems, **97**, 311–336, 1991.
- A. M. Winslow, Multifrequency-Gray method for radiation diffusion with Compton scattering, **117**, 262–273, 1995.
- A. M. Wissink, A. S. Lyrintzis, and A. T. Chronopoulos, Efficient iterative methods applied to the solution of transonic flows, **123**, 379–393, 1996.
- M. R. M. Witwit, Energy levels for nonsymmetric double-well potentials in several dimensions: Hill determinant approach, **123**, 369–378, 1996.
- M. R. M. Witwit, Application of the inner product technique to some nonpolynomial potentials for multidimensional quantum systems, **129**, 220–232, 1996.
- A. S. Worlikar and O. M. Knio, Numerical simulation of a thermoacoustic refrigerator. Part I. Unsteady adiabatic flow around the stack, **127**, 424–451, 1996.
- J. A. Wright and W. Shyy, A pressure-based composite grid method for the Navier-Stokes equations, **107**, 225–238, 1993.
- H.-m. Wu, G. F. Carey, and M. E. Oakes, Numerical simulation of AC plasma arc thermodynamics, **112**, 24–30, 1994.
- X. H. Wu, J. Z. Wu, and J. M. Wu, Effective vorticity-velocity formulations for three-dimensional incompressible viscous flows, **122**, 68–82, 1995.
- X**
- K. Xu, L. Martinelli, and A. Jameson, Gas-kinetic finite volume methods, flux-vec-

- tor splitting, and artificial diffusion, **120**, 48–65, 1995.
- K. Xu and K. H. Prendergast, Numerical Navier–Stokes solutions from gas kinetic theory, **114**, 9–17, 1994.
- Y.-l. Xu, Calculation of the addition coefficients in electromagnetic multisphere—Scattering theory, **127**, 285–298, 1996.
- Y. Xu and M. D. Smooke, Application of a primitive variable Newton's method for the calculation of an axisymmetric Laminar diffusion flame, **104**, 99–109, 1993.
- Y**
- E. Yakimiw, Accurate computation of weights in classical Gauss-Cristoffel quadrature rules, **129**, 406–430, 1996.
- H. Q. Yang and A. J. Przekwas, A comparative study of advanced shock-capturing schemes applied to Burgers' equation, **102**, 139–159, 1992.
- J. Y. Yang and J. C. Huang, Rarefied flow computations using nonlinear model Boltzmann equations, **120**, 323–339, 1995.
- Z.-h. Yang and R.-S. Ye, Symmetry-breaking and bifurcation study on the laminar flows through curved pipes with a circular cross section, **127**, 73–87, 1996.
- J. H. Yao and R. J. Gooding, A high-accuracy algorithm for solving nonlinear PDEs with high-order spatial derivatives in $1 + 1$ dimensions, **112**, 382–393, 1994.
- O. Yasar and G. A. Moses, Explicit adaptive-grid radiation-magnetohydrodynamics, **100**, 38–49, 1992.
- I. Yavneh and J. C. McWilliams, Robust multigrid solution of the shallow-water balance equations, **119**, 1–25, 1995.
- H. C. Yee, P. K. Sweby, and D. F. Griffiths, Dynamical approach study of spurious steady-state numerical solutions of nonlinear differential equations. I. The dynamics of time discretization and its implications for algorithm development in computational fluid dynamics, **97**, 249–310, 1991.
- G. Yepes and R. Dominguez-Tenreiro, A computational study of the dynamical evolution of self-gravitating systems, **104**, 75–85, 1993.
- Y. Y. Yeung and C. Rudowicz, Crystal field energy levels and state vectors for the 3dN ions at orthorhombic or higher symmetry sites, **109**, 150–152, 1993.
- Z.-M. Yin, New methods for simulation of the fractional Brownian motion, **127**, 66–72, 1996.
- J. Ying, F. Wu, and W. Sun, Simultaneous reconstruction of two parameters for transport equation in a stratified half-space, **125**, 434–439, 1996.
- K. F. C. Yiu and M. B. Giles, Simultaneous viscous–inviscid coupling via transpiration, **120**, 157–170, 1995.
- F. Yoshino, T. Hayashi, and R. Waka, A method of self-pursued boundary value on a body and the magnus effect calculated with this method, **93**, 224–249, 1991.
- D. P. Young, R. G. Melvin, M. B. Bieterman, F. T. Johnson, S. S. Samant, and J. E. Bussoletti, A locally refined rectangular grid finite element method: Application to computational fluid dynamics and computational physics, **92**, 1–66, 1991.
- M. Yousfi, A. Poinsignon, and A. Hamani, Finite element method for conservation equations in electrical gas discharge areas, **113**, 268–278, 1994.
- S.-T. Yu, Y.-L. P. Tsai, and J.-S. Shuen, Three-dimensional calculations of supersonic reacting flows using an LU scheme, **101**, 276–286, 1992.
- Z**
- A. L. Zachary and P. Colella, A higher-order Godunov method for the equations of ideal magnetohydrodynamics, **99**, 341–347, 1992.
- Y. Zang, R. L. Street, and J. R. Koseff, A non-staggered grid, fractional step method for time-dependent incompressible Navier–Stokes equations in curvilinear ear coordinates, **114**, 18–33, 1994.
- L. Zaninetti, About the time evolving Voronoi tessellation, **97**, 559–565, 1991.
- R. Zanino, Hydrodynamic modeling of particle and angular momentum transport in rotating tokamak plasmas with impurities, **98**, 301–316, 1992.
- P. A. Zegeling and J. G. Blom, An evaluation of the gradient-weighted moving-finite-element method in one space dimension, **103**, 422–441, 1992.
- M. Zerroukat and C. R. Chatwin, A finite-difference algorithm for multiple moving boundary problems using real and virtual grid networks, **112**, 298–307, 1994.
- G.-C. Zha and E. Bilgen, Numerical study of three-dimensional flows using unfactored upwind-relaxation sweeping algorithm, **125**, 425–433, 1996.
- L.-B. Zhang, A multigrid solver for the steady incompressible Navier–Stokes equations on curvilinear coordinate systems, **113**, 26–34, 1994.
- H.-K. Zhao, B. M. T. Chan, and S. Osher, A variational level set approach to multiphase motion, **127**, 179–195, 1996.
- S. Zhao and M. J. Yedlin, A new iterative Chebyshev spectral method for solving the elliptic equation $\nabla \cdot (\sigma \nabla u)$, **113**, 215–223, 1994.
- X. Zhong, T. Y. Hou, and P. G. LeFloch, Computational methods for propagating phase boundaries, **124**, 192–216, 1996.
- X. Zhong, Additive semi-implicit Runge–Kutta methods for computing high-speed nonequilibrium reactive flows, **128**, 19–32, 1996.
- H. Zhou and C. Pozrikidis, Adaptive singularity method for Stokes flow past particles, **117**, 79–89, 1995.
- J. Zhu, The second-order projection method for the backward-facing step flow, **117**, 318–331, 1995.
- J. Zhu, X. Chen, and T. Y. Hou, An efficient boundary integral method for the Mullins–Sekerka problem, **127**, 246–267, 1996.
- J. Zhu and J. Sethian, Projection methods coupled to level set interface techniques, **102**, 128–138, 1992.
- X. Zhuang, A. K. Didwania, and J. D. Goddard, Simulation of the quasi-static mechanics and scalar transport properties of ideal granular assemblages, **121**, 331–346, 1995.
- A. Z. Zinchenko, An efficient algorithm for calculating multiparticle thermal interactions in a concentrated dispersion of spheres, **111**, 120–135, 1994.
- A. Z. Zinchenko, Algorithm for random close packing of spheres with periodic boundary conditions, **114**, 298–307, 1994.
- D. W. Zingg and H. Lomax, Finite-difference schemes on regular triangular grids, **108**, 306–313, 1993.