This article was downloaded by:

On: 16 January 2011

Access details: Access Details: Free Access

Publisher Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-

41 Mortimer Street, London W1T 3JH, UK



Journal of Energetic Materials

Publication details, including instructions for authors and subscription information: http://www.informaworld.com/smpp/title~content=t713770432

Erratum

To cite this Article (1992) 'Erratum', Journal of Energetic Materials, 10: 4, 311 - 313

To link to this Article: DOI: 10.1080/07370659208018929 URL: http://dx.doi.org/10.1080/07370659208018929

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

ERRATUM


Volume 10, Nos. 2-3, pp. 127 - 149 of the Journal contained a regrettable publisher's error in the manuscript by lan J. Dagley, R. P. Parker and V. M. Silva of the Materials Research Laboratory, Defence Science and Technology Organisation, Australia.

All eight photomicrographs appearing in Figures 1 and 2 were placed in incorrect positions on the pages. As a result, readers will be unable to understand a very important part of this manuscript.


The corrected figures are reprinted on the next two pages.


The Journal of Energetic Materials sincerely regrets the error.





a. b.







c. d.

FIGURE 1


Scanning electron micrographs of RDX and various RDX-based compositions.


- (a) RDX Grade A Class 1 recrystallized x 300.
- (b) RDX/Impranil DLH (100:2) x 250. Crystals coated with polymer film containing fine agglomerates.
- (c) RDX/Vinnapas EV 2 (98:2) x 450. Crystals are well coated with polymer.
- (d) RDX/Impranil DLH/ZnSt (100:2:1) x 250. The zinc stearate, applied in a second step, is well distributed on the polymer-coated crystal.





a. b.





c. d.

FIGURE 2

Scanning electron micrographs of various RDX-based compositions.

- (a) RDX/Rhoplex HA-24 (95:5) x 200. Precipitated polymer deposited in clumps with some evidence of coalescence.
- (b) RDX/Mowilith DM 120 (95:5) x 200. Precipitated polymer particles have coalesced to give a fair coating.
- (c) RDX/Acronal 230 D (95:5) x 200. The deposited polymer particles form a porous, open mat coating.
- (d) RDX/Acronal 230 D/Reofos 65 (95:5:0.5) x 200. The precipitated polymer has formed a more uniform film, giving a good coating.