

INDEX

- Alfredsson, P. H. & Johansson, A. V.** On the detection of turbulence-generating events, 325–345
- Ayyaswamy, P. S.** *See* Chung, Ayyaswamy & Sadhal
- Benmoussa, C.** *See* Mei & Benmoussa
- Bradshaw, P.** *See* Wood & Bradshaw
- Chung, J. N., Ayyaswamy, P. S. & Sadhal, S. S.** Laminar condensation on a moving drop. Part 1. Singular perturbation technique, 105–130
- Chung, J. N., Ayyaswamy, P. S. & Sadhal, S. S.** Laminar condensation on a moving drop. Part 2. Numerical solutions, 131–144
- Corcos, G. M. & Lin, S. J.** The mixing layer: deterministic models of a turbulent flow. Part 2. The origin of the three-dimensional motion, 67–95
- Corcos, G. M. & Sherman, F. S.** The mixing layer: deterministic models of a turbulent flow. Part 1. Introduction and the two-dimensional flow, 29–65
- Dijksman, J. F.** Hydrodynamics of small tubular pumps, 173–191
- Doligalski, T. L. & Walker, J. D. A.** The boundary layer induced by a convected two-dimensional vortex, 1–28
- Feuillebois, F.** Sedimentation in a dispersion with vertical inhomogeneities, 145–171
- Homsy, G. M. & Meiburg, E.** The effect of surface contamination on thermocapillary flow in a two-dimensional slot, 443–459
- Homsy, G. M.** *See* Park & Homsy
- Ilegbusi, J. O. & Spalding, D. B.** A steady–unsteady visualization technique for wake-flow studies, 435–441
- Jeffrey, D. J. & Onishi, Y.** Calculation of the resistance and mobility functions for two unequal rigid spheres in low-Reynolds-number flow, 261–290
- Jenkins, D. R. & Proctor, M. R. E.** The transition from roll to square-cell solutions in Rayleigh–Bénard convection, 461–471
- Johansson, A. V.** *See* Alfredsson & Johansson
- Koster, J. N. & Müller, U.** Oscillatory convection in vertical slots, 363–390
- Lewellen, W. S.** *See* Sykes, Lewellen & Parker
- Lin, S. J.** *See* Corcos & Lin
- Lundberg, P. & Rahm, L.** A nonlinear convective system with oscillatory behaviour for certain parameter regimes, 237–260
- Mei, C. C. & Benmoussa, C.** Long waves induced by short-wave groups over an uneven bottom, 219–235
- Meiburg, E.** *See* Homsy & Meiburg
- Morikawa, Y.** *See* Tsuji, Morikawa & Shiomi
- Müller, U.** *See* Koster & Müller
- Onishi, Y.** *See* Jeffrey & Onishi
- Park, C.-W. & Homsy, G. M.** Two-phase displacement in Hele Shaw cells: theory, 291–308
- Parker, S. F.** *See* Sykes, Lewellen & Parker

- Petrykowski, J. C. & Walker, J. S.** Liquid-metal flow in a rectangular duct with a strong non-uniform magnetic field, 309–324
- Proctor, M. R. E.** *See* Jenkins & Proctor
- Rahm, L.** *See* Lundberg & Rahm
- Sadhal, S. S.** *See* Chung, Ayyaswamy & Sadhal
- Sherman, F. S.** *See* Corcos & Sherman
- Shiomi, H.** *See* Tsuji, Morikawa & Shiomi
- Spalding, D. B.** *See* Ilegbusi & Spalding
- Sykes, R. I., Lewellen, W. S. & Parker, S. F.** A turbulent-transport model for concentration fluctuations and fluxes, 193–218
- Taylor, A. M. K. P. & Whitelaw, J. H.** Velocity characteristics in the turbulent near wakes of confined axisymmetric bluff bodies, 391–416
- Tsuji, Y., Morikawa, Y. & Shiomi, H.** LDV measurements of an air–solid two-phase flow in a vertical pipe, 417–434
- Vanden-Broeck, J.-M.** Nonlinear gravity–capillary standing waves in water of arbitrary uniform depth, 97–104
- Walker, J. D. A.** *See* Doligalski & Walker
- Walker, J. S.** *See* Petrykowski & Walker
- Whitelaw, J. H.** *See* Taylor & Whitelaw
- Wood, D. H. & Bradshaw, P.** A turbulent mixing layer constrained by a solid surface. Part 2. Measurements in the wall-bounded flow, 347–361