

INDEX

- Antonia, R. A., Bisset, D. K. & Browne, L. W. B.** Effect of Reynolds number on the topology of the organized motion in a turbulent boundary layer, 267–286
- Arpaci, V. S.** *See* Stamps, Arpaci & Clark
- Ascoli, E. P., Dandy, D. S. & Leal, L. G.** Buoyancy-driven motion of a deformable drop toward a planar wall at low Reynolds number, 287–311
- Ashpis, D. E. & Reshotko, E.** The vibrating ribbon problem revisited, 531–547
- Barsikow, B.** *See* Monkewitz, Bechert, Barsikow & Lehmann
- Bechert, D. W.** *See* Monkewitz, Bechert, Barsikow & Lehmann
- Bisset, D. K.** *See* Antonia, Bisset & Browne
- Blackwelder, R. F.** *See* Chang & Blackwelder
- Browne, L. W. B.** *See* Antonia, Bisset & Browne
- Cardoso, O.** *See* Tabeling, Cardoso & Perrin
- Carnevale, G. F. & Vallis, G. K.** Pseudo-advectional relaxation to stable states of inviscid two-dimensional fluids, 549–571
- Chan, T. M.** *See* Chen, Ku, Chan & Yang
- Chang, S.-I. & Blackwelder, R. F.** Modification of large eddies in turbulent boundary layers, 419–442
- Chen, K. S., Ku, A. C., Chan, T. M. & Yang, S. Z.** Flow in the half-filled annulus between horizontal concentric cylinders in relative rotation, 149–169
- Chiang, H. D.** *See* Goldstein, Chiang & See
- Cimbala, J. M. & Park, W. J.** An experimental investigation of the turbulent structure in a two-dimensional momentumless wake, 479–509
- Clark, J. A.** *See* Stamps, Arpaci & Clark
- Colella, P. & Henderson, L. F.** The von Neumann paradox for the diffraction of weak shock waves, 71–94
- Coleman, G. N., Ferziger, J. H. & Spalart, P. R.** A numerical study of the turbulent Ekman layer, 313–348
- Dandy, D. S.** *See* Ascoli, Dandy & Leal
- Dias, F. & Vanden-Broeck, J.-M.** Flows emerging from a nozzle and falling under gravity, 465–477
- Duck, P. W. & Hall, P.** Non-axisymmetric viscous lower-branch modes in axisymmetric supersonic flows, 191–201
- Ermshaus, R.** *See* Obasaju, Ermshaus & Naudascher
- Ferziger, J. H.** *See* Coleman, Ferziger & Spalart
- Gaver III, D. P. & Grotberg, J. B.** The dynamics of a localized surfactant on a thin film, 127–148
- Gharib, M.** *See* Williams-Stuber & Gharib
- Goldstein, R. J., Chiang, H. D. & See, D. L.** High-Rayleigh-number convection in a horizontal enclosure, 111–126
- Grotberg, J. B.** *See* Gaver & Grotberg
- Hall, P.** *See* Duck & Hall

- Heggs, P. J.** *See* Ingham, Keen, Heggs & Morton
- Henderson, D. M. & Miles, J. W.** Single-mode Faraday waves in small containers, 95–109
- Henderson, L. F.** *See* Colella & Henderson
- Hopper, R. W.** Plane Stokes flow driven by capillarity on a free surface, 349–375
- Ingham, D. B., Keen, D. J., Heggs, P. J. & Morton, B. R.** Recirculating pipe flows, 443–464
- Ishibashi, M.** *See* Masuda, Marubayashi & Ishibashi
- Keen, D. J.** *See* Ingham, Keen, Heggs & Morton
- Ku, A. C.** *See* Chen, Ku, Chan & Yang
- Langbein, D.** The shape and stability of liquid menisci at solid edges, 251–265
- Leal, L. G.** *See* Ascoli, Dandy & Leal
- Lehmann, B.** *See* Monkewitz, Bechert, Barsikow & Lehmann
- Lighthill, J.** Biofluidynamics of ballistiform and gymnotiform locomotion. Part 2. The pressure distribution arising in two-dimensional irrotational flow from a general symmetrical motion of a flexible flat plate normal to itself, 1–10
- Lighthill, J.** Biofluidynamics of ballistiform and gymnotiform locomotion. Part 3. Momentum enhancement in the presence of a body of elliptic cross-section, 11–20
- Lighthill, J.** Biofluidynamics of ballistiform and gymnotiform locomotion. Part 4. Short-wave-length limitations on momentum enhancement, 21–28
- Marubayashi, K.** *See* Masuda, Marubayashi & Ishibashi
- Masuda, A., Marubayashi, K. & Ishibashi, M.** A laboratory experiment and numerical simulation of an isolated barotropic eddy in a basin with topographic β , 641–655
- Miles, J. W.** *See* Henderson & Miles
- Monkewitz, P. A., Bechert, D. W., Barsikow, B. & Lehmann, B.** Self-excited oscillations and mixing in a heated round jet, 611–639
- Moon, T. J. & Walker, J. S.** Liquid metal flow through a sharp elbow in the plane of a strong magnetic field, 397–418
- Morton, B. R.** *See* Ingham, Keen, Heggs & Morton
- Naudascher, E.** *See* Obasaju, Ermshaus & Naudascher
- Newman, J. N.** Second-harmonic wave diffraction at large depths, 59–70
- Obasaju, E. D., Ermshaus, R. & Naudascher, E.** Vortex-induced streamwise oscillations of a square-section cylinder in a uniform stream, 171–189
- Ottino, J. M.** *See* Swanson & Ottino
- Park, W. J.** *See* Cimbala & Park
- Perrin, B.** *See* Tabeling, Cardoso & Perrin
- Raichlen, F.** *See* Zelt & Raichlen
- Reshotko, E.** *See* Ashpis & Reshotko
- Schladow, S. G.** Oscillatory motion in a side-heated cavity, 589–610
- See, D. L.** *See* Goldstein, Chiang & See
- Shepherd, T. G.** A general method for finding extremal states of Hamiltonian dynamical systems, with applications to perfect fluids, 573–587
- Spalart, P. R.** *See* Coleman, Ferziger & Spalart

- Stamps, D. W., Arpaci, V. S. & Clark, J. A.** Unsteady three-dimensional natural convection in a fluid-saturated porous medium, 377–396
- Swanson, P. D. & Ottino, J. M.** A comparative computational and experimental study of chaotic mixing of viscous fluids, 227–249
- Tabeling, P., Cardoso, O. & Perrin, B.** Chaos in a linear array of vortices, 511–530
- Vallis, G. K.** *See* Carnevale & Vallis
- Vanden-Broeck, J.-M.** *See* Dias & Vanden-Broeck
- Walker, J. S.** *See* Moon & Walker
- Williams-Stuber, K. & Gharib, M.** Transition from order to chaos in the wake of an aircraft, 29–57
- Yang, S. Z.** *See* Chen, Ku, Chan & Yang
- Zelt, J. A. & Raichlen, F.** A Lagrangian model for wave-induced harbour oscillations, 203–225