

## INDEX

- Binder, G.** *See* Tardu, Binder & Blackwelder
- Blackwelder, R. F.** *See* Tardu, Binder & Blackwelder
- Boyer, D. L.** *See* Perera, Fernando & Boyer
- Bühler, L.** *See* Molokov & Bühler
- Bulthuis, H. F.** Appendix C to Zhang & Prosperetti, 185–219
- Carton, X. J.** *See* Morel & Carton
- Carton, X. J. & Legras, B.** The life-cycle of tripoles in two-dimensional incompressible flows, 53–82
- Doinikov, A. A.** Acoustic radiation pressure on a compressible sphere in a viscous fluid, 1–21
- Eltayeb, I. A. & Loper, D. E.** On the stability of vertical double-diffusive interfaces. Part 2. Two parallel interfaces, 251–273
- Fernando, H. J. S.** *See* Perera, Fernando & Boyer
- Haas, H.** *See* Kempers & Haas
- Hara, T. & Mei, C. C.** Wind effects on the nonlinear evolution of slowly varying gravity–capillary waves, 221–250
- Kempers, L. J. T. M. & Haas, H.** The dispersion zone between fluids with different density and viscosity in a heterogeneous porous medium, 299–324
- Kovacs, A. & Parker, G.** A new vectorial bedload formulation and its application to the time evolution of straight river channels, 153–183
- Legras, B.** *See* Carton & Legras
- Loper, D. E.** *See* Eltayeb & Loper
- Lyn, D. A. & Rodi, W.** The flapping shear layer formed by flow separation from the forward corner of a square cylinder, 353–376
- Mei, C. C.** *See* Hara & Mei
- Molokov, S. & Bühler, L.** Liquid metal flow in a U-bend in a strong uniform magnetic field, 325–352
- Morel, Y. G. & Carton, X. J.** Multipolar vortices in two-dimensional incompressible flows, 23–51
- Parker, G.** *See* Kovacs & Parker
- Pedersen, G.** Nonlinear modulations of solitary waves, 83–108
- Perera, M. J. A. M., Fernando, H. J. S. & Boyer, D. L.** Turbulent mixing at an inversion layer, 275–298
- Prosperetti, A.** *See* Zhang & Prosperetti
- Rodi, W.** *See* Lyn & Rodi
- Tardu, S. F., Binder, G. & Blackwelder, R. F.** Turbulent channel flow with large-amplitude velocity oscillations, 109–151
- Zhang, D. Z. & Prosperetti, A.** Averaged equations for inviscid disperse two-phase flow, 185–219