This article was downloaded by:


On: 25 January 2011

Access details: Access Details: Free Access

Publisher Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-

41 Mortimer Street, London W1T 3JH, UK



# Journal of Liquid Chromatography & Related Technologies

Publication details, including instructions for authors and subscription information: http://www.informaworld.com/smpp/title~content=t713597273

# Errata

To cite this Article (1989) 'Errata', Journal of Liquid Chromatography & Related Technologies, 12: 8, 1529 To link to this Article: DOI: 10.1080/01483918908049522

**URL:** http://dx.doi.org/10.1080/01483918908049522

# PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

## **ERRATA**

"Recognition of Artifacts Occurring in TLC," N. Grinberg, G. Bicker, P. Tway, J. A. Baiano, J. Liquid Chrom., 11(15): 3183 - 3204 (1988).

## Bottom of page 3197 & beginning of page 3199:

The inclusion of a guest molecule will take place in the following manner: the guest will associate with the interior of the basket, while the hydrophilic portion will interact with the secondary hydroxyl groups located on the rim of the cyclodextrin basket.

#### should read:

The inclusion of a guest molecule will take place in the following manner: the guest will associate with the interior of the basket through its hydrophobic portion while thew hydrophilic groups will interact with the secondary hydroxyl groups located on the rim of the, cyclodextrin basket.

### Page 3203. Reference 1:

### should read:

Grinberg, N., Baiano, J. A., Bicker, G., Tway, P. Ellison, D., Planar Chromatography in the Life Sciences (J. Touchstone, ed.), John Wiley & Sons, New York, in press.