
This article was downloaded by: On: *25 January 2011* Access details: *Access Details: Free Access* Publisher *Taylor & Francis* Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



To cite this Article (1993) 'Erratum', Journal of Liquid Chromatography & Related Technologies, 16: 15, 3349 **To link to this Article: DOI:** 10.1080/10826079308019653 **URL:** http://dx.doi.org/10.1080/10826079308019653

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

ERRATUM

High Resolution Capillary Electrophoresis of Forensic DNA Using A Non-Gel Sieving Buffer, B. R. McCord, J. M. Jung, E. A. Holleran, J. Liquid Chrom., <u>16</u>(#9/10), 1963-1981 (1993.

The first four published figures are in improper concordance with their respective captions. The correct sequence of figure captions should be Figure 3, Figure 4, Figure 1 and Figure 2. The figures themselves should remain in the sequence in which they were published; the *figure captions*, only, should be moved to the sequence given above.

The Editor and publisher apologize for any inconvenience this error may have caused.