
This article was downloaded by: On: 23 January 2011 Access details: Access Details: Free Access Publisher Taylor & Francis Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



To cite this Article Fernández, P., Aldonza, M., Bermejo, A. M. and Tabernero, M. J.(2008) 'Bile Analysis for Cocaine and Benzoylecgonine in Overdose Cases', Journal of Liquid Chromatography & Related Technologies, 31: 16, 2467 – 2474 To link to this Article: DOI: 10.1080/10826070802319727 URL: http://dx.doi.org/10.1080/10826070802319727

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

Journal of Liquid Chromatography & Related Technologies[®], 31: 2467–2474, 2008 Copyright © Taylor & Francis Group, LLC ISSN: 1082-6076 print/1520-572X online DOI: 10.1080/10826070802319727

Bile Analysis for Cocaine and Benzoylecgonine in Overdose Cases

P. Fernández, M. Aldonza, A. M. Bermejo, and M. J. Tabernero

Institute of Legal Medicine, Forensic Toxicology Service, Faculty of Medicine, Santiago de Compostela, Spain

Abstract: A method for determining cocaine and benzoylecgonine (BEG) in human bile using high performance liquid chromatography (HPLC) with ultraviolet detection at 235 nm is proposed. The method uses a Lichrospher RP18 column and methanol-phosphate buffer as mobile phase. Following solid phase extraction with Bond Elut Certify cartridges, the linearity of the method was examined over the analyte concentration range $0.125-5\mu g/mL$ in bile. The precision of the method was acceptable, with coefficients of variation less than 5%. The average extraction yield was 82% for cocaine and 76% for BEG. The proposed method was applied to 30 bile samples from individuals fatally poisoned with cocaine.

Keywords: Benzoylecgonine, Bile, Cocaine, HPLC, Solid-phase extraction

INTRODUCTION

Although the number of deaths caused by cocaine alone is small, abuse of this drug is the origin of many cases of acute and chronic poisoning, which have grown substantially in number in recent years, especially among the young.

Cocaine overdose is diagnosed largely from laboratory tests. In fact, a number of procedures exist for identifying and quantifying cocaine and

Correspondence: Prof. P. Fernández, Institute of Legal Medicine, Forensic Toxicology Service, Faculty of Medicine, C/San Francisco, s/n, 15782-Santiago de Compostela, Spain. E-mail: imlpuri@usc.es its metabolites in biological samples;^[1-4] few such procedures, however, are carried out in bile.

Bile is the principal vehicle for the release of many substances including cocaine. Its aqueous nature facilitates the release of water soluble substances and the bile acids it contains increase the solubility of lipophilic substances.^[5] This makes bile useful for detecting a wide variety of substances, or even as a screening fluid in the absence of urine and/or blood samples.^[6] Experiments with bile have shown that the concentrations of cocaine and its metabolites in it are significantly higher than those in blood. Some authors even claim that negative tests for the drug in blood should be confirmed with a bile test.^[7–9]

In this work, we developed a method for determining cocaine and its metabolite benzoylecgonine (BEG) in bile, using solid phase extraction with Bond Elut Certify cartridges in combination with high performance liquid chromatography (HPLC) for quantitation.

EXPERIMENTAL

Reagents

Standards containing 1 mg/mL cocaine, BEG or methaqualone in the mobile phase were used to prepare working strength solutions containing 1, 10, and $100 \mu \text{g/mL}$ cocaine and BEG, and $1 \mu \text{g/mL}$ methaqualone. All solutions were stored refrigerated at 4°C prior to use.

Collection and Treatment of Samples

Real bile samples were obtained by direct puncture of the biliary vesicle during the course of autopsies performed at the Institute of Legal Medicine of Santiago de Compostela (NW Spain) and stored frozen at -20° C until analysis.

In each run, a volume of 1mL of bile was supplied with 1mL of Milli-Q water, sonicated for 10min, and centrifuged at 2500rpm for 10min. The supernatant thus obtained was used to prepare the calibration solutions.

Chromatographic Conditions

The chromatographic system consisted of a Model 717 Plus autosampler, a Model 616 pump, a Lichrospher RP18 stainless steel column (125×4 mm id, 5µm particle size), a Model 490 UV detector operated at

Bile Analysis for Cocaine and Benzoylecgonine

235 nm, and a 70:30 v/v mixture of methanol and 0.02 M phosphate buffer at pH 7 as mobile phase. The flow gradient used was as follows (time, flow rate): 0 min, 0.4 mL/min; 3 min, 0.4 mL/min; 6 min, 0.7 mL/min; 8 min, 1.0 mL/min; 10 min, 0.7 mL/min; 11 min, 0.6 mL/min; and 12 min, 0.4 mL/min.

Procedure

The detector response was studied by injecting $25\,\mu$ L volumes of solutions containing cocaine and BEG at concentrations of 0.5, 1, 2, 5, 10, and $20\,\mu$ g/mL in the mobile phase plus a $1\,\mu$ g/mL concentration of methaqualone (compound of reference).

The standard solutions of cocaine and BEG at concentrations of 0.125, 0.25, 0.5, 1.25, 2.5, and $5\mu g/mL$ in bile were prepared and extracted using Bond Elut Certify cartridges that were preconditioned with 2mL of methanol and 2mL of phosphate buffer at pH 6. A volume of 0.2mL of bile plus 1.8mL of Milli-O water was added and then, 3mL of water, 3mL of 0.1 N HCl, 9mL of methanol, and 3mL of 0.3 M ammonia was passed. After applying vacuum for 5 min, the cartridge was eluted with 2mL of 4:1 v/v chloroform-isopropanol and evaporated to dryness with a nitrogen stream, the extract being reconstituted in $50 \mu L$ of a $1\mu g/mL$ methaqualone solution in the mobile phase. Because the initial bile volume was $200\,\mu$ L and the dry extract reconstituted in $50\,\mu$ L, the postextraction solutions were 4 times more concentrated than the initial solutions. Therefore, the final concentrations were 0.5, 1, 2, 5, 10, and $20\,\mu g/mL$. An aliquot of $25\,\mu L$ was injected into the chromatograph in each of the six runs performed at each concentration level and analyte to metaqualone area ratios were plotted against postextraction concentrations.

Validation of the Method

We examined the linearity of the proposed method for cocaine and BEG in the mobile phase and bile, using the least squares method to construct regression lines of the type y = ax + b. Linearity was assumed when the slope of the calibration curve, *a*, was statistically non-zero, the independent term, *b*, was not statistically different from zero and the correlation coefficient was not significantly different from unity.^[10]

The limit of detection (LOD) is the lowest analyte concentration in a sample that can be distinguished with a probability of 95%from the blank signal under the experimental conditions used. The limit of quantitation (LOQ) is the lowest analyte concentration, which can be determined with acceptable accuracy and precision under the experimental conditions established; such a concentration has been identified with the lowest level in the calibration curve.

The between-day precision of the proposed method was evaluated by conducting reproducibility tests at two concentration levels (1 and $10\mu g/mL$, n = 6) and expressed as relative standard deviations or coefficients of variation. The accuracy of the analytical method, a measure of its ability to provide results as close as possible to the true value, was also calculated at two concentration levels (1 and $10\mu g/mL$, n = 6).

RESULTS AND DISCUSSION

High performance liquid chromatography in combination with UV detection is especially useful and usually simpler than gas chromatography to determine cocaine and its metabolites.^[11] Injected volumes are larger but the samples require less pretreatment, which allows compounds of low volatility to be more expeditiously detected. The principal shortcoming of HPLC-UV is the absence of a useful absorption band for determining other metabolites such as ecgonine methyl ester.

The chromatographic conditions were optimized for the identification and quantitation of cocaine and BEG in bile. The compound of




Figure 1. Chromatogram for a bile sample containing $5\mu g/mL$ cocaine (COCA) and benzoylecgonine (BEG). Compound of reference: methaqualone.

Bile Analysis for Cocaine and Benzoylecgonine

	а	b	r
Cocaine in mobile phase	0.1726	-0.0179	0.9998
BEG in mobile phase	0.3469	-0.0187	0.9998
Cocaine in bile	0.1464	-0.0247	0.9901
BEG in bile	0.2446	0.0156	0.9977

Table 1. Figures of merit of the regression analysis

reference used, methaqualone, is not present in biological fluids and is chromatographically similar to the target analytes but differs from both in the retention time. The sequence of appearance in the chromatogram was BEG (3.81 min), methaqualone (5.61 min), and cocaine (8.38 min); the overall analysis time was 12 min (Figure 1).

The calibration curves for cocaine and BEG in mobile phase were linear over the range $0.5-20\,\mu g/mL$ (Table 1). The analyses in bile were done by using a solid phase extraction to remove potential interferences; the calibration curves for cocaine and BEG were linear over the range $0.125-5\,\mu g/mL$, which corresponds to postextraction concentrations from 0.5 to $20\,\mu g/mL$ (Table 1).

The precision was acceptable because the coefficients of variation never exceeded 5%.^[10] This was also the case with the accuracy, which was less than 3% (Table 2). The limits of detection and quantitation for cocaine and BEG (Table 2) were slightly higher than those previously obtained by Soriano et al.,^[12] but still acceptable based on the concentrations obtained in the real samples from our series and others.^[13,14]

Drug recovery was examined at two different concentration levels (1 and $10 \mu g/mL$) and amounted to $81.97 \pm 4.20\%$ for cocaine and $75.75 \pm 3.55\%$ for BEG; both values are comparable to those reported by other authors.^[12]

The proposed method was applied to 30 bile samples from individuals fatally poisoned with cocaine, where males prevailed (83%) and the average age was 30 years. Figure 2 shows the chromatogram for a selected real sample of bile. Most of the individuals were addict to parenteral drugs and used one or more drugs in addition

	CV	Accuracy	LOD	LOQ
	(%)	(%)	(µg/mL)	(µg/mL)
Cocaine	4.54	+2.75	0.037	0.125
BEG	4.89	+0.70	0.033	0.125

Table 2. Validation of the proposed method




Figure 2. Chromatogram for a real bile sample.

to cocaine. Thus, 67% were found to have consumed morphine, 60% benzodiazepines, 20% alcohol and methadone, and 17% cannabis. The high variability in the concentrations found may have resulted from the presence of other drugs, which can alter the metabolism of cocaine.

Table 3 shows the results for our series. The BEG concentration exceeded the cocaine concentration in 83% of cases, and the BEG/COCA ratio as calculated from the average levels of the two substances was 3.4, which is consistent with the fast metabolism of cocaine in the liver. The cocaine concentrations for our series are similar to other previously reported values,^[9,15,16] but different from those obtained by other authors.^[8,17,18]

Blood samples from 15 individuals fatally poisoned with cocaine in our series were analyzed by radioimmunoassay in parallel to the bile samples. The drug levels in bile invariably exceeded those in blood; the ratio between the two ranged from 2.2 to 470.6 (average 64.8). These results are consistent with those obtained by other authors, who assigned bile a greater diagnostic value than blood in order to identify cocaine fatal poisoning.^[9]

	Positive cases	$\begin{array}{l} Mean \pm SD \\ (\mu g/mL) \end{array}$	Maximum (µg/mL)	Minimum (µg/mL)
Cocaine	27	0.50 ± 0.38	1.81	0.13
BEG	30	1.71 ± 1.44	5.43	0.15

Table 3. Drug concentrations found in 30 real bile samples

Bile Analysis for Cocaine and Benzoylecgonine

Extrapolating the drug concentrations in postmortem samples to those present at the time of death, and correlating them with the final effects of the drug at such a time is rather complicated for both toxicologists and pathologists.^[19] This is a result of the frequent unavailability of data such as the dose and time elapsed between intake and death, and also between death and sample collection. Also, the response of individuals varies widely depending on the degree of tolerance developed during chronic use of the drug.

CONCLUSION

Based on the results for 30 poisoned individuals, the proposed chromatographic method is sensitive and specific enough for the joint determination of cocaine and its main metabolite, benzoylecgonine, in bile. Therefore, bile constitutes an effective supplementary sample for collection during autopsies with a view to accurately diagnosing overdose in cases of fatal poisoning where drugs might go undetected if sought in blood alone.

ACKNOWLEDGMENT

The authors wish to acknowledge funding of this work by Spain's CICYT (Project BFI2002-03385).

REFERENCES

- Logan, B.K.; Stafford, D.T. High-performance liquid chromatography with column switching for the determination of cocaine and benzoylecgonine concentrations in vitreous humor. J. Forensic Sci. 1990, 35, 1303–1309.
- Fernández, P.; León, M.; Bouzas, A.M.; Bermejo, A.M.; Tabernero, M.J. Use of high performance liquid chromatography for the determination of cocaine and benzoylecgonine in human hair. J. Liq. Chromatogr. & Rel. Technol. 2003, 20, 2003–2012.
- Cámpora, P.; Bermejo, A.M.; Tabernero, M.J.; Fernández, P. Quantitation of cocaine and its major metabolites in human saliva using gas chromatography-positive chemical ionization-mass spectrometry (GC-PCI-MS). J. Anal. Toxicol. 2003, 27, 270–274.
- Fernández, P.; Buján, L.; Bermejo, A.M.; Tabernero, M.J. Gas chromatographic determination of cocaine and its metabolites in blood and urine from cocaine users in Northwestern Spain. J. Appl. Toxicol. 2004, 24, 283–287.

- Roberts, M.S.; Magnusson, B.M.; Burczynski, F.J.; Weiss, M. Enterohepatic circulation: physiological, pharmacokinetic and clinical implications. Clin. Pharmacokinet. 2002, 41, 751–790.
- Drummer, O.H. Postmortem toxicology of drugs of abuse. Forensic Sci. Int. 2004, 142, 101–113.
- Nowak, R.; Balabanova, S.; Brunner, H.; Homoki, J.; Bürger, B.; Reinhardt, G. Deposition of cocaine in tissue after lethal and repeated sublethal administration to sheep. Z. Rechtsmed. **1988**, *99*, 235–240.
- Vanbinst, R.; Koening, J.; Fazio, V.; Hassoun, A. Bile analysis of drugs in postmortem cases. Forensic Sci. Int. 2002, 128, 35–40.
- Agarwal, A.; Lemos N. Significance of bile analysis in drug-induced deaths. J. Anal. Toxicol. 1996, 20, 61–62.
- Bressolle, F.; Bromet-Petit, M.; Audran, M. Validation of liquid chromatographic methods. Applications to pharmacokinetics. J. Chromatogr. 1996, 686, 3–10.
- Sukbuntherng, J.; Walters, A.; Chow, H.H.; Mayersohn, M. Quantitative determination of cocaine, cocaethylene (ethylcocaine), and metabolites in plasma and urine by high-performance liquid chromatography. J. Pharm. Sci. 1995, 84, 799–804.
- Soriano, T.; Jurado, C.; Menéndez, M.; Repetto, M. Improved solid–phase extraction method for systematic toxicological analysis in biological fluids. J. Anal. Toxicol. 2001, 25, 137–143.
- 13. Poklis, A.; Maginn, D.; Barr, J.L. Tissue disposition of cocaine in man: A report of five fatal poisonings. Forensic Sci. Int. **1987**, *33*, 83–88.
- Furnari, C.; Ottaviano, V.; Sacchetti, G.; Mancini, M. A fatal case of cocaine poisoning in a body packer. J. Forensic Sci. 2002, 47, 208–210.
- 15. Bednarczyk, L.R.; Gressmann, E.A.; Wymer, R.L. Two cocaine-induced fatalities. J. Anal. Toxicol. **1980**, *4*, 263–265.
- Di Maio, V.J.M.; Garriot, J.C. Four deaths due to intravenous injection of cocaine. *Forensic Sci. Int.* 1978, 12, 119–125.
- Lowry, W.T.; Lomonte, J.N.; Hatchett, D.; Garriot, J.C. Identification of two novel cocaine metabolites in bile by gas chromatography and gas chromatography-mass spectrometry in a case of acute intravenous cocaine overdose. J. Anal. Toxicol. **1979**, *3*, 91–95.
- Valentour, J.C.; Agarwal, V.; McGee, M.P.; Goza, S.W. Cocaine and benzoylecgonine determinations in postmortem samples by gas chromatography. J. Anal. Toxicol. **1978**, *2*, 134–137.
- McKinney, P.E.; Phillips, S.; Gómez, H.F.; Brent, J.; MacIntyre, M.; Watson, W.A. Vitreous humor cocaine and metabolite concentrations: do postmortem specimens reflect blood levels at the time of death? J. Forensic Sci. 1995, 40, 102–107.

Received December 3, 2007 Accepted February 22, 2008 Manuscript 6263