

This article was downloaded by:

On: 25 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Journal of Macromolecular Science, Part A

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713597274>

Ten-Year Collective Author Index, Volumes A1-A10

To cite this Article (1976) 'Ten-Year Collective Author Index, Volumes A1-A10', *Journal of Macromolecular Science, Part A*, 10: 9, 1683 – 1763

To link to this Article: DOI: 10.1080/00222337608081510

URL: <http://dx.doi.org/10.1080/00222337608081510>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

Ten-Year Collective Author Index, Volumes A1-A10*

Volumes are indicated by bold arabic numerals and pages within each volume follow.

A

- Abdul-Bari, I. S. *See* Campbell, T. W. T.
Ableson, W. R. *See* Rudin, A.
Adler, G. *See* Faucitano, A.
Adler, R. *See* Moacanin, J.
Aghadjan, A. *See* Blanchard, L. P.
Ahn, T.-O. *See* Wiley, R. H.
Akimoto, A.
 Effect of hexamethyl phosphoric acid triamide on the polymerization of epichlorohydrin-methyl methacrylate initiated with alkylaluminum, **7**:1339
 Polymerization of acrylamide and copolymerization with acrylonitrile with AlEt₃-hexamethyl phosphoric acid triamide complex, **8**:1261
 — and Okada, T. Vinyl polymerization catalyzed by AlEt₃-hexamethyl phosphoric acid triamide complex, **7**:1555
Akkapeddi, M. K. *See* Price, C. C.
Aklonis, J. J. *See* Schell, W. J.
Albert, R., and Malone, W. M. Applications of refractive index to polymer characterization, **6**:347
Alf, E. *See* Menges, G.
Aliev, K. V. *See* Kabanov, V. A.
Allan, G. G., Friedhoff, J. F., McConnell, W. J., and Powell, J. C. The controlled release of bioactive compounds from polymeric systems, **10**:223
Allen, C. C., Oraby, W., Squire, D. R., Stahel, E. P., and Stannett, V. The radiation-induced copolymerization of methyl methacrylate and di- and trimethacrylates, **8**:965

*In addition to Volumes A1-A10, 1967-1976, *Journal of Macromolecular Chemistry*, Volume 1, 1966, has been included. Entries for this volume are indicated by an asterisk, i.e., 1*.

- Allen, P. E. M., Casey, B. A., and Dankiw, W. Polymerization of methyl methacrylate by organometallic compounds
(V) Dark stoichiometric and polymerization reactions between trialkylaluminums and methyl methacrylate, 4:1091
- Allen, V. F., and Turner, S. R. A study of the molecular weight and chain length distribution of cyclopolymers of divinyl ether and maleic anhydride, 5:227
- Ando, S. *See* Aso, C.
- Andrade, J. D. *See* Ramirez, R. S.
- Andrews, J. P. *See* Royer, G. P.
- Andrianov, K. A.
— and Kononov, A. M. Catalytic polymerization of methylphenyldisilazanes and alkylphenyl-N-phenylaminosilanes, 1:439
— Slonimsky, G. L., Zhdanov, A. A., and Levin, V. Yu. Preparation and properties of some polyaluminum organosiloxanes with cyclonetwork structures, 2:963
— and Yemelyanov, V. N. Certain regularities in three-dimensional polycondensation of oligomeric compounds, 1:455
- Ang, T. L., and Harwood, H. J. Use of resins containing mixed sulfonic-acetic anhydrides as acylating agents, 7:1079
- Ansevin, K. D. *See* Homsy, C. A.
- Antropiova, H. *See* Matyska, B.
- Aoki, S. *See* Stille, J. K.
- Aponyi, T. J. *See* Milligan, R. J.
- Appleby, M. Polymer science at the University of Massachusetts, 6:847
- April, G. C., Pike, R. W., and Del Valle, E. G. Nonequilibrium flow and the kinetics of chemical reactions in the char zone, 3:685
- Araki, K. *See* Hagiwara, M.
- Arest-Yakubovich, A. A. *See* Nakhmanovich, B. I.
- Arlt, H. G., Jr. *See* Ruckel, E. R.
- Arrhenius, S. The application of the hydrogen bond theory to some questions of nomenclature, 4:243
- Arrighetti, S. *See* Cesca, S.
- Arthur, J. C., Jr.
Cellulose graft copolymers, 4:1057
Grafting studies on cotton cellulose, 10:647
- Aso, C., Kunitake, T., and Ando, S. Studies on the polymerization of bifunctional monomers
(XIX) Radical cyclopolymerization of divinylformal, 5:167
- Atkinson, J., and MacCallum, J. R. The kinetics of thermal decomposition of polymers, 5:945
- Atreyi, M.
— and Patnaik, N. Copolymerization behavior of some acidic and basic monomers, 7:523
See Rao, M. V. R.
- Avny, Y.
— Gozlan, A., and Zilkha, A. Alkali metal adducts of aromatic nitro compounds—reactions and use in polymerization of vinyl monomers, 7:1323

- Gur-Arieh, Z., and Zilkha, A. Adsorption of silver nitrate by cotton fabrics containing polyethylene sulfide, 5:969
- Gur-Arieh, Z., and Zilkha, A. Reaction of lithium cellulosate with episulfides, 5:957
- and Porath, D. Polyethylenimine-poly(vinyl chloride) crosslinked polymers and their use in adsorption of mercuric and cupric salts, 10:1193
- Rahman, R., and Zilkha, A. Aromatic polynitro ether derivatives of cellulose, 6:177
- Rahman, R., and Zilkha, A. Some complexation reactions of cellulosic ethers, 6:1427
- and Schnieder, U. Polyethylenimine-containing cotton fabrics, 9:1255
- Ayers, O. E. *See* Pittman, C. U., Jr.

B

- Babcock, G. E. *See* Erlander, S. R.
- Baddour, R. F. *See* Lam, D. K.
- Badgett, J. T.
 See Butler, G. B.
 See Wiley, R. H.
- Baijal, M. D.
 Physicochemical characterization of poly(vinyl chloride)
 (II) Molecular weight distributions, 2:1055
- and Wang, T. S.
 Physicochemical characterization of poly(vinyl chloride)
 (III) Stereoregularity, 5:1141
- Wang, T. S., and Diller, R. M.
 Physicochemical characterization of poly(vinyl chloride)
 (IV) Branching, 4:965
- Bailey, F. E., Jr., and La Combe, E. M. Synthesis and some properties of some sulfonium polyelectrolytes: polymers and copolymers derived from methylthioethyl acrylate, 4:1293
- Bailey, W. J. Cationic polymerization with expansion in volume, 9:849
- Bailon, P. *See* Nishikawa, A. H.
- Bakalo, L. A. *See* Lipatova, T. E.
- Banks, R. E., Haszeldine, R. N., Mitra, P., Myerscough, T., and Smith, S. Polyfluoroalkyl derivatives of nitrogen
 (XLI) Cross-linking of a nitroso rubber using perfluoro-2,5-diazahexane-2,5-dioxyl and its derivatives, 8:1325
- Bank, S. *See* Kennedy, J. P.
- Barbour, B. H. Past, present, and future of artificial kidney treatment, 4:511
- Bar-Ilan, A., and Zilkha, A. Anionic polymerization of ethylene oxide by anhydrous potassium hydroxide, 4:1727
- Barone, G.
— Crescenzi, V., Pispisa, B., and Quadrifoglio, F.
 Hydrophobic interactions in polyelectrolytes solutions

[Barone, G.]

(II) Solubility of some C₃-C₆ alkanes in poly(methacrylic acid) aqueous solutions, 1*:761

See Liquori, A. M.

Barrales-Rienda, J. M., Horta, A., and Saiz, E. Molecular weight distribution of a clinic dextran, 8:715

Barrall, E. M., II See James, P. M.

Barsh, M. K. See Feltzin, J.

Bartlett, L. L. See Walsh, W. K.

Barton, J. M. Monitoring the cross-linking of epoxide resins by thermoanalytical techniques, 8:25

Basilevskaya, N. P. See Lipatova, T. E.

Basova, R. V. See Nakhmanovich, B. I.

Basylevskaya, N. P. See Lipatova, T. E.

Battaerd, H. A. J., and Siudak, R. Synthesis and ion-exchange properties of surface grafts, 4:1259

Baucom, K. B.

— and Butler, G. B.

The fundamental basis for cyclopolymerization

(VIII) An ultraviolet spectral study of certain unsymmetrical 1,6-heptadienes, 8:1205

See Butler, G. B.

Beard, H. M. See McCall, M. A.

Beck, W. D., Spell, H. L., and Pledger, H., Jr. Copolymerization of dienophiles and bicyclic dienes, 5:491

Beckwith, A. L. J., Ong, A. K., and Solomon, D. H.

Cyclopolymerization

(II) Electron spin resonance studies of the free-radical reactions of some diolefins, 9:115

(III) Electron spin resonance studies of diallylamines with redox systems, 9:125

Belenkaya, B. G. See Ludvig, E. B.

Bell, A. T.

Fundamentals of plasma polymerization, 10:369

See Kobayashi, H.

See Tibbitt, J. M.

Bengough, W. I. See Henderson, N. K.

Bennett, G. W. See Rudin, A.

Berejnoi, G. D. See Medvedev, S. S.

Berlin, A. A. About intermolecular interaction, submolecular structure, and paramagnetism of polyconjugated systems, 5:1187

Berlin, Al. Al. See Rasvodovskii, E. F.

Berman, E. L. See Nysenko, Z. N.

Bernhard, W. See Murphy, P.

Berry, G. C., and Fox, T. G. Properties of heterocyclic condensation polymers, 3:1125

- Berticat, P. *See* Lissac, P.
- Bertolini, G. *See* Cesca, S.
- Berty, J. M. The segregation number in polymer reactor engineering, 8:919
- Beste, L. F., and Hall, H. K., Jr. Equations for continuous control of molecular weight distribution in homogeneous free-radical polymerizations, 1*:121
- Bialski, A., Manley, R. St. J., Wertheimer, M. R., and Schreiber, H. P. Polymer composites with plasma-treated fillers, 10:609
- Bianchi, E., Bicchi, A., Conio, G., and Ciferri, A. E. Intrinsic viscosity of the coiled forms of poly-L-glutamic acid and poly-L-lysine in salt solutions, 1:909
- Bibeau, A. A. *See* Strella, S.
- Bicchi, A. *See* Bianchi, E.
- Bilow, N., and Miller, L. J.
Synthesis of fusible branched polyphenylenes, 1:183
Thermosetting polyphenylene resin—its synthesis and use in ablative composites, 3:501
- Bittencourt, E. *See* Walsh, W. K.
- Bixler, H. J.
See Hausslein, R. W.
See Vogel, M. K.
- Biyani, B., Campagna, A. J., Daruwalla, D., Srivastava, C. M., and Ehrlich, P. Crystallizable polyphenylacetylene—preparation and solution properties, 9:327
- Black, P. E., and Worsfold, D. J. Polymerization of dioxolane by triethyloxonium hexafluorophosphate, 9:1523
- Black, W. B.
High-modulus wholly aromatic fibers: introduction to the symposium and historical perspective, 7:3
— Preston, J., Morgan, H. S., Raumann, G., and Lilyquist, M. R. Some physical and mechanical properties of some high-modulus fibers prepared from all-para aromatic polyamide-hydrazides, 7:137
See Morrison, R. W.
See Preston, J.
- Blair, H. S., Watt, P. J., and Cromie, R. A spectroscopic investigation of phenylhydrazine derivatives of amylose, 9:183
- Blake, J. D., Murphy, P. T., and Richards, G. N. Factors affecting solution properties of hemicelluloses, 4:1247
- Blanchard, L.-P.
— Aghadjan, A., and Malhotra, S. L. Cationic copolymerization of styrene oxide with propylene oxide, 9:299
— Raufast, C., Hon Kiet, H., and Malhotra, S. L. Copolymerization of propylene oxide with tetrahydrofuran (IX) The development of an empirical model for the determination of kinetic parameters, 9:1219
See Kiet, H. H.
See Malhotra, S. L.

[Blanchard, L.-P.]

See Vo Van, K.

Blumenfeld, L. A., Chernyakovskii, F. P., Gribanov, V. A., and Kanevskii, I. M.
On the motion of polymer molecules studied by the electrochromism
method, **6**:1201

Bogard, A. N. See Makowski, H. S.

Bolto, B. A.

— McNeill, R., MacPherson, A. S., Siudak, R., Swinton, E. A., Warner, R. E.,
Weiss, D. E., and Willis, D.

The rate problem of a thermally regenerable ion-exchange system, **4**:1039

See Warner, R. E.

Bolz, L. H. See Reneker, D. H.

Bond, W. C., Jr. See Butler, G. B.

Boothe, J. E.

— Flock, H. G., and Hoover, M. F.

Some homo- and copolymerization studies of dimethyldiallylammonium
chloride, **4**:1419

— Sharpe, A. J., Jr., and Noren, G. K.

3-Acrylamido-3-methylbutyltrimethylammonium chloride: a new cationic
monomer, **10**:1541

Boutin, H. See Trevino, S.

Bowden, M. J., O'Donnell, J. H., and Sothman, R. D. Radiation-induced solid-
state polymerization in some methacrylates, **4**:1239

Bradbury, J. H., and Chapman, B. E. Conformation of poly-L-methionine in
solution, **4**:1137

Bradford, E. B. See Vanderhoff, J. W.

Bradford, E. L., and Vanderhoff, J. W. Morphological changes in latex films,
1*:335

Bradley, D. F. Recognition polymers, **4**:741

Brale, S. The chemistry and properties of the medical-grade silicones, **4**:529

Brame, E. G., Jr., and Vogl, O. NMR studies of polyaldehydes, **1**:277

Braun, D., Brendlein, W., Disselhoff, G., and Quella, F. Computer program for
the calculation of ternary azeotropes, **9**:1457

Brendlein, W. See Braun, D.

Brett, T. J., Jr. See Cantor, S. E.

Brewer, G. E. F. Electrodeposition of film-forming macroions, **7**:709

Brindell, G. D. See Cantor, S. E.

Brode, G. L., and Koleske, J. V. Lactone polymerization and polymer properties,
6:1109

Brodman, B. W., Devine, M. P., and Gurbarg, M. T. Hydrogen bonding in nitro-
cellulose and its implications on deterring of small arms propellant, **8**:837

Brooks, T. W.

See Butler, G. B.

See Guilbault, L. J.

Brown, G. L. Particle flocculation during emulsion film formation, **1***:151

Brown, J. R., and O'Donnell, J. H. Solution properties of poly(butene-1 sulfone),
6:1411

- Brown, N. Polymerization of formaldehyde, 1:209
- Brownlee, J. L. *See* Raumann, G.
- Bruck, S. D., and Levi, A. A. Thermal degradation and electrical properties of random and block piperazine copolyamides, 1:1095
- Brucker, R. F., Wormington, C. M., III, and Nakada, H. I. Comparison of some physicochemical properties of alginic acids of differing composition, 5:1169
- Bruzzone, M. *See* Cesca, S.
- Buckler, E. J. *See* van der Hoff, B. M. E.
- Bumgarner, M. *See* Morosoff, N.
- Burish, G. G. *See* Carraher, C. E., Jr.
- Burke, J. J. Molecular weight characterization of wholly para-oriented, aromatic polyamide-hydrazides and wholly aromatic polyamides, 7:187
- Burr, R. C.
- Fanta, G. F., Russell, C. R., and Rist, C. E.
Copolymers of wheat starch and polyacrylonitrile: effect of aqueous-organic solvent systems on copolymer composition, 2:93
See Fanta, G. F.
- Busetto, C. *See* Cucinella, S.
- Butler, G. B.
- A bimolecular alternating inter-intramolecular chain propagation leading to cyclocopolymerization, 5:219
- Badgett, J. T., and Sharabash, M.
Characterization of the charge transfer complex from furan and maleic anhydride and the alternating copolymer, 4:51
- and Baucom, K. G.
The fundamental basis for cyclocopolymerization
(IX) A cyclocopolymerization study of certain unsymmetrical 1,6-heptadienes, 8:1239
- and Brooks, T. W.
Polyallylammonium chloride and polyallylbenzamide, 1*:231
- and Corfield, G. C.
The preparation and cyclocopolymerization of cis- and trans-1,3,5-triisocyanatocyclohexane, 5:37
- and Fujimora, K.
Studies in cyclocopolymerization
(VIII) Solvent effects in cyclocopolymerization of maleic anhydride with divinyl ether, 6:1533
- and Iachia, B.
The fundamental basis for cyclocopolymerization
(I) Unconjugated chromophoric interactions related to cyclocopolymerization, 3:803
- The formation of linear polymers from diene monomers by the cyclocopolymerization mechanism
(X) Polymers containing cyclohexamethylenesilyl and cycloheptamethylenesilyl ring structures, 3:1485
- and Kimura, S.
The fundamental basis for cyclocopolymerization

[Butler, G. B.]

(V) A kinetically based explanation for the enhanced rate, 5:181

— and Miller, W. L.

The fundamental basis for cyclopolymerization

(II) The relation of in-plane-deformation vibrations of terminal methylene groups of 1,6-heptadienes to polymerizability, 3:1493

— and Monroe, S. B.

The nature of the cross-linking reaction in polymers of unsaturated isocyanates, 5:1057

Some reactions of vinyl isocyanate and its copolymers, 5:1063

— and Myers, G. R.

The fundamental basis for cyclopolymerization

(III) A spectroscopic study of dimethacrylamides, 5:105

(IV) Radiation initiated solid-state polymerization of certain dimethacrylamides, 5:135

— and Raymond, M. A.

Polymerization of certain tetraenes by the cyclopolymerization mechanism, 1*:201

— Skinner, D. L., Bond, W. C., Jr., and Rogers, C. L.

Linear polymers from diene monomers by the cyclic polymerization mechanism

(XI) Polyphosphonium salts via cyclopolymerization, 4:1437

— and Stackman, R. W.

The formation of linear polymers from diene monomers by the cyclic polymerization mechanism

(IX) Further polymerization studies on silane monomers, 3:821

— and van Heiningen, J. J.

The fundamental basis for cyclopolymerization

(VI) An ultraviolet spectral study of certain nonconjugated allylcycloalkenes, 8:1139

See Baucom, K. B.

See Fujimora, K.

See Gray, T. F., Jr.

See Guilbault, L. J.

See Pledger, H., Jr.

See van Heiningen, J. J.

See Zeegers, B.

Butler, P. E. See Kennedy, J. P.

Buyle, A. M. See Goethals, E. J.

Byrd, N. R., Kleist, F. D., and Rembaum, A. Free-radical polymerization of dicyanoacetylene, 1:627

Bywater, S. See Cowie, J. M. G.

C

Cabasso, I., and Zilkha, A. Observations on the anionic polymerization of ethylene oxide by alkali metal naphthalene and anthracene complexes, 8:1313

- Cagliostro, D. E., Riccitiello, S., and Parker, J. A. A kinetic model for the acid-catalyzed decomposition of delrin, 3:1601
- Cais, R. E., and O'Connell, J. H. NMR determination of the microstructure of poly(vinyl chloride sulfone)
(II) ^{13}C - $\{^1\text{H}\}$ spectra, 10:769
- Calderon, N. *See* Kelly, W. J.
- Caldwell, J. R. *See* McCall, M. A.
- Calihan, L. E. *See* Roberts, D. T., Jr.
- Cameron, G. G.
— Kerr, G. P., and Gourlay, A. R.
Number-average molecular weights from viscosity measurements during random degradation of polymers, 2:761
— and Russell, D. A.
Comparison of the Alfrey-Price Q-e scheme and a simple molecular orbital treatment of copolymerization, 5:1229
- Camino, G. *See* Guaita, M.
- Campagna, A. J. *See* Biyani, B.
- Campbell, T. W. T., Abdul-Bari, I. S., and Miller, G. H. Oxidation of polyisoprene popcorn polymer
(V) Raman spectra of polyisoprene popcorn polymer following oxidation, 8:1381
- Cantor, S. E., Brindell, G. D., and Brett, T. J., Jr. Synthesis and polymerization studies of cyano epoxides, 7:1483
- Cardon, A.
— and Goethals, E. J.
Copolymerization of maleic anhydride and thiophene, 5:1021
See Goethals, E. J.
- Carmichael, J. B.
Ring-chain equilibria in organic polymers, 1*:207
Stochastic formation of the general differential difference equation for addition-growth kinetic processes—example of anionic polymerization, 3:1617
- Carraher, C. E., Jr.
— and Burish, G. G.
Synthesis and initial thermal characterization of titanium polyferrocene ethers, 10:1457
— and Jambaya, L. M.
Reaction species in the aqueous solution and interfacial synthesis of zirconium polyethers, 8:1249
— and Lee, J. L.
Tentative identification of the reactive species in the reaction of Cp_2TiCl_2 with salts of diacids, 9:191
— Peterson, G. F., Sheats, J. E., and Kirsch, T.
Production of organometallic polymers by the interfacial technique
(XXXII) Reaction variables in the synthesis of oligomeric tin poly-(cobalticinium esters) and thermal properties of the products, 8:1009
— Pfeiffer, R., and Fullenkamp, P.
Condensation of Cp_2TiCl_2 with tetraamines, 10:1221

- [Carraher, C. E., Jr.]
— and Piersma, J. D.
Modification of poly(vinyl alcohol) through reaction with Cp_2HfCl_2 ,
 Cp_2ZrCl_2 , and Cp_2TiCl_2 , 7:913
— and Wang, L.-S.
Synthesis of poly(-O-acylsulfonylamideoxides) from poly(acrylonitrile), 7:513
— and Winter, D. O.
Synthesis of organometallic polymers by the interfacial technique
(XXVIII) Synthesis of oligomeric tin polyamines and polyhydrazides,
7:1349
- Carroll, B. *See* Liskowitz, J. W.
Casey, B. A. *See* Allen, P. E. M.
Cates, D. M. *See* Yau, C. C.
Caze, C., and Loucheux, C.
Charge transfer complexes: competition between donor and solvent for the
acceptor: a new method of study
(I) Case of maleic anhydride and vinyl monomers: styrene and vinyl
acetate, 7:991
Mechanism of alternating copolymerization of vinyl acetate and maleic
anhydride, 9:29
- Cesca, S.
— Arrighetti, S., Bertolini, G., and Bruzzone, M.
Quaterpolymerization of ethylene, propylene, dicyclopentadiene, and methyl-
cyclopentadienyl-5-endo-norborn-2-enyl-methane, 8:393
— Bertolini, G., Santi, G., and Roggero, A.
On the epimerization of endo-dicyclopentadiene during terpolymerization
with ethylene and propylene, 7:475
- Chan, R. K. S., and Meyer, V. Azeotropes in ternary copolymerization, 1:1089
Chang, A. *See* D'Alelio, G. F.
Chang, M. S., French, D. M., and Rogers, P. L. Functionality distribution of
carboxyl- and hydroxyl-terminated polybutadiene, 7:1727
Chang, R. *See* Wiley, R. H.
Chang, S.-H. *See* Kaye, H.
Chang, T. M. S. Enzymes immobilized by microencapsulation within spherical
ultrathin membranes, 10:245
- Chapman, B. E. *See* Bradbury, J. H.
Charcosset, H. *See* Guyot, A.
Charm, S. E., and Wong, B. L. Application of immunoabsorbents for isolation
of placental alkaline phosphatase, carboxypeptidase G-1, and serum
hepatitis antigen, 10:53
- Chatterjee, P. K. Characterization of fibers by dynamic thermoacoustical
analysis, 8:191
Chatterjee, S. K., and Gupta, N. D.
Conductometric titration curves of some synthetic copolymers in relation to
their structure, 8:451
Titration curves of some mixtures of structurally and molecularly uniform
p-cresol formaldehyde condensates in nonaqueous media, 8:291

- Chen, C. S. H., and DiEdwardo, A. In-situ high resolution NMR investigation of polymerization mechanism
(II) Comparison between $\text{BF}_3 \cdot \text{Bu}_2\text{O}$ and $\text{Cl}-\text{C}_6\text{H}_4-\text{N}_2\text{PF}_6$ as catalysts in homopolymerization of trioxane and copolymerization with ethylene oxide, 4:349
- Chen, H. C. *See* Craig, L. S.
- Chen, T. Y., Ricica, P., and Shen, M. Thermoelasticity of acrylic copolymers in simple shear, 7:889
- Cherdron, H. New trioxane copolymers, 6:1077
- Chernyakovskii, F. P. *See* Blumenfeld, L. A.
- Cherry, B. W.
— and McGinley, P. L.
The yield of polyethylene, 6:811
— Stachurski, Z. H., and Wright, P. H.
Ionic conduction in polymers, 6:797
- Chiang, S. S. M.
— and Rudin, A.
Termination rates in free radical copolymerizations, 9:237
See Rudin, A.
- Chiu, J. Dynamic thermal analysis of polymers: an overview, 8:3
- Chou, T. *See* Kennedy, J. P.
- Choudhury, P. K. *See* Manna, P. K.
- Choumei, N. *See* Nakata, T.
- Chowdhury, P. K. *See* Pramanik, A.
- Chris, G. J. *See* Neuse, E. W.
- Chujo, R. *See* Momiyama, Z.
- Chung, D. C. *See* Stille, J. K.
- Chung, Y. J., Squire, D. R., and Stannett, V. ESR studies of γ -irradiated poly[3,3-bis(chloromethyl) oxetane], 8:1403
- Ciferri, A. E. *See* Bianchi, E.
- Cirlin, E. H.
— Gebhard, H. M., and Shen, M.
Energetic stress in rubbery copolymers, 5:981
— and Shen, M.
Effect of side-chain structure on thermoelasticity of acrylic polymers, 5:1311
- Clampitt, B. H. Melt viscosity characteristics of ethylene-acrylic acid-acrylamide terpolymer, 5:1317
- Coburn, J. W., and Kay, E. Tetrafluoromethane injected into a dc argon glow discharge, 10:483
- Combs, R. L. *See* Slonaker, D. F.
- Conio, G. *See* Bianchi, E.
- Conley, R. T.
Studies of the stability of condensation polymers in oxygen-containing atmospheres, 1:81
See Gaudiana, R. A.
See Gray, D. N.

- Cook, J. C., Jr. *See* Wiley, R. H.
- Coover, H. W., Jr. *See* Slonaker, D. F.
- Cordischi, D., Delle Site, A., Mele, A., and Porta, P. Copolymerization of solid solutions of phosphonitrilic chloride-bromide, 1*:219
- Corfield, G. C.
- and Crawshaw, A.
- The synthesis and polymerization of 1,3-disubstituted cyclohexanes
- (I) The isomeric 1,3-diisocyanatocyclohexanes, 5:3
- (II) cis-1,3-diformylcyclohexane and cis-1,3-divinylcyclohexane, 5:21
- Crawshaw, A., and Monks, H. H.
- N,N'-Divinylureas: further polymerization studies and spectroscopic investigation of structure, 9:1085
- and Monks, H. H.
- Determination of ring size in cyclopolymers from divinyl phosphonates, 9:1113
- See* Butler, G. B.
- Corradini, P. Crystal structure of polyaldehydes, 1:301
- Corrigan, T. E., and Dean, M. J. The effect of backmixing on the molecular weight distribution of polymers, 2:645
- Cowie, J. M. G., and Bywater, S. Preferential adsorption in the ternary systems solvent (1), nonsolvent (2), polystyrene (3), 1*:581
- Craig, L. C., Chen, H. C., and Taylor, W. I. Thin film dialysis including counter-current dialysis, 3:133
- Crane, W. E. *See* Toy, S. M.
- Crawshaw, A.
- and Jones, A. G.
- The preparation and polymerization of N,N'-divinylureas, 5:51
- The synthesis and cyclopolymerization of the N,N-diallyl- and N,N-dimethyl-allyl-derivatives of methanesulfonamide and ethanesulfonamide, 6:65
- See* Corfield, G. C.
- Credali, L. *See* Russo, M.
- Crescenzi, V.
- Quadrifoglio, F., and Vitagliano, V.
- Interaction of crystal violet and polyanions in aqueous solution, 1:917
- See* Barone, G.
- See* Liquori, A. M.
- Crist, B. *See* Morosoff, N.
- Crivello, J. V. *See* D'Alelio, G. F.
- Cromie, R. *See* Blair, H. S.
- Cross, R. A. *See* Vogel, M. K.
- Crossland, A. H., and van der Hoff, B. M. E. Cylindrical approximation of constrained chain model for rubber elasticity
- (I) Constant volume deformations, 10:825
- Crowley, J. I., Harvey, T. B., III, and Rapoport, H. Solid phase synthesis: evidence for and quantification of intraresin reactions, 7:1117
- Cucinella, S., Mazzei, A., Marconi, W., and Busetto, C. Reactions between AlRCl_2 and $\text{Ti}(\text{OR}')_4$ and activity in diolefin polymerization, 4:1549

- Cukor, P., and Persiani, C. The evaluation of two pyrolyzers for the analysis of insoluble polymers, 8:105
Culp, G. W. *See* Seiderman, M.
Cupples, A. L. *See* Schubert, R. J.

D

- D'Alelio, G. F.
Structural design and thermal properties of polymers, 3:411
— Crivello, J. V., Dehner, T. R., and Schoenig, R. K.
Polymeric Schiff bases
(VII) Some parameters in the evaluation of the thermal stability of poly(p-xylylidene-p-phenylenediamine), 1:1331
— Crivello, J. V., Kurosaki, T., and Schoenig, R. K.
Polymeric Schiff bases
(III) Some prototype exchange reactions of Schiff bases, 1:1259
— Crivello, J. V., Schoenig, R. K., and Huemmer, T. F.
Polymeric Schiff bases
(I) The synthesis and evaluation of polymeric Schiff bases prepared by Schiff base exchange reactions, 1:1161
(II) The synthesis of azomethines by a continuous azeotropic method, 1:1251
(VI) The direct syntheses of poly-Schiff bases, 1:1321
— Feigl, D. M., Fessler, W. A., Giza, Y., and Chang, A.
Arylsulfimide polymers
(I) The synthesis of m-bisaccharin and derivatives, 3:927
— Feigl, D. M., Kieffer, H. E., and Mehta, R. K.
Polymeric Schiff bases
(XIII) The direct synthesis of cross-linked polymeric azomethines, 2:1223
— Feigl, D. M., Ostidick, T., Saha, M., and Chang, A.
Arylsulfimide polymers
(VII) The polythiazones, 6:1
— Fessler, W. A., and Feigl, D. M.
Arylsulfimide polymers
(II) The syntheses of selected monomeric saccharins and derivatives, 3:941
— Fessler, W. A., Giza, Y., Feigl, D. M., Chang, A., and Saha, M.
Arylsulfimide polymers
(IV) Prototype transamidations—a comparison of the reactions of benzamides, benzimides, sulfonamides, sulfonimides, and saccharins, 4:159
(V) Polysaccharins of the A-B type, 5:383
(VI) Polysaccharins of the AA-BB type, 5:1097
— Giza, Y., and Feigl, D. M.
Arylsulfimide polymers
(III) The syntheses of some monomer aryl-1,2-disulfonic acids and derivatives, 3:1105

[D'Alelio, G. F.]

— Häberli, R., and Pezdirtz, G. F.

Effect of ionizing radiation on a series of saturated polyesters, 2:501

— Hofman, E. T., and Dehner, T. R.

Chelating polymers

(III) Chelating monomers and polymers from s-triazinyl substituted hydrazinoacetic acids, 4:897

— Hofman, E. T., and Meyers, F. J.

Chelating polymers

(II) Amino acetic acid chelating polymers derived from hydroxyaryl-amino acetic acids, 4:361

— Hofman, E. T., and Strazik, W. F.

Chelating polymers

(IV) Monomeric N-hydroxyalkylaminoacetic acids as chelating compounds, 6:471

(V) Aminoacetic acid chelating polymers derived from polyglycidyl methacrylate, 6:513

— Hofman, E. T., and Zeman, J. R.

Chelating polymers

(I) Monomeric hydroxyarylaminoacetic acids as prototype chelating compounds, 3:959

— Hornback, J. M., Strazik, W. F., and Dehner, T. R.

Polymeric Schiff bases

(VIII) The synthesis and evaluation of polyketanils, 2:237

— Kieffer, H. E., Germonprez, R. L., and Mehta, R. K.

Polymeric Schiff bases

(XV) The synthesis of cross-linked polymeric azomethines from amino aryl ketones, 1:1261

— Kurosaki, T., and Ostdick, T.

Polymeric Schiff bases

(IX) The syntheses of polymeric Schiff bases from acetals and amine compounds, 2:285

— Kurosaki, T., and Schoenig, R. K.

Polymeric Schiff bases

(IV) The prototype synthesis of Schiff bases by reactions of aromatic acetals with aromatic amines or their acyl derivatives, 1:1279

— Mehta, R. K., Feigl, D. M., Kieffer, H. E., and Germonprez, R. L.

Polymeric Schiff bases

(XIV) The synthesis of cross-linked polymeric azomethines by exchange reactions, 2:1235

— Meyers, F. R., Strazik, W. F., and Germonprez, R. L.

Polymeric Schiff bases

(XVI) Alternative syntheses for the iminobenzylidene polymers, 2:1333

— Rahman, M., Rhodes, C. F., and Huang, J.

Arylsulfimide polymers

(VIII) The conductivity of dye salts of sulfonated heteroaromatic polymers, 6:51

- and Schoenig, R. K.
Polymeric Schiff bases
(XI) Prototype reactions of some monomeric diarylidene azines, 2:367
(XII) The syntheses and thermal stabilities of polyazines and derived polystilbenes, 2:979
- Schoenig, R. K., and Crivello, J. V.
Polymeric Schiff bases
(V) The four isomeric xylylidenephenylenediamine polymers, 1:1299
- Strazik, W. F., Feigl, D. M., and Schoenig, R. K.
Polymeric Schiff bases
(XVII) Azomethine copolymers, 2:1457
- Strazik, W. F., and Huemmer, T. H.
Polymeric Schiff bases
(X) The synthesis and evaluation of polymeric azomethines from aminoarylcarbonyl monomers, 2:335
See Segal, C. L.
- Daniels, B. K. *See Zaukelies, D. A.*
- Dankiw, W. *See Allen, P. E. M.*
- D'Arcy, R. L.
— Watt, I. C., and McLaren, K. G.
Radiation-initiated polymerization in aged wool keratin, 6:689
See Watt, I. C.
- Daruwalla, D. *See Biyani, B.*
- Davar, M. *See Yen, T. F.*
- Dawson, B. *See James, P. M.*
- Dean, M. J. *See Corrigan, T. E.*
- DeBona, B. T. *See Price, C. C.*
- DeBrunner, R. E. *See Lilyquist, M. R.*
- De Candia, F., and Turturro, A. Energetic contribution to the elastic force in polyphenylmethylsiloxane networks, 6:1417
- Decroix, J. Y. *See Piloz, A.*
- Dehner, T. R. *See D'Alelio, G. F.*
- Delano, C. B. *See Milligan, R. J.*
- Delatycki, O. *See Williams, J. G.*
- Delle Site, A. *See Cordischi, D.*
- Delman, A. D., Stein, A. A., and Simms, B. B. Synthesis and thermal stability of structurally related aromatic Schiff bases and acid amides, 1:147
- Del Valle, E. G. *See April, G. C.*
- Desreux, V. *See Hadjichristidis, N.*
- De Venuto, G. *See Wiley, R. H.*
- Devine, M. P. *See Brodman, B. W.*
- De Witte, E.
— and Goethals, E. J.
Telomerization studies with allyl ethene sulfonate and allyl allyl sulfonate, 5:73
See Goethals, E. J.
- Dick, C. R., and Ham, G. E. Characterization of polyethylenimine, 4:1301

- Dickey, R. R., Lundell, J. H., and Parker, J. A. The development of polybenzimidazole composites as ablative heat shields, 3:573
- Dickson, J. R. *See* O'Driscoll, K. F.
- DiEdwardo, A. *See* Chen, C. S. H.
- DiEdwardo, A. H. *See* Zitomer, F.
- Dietrich, H. J.
— and Raymond, M. A.
Divinylbutyral
(I) Mechanism of polymerization, 6:191
See Raymond, M. A.
- Diller, R. M. *See* Baijal, M. D.
- Dilli, S., Garnett, J. L., Kenyon, R. S., Martin, E. C., Phuoc, D. H., Yen, Y., and Leeder, J. D. Radiation-induced reactions with cellulose
(XI) Comparison of cellulose with wool and polyethylene as trunk polymers in copolymerization, 6:719
- Di Milo, A. J., and Johnson, D. E. Saturated hydrocarbon polymers for solid rocket propellants, 3:1419
- Dintzis, F. *See* Eskins, K.
- Disselhoff, G. *See* Braun, D.
- Dixit, S. S. *See* Gaylord, N. G.
- Dobinson, F., and Preston, J. New high-temperature polymers
(II) Ordered aromatic copolyamides containing fused and multiple ring systems, 1:179
- Dobson, G. R., and Gordon, M. Viscodensitometer studies on gelatine and the sorption of gelatine on glass, 1:517
- Donato, A., Lenzi, M., and Mele, A. Thermal decomposition of polytetrafluoroethylene oxide, 1:429
- Dondero, R. G. *See* Volpe, A. A.
- Doyle, H. M. *See* Tiezzi, G. J.
- Dreyfuss, M. P. Oxonium ion ring-opening polymerization, 9:729
- Dreyfuss, P. Survey of recent progress in polymerization studies of selected heterocycles, 7:1361
- Drijvers, W. *See* Goethals, E. J.
- Dumont, M. *See* Guyot, A.
- Dunn, J. R. The influence of sulfur on the stability and physical properties of peroxide-vulcanized ethylene propylene copolymers, 1*:739
- Dunn, P., and Oldfield, D. Tri-n-butyltin fluoride: a novel coordination polymer in solution, 4:1157
- Du Plessis, T. A., Stannett, V. T., and Goineau, A. M. Cationic polymerization of isobutyl vinyl ether in solution by radiation, 8:1361
- D'Urso, S. F. *See* Lurie, R. M.
- Dušek, K. *See* Malinsky, J.
- Dynes, P. J., and Kaelble, D. H. Plasma polymerization on metals, 10:535

E

- Ebdon, J. R. Determination of the microstructure of some methyl meth-

- acrylate-butadiene copolymers by 220 MHz proton magnetic resonance spectroscopy, 8:417
- Eddy, R. *See* Wen, R. Y.
- Ehrlich, J., Weiner, P., and Stivala, S. S. A Fortran II computer program for calculation of concentration-dependent sedimentation coefficients, 1:1127
- Ehrlich, P. *See* Biyani, B.
- Eisenberg, A.
- and Saito, S.
- Molecular flow and lanthanum-catalyzed bond interchange in sodium phosphate polymers, 2:799
- Saito, S., and Sasada, T.
- Viscoelastic relaxation mechanism of inorganic polymers
- (V) Counterion effects in bulk polyelectrolytes, 1:121
- Eleuterio, H. S. Polymerization of perfluoro epoxides, 6:1027
- Elias, H.-G.
- Nonionic micelles, 7:601
- and Etter, O.
- Glass temperature of hydrogenated polystyrene, 1:943
- Unperturbed dimensions of poly(vinylcyclohexane) and poly(styrene), 1*:431
- See* Watterson, J. G.
- Eliassaf, J. The morphology of suspension polyvinyl chloride, 8:459
- Elliott, J. J. *See* Kennedy, J. P.
- Erick, D. E. *See* Zollinger, J. L.
- Endo, K. *See* Otsu, T.
- Engdahl, M. *See* Kesting, R. E.
- English, W. D. *See* Toy, S. M.
- Enikolpoyan, N. S.
- Specific nature of the polymerization of heterocyclics, 6:1053
- See* Markevich, M. A.
- See* Ponomarenko, A. T.
- See* Rasvodovskii, E. F.
- Epps, L. *See* Gillham, J. K.
- Erlander, S. R.
- Determination of the structure and effective dielectric constant of hydrated ions, 2:833
- Explanation of ionic sequences in various phenomena
- (I) Salting-out of uncharged molecules, 2:1065
- (II) Reversal of colloid charge and ion binding, 2:1073
- (III) Salting-in and -out of amino acids, 2:1181
- (IV) General method for determination of the type of bonding in polymers; bonds in ovalbumin, ribonuclease, collagen, hemoglobin, and starch determined, 2:1195
- (V) Determination of the structure of DNA and RNA, 2:1369
- Interaction of aqueous ions: a correlation between the hydration and solubility properties of inorganic, organic, and polymeric salts having mono- or polyatomic ions, 2:623

[Erlander, S. R.]

The structure of water and its relationship to hydrocarbon-water interactions, 2:595

— and Babcock, G. E.

Explanation of ionic sequences in various phenomena

(VII) The concentration dependence in molecular weight determinations of polyelectrolytes, 2:1493

— and McGuire, J. P.

The solubilities of hydrocarbons in concentrated salt solutions and their correlation with the clathrate water theory, ion-ion associations, and structures of polymers, 2:859

— Purvinas, R. M., and Babcock, G. E.

Explanation of ionic sequences in various phenomena

(VI) The formation and destruction of helices in bovine plasma albumin in neutral and acidic solutions, 2:1393

— and Tobin, R.

Explanation of ionic sequences in various phenomena

(VIII) The structure of aqueous urea and DMSO and their mechanism as dispersing agents, 2:1521

Erlich, P. Partial molar volume anomaly in supercritical mixtures and the free radical polymerization of ethylene, 5:1259

Eskins, K.

— Dintzis, F., and Friedman, M.

Photopolymerization of methyl acrylate in dimethyl sulfoxide, 5:543

— and Friedman, M.

Graft photopolymerization of styrene to wheat gluten protein in dimethyl sulfoxide, 4:947

Estrella, M. E. *See* Homsy, C. A.

Etter, O. *See* Elias, H.-G.

Ezra, G., and Zilkha, A.

Distribution of methoxyl groups in the methylation of starch alkoxides obtained by metallation with alkali metal naphthalene, 3:1589

Grafting of preformed polyethylene oxide on dialdehyde starch by acetal formation, 4:957

F

Falb, R. D., and Grode, G. A. Immobilized proteins and peptides, 10:197

Falk, J. C.

— Hoeg, D. F., Schlott, R. J., and Pendleton, J. F.

Anionic graft copolymers

(III) Hydrogenation of polydienes grafted with vinylaromatics, 7:1669

— and Schlott, R. J.

Anionic graft copolymers

(II) Styrene grafts on EPT rubbers, 7:1663

— Schlott, R. J., and Hoeg, D. F.

- Anionic graft copolymers
(I) Vinylaromatic grafts on polydienes, 7:1647
- Fanta, G. F.
— Burr, R. C., Russell, C. R., and Rist, C. E.
Copolymers of starch and polyacrylonitrile: influence of granule swelling on copolymer composition under various reaction conditions, 4:331
See Burr, R. C.
- Faucitano, A., and Adler, G.
Annealing and recrystallization in the solid-state polymerization in solid solutions of methacrylamide and isobutyramide, 4:261
The role of oxygen in solid state polymerization
(II) The effect of oxygen and other reactive gases on the polymerization of methacrylamide, 4:1471
- Feigl, D. M. See D'Alelio, G. F.
- Feltzin, J., Barsh, M. K., Peer, E. J., and Petker, I. The kinetics of epoxy polymerization, 3:261
- Ferguson, J. J., Jr. See O'Neill, S. P.
- Ferguson, W. J. See Laible, R. C.
- Fessler, W. A. See D'Alelio, G. F.
- Figucia, F. See Laible, R. C.
- Fijimori, K. Copolymerization of 2,3-dihydropyran and ethyl vinyl ether with maleic anhydride, 9:495
- Fincke, J. K. See Lilyquist, M. R.
- Fleming, G. J. Prediction of heat shield performance in terms of epoxy resin structure, 3:531
- Fleming, R. J., and Ranicar, J. H. Electrical conductivity in poly(vinyl chloride), 4:1223
- Flock, H. G. See Boothe, J. E.
- Földes-Bereznich, T. See Tüdös, F.
- Fox, T. G. See Berry, G. C.
- Francis, A. P., Solomon, D. H., and Spurling, T. H. A numerical approach to the estimation of reactivity ratios: application to the styrene-DMAEMA system, 8:469
- Freireich, S., and Zilkha, A. Anionic oligomerization of methyl methacrylate by alkali metal alkoxides, 6:1383
- French, D. M.
Network structure in terms of prepolymer and curative parameters, 5:1123
(II) 8:533
— and Strecker, R. A. H.
Functionality and observed versus predicted gel points, 5:893
See Chang, M. S.
- Friedhoff, J. F. See Allan, G. G.
- Friedman, H. L. Kinetics and gaseous products of thermal decomposition of polymers, 1:57
- Friedman, M. See Eskins, K.
- Fuchs, O. Separation into phases of polymer mixtures in solution, 5:469

Fujikawa, J. *See* Tabata, Y.

Fujimori, K.

Cyclocopolymerization of divinyl sulfone with vinyl ethers, 10:1005

— and Butler, G. B.

Studies in cyclocopolymerization

(X) Cyclocopolymerization of tetrahydronaphthoquinone and dimethyl tetrahydronaphthoquinone with divinyl ether, 6:1609

(XII) Cyclocopolymerization of the donor:acceptor pair 1,4-diene: monoolefin Lewis acid complex, 7:387

(XIII) A study of steric effects in cyclocopolymerization of divinyl ether with substituted electron-acceptor alkenes, 7:415

See Butler, G. B.

Fujimoto, K. *See* Fujiwara, S.

Fujio, R. *See* Sakata, R.

Fujiwara, S., and Fujimoto, K. NMR study of vulcanized rubber, 4:1119

Fukushima, T. *See* Higashimura, T.

Fullenkamp, P. *See* Carraher, C. E., Jr.

Funt, B. L.

— and Gray, D. G.

Electrolytically initiated anionic copolymerization of styrene and methyl methacrylate, 1*:625

See Rybicky, J.

See Tanner, J.

Furie, B. C. *See* Price, C. C.

Furukawa, J.

Mechanism of donor-acceptor alternating copolymerization, 9:867

See Matsumoto, T.

G

Gabbay, E. J., and Gaffney, B. Topography of nucleic acid helices in solutions, 4:1315

Gaffney, B. *See* Gabbay, E. J.

Galín, J. C. *See* Roussel, R.

Galín, M.

Study of polyisoprene microstructure by flash pyrolysis gas chromatography, 7:873

— Guillot, J., and Guyot, A.

Acrylonitrile copolymerizations

(III) Flash pyrolysis of methyl methacrylate and styrene copolymers, 4:19

See Roussel, R.

Gallo, B. M., and Russo, S. Ultraviolet absorption spectra of styrene copolymers

(I) Solvent effects on the hypochromism of poly(styrene-co-methyl methacrylate) at 2695 Å, 8:521

Garnett, J. L.

— and Martin, E. C.

- Radiation-induced copolymerization of styrene and cellulose at low dose rates, 4:1193
- and Phuoc, D. H.
Radiation-induced reactions with cellulose
(XV) Effect of mineral and organic acids on grafting of monomers using ionizing radiation, 10:703
- See Dilli, S.
- Garrett, R. R., Hargreaves, C. A., II, and Robinson, D. N. The structurally regular trans-1,4-poly(chloroprene), 4:1679
- Gasparro, F. P. See O'Driscoll, K. F.
- Gaudiana, R. A., and Conley, R. T.
Weak-link versus active carbon degradation routes in the oxidation of aromatic heterocyclic systems
(II), 4:441
(III), 4:463
(IV), 4:1599
- Gaulin, C. A. See Johnston, T. H.
- Gaylord, N. G.
Cellulose-monomer interaction and a revised mechanism for graft copolymerization, 10:731
- Donor-acceptor complexes in copolymerization
(XXVIII) Role of matrices in polymerization of comonomer charge transfer complexes, 6:259
- Dixit, S. S., Maiti, S., and Patnaik, B. K.
Donor-acceptor complexes in copolymerization
(XXXVIII) Photoinduced polymerization of comonomer charge transfer complexes of styrene with methyl methacrylate and acrylonitrile, 6:1495
- Kössler, I., and Štolka, M.
Cyclo- and cyclized diene polymers
(XVIII) Microstructure and mechanism of cyclopolymerization of isoprene and butadiene with $C_2H_5AlCl_2 + TiCl_4$ catalyst, 2:421
(XIX) Polymerization of butadiene with $C_2H_5AlCl_2 + TiCl_4$ catalyst, 2:1105
- and Maiti, S.
Donor-acceptor complexes in copolymerization
(XXXVII) Alternating diene-dienophile copolymers (5) Formation of conjugated diene-maleic anhydride copolymers through retrograde dissociation of furan-maleic anhydride Diels-Alder adduct, 6:1481
- Maiti, S., and Dixit, S. S.
Donor-acceptor complexes in copolymerization
(XXXIX) Alternating diene-dienophile copolymers (6) Photosensitized copolymerization of conjugated dienes and maleic anhydride, 6:1521
- Maiti, S., Patnaik, B. K., and Takahashi, A.
Donor-acceptor complexes in copolymerization
(XXXVI) Alternating diene-dienophile copolymers (4) Copolymerization of furan and 2-methylfuran with maleic anhydride, 6:1459

[Gaylord, N. G.]

— and Matyska, B.

Donor-acceptor complexes in copolymerization

(VIII) Evidence of participation of complexes in copolymerization of styrene and methyl methacrylate . . . $\text{Al}(\text{C}_2\text{H}_5)_{1.5}\text{Cl}_{1.5}$, 4:1507

(IX) Kinetic features of copolymerization of styrene and methyl methacrylate . . . $\text{Al}(\text{C}_2\text{H}_5)_{1.5}\text{Cl}_{1.5}$, 4:1519

— Patnaik, B. K., and Patnaik, N.

Donor-acceptor complexes in copolymerization

(XXVII) Copolymerization of styrene and acrylonitrile in the presence of ethylaluminum sesquichloride, 6:81

— Solomon, O., Stolka, M., and Patnaik, B. K.

Donor-acceptor complexes in copolymerization

(XLVII) Alternating diene-dienophile copolymers: (8) Preparation of equimolar cyclopentadiene-maleic anhydride copolymers through copolymerization and retrograde isomerization of Diels-Alder adducts, 8:981

— Stolka, M., and Patnaik, B. K.

Donor-acceptor complexes in copolymerization

(XXXV) Alternating diene-dienophile copolymers: (3) Copolymerization of cis- and trans-1,3-pentadiene with maleic anhydride and acrylonitrile . . . $\text{AlEt}_{1.5}\text{Cl}_{1.5}$, 6:1435

— Stolka, M., Takahashi, A., and Maiti, S.

Donor-acceptor complexes in copolymerization

(XVIII) Alternating diene-dienophile copolymers: (1) Conjugated diene-maleic anhydride copolymers through radical-catalyzed polymerization, 5:867

— and Svestka, M.

Cyclo- and cyclized diene polymers

(XXI) Polymerization of isoprene by stable carbonium ion salt catalysts, 3:897

See Kössler, I.

See Matyska, B.

See Patnaik, B. K.

See Takahashi, A.

Gebelein, C. G. Modification of polymers using iodine isocyanate

(I) Addition of iodine isocyanate to polyisoprene, 5:433

Gebhard, H. M. See Cirlin, E. H.

Gedemer, T. J. The use of derivative thermogravimetry to estimate degree of thermal degradation, 8:95

Geil, P. H. Morphology of polyoxymethylene, 1:325

Gendron, B. M. See Schultz, A. R.

Georgiev, G. S.

Use of Markov chains in treating depropagation in copolymerization

(I) Composition of copolymers, 10:1063

(II) Distribution of monomer units in copolymers, 10:1081

Germonprez, R. L. *See* D'Alelio, G. F.

Gertner, D. *See* Saghian, N.

Ghosh, P.

— and O'Driscoll, K. F.

Vinyl polymerization initiated by sulfur dioxide, **1**:1393

See Sengupta, P. K.

Gibbs, D. S. *See* Wessling, R. A.

Gibbs, W. E.

Some recent results on the synthesis of certain aromatic heterocyclic polymers, **2**:1291

See Segal, C. L.

Gidanian, K., and Howard, G. J.

Production of polymers from the seed oil of *Crambe abyssinica*

(I) Isolation of tridecanedioic (brassylic) acid, **10**:1391

(II) PVC plasticizers based on tridecanedioic (brassylic) acid, **10**:1399

(III) Polyurethane elastomers based on tridecanedioic (brassylic) acid, **10**:1415

(IV) Polyamides based on tridecanedioic (brassylic) acid, **10**:1425

Gilbert, R. D. *See* Kim, S.

Gillham, J. K.

— Pezdirtz, G. F., and Epps, L.

Thermomechanical behavior of an aromatic polysulfone, **3**:1183

See Kiran, E.

Giza, Y. *See* D'Alelio, G. F.

Glynn, P. A. R.

— and van der Hoff, B. M. E.

Degradation of polystyrene in solution by ultrasonation—a molecular weight distribution study, **7**:1695

— van der Hoff, B. M. E., and Reilly, P. M.

A general model for prediction of molecular weight distributions of degraded polymers: development and comparison with ultrasonic degradation experiments, **6**:1653

See van der Hoff, B. M. E.

Goethals, E. J.

— Cardon, A., and Grosjean, R.

Copolymerization of maleic anhydride with benzofuran, indole, and benzothiophene, **7**:1265

— and De Witte, E.

Polymerization and copolymerization of allyl allyl sulfonate, **5**:63

— Drijvers, W., van Ooteghem, D., and Buyle, A. M.

Cationic polymerization of cyclic sulfides, **7**:1375

See Cardon, A.

See De Witte, E.

See Natus, G.

Goineau, A. *See* Kohler, J.

Goineau, A. M. *See* Du Plessis, T. A.

- Goldstein, H. E. Pyrolysis kinetics of nylon 6-6, phenolic resin, and their composites, 3:649
- Goldstein, S., Segall, E., and Schmuckler, G. Diffusion of organic solvents into spherical cross-linked polystyrene beads, 9:449
- Gordon, M. *See* Dobson, G. R.
- Gosnell, R. B., and Levine, H. H. Some effects of structure on a polymer's performance as a cryogenic adhesive, 3:1381
- Gourlay, A. R. *See* Cameron, G. G.
- Gozlan, A. *See* Avny, Y.
- Graillat, C.
- Guillot, J., and Guyot, A.
- Acrylonitrile copolymerizations
- (V) Anomalous kinetics and secondary reactions in copolymerization with vinyl chloride, 8:1099
- See* Guyot, A.
- Graves, D. J. *See* O'Neill, S. P.
- Gray, D. G. *See* Funt, B. L.
- Gray, D. N., Shulman, G. P., and Conley, R. T. The mechanism of polybenzimidazole formation by condensation of aromatic tetramines and esters and the structure of the resulting polycondensates, 1:395
- Gray, T. F., Jr., and Butler, G. B. The fundamental basis for cyclopolymerization (X) A systematic study of the cyclopolymerization of methacrylic anhydride, 9:45
- Green, G. M. *See* Royer, G. P.
- Green J., and Mayes, N. Thermal stability of carborane-containing polymers, 1:135
- Greenley, R. Z. Determination of Q and e values by a least squares technique, 9:505
- Gribanov, V. A. *See* Blumenfeld, L. A.
- Gritsenko, T. M.
- On the microstructure of copolymer chains obtained by the linear heterocopolycondensation process, 9:357
- Polycondensation stoichiometry, 9:373
- Gritskova, I. A. *See* Medvedev, S. S.
- Grode, G. A. *See* Falb, R. D.
- Grosjean, R. *See* Goethals, E. J.
- Grubbs, R. H., Kroll, L. C., and Sweet, E. M. The preparation and selectivity of a polymer-attached rhodium(I) olefin hydrogenation catalyst, 7:1047
- Grube, P. L. *See* Pittman, C. U., Jr.
- Guaita, M.
- Camino G., and Trossarelli, L.
- Determination of the composition of cyclopolymers in terms of structural units, 5:89
- See* Trossarelli, L.
- Gubensek, F., and Lapanje, S. Potentiometric titration studies of diethylaminoethyl dextran base, 2:1045

- Guilbault, L. J.
— and Brooks, T. W.
Grafting to vinylpyrrolidone polymers and copolymers by the ceric ion method, 7:1581
— and Butler, G. B.
Studies in cyclocopolymerization
(VII) Copolymerization of chloromaleic anhydride with divinyl ether, 5:1219
— Murano, M., and Harwood, H. J.
Ion-exchange and chelation resins derived from poly(*t*-butyl *N*-vinyl carbamate), 7:1065
- Guile, R. L. *See* Sharabash, M. M.
Guillet, J. E. *See* Heskins, M.
Guillot, J.
— Guyot, A., and Tho, P. Q.
Acrylonitrile copolymerizations
(II) Sequence distribution in methyl-methacrylate copolymers, 2:1303
— Vialle, J., and Guyot, A.
Vinyl chloride copolymerization: penultimate effects with conjugated comonomer, 5:735
See Galin, M.
See Graillat, C.
See Guyot, A.
See Pichot, C.
See Pilo, A.
See Vialle, J.
- Guise, G. B., and Zoch, C. G. Effect functionality of isocyanate- and thiol-terminated polymers, 10:1161
- Guniš, J. *See* Lustoň, J.
Gupta, N. D. *See* Chatterjee, S. K.
Gur-Arieh, Z. *See* Avny, Y.
Gurbarg, M. T. *See* Brodman, B. W.
Guyot, A.
— Charcosset, H., Revillon, A., and Vuillaume, G.
Interaction between chromium oxide and its silica-alumina support and activity of the resulting polymerization catalyst, 2:135
— Dumont, M., Graillat, C., Guillot, J., and Pichot, C.
Acrylonitrile copolymerizations
(VI) Influence of the comonomer on the intramolecular cyclization reaction, 9:483
— and Guillot, J.
Acrylonitrile copolymerizations
(I) Penultimate effects, 2:889
Styrene-acrylonitrile copolymerization: effect of remote units on the reactivity of the styrene-ended radicals, 1:793

[Guyot, A.]

- Guillot, J., and Pichot, C.
 Determination of radical concentrations in copolymerization, **9**:469
- Pichot, C., Guillot, J., and Pham, Q. T.
 Vinyl chloride-vinylidene chloride copolymerization: kinetic deviations and structural defects, **6**:1681
- and Vialle, J.
 Isoprene polymerization by butyllithium in cyclohexane
 (I) Initiation reaction, **4**:79
 (II) Propagation reaction, **4**:107
- See Galin, M.*
See Graillat, C.
See Guillot, J.
See Michel, A.
See Pichot, C.
See Spitz, R.
See Vialle, J.
See Vuillaume, G.
- Guzman, R. J. *See Vogel, M. K.*

H

- Haack, R. *See Rembaum, A.*
- Haack, R. F. *See Rembaum, A.*
- Häberli, R. *See D'Alelio, G. F.*
- Hadjichristidis, N., and Desreux, V. Hydrodynamic properties and unperturbed dimensions of polydecahydro- β -naphthyl and poly- β -naphthyl methacrylates in different solvents, **6**:1227
- Hagiwara, M.
- Kagiya, T., Araki, K., and Kagiya, T.
 Effect of acetylene on the γ -ray crosslinking polymerization of various kinds of acrylic monomers, **10**:781
- Tagawa, T., Tsuchida, E., Shinohara, I., and Kagiya, T.
 Radiation-induced cross-linking of polyethylene in the presence of various acetylenic compounds, **7**:1591
- Hall, H. K., Jr. *See Beste, L. F.*
- Ham, G. E.
 Antepenultimate copolymer composition equation, **5**:453
 Application of Markov chain calculations to the study of penultimate-unit effects in terpolymerization, **2**:877
 Copolymerization parameters of allyl glycidyl ether, **9**:635
 Criteria for the formation of azeotropes and near-azeotropes in terpolymerization, **1***:93
 A novel approach to predicting reactivity of telogens, **1***:693
 Role of triad concentration in glass transition temperatures of copolymers, **9**:461
 (II), **9**:1281

- Sequence reversibility in the copolymerization process, **1***:103
— and Lipman, R. D. A.
 Computation of monomer feeds and probability products for given terpolymer systems, **1**:1005
 See Dick, C. R.
- Hamann, S. D.
— Solomon, D. H., and Swift, J. D.
 The kinetics and mechanism of esterification and polyesterification reactions, **2**:153
 See Jackson, M. B.
- Hamann, S. H., Murphy, A. J., Solomon, D. H., and Willing, R. I. The mechanism of the polymerization of styrene by perchloric acid, **6**:771
- Hara, K. *See* Imanishi, Y.
- Hardy, J. P. *See* Ingham, J. D.
- Hargreaves, C. A., II *See* Garrett, R. R.
- Harrison, E. S. *See* Hergenrother, P. M.
- Harrison, I. R. Novel melting phenomena in a series of isothermally crystallized polyethylene single crystals, **8**:43
- Harvey, T. B., III *See* Crowley, J. I.
- Harwood, H. J.
 See Ang, T. L.
 See Guilbault, L. J.
 See Seeney, C. E.
- Haszeldine, R. N. *See* Banks, R. E.
- Hatada, K. *See* Yuki, H.
- Hatanaka, H. *See* Sugiyama, K.
- Hausslein, R. W., Bixler, H. J., and Stewart, D. M. Flocculants prepared from mixtures of fatty amines with colloidal chrysotile asbestos, **4**:1431
- Havinga, R.
— and Schors, A.
 Preparation and properties of polyallenes
 (I) Polymerization of allene by Ziegler-type catalysts, **2**:1
 (III) Polymerization of allenes induced by Al-*i*-Bu₃-VOCl₃ catalyst, **2**:31
- Schors, A., and Visser, J. W.
 Preparation and properties of polyallenes
 (II) Phase transitions of polyallene, **2**:21
- Hawthorne, D. G.
— Hodgkin, J. H., Loft, B. C., and Solomon, D. H.
 Polymerization of vinyl monomers on mineral surfaces: a novel method of preparing reinforcing fillers, **8**:649
- and Solomon, D. H.
 Cyclopolymerization
 (IV) Low molecular weight products for the reactions of allylamines and diallylamines with azobisisobutyronitrile, **9**:149
 (IX) Effect of β -substituents on the cyclopolymerization of diallylamines, **10**:923

[Hawthorne, D. G.]

DPPH (2,2-diphenyl-1-picrylhydrazyl) as a diagnostic tool in mechanistic studies related to polymerization, 6:661

Reinforcement of polyethylene by surface-modified kaolins, 8:659

See Solomon, D. H.

Hayashi, K.

See Kaetsu, I.

See Kawasaki, M.

See Kennedy, J. P.

See Maekawa, T.

See Nakayama, Y.

See Sakamoto, M.

See Shimizu, A.

See Suzuki, M.

See Sakurada, I.

Healy, T. W. Principles of adsorption of organics at solid-solution interfaces, 8:603

Heller, J. See Hodgkin, J. H.

Henderson, N. K., Yamakawa, S., Stannett, V. T., and Bengough, W. I. The thermal stability of poly(vinyl chloride) prepared by radiation polymerization, 9:415

Hergenrother, P. M.

Poly-as-triazines from oxalamidrazone, 7:573

— and Kiyohara, D. E.

Polyphenyl-as-triazines, 5:365

— Rafter, R. T., and Harrison, E. S.

Polyphenyl-as-triazines from perfluoroalkyleneamidrazones, 9:1289

Hermann, A. M. See Rembaum, A.

Herz, J. See Litt, M.

Heskins, M., and Guillet, J. E. Solution properties of poly(N-isopropylacrylamide), 2:1441

Heuschen, J. M. See Ouhadi, T.

Hibino, K. See Sato, T.

Higaki, H. See Tabata, Y.

Higashi, F. See Yamazaki, N.

Higashimura, T.

— Fukushima, T., and Okamura, S.

Rate constant of initiation reaction in cationic polymerization of vinyl monomers

(I) Polymerization of styrene derivatives catalyzed by triphenylmethyl stannic pentachloride, 1:683

— Kanoh, N., and Okamura, S.

Spectroscopic studies of carbonium ions produced from styrene derivatives 1*:109

See Imanishi, Y.

See Kobayashi, E.

- See* Masuda, T.
See Mizote, A.
See Nakayama, H.
See O'Driscoll, K. F.
See Ohsumi, Y.
- Hill, J. T. Polymers from hexafluoropropylene oxide (HFPO), 8:499
- Hirai, H. Ternary molecular complex in the alternating copolymerization of methyl methacrylate with styrene using stannic chloride, 9:883
- Hirama, K. *See* Osawa, Z.
- Hirano, T. *See* Khanh, P. H.
- Hirao, A.
See Nakahama, S.
See Yamazaki, N.
- Hiraoka, L. S. *See* Odian, G.
- Hirata, R. *See* Kagiya, T.
- Hisasue, M., Ukihashi, H., and Tabata, Y. Kinetic studies on the radiation-induced solution polymerization of tetrafluoroethylene, 7:795
- Hodge, R. *See* Homsy, C. A.
- Hodgkin, J. H.
— and Heller, J.
Thermally stable spiropolymers, 3:1067
— and Martinelli, F. J.
Application of polymer network theory to the determination of prepolymer functionality, 6:789
— and Solomon, D. H.
Cyclopolymerization
(VIII) The synthesis of allylamino monomers by the Mannich reaction and their polymerization, 10:893
Magnesium-silicate coated minerals as polymer fillers and pigments, 8:635
The preparation and properties of titanium dioxide pigments with acidic surfaces, 8:621
See Hawthorne, D. G.
See Jeffery, E. A.
- Hoeg, D. F. *See* Falk, J. C.
- Hofferbert, W. L., Jr. *See* Preston, J.
- Hoffman, J. L. Chromatography of nucleic acids on cross-linked cyclodextrin gels having inclusion-forming capacity, 7:1147
- Hofman, E. T. *See* D'Alelio, G. F.
- Hofstee, B. H. J. Hydrophobic effects in adsorptive protein immobilization, 10:111
- Holder, G. A. Growth of n-paraffin crystals from solution and the effect of polymers on them, 4:1049
- Holland, V. F. Morphology and crystal structure of wholly aromatic all-para polyamide-hydrazide polymers, 7:173
- Holló, J., László, E., and Tóth, M. Effect of the properties of polyelectrolytes on their catalytic behavior (I), 4:1215

- Hom, J. *See* Meyers, R. A.
- Homsy, C. A., Ansevin, K. D., O'Bannon, W., Thompson, S. A., Hodge, R., and Estrella, M. E. Rapid *in vitro* screening of polymers for biocompatibility, **4**:615
- Hon, N.-S. Fundamental degradation processes relevant to solar irradiation of cellulose: ESR studies, **10**:1175
- Hon Kiet, H. *See* Blanchard, L.-P.
- Hoover, M. F.
Cationic quaternary polyelectrolytes—a literature review, **4**:1327
See Boothe, J. E.
- Horn, F. *See* Ray, W. H.
- Hornback, J. M. *See* D'Alelio, G. F.
- Horta, A. *See* Barrales-Rienda, J. M.
- Hourigan, J. A., and Melrose, G. J. H. Analysis and γ -irradiation of polymer-bound catalase, **6**:761
- Howard, E. G., and Sargeant, P. B. The free-radical chemistry of fluoroketones (II) Reaction with unsaturated compounds, **1**:1011
- Howard, G. J. *See* Gidanian, K.
- Howell, J. A. Molecular weight distributions in polymerization, **8**:725
- Howery, D. G.
— and Kittay, M. J.
Nuclear magnetic resonance studies of ion-exchange resins (I) Effect of counter ion, **4**:1003
— and Tada, S.
The electrical conductivity of packed beds containing macroporous cation exchanger, **3**:297
- Hsieh, H. L. Terpolymerization of cyclic ethers with cyclic anhydride, **7**:1525
- Hsu, T. *See* Morosoff, N.
- Huang, J. *See* D'Alelio, G. F.
- Hubin, A. J. *See* Smith, S.
- Hübner, W. *See* Manecke, G.
- Hudson, B. E., Jr. *See* Muenker, A. H.
- Huemmer, T. H. *See* D'Alelio, G. F.
- Hui, S. H. *See* LePoutre, P.
- Humphries, W. T., and Wildnauer, R. H. Characterization of aging skin via thermal analysis, **8**:65
- Hung, G. W. Solvent-polymer interaction (II) Measurements of liquid solvent molecules associating with polymer sites and of their transport behavior in polymer membrane by thermogravimetric, GLC, and mass spectrometry, **9**:211
- I
- Iachia, B. *See* Butler, G. B.
- Ichihashi, T. *See* Kawai, W.
- Ieda, M. *See* Morita, S.

- Imura, K. *See* Koide, N.
Ikeda, H. *See* Saegusa, T.
Ikeda, S. *See* Yamamoto, A.
Iki, Y. *See* Imoto, M.
Imanishi, Y.
—— Hara, K., Kohjiya, S., and Okamura, S.
 Cationic polymerization of cyclic dienes
 (VI) Cationic copolymerization of cyclopentadiene and α -methylstyrene, 2:1423
—— Kohjiya, S., and Okamura, S.
 Cationic polymerization of cyclic dienes
 (IV) Polymerizations of cyclopentadiene with stannic chloride-trichloroacetic acid and borontrifluoride etherate, 2:471
—— Matsuzaki, K., Kohjiya, S., and Okamura, S.
 Cationic polymerization of cyclic dienes
 (VIII) The kinetic observations on the polymerization of *cis,cis*-1,3-cyclooctadiene, 3:237
—— Matsuzaki, K., Yamane, T., Kohjiya, S., and Okamura, S.
 Cationic polymerization of cyclic dienes
 (IX) The structure of poly(1,3-cyclohexadiene) and poly(*cis*-1,3-cyclooctadiene), 3:249
—— Yamamoto, R., Higashimura, T., Kennedy, J. P., and Okamura, S.
 Effect of aging on the nature of the Wichterle-Marek-Trekoval catalyst, 1:877
—— Yamane, T., Kohjiya, S., and Okamura, S.
 Cationic polymerization of cyclic dienes
 (VII) The kinetic observations on the polymerization of 1,3-cyclohexadiene, 3:223
Imoto, M.
—— Kinoshita, M., and Iki, Y.
 Vinyl polymerization
 (254) Polymerization of methyl methacrylate by the system cellulose-water-carbon tetrachloride, 5:287
—— Suzuki, H., and Ouchi, T.
 Vinyl polymerization
 (350) Polymerization of methyl methacrylate initiated by the system sodium poly(vinyl sulfonate)/ferric chloride/water, 10:1585
See Kumazaki, H.
See Nakai, S.
See Nakata, T.
See Nakaya, T.
See Otsu, T.
See Sato, T.
See Seita, T.
See Sugiyama, K.
See Tang, H.-S.
See Yamauchi, K.

[Imoto, M.]

See Yano, H.

Inagaki, H. See Matsuda, H.

Inaki, Y.

— Nozakura, S.-I., and Murahashi, S.

Cationic copolymerization with depropagation: the copolymerization of α -methylstyrene and styrene, 6:313

— Takahashi, M., and Takemoto, K.

Vinyl polymerization by metal complexes

(XXIII) UV and kinetic studies on the photopolymerization with iron(III)-amine-carbon tetrachloride systems, 9:1133

See Kimura, K.

See Okimoto, T.

See Shirai, H.

Ingham, J. D., Lawson, D. D., Manatt, S. L., Rapp, N. S., and Hardy, J. P.

Molecular structure and configuration of polymers: NMR spectra of poly(alkylene oxide) terminal groups, 1*:75

Ino, T. See Nakayama, K.

Inoue, H. See Otsu, T.

Irie, M.

— Yamamoto, Y., and Hayashi, K.

Recent progress of photo- and radiation-induced ionic polymerizations, 9:817

See Suzuki, M.

Isaacs, P. K. Influence of emulsifiers on film formation from latexes, 1*:163

Isaacson, R. B. See Kennedy, J. P.

Isayama, K. See Saegusa, T.

Ise, N.

Anionic polymerization of vinyl aromatic solvents, 9:1047

See Sakurada, I.

See Tanaka, Y.

Ishigaki, I. See Sakamoto, M.

Ishigure, K.

— O'Neill, T., Stahel, E. P., and Stannett, V.

The radiation-induced polymerization and copolymerization of butadiene in emulsion, 8:353

— and Stannett, V. T.

The radiation-induced copolymerization of butadiene with acrylonitrile in emulsion systems, 8:337

— Tabata, Y., and Oshima, K.

Radiation-induced copolymerization of chlorotrifluoroethylene with olefins, 5:263

Solid-state polymerization in binary component systems at low temperature, 1:591

— Yoshida, K., and Stannett, V. T.

Radiation-induced graft polymerization in emulsion systems, 7:813

See Tabata, Y.

- Ito, A. *See* Sakamoto, M.
Ito, K., Iwase, S., Umehara, K., and Yamashita, Y. Copolymer microstructure by high-resolution NMR studies, 1:891
Ito, M. *See* Matsuda, O.
Ito, S. *See* Kajiwara, M.
Ito, T., and Otsu, T. Solvent effect in radical copolymerization of methyl methacrylate with styrene, 3:197
Ito, W. *See* Tabata, Y.
Ivansons, V. *See* Vogl, O.
Ivin, K. J., and Spensley, R. H. Copolymerization systems involving reversible propagation steps, 1:653
Iwai, T. *See* Sakamoto, M.
Iwakura, Y., and Toda, F. The polymerization of heteroaromatic monomers, 9:1063
Iwama, M., Utiyama, H., and Kurata, M. Dilute solution properties of poly(α -substituted methyl acrylates)
(I) Poly(methyl ethacrylate) and poly(methyl n-butacrylate), 1*:701
Iwase, S. *See* Ito, K.
Izu, M. *See* O'Driscoll, K. F.

J

- Jackson, M. B.
Cyclopolymerization
(XI) Polyelectrolytes and polyampholytes from N-alkyl-N,N-diallyl-amines and methacrylamide, 10:959
— and Solomon, D. H.
The reaction of aliphatic isocyanates with some compounds which contain an active hydrogen (with appendix by S. D. Hamann), 6:671
Jambaya, L. M. *See* Carraher, C. E., Jr.
James, P. M., Barrall, E. M., II, Dawson, B., and Logan, J. A. Cross-linking of methyl silicone rubbers
(II) Analysis of extractables from samples cross-linked under various conditions, 8:135
Jeffery, E. A., Hodgkin, J. H., and Solomon, D. H. Cyclopolymerization
(X) Salt retention by ordered and disordered amphoteric copolymers, 10:943
Jellinek, H. H. G.
— and Lipovac, S. N.
Photolysis of isotactic polymethacrylic acid in aqueous solutions, 1*:773
— and Wang, L. C.
The photolysis of polyvinylpyrrolidone in oxygen-free aqueous solutions, 2:781
The photolysis of polyvinylpyrrolidone in aqueous solutions in the presence of oxygen and cupric ions, 2:1353
Jenkins, M. C. *See* Vanderhoff, J. W.

- Jenner, G. Polymerization of conjugated dienes at high pressures
 (X) Influence of pressure upon the microstructure of anionic polyisoprene, 9:83
- Jewell, R. A. Relative thermophysical properties of some polyimidazopyrrolones, 3:1147
- Jin, J.-I. *See* Wiley, R. H.
- Joesten, B. L., and Johnston, N. W. Thermogravimetric analysis of vinyl chloride/acrylonitrile copolymers, 8:83
- Johns, S. R.
 — Middleton, S., Ong, A. K., and Willing, R. I.
 Cyclopolymerization
 (VII) The ^{13}C NMR spectra of cyclopolymers obtained from N,N-diallyl amines, 10:875
 — and Willing, R. I.
 Cyclopolymerization
 (V) The ^{13}C spectrum and structure of the low molecular weight product from the reaction of N-methyl-N,N-diallylamine with azobisisobutyronitrile, 9:169
- Johnson, D. E. *See* Di Milo, A. J.
- Johnston, J. *See* Kennedy, J. P.
- Johnston, N. W.
 Sequence distribution-glass transition effects
 (II) Alkyl methacrylate/vinyl chloride copolymers, 7:531
See Joesten, B. L.
- Johnston, T. H., and Gaulin, C. A. Thermal decomposition of polyimides in vacuum, 3:1161
- Jones, A. G. *See* Crawshaw, A.
- Jordan, M. J. Interfaces in composites: reinforcement of elastomers by carbon black, 8:579
- Joshi, R. M.
 Bond energy/group contribution methods of calculating the standard heat of formation: development of a new generalized bond-energy scheme for monomers and polymers
 (II) Hydrocarbons, 5:687
 (III) Alicyclic hydrocarbons, 6:595
 A brief survey of methods of calculating monomer reactivity ratios, 7:1231
 A critical evaluation of bond energy/group contribution methods of calculating the heat of formation: development of a new generalized scheme
 (I) Alkanes, 4:1819
 A new generalized bond energy/group contribution scheme for calculating the standard heat of formation of monomers and polymers
 (IV) Halocarbons, 8:861
 (V) Oxygen compounds, 9:1309
 — and Joshi, S. G.
 A new analytical solution of the binary copolymer composition equation and suggested procedure for deriving the monomer reactivity ratios, 5:1329

Joshi, S. G

See Joshi, R. M.

See Ponratnam, S.

Jung, I. J. See Wiley, R. H.

K

Kabanov, V. A., Aliev, K. V., and Richmond, J. The polymerization of propargyl chloride activated by interaction with poly(4-vinylpyridine), **9**:273

Kaczmar, U. See Schuttenberg, H.

Kadoi, H. See Sugawara, I.

Kaelble, D. H. See Dynes, P. J.

Kaetsu, I.

— Kamiyama, H., Hayashi, K., and Okamura, S.

Radiation-induced solid-state polymerization in binary systems

(III) Physical properties of the glassy phase in polymeric systems, **3**:1509

— Nakase, Y., and Hayashi, K.

Radiation-induced solid-state polymerization in binary systems

(VI) Polymerization of vinyl compounds in the supercooled liquid phase, **3**:1525

Kagiya, T.

— and Matsuda, T.

Polymerization of 2-oxazolines

(I) Cationic polymerization of 2-phenyl-2-oxazoline initiated by various oxazolinium salts of monomer with Brønsted acids, **5**:1265

(II) Kinetics of the cationic polymerization of 2-phenyl-2-oxazoline initiated by oxazolinium perchlorate in N,N-dimethylacetamide solution, **6**:135

— Matsuda, T., and Hirata, R.

Polymerization of 2-oxazolines

(III) Influence of polymerization media on the propagation reaction in the cationic polymerization of 2-phenyl-2-oxazoline, **6**:451

— Matsuda, T., Nakato, M., and Hirata, R.

Polymerization of 2-oxazolines

(IV) The structure and the reactivity of 2-substituted-2-oxazolines and oxazolinium perchlorates, **6**:1631

— Matsuda, T., and Zushi, K.

Radical copolymerization of 2-isopropenyl-2-oxazoline with styrene in the presence of Lewis acids, **6**:1349

See Hagiwara, M.

Kagiya, V. T., and Takemoto, K. Crosslinking and oxidation of 1,2-polybutadiene by UV irradiation, **10**:795

Kagiwara, M. See Momiyama, Z.

Kaiya, A. See Tsujino, T.

Kajiwara, M., Saito, H., Yamada, K., and Ito, S. Cyclotriphosphazatriene derivatives

- [Kajiwara, M., Saito, H., Yamada, K., and Ito, S.]
(XXIX) Reaction of cyclophosphazatriene dichloride with sodium hydrosulfide, 8:1023
- Kakiuchi, H. *See* Tanaka, Y.
- Kalfus, M. *See* Szewczyk, P.
- Kamachi, M. *See* Stille, J. K.
- Kambe, H., Kato, T., and Kochi, M. A kinetic investigation of thermal shrinkage of aromatic polymers by thermomechanical analysis, 8:157
- Kambe, Y. The critical miscibility composition of styrene-acrylonitrile-methyl methacrylate terpolymers, 7:547
- Kamiyama, H. *See* Kaetsu, I.
- Kanai, H. *See* Tsuruta, T.
- Kanevskii, I. M. *See* Blumenfeld, L. A.
- Kang, B. K., and O'Driscoll, K. F. Copolymerization with depropagation
(X) Description of reversible copolymerization by irreversible reactivity ratios, 7:1197
- Kanoh, N. *See* Higashimura, T.
- Kaplan, N. O. *See* Lee, C.-Y.
- Kapur, S. L. *See* Ponratnam, S.
- Kasuga, T. *See* Osawa, Z.
- Kato, T. *See* Kambe, H.
- Kato, Y. *See* Teramachi, S.
- Kaufman, L. G. *See* Volpe, A. A.
- Kawabata, N. *See* Yasuda, Y.
- Kawahara, M. *See* Oikawa, E.
- Kawai, W., and Ichihashi, T. Photoinduced graft copolymerization of acrylic acid-*n*-butyl acrylate on polyvinyl chloride, 8:805
- Kawakami, Y., Yasuda, Y., and Tsuruta, T. Elementary reactions of metal alkyl in anionic polymerizations
(V) Reaction of di-*n*-butylzinc and tri-*n*-butylaluminum with α,β -unsaturated ketones, 3:205
- Kawasaki, M.
— Maekawa, T., Hayashi, K., and Okamura, S.
Radiation-induced polymerization of urea canal complex
(I) Radiation-induced polymerization of acrylonitrile in urea canal complex, 1*:489
See Maekawa, T.
- Kay, E. *See* Coburn, J. W.
- Kaye, H., and Chang, S.-H. The properties of structurally homogeneous poly(1-vinyluracils) and their interaction with polynucleotides, 7:1127
- Kazato, M. *See* Narita, T.
- Kearns, J. E., McLean, C. D., and Solomon, D. H. Polymers and copolymers of unsaturated tetrahydropyranyl esters, 8:673
- Kelen, T.
— and Tüdös, F.
Analysis of the linear methods for determining copolymerization reactivity ratios

- (I) A new improved linear graphic method, 9:1
See Tüdös, F.
- Kelly, W. J., and Calderon, N. Selectivity aspects in cross metathesis reactions, 9:911
- Kennedy, A. M. *See* Warner, R. E.
- Kennedy, J. P.
Olefin polymerization and copolymerization with aluminum alkyl-cocatalyst systems
(IV) The polymerization of styrene, 3:861
(V) The molecular weight and molecular weight distribution of polystyrene, 3:885
- Self-initiation in cationic polymerization, 6:329
- Bank, S., and Squires, R. G.
Contributions to the mechanism of isobutene polymerization
(V) Effect of cyclic olefins, 1:961
(VI) Effect of halides, 1:977
- and Chou, T.
Sequence distribution analysis of isobutylene-styrene and isobutylene-isoprene copolymers, 10:1357
- Elliott, J. J., and Butler, P. E.
Radical isomerization polymerization of 1,1-dicyclopropylethylene, 2:1415
- and Isaacson, R. B.
Synthesis and characterization of crystalline polybenzyl and polybenzyl derivatives, 1*:541
- and Makowski, H. S.
Carbonium ion polymerization of norbornene and its derivatives, 1:345
- Melby, E., and Johnston, J.
An attempt to adapt superacid chemistry for "living" carbenium ion polymerizations, 8:463
- Melby, E. G., and Vidal, A.
Block and bigraft copolymers by carbocation polymerization, 9:833
- and Phillips, R. R.
The influence of aluminum-containing Lewis acids of polyisobutylene, isobutylene-isoprene copolymers (butyl rubber), and chlorinated isobutylene-isoprene copolymer (chlorobutyl), 4:1759
- and Sivaram, S.
Olefin polymerization and copolymerization with alkylaluminum-initiator systems
(VII) Initiation by electrophilic halogens, 7:969
- and Squires, R. G.
Contributions to the mechanism of isobutene polymerization
(I) Theory of allylic termination and kinetic considerations, 1:805
(II) Effect of n-alkenes on yields and molecular weights and effect of temperature on Poisson coefficients and transfer coefficients, 1:831
(III) Effect of branched alkenes and influence of steric factors, 1:847
(IV) Effect of conjugated dienes, 1:861

[Kennedy, J. P.]

(VII) Effect of HCl and chloroethyl benzene and a brief summary of the data, 1:995

— Ueno, K., Hayashi, K., and Okamura, S.

γ -ray-initiated polymerization of 3-methyl-1-butene and 4-methyl-1-pentene, 1*:243

See Imanishi, Y.

Kenyon, A. S., and Nielsen, L. E. Characterization of network structure of epoxy resins by dynamic mechanical and liquid swelling tests, 3:275

Kenyon, R. S. See Dilli, S.

Kerr, G. P. See Cameron, G. G.

Kershaw, R. W. See Lubbock, F. J.

Kesting, R. E.

Control of polymer morphology for biomedical applications

(I) Hydrophilic polycarbonate membranes for dialysis, 4:655

— Engdahl, M., and Stone, W., Jr.

The application of scanning electron microscopy to membrane morphology, 3:157

— and Subcasky, W. J.

Liquid membranes at the cellulose acetate membrane/saline solution interface in reverse osmosis

(II) Spectrophotometric evidence for the surfactant-water interactions, 3:151

Keusch, P., Prince, J., and Williams, D. J. The growth of polystyrene latex particles, 7:623

Khamis, J. T. See Ravve, A.

Khanh, P. H., Hirano, T., and Tsuruta, T. Deuterated epoxides and their polymers

(I) Synthesis of cis- and trans-propylene oxide- d and their NMR spectra, 5:1287

Kho, J. H. T. See Odian, G.

Khomiakov, K. P. See Rogovin, Z. A.

Kieffer, H. E. See D'Alelio, G. F.

Kiet, H. H., Malhotra, S. L., and Blanchard, L.-P. Cationic copolymerization of propylene oxide with tetrahydrofuran

(XI) Calculation of individual rate constants, 10:1317

Kim, K. S. See Wiley, R. H.

Kim, S., Stannett, V. T., and Gilbert, R. D. Biodegradable cellulose block copolymers, 10:665

Kimura, K.

— Inaki, Y., and Takemoto, K.

Vinyl polymerization by metal complexes

(XXVII) Mechanistic study on the vinyl polymerization initiated by polyvinylamine-copper(II) chelate in dimethylsulfoxide solution, 9:1399

(XXIX) Initiation mechanism of vinyl polymerization initiated by copper(II) chelates of polyvinylamine-carbon tetrachloride system: spin trapping and gelation studies, 10:1229

- Kimura, S. *See* Butler, G. B.
Kimura, Y. *See* Saegusa, T.
Kinoshita, M.
 See Imoto, M.
 See Miura, Y.
 See Seita, T.
 See Tang, H.-S.
 See Yamauchi, K.
Kiran, E., and Gillham, J. K. Pyrolysis-molecular weight chromatography of polymers: a new technique, **8:211**
Kirsch, T. *See* Carraher, C. E., Jr.
Kittay, M. J. *See* Howery, D. G.
Kiyohara, D. E. *See* Hergenrother, P. M.
Klaban, J. *See* Malinsky, J.
Klein, J. *See* Ray, W. H.
Kleist, F. D. *See* Byrd, N. R.
Klump, G. *See* Schutzenberg, H.
Ko, M., Sato, T., and Otsu, T. Polymerization of vinyl monomers with binary initiator system of N-chlorosuccinimide and Lewis acids, **9:199**
Kobayashi, E., Higashimura, T., and Okamura, S. Molecular weight distribution of polyoxymethylene obtained in solid-state polymerization of trioxane catalyzed by $\text{BF}_3 \cdot \text{O}(\text{C}_2\text{H}_5)_2$, **1:1519**
Kobayashi, H.
 — Bell, A. T., and Shen, M.
 Effects of monomer flow rate, flow configuration, and reactor geometry on the rate of plasma polymerization, **10:491**
 — Shen, M., and Bell, A. T.
 Effects of reaction conditions on the plasma polymerization of ethylene, **8:373**
 The role of halogens in the plasma polymerization of hydrocarbons, **8:1345**
Kobayashi, K. *See* Osawa, Z.
Kobayashi, S.
 See Saegusa, T.
 See Tsuda, K.
Kochetov, E. V. *See* Markevich, M. A.
Kochi, M. *See* Kambe, H.
Koda, K. *See* Neuse, E. W.
Kohjiya, S. *See* Imanishi, Y.
Kohler, J., Goineau, A., and Stannett, V. The radiation polymerization of 4-methyl-1-pentene, 2-methyl-1-butene, and 2,3-dimethyl-1-butene under conditions of extreme dryness, **8:1375**
Koide, N., Iimura, K., and Takeda, M. Studies on polymerization activities by soluble catalysts based on compounds of organotransition metals and aluminum alkyls, **9:961**
Kojima, G., and Tabata, Y.
 Radiation-induced copolymerization of tetrafluoroethylene and propylene (I) Copolymerization in bulk, **6:417**

- [Kojima, G., and Tabata, Y.]
(II) Copolymerization in solution, 7:783
Radiation-induced cross-linking of a tetrafluoroethylene-propylene copolymer, 5:1087
- Kolb, A. F. *See* Lee, C. L.
- Koleske, J. V. *See* Brode, G. L.
- Komagata, H. *See* Nishimura, A. A.
- Kononov, A. M. *See* Andrianov, K. A.
- Konopnicki, D., and Kuester, J. L. Forced oscillations in a nonisothermal continuous polymerization reactor, 8:887
- Kopolow, S., Machacek, Z., Takaki, U., and Smid, J. Interactions of ions and ion pairs with crown ethers and their polymers, 7:1015
- Kops, J., and Spanggaard, H. Low-temperature polymerization of endo- and exo-2-methyl-7-oxabicyclo-[2.2.1]-heptane, 7:1455
- Kössler, I.
— Štolka, M., Vodehnal, J., and Gaylord, N. G.
Oxidation of poly(2,3-dimethylbutadiene-1,3), 1:1487
See Gaylord, N. G.
- Koubek, F. J. A review of ablative studies of interest to naval applications, 3:395
- Kovač, Š. *See* Lapanje, S.
- Koyama, K., and Otsu, T. The polymerization of 1,3-dioxolane catalyzed by ion exchange resin (polystyrene sulfonic acid), 8:1295
- Koźbiał-Hołydyk, B. *See* Zochniak, A.
- Krässig, H. A. X-ray investigations on celluloses grafted by the thiocarbonation method, 10:753
- Kresta, J., and Livingston, H. K. Mechanism of and products from the oxidation of phenols by hypervalent iodine compounds, 4:1719
- Kretzschmar, H.-J. *See* Manecke, G.
- Kroll, L. C. *See* Grubbs, R. H.
- Kubisa, P., and Penczek, S. Penultimate unit influence in the cationic copolymerization of tetrahydrofuran with oxetanes, 7:1509
- Kučera, M. Cocatalysis in cationic polymerization, 7:1611
- Kuester, J. L. *See* Konopnicki, D.
- Kumakura, M. *See* Sakamoto, M.
- Kumazaki, H., Nakaya, T., and Imoto, M. Synthesis and polymerization of 2-(β substituted acryloyl)-1-methacryloyloxynaphthalenes, 10:993
- Kumbar, M.
Comparative study of distribution functions for the excluded volume problems, 7:461
Excluded volume in macromolecules, 5:1303
— and Windwer, S.
Conformational study of dipeptides, 6:1403
- Kumbar, M. M. Conformational study of macromolecular systems, 6:1311
- Kunitake, T.
The steric course of the cationic polymerization of vinyl and related monomers: the counterion effect, 9:797
See Aso, C.

- Kunzru, D. *See* Snyder, W. J.
Kurata, M. *See* Iwama, M.
Kurihara, M., and Yoda, N. Cyclopolycondensations
(VIII) New thermally stable aromatic polybenzoxazinones by solution
polymerization in polyphosphoric acid, 1:1609
Kuroda, N. *See* Tsujino, T.
Kurosaki, T. *See* D'Alelio, G. F.
Kuwahara, Y., and Shen, M. Thermoelasticity and chain conformation in alter-
nating copolymers of butadiene, 10:1205

L

- La Combe, E. M. *See* Bailey, F. E., Jr.
Lacroix, A. *See* Murphy, P.
Laible, R. C., Figucia, F., and Ferguson, W. J. The application of high-modulus
fibers to ballistic protection, 7:295
Laletina, O. P. *See* Rogovin, Z. A.
Lam, D. K., Baddour, R. F., and Stancell, A. F. A mechanisms and kinetics
study of polymeric thin-film deposition in glow discharge, 10:421
Landel, R. F. *See* Rembaum, A.
Langer, A. W., Jr. Linear alpha-olefins by catalytic oligomerization of ethylene,
4:775
Lapanje, S.
— and Kovač, Š.
Excluded volume of alkali poly(styrene sulfonates) in solutions with added
salt, 1:707
See Gubenšek, F.
Laszkiewicz, B. The mechanism of reaction between poly(vinyl alcohol) and
phosphorous acid, 5:421
László, E. *See* Holló, J.
Laudenslager, R. K. *See* Moacanin, J.
Lautenschlaeger, F. Alkylene sulfide polymerizations, 6:1089
Lawson, D. D. *See* Ingham, J. D.
Layne, W. S., and Patrick, R. L. Some fundamental properties of the interface
of glass-epoxy composites, 1:1541
Lee, C. L., Plics, U., and Kolb, A. F. Polydipropylsiloxane single crystals, 4:1641
Lee, C.-Y., and Kaplan, N. O. General ligand affinity chromatography in enzyme
purification, 10:15
Lee, H.
— and Neville, K.
The challenge for high polymers in medicine, surgery, and artificial internal
organs, 4:757
See Stoffey, D. G.
Lee, H. L. *See* Ocumpaugh, D. E.
Lee, J.
Theoretical considerations on the possibility of enhancing the effect of temper-
ature upon the melt viscosity of linear polymers by the incorporation of

[Lee, J.]

weak bonds in the chains

(I) Thermodynamic arguments, 4:209

(II) Kinetic factors, 4:233

Lee, J. L. *See* Carraher, C. E., Jr.

Lee, J. Y. *See* Wiley, R. H.

Lee, K. S. *See* Pavlath, A.

Lee, T. C. P. *See* Lyons, P. F.

Leeder, J. D. *See* Dilli, S.

Lenz, R. W. Ionic polymerization of α,α -disubstituted vinyl monomers, 9:945

Lenzi, M. *See* Donato, A.

Leonard, J.

— and Maheux, D.

Equilibrium cationic polymerization of tetrahydrofuran in benzene, 7:1421

— and Malhotra, S. L.

Polymerization of α -methylstyrene at high temperatures in tetrahydrofuran with potassium as initiator

(I) Thermodynamic study and gel-permeation chromatographic analyses of the polymers, 10:1279

LePoutre, P., Hui, S. H., and Robertson, A. A. Some properties of polyelectrolyte-grafted cellulose, 10:675

Leung, H. *See* Miller, G. H.

Leung, W. J. *See* Miller, G. H.

Levi, A. A. *See* Bruck, S. D.

Levin, V. Yu. *See* Andrianov, K. A.

Levine, H. H.

See Gosnell, R. B.

See Segal, C. L.

Levy, A. *See* Litt, M.

Lilyquist, M. R.

— DeBrunner, R. E., and Fincke, J. K.

Construction and properties of fabrics of high-modulus organic fibers useful for composite reinforcing, 7:203

See Black, W. B.

Lipatova, T. E.

— Bakalo, L. A., Niselsky, Yu. N., and Sirovinskaya, A. L.

On the mechanism of polyurethane formation catalyzed by metal chelates and organotin compounds, 4:1743

— and Basilevskaya, N. P.

Mechanism of polymer formation in the system oligoester acrylate-sodium naphthalene, 10:1263

— Shapoval, G. S., Shevchuk, E. S., and Basylevskaya, N. P.

The peculiarities of the anionic polymerization of oligoesteracrylates, 5:345

Lipman, R. D. A. *See* Ham, G. E.

Lipovac, S. N. *See* Jellinek, H. H. G.

Liquori, A. M., Barone, G., Crescenzi, V., Quadrioglio, F., and Vitagliano, V.

Hydrophobic interactions in polyelectrolyte solutions, 1*:291

- Liskowitz, J. W., and Carroll, B. Kinetics of the polymerization of aldohexoses, 2:1139
- Lissac, P., Berticat, P., and Tho, P.-Q. Branching in polyethylenes: study by high resolution nuclear magnetic resonance, 5:901
- Liston, E. M. Arc-image testing of ablation materials, 3:705
- Litt, M., Levy, A., and Herz, J. Polymerization of cyclic imino ethers (X) Kinetics, chain transfer, and repolymerization, 9:703
- Livingston, H. K. *See* Kresta, J.
- Lochte, H. W. *See* Shulman, G. P.
- Lochte, W. *See* Shulman, G. P.
- Loft, B. C.
- and Solomon, D. H.
Acid-base interactions and the rheology of kaolinite dispersions in paraffin oil, 6:831
See Hawthorne, D. G.
- Logan, J. A. *See* James, P. M.
- Loucheux, C. *See* Caze, C.
- Lu, S.-C. *See* Miller, G. H.
- Lubbock, F. J., and Kershaw, R. W. The importance of being flocculated, 8:593
- Luborsky, S. W. *See* Mora, P. T.
- Ludvig, E. B.
- and Belenkaya, B. G.
Investigation of the mechanism of cationic polymerization of ϵ -caprolactone, 8:819
See Nysenko, Z. N.
- Lundell, J. H. *See* Dickey, R. R.
- Lurie, R. M., D'Urso, S. F., and Mullen, C. K. Structural ablative plastics, 3:527
- Lustoň, J.
- Guniš, J., and Maňásek, Z.
Polymeric UV absorbers of 2-hydroxybenzophenone type
(I) Polyesters on the base of 2-hydroxy-4-(2,3-epoxypropoxy)benzophenone, 7:587
- Maňásek, Z., and Palovčík, R.
Polymeric UV absorbers of the 2-hydroxybenzophenone type
(III) Tertiary amine catalyzed polymerization of 2-hydroxy-4-(2,3-epoxypropoxy)benzophenone, 9:1413
- Lynn, M. *See* Makowski, H. S.
- Lyons, P. F., Lee, T. C. P., and Tobolsky, A. V. Labile cross links in low unsaturation elastomers
(II) Effect of chain and cross-link structure on thermal and oxidative stability, 2:1149

M

- McAndrew, F. B. *See* Price, M. B.
- McCall, M. A., Caldwell, J. R., Moore, H. G., and Beard, H. M. Polymer intermediates and polymers derived from 5-t-butyl-m-xylene, 3:911

- MacCallum, J. R.
— and Tanner, J.
The thermal degradation of some polyphosphazenes, 4:481
— and Werninck, A. R. S.
The thermal decomposition of polydichlorophosphazene, 5:653
See Atkinson, J.
- McConnell, W. J. See Allan, G. G.
- McGinley, P. L. See Cherry, B. W.
- McGuire, J. P. See Erlander, S. R.
- McKeon, T. Ablative degradation of a silicone foam, 3:585
- MacKnight, W. J., Poulis, J. A., and Massen, C. H. Effect of $S\pi$ on the polymerization of liquid sulfur and the nature of $S\pi$, 1:699
- McLaren, K. G. See D'Arcy, R. L.
- McLean, C. D.
— Ong, A. K., and Solomon, D. H.
Cyclopolymerization
(VI) Preparation and properties of crosslinked polyamines by cyclopolymerization, 10:857
See Kearns, J. E.
- McManus, S. P. See Pittman, C. U., Jr.
- McNeill, R. See Bolto, B. A.
- MacPherson, A. S. See Bolto, B. A.
- MacRitchie, F.
Bonding in protein and polypeptide monolayers, 4:1169
The fractionation and properties of gluten proteins, 6:823
- Machacek, Z. See Kopolow, S.
- Maekawa, T.
— Kawasaki, M., Hayashi, K., and Okamura, S.
Radiation-induced polymerization of urea canal complex
(II) Radiation-induced polymerization of acrylonitrile-ethyl acrylate in urea canal complex and other two-component systems, 1*:507
— and Okamura, S.
Polymerization of acrylonitrile-metal halide complexes in the frozen state
(I) Radiation-induced polymerization of acrylonitrile-zinc chloride complex in the frozen state, 10:1565
Radiation-induced polymerization of urea canal complex
(4) Radiation-induced polymerization of acrylonitrile in urea-ethylene glycol supercooled liquid system, 9:265
— Okamura, S., and Hayashi, K.
Radiation-induced polymerization of urea canal complex
(3) Radiation-induced polymerization of acrylonitrile-urea canal complex in the frozen state, 9:257
See Kawasaki, M.
See Matsubara, Y.
- Maheux, D. See Leonard, J.
- Maiti, S. See Gaylord, N. G.

- Makimoto, T. *See* Tsuruta, T.
- Makita, N. *See* Miura, Y.
- Makowski, H. S.
— and Lynn, M.
 Butyllithium polymerization of butadiene
 (I) Associative effects at low degrees of polymerization, 1*:443
 (III) Effect of inactive lithium compounds, 2:683
- Lynn, M., and Bogard, A. N.
 Butyllithium polymerization of butadiene
 (II) Effects of solvent and temperature on association of polybutadienylium, 2:665
- Lynn, M., and Rottenberg, D. H.
 Epoxidation of alkylolithium polybutadienes, 4:1563
 See Kennedy, J. P.
- Maláč, J. Simulation of degradation processes
 (III) Testing of some reactions for random chain scission, 7:923
- Malhotra, S. L.
— and Blanchard, L. P.
 Cationic copolymerization of propylene oxide with tetrahydrofuran
 (X) Variation of reactivity ratios with different reaction parameters, 9:1485
 See Blanchard, L.-P.
 See Kiet, H. H.
 See Leonard, J.
 See Vo Van, K.
- Malinsky, J., Klaban, J., and Dušek, K. Vinyl-divinyl copolymerization: copolymerization and network formation from styrene and p- and m-divinylbenzene, 5:1071
- Malone, W. M. *See* Albert, R.
- Maňásek, Z. *See* Lustoň, J.
- Manatt, S. L. *See* Ingham, J. D.
- Manecke, G., Kretzschmar, H.-J., and Hübner, W. Some new nitrogen-containing redox polymers, 7:1181
- Manley, R. St. J. *See* Bialski, A.
- Manley, T. R. Characterization of thermosetting resins by thermal analysis, 8:53
- Manna, P. K., and Choudhury, P. K. Molecular parameters of sodium carboxymethyl amylose in dilute solution, 8:909
- Marchal, E. *See* Sugawara, I.
- Marconi, W. *See* Cucinella, S.
- Marechal, E. Influence of the nature and position of substituents on the cationic polymerization of some aromatic monomers, 7:433
- Marek, M., and Pecka, J. Effect of the initiator anion and of the polarity of the medium on the intra-intermolecular growth in the cationic polymerization of 2,5-dimethyl-1,5-hexadiene, 5:211
- Markewich, M. A.
— Kochetov, E. V., Ranogajec, F., and Enikolopyan, N. S.

[Markewich, M. A.]

Some peculiarities of macrozwitterion polymerization, 8:265

See Rasvodovskii, E. F.

Marks, B. S., and Rubin, L. Ablative resins for hyperthermal environments, 3:555

Marsh, H. E., Jr. Recent developments in solid-propellant binders, 3:1397

Martin, E. C.

See Dilli, S.

See Garnett, J. L.

Martin, F. E.

— Shuey, H. F., and Saltonstall, C. W., Jr.

Improved membranes for hemodialysis, 4:635

See Wiley, R. H.

Martinelli, F. J. See Hodgkin, J. H.

Marvel, C. S. Thermally stable polymers with aromatic recurring units, 1:7

Masaki, A.

New catalyst system, $\text{FeCl}_3\text{-Et}_{3-n}\text{AlCl}_n$ ($n = 1, 2$), for the alternating copolymerization of butadiene-1,3 with acrylonitrile, 6:1267

— and Yamashita, I.

Alternating copolymerization of chloroprene with acrylonitrile by $\text{R}_n\text{AlCl}_{3-n}$ ($n = 1, 1.5, 2$)-vanadium compound systems, 6:439

— Yasui, M., and Yamashita, I.

Copolymerization of chloroprene with methyl methacrylate by the $\text{Et}_n\text{AlCl}_{3-n}$ ($n = 1, 1.5, 2$)-vanadium compound system, 6:1285

See Narita, T.

Massen, C. H. See MacKnight, W. J.

Masuda, T., and Higashimura, T. Cationic copolymerization of 2-chloroethyl vinyl ether with styrene derivatives

(III) Solvent and catalyst effects on relative reactivity, 5:549

Mathews, W. K. See Wiley, R. H.

Matsubara, I. See Nakayama, K.

Matsubara, Y., Narakino, N., Yoshihara, M., and Maeshima, T. Polymerizations of *N*-vinylpyridazinones in the presence of acids, 9:1433

Matsuda, H.

Synthesis of polymers by using divalent metal salts of mono(hydroxyethyl)-phthalate

Metal-containing unsaturated polyesters, 9:397

Metal-containing unsaturated polyesters with pendent methacrylate groups, 10:1143

— and Inagaki, H.

Statistical dimensions of poly(vinyl acetal)-type molecules, 2:191

Matsuda, O.

— Okamoto, J., Suzuki, N., Ito, M., and Tabata, Y.

Radiation-induced emulsion polymerization of tetrafluoroethylene with propylene

(I), 8:775

See Suzuki, N.

- Matsuda, T., Higashimura, T., and Okamura, S.
Solid-state polymerization of acrylamide and methacrylamide by chlorine under ultraviolet irradiation, 4:1
Solid-state polymerization of N-vinylcarbazole by redox catalyst, 2:43
See Kagiya, T.
- Matsui, K. See Osawa, Z.
- Matsumoto, S. See Saegusa, T.
- Matsumoto, T., and Furukawa, J. A proposed mechanism of the stereospecific polymerization of butadiene with a transition metal catalyst, 6:281
- Matsuyama, K. See Nara, S.
- Matsuzaki, K. See Imanishi, Y.
- Matyska, B.
— Antropiova, H., Svestka, M., and Gaylord, N. G.
Cyclo- and cyclized diene polymers
(XXII) Kinetics of cyclopolymerization of isoprene with $C_2H_5AlCl_2 + TiCl_4$ catalyst, 4:1529
See Gaylord, N. G.
- Maurer, J. J. Advances in thermogravimetric analyses of elastomer systems, 8:73
- Mayes, N. See Green, J.
- Mazzei, A. See Cucinella, S.
- Medvedev, S. S., Gritskova, I. A., Zuikov, A. V., Sedakova, L. I., and Berejnoi, G. D. The emulsion polymerization of styrene in the presence of nonionic emulsifiers, 7:715
- Mehta, R. K. See D'Alelio, G. F.
- Meissner, M. See Menges, G.
- Melby, E. See Kennedy, J. P.
- Mele, A.
See Cordischi, D.
See Donato, A.
- Melnick, A. M., and Nolan, E. J. The design and development of a high-heating-rate thermogravimetric analyzer suitable for use with ablative plastics, 3:641
- Melrose, G. J. H. See Hourigan, J. A.
- Menges, G.
— and Alf, E.
How to estimate the strength of plastic structural components, 6:1251
— and Meissner, M.
Improvement in extruder melt temperature control, 6:641
— and Roskothen, H. J.
Deformations as a new criterion for dimensioning of plastic structures, 6:631
- Merchant, S. See Murphy, P.
- Metayer, M.
— and Selegny, E.
Variable charge-densities in hydrophilic weak-base ion-exchange membranes (VI) Equilibrium properties with mixed solutions of 1-1 electrolytes: selectivity, 5:633
See Selegny, E.

- Meyer, V. *See* Chan, R. K. S.
Meyers, F. J. *See* D'Alelio, G. F.
Meyers, F. R. *See* D'Alelio, G. F.
Meyers, R. A., and Hom, J. Addition copolymerization of sulfur dichloride and sulfur monochloride with 1,3-butadiene, 3:169
Michel, A., Schmidt, G., and Guyot, A. Vinyl chloride-vinyl bromide copolymers, 7:1279
Middleton, S. *See* Johns, S. R.
Mikesell, S. L. *See* Morton, M.
Millard, M. M., and Pavlath, A. E. Surface analysis of plasma-polymerized fluorocarbon films by X-ray photoelectron spectrometry, 10:579
Miller, G. H.
 Oxidation of polyisoprene popcorn polymer
 (IV) Effect of polymer purity on carbon dioxide and water yields, 8:281
 (VI) Quantitative determination of some of the volatile reaction products, 8:1387
—— and Leung, H.
 Polyisoprene popcorn, 4:1705
—— and Leung, W. J.
 Oxidation of polyisoprene popcorn polymer
 (II) Gravimetric analysis, 5:443
—— and Lu, S.-C.
 Oxidation of polyisoprene popcorn polymer
 (III) Further studies on water and carbon dioxide production, 7:753
 See Campbell, T. W. T.
Miller, H. C. *See* Vogl, O.
Miller, L. J. *See* Bilow, N.
Miller, R. L. X-ray study of an all-para wholly aromatic polyamide-hydrazide, 7:183
Miller, W. L. *See* Butler, G. B.
Milligan, R. J., Delano, C. B., and Aponyi, T. J. Polybenzimidazoquinazolines: high-temperature matrix materials, 10:1467
Minamii, N. *See* Otsu, T.
Minges, M. L. Thermal physical characteristics of high-performance ablative composites, 3:613
Mita, I.
 Kinetics of living polymerization with propagation rate constants depending on degree of polymerization, 5:883
 Thermodynamic theory of equilibrium copolymerization, 8:1273
Mitani, K. High-resolution proton magnetic resonance analysis of polypropylenes, 8:1033
Mitra, P. *See* Banks, R. E.
Mitsch, R. A. *See* Zollinger, J. L.
Mitsuda, Y. *See* Yamauchi, K.
Miura, Y., Makita, N., and Kinoshita, M. Synthesis of polymers containing free radical verdazyl, 7:1007

- Miyata, T. *See* Rubin, A. L.
- Mizote, A., Higashimura, T., and Okamura, S. Cationic polymerization of β -phenylvinyl alkyl ethers, 2:717
- Moacanin, J.
— Rembaum, A., Laudenslager, R. K., and Adler, R.
Dilute solution properties and conformation of polyacenaphthylene, 1:1497
See Rembaum, A.
- Mohanty, T. R.
See Nayak, P. L.
See Singh, B. C.
- Momiyama, Z., Yamamoto, A., Kagiya, M., and Chujo, R. The kinetic study of copolymerization of acrylonitrile with allyl alcohol in concentrated zinc chloride aqueous solution with the aid of a computer, 4:1649
- Monks, H. H. *See* Corfield, G. C.
- Monroe, S. B. *See* Butler, G. B.
- Moore, H. G. *See* McCall, M. A.
- Mora, P. T., and Luborsky, S. W. Ultracentrifugation studies of polyelectrolytes in polyglucose density gradient, 4:1067
- Morgan, H. S.
See Black, W. B.
See Preston, J.
- Morita, S., Sawa, G., and Ieda, M. Thin polymer films by the glow-discharge indirect method, 10:501
- Morosoff, N., Crist, B., Bumgarner, M., Hsu, T., and Yasuda, H. Free radicals resulting from plasma polymerization and plasma treatment, 10:451
- Morozova, I. S. *See* Rasvodovskii, E. F.
- Morrison, R. W.
— Preston, J., Randall, J. C., and Black, W. B.
Self-regulating polycondensations
(II) A study of the order present in polyamide-hydrazides derived from terephthaloyl chloride and p-aminobenzhydrazide, 7:99
See Randall, J. C.
- Mortimer, G. A. *See* Mullikin, R. V.
- Morton, M., and Mikesell, S. L. ABA block copolymers of dienes and cyclic sulfides, 7:1391
- Muenker, A. H., and Hudson, B. E., Jr. Functionality and functionality distribution measurements in binder prepolymers, 3:1465
- Mukherjee, A. R. *See* Sengupta, P. K.
- Mullen, C. K. *See* Lurie, R. M.
- Mullikin, R. V., and Mortimer, G. A.
Another look at long-chain branching, 4:1495
Long-chain branching under conditions of nonuniform branching probability, 6:1301
- Munari, S. *See* Russo, S.
- Murahashi, S. *See* Inaki, Y.
- Murano, M. *See* Guilbault, L. J.

Murata, K. *See* Otsu, T.

Murphy, A. J.

See Hamann, S. H.

See Solomon, D. H.

Murphy, P., Lacroix, A., Merchant, S., and Bernhard, W. Persistent polarization in polymers and blood compatibility, **4**:561

Murphy, P. T. *See* Blake, J. D.

Myers, G. R. *See* Butler, G. B.

Myerscough, T. *See* Banks, R. E.

N

Nagahama, H. *See* Otsu, T.

Nagasawa, M. *See* Teramachi, S.

Nagatomo, Y. *See* Shirai, H.

Nagler, R. G. Tailoring polymers for entry into the atmospheres of Mars and Venus, **3**:763

Nakada, H. I. *See* Brucker, R. F.

Nakahama, S.

— Hirao, A., Ohira, Y., and Yamazaki, N.

Dibenzylmagnesium-initiated anionic oligomerizations of trans-stilbene, 1,1-diphenylethylene, and α -methylstyrene in hexamethylphosphortriamide, **9**:563

See Yamazaki, N.

Nakai, S., Nakaya, T., and Imoto, M. Preparation and polymerization of 2-(phthalimido)ethyl 10⁰-(methacryloyloxy)decyl hydrogen phosphate, **10**:1553

Nakase, Y. *See* Kaetsu, I.

Nakata, T.

— and Choumei, N.

The thermal dimerization and polymerization of 1,3-cyclohexadiene, **1**:1433

— Otsu, T., and Imoto, M.

Vinyl polymerization

(CLI) The polymerization of vinyl acetate initiated by nickel peroxide and some properties of derived polyvinyl alcohol, **1***:553

(CLII) The polymerization of vinyl chloride initiated by nickel peroxide, **1***:563

— Otsu, T., Yamaguchi, M., and Imoto, M.

Vinyl polymerization

(CLXXII) Polymerization of methyl methacrylate initiated by nickel peroxide, **1**:1447

See Otsu, T.

Nakato, M. *See* Kagiya, T.

Nakaya, T.

— Wada, H., and Imoto, M.

Vinyl polymerization

- (259) Polymerization of methyl methacrylate initiated by p-methoxy-p'-cyanodiphenyldiazomethane, 5:529
— Wada, H., Tanaka, M., and Imoto, M.
Vinyl polymerization
(269) Polymerization of methyl methacrylate initiated by p,p'-dimethoxydiphenyldiazomethane, 5:1043
See Kumazaki, H.
See Nakai, S.
See Sugiyama, K.
- Nakayama, H., Higashimura, T., and Okamura, S. Base-catalyzed polymerization of vinyl acetamide and allyl cyanide, 2: 53
- Nakayama, K., Ino, T., and Matsubara, I. Infrared spectra and structure of polyurethane elastomers from polytetrahydrofuran, diphenylmethane-4,4'-diisocyanate, and ethylenediamine, 3:1005
- Nakayama, Y., Hayashi, K., and Okamura, S. Copolymerization of phenanthrene and maleic anhydride, 2:701
- Nakhmanovich, B. I., Basova, R. V., and Arest-Yakubovich, A. A. Anionic polymerization and copolymerization of hydrocarbon monomers catalyzed by organobarium initiators, 9:575
- Nara, S., and Matsuyama, K. Thermal degradation and flame resistivity of tetrabrominated epoxy resin, 5:1205
- Narakino, N. See Matsubara, Y.
- Narita, T.
— Kazato, M., and Tsuruta, T.
Reactivity of n-butyllithium-(CH₃)₂NCH₂CH₂OLi system as catalyst for copolymerization of styrene and 1,3-butadiene, 4:885
— Masaki, A., and Tsuruta, T.
Reactivity of n-butyllithium-CH₃OCH₂CH₂OLi system as catalyst for copolymerization of styrene with 1,3-butadiene, 4:277
- Natus, G., and Goethals, E. J. The reaction of propane sultone with macromolecules
(I) Cellulose and starch, 2:489
- Nayak, P. L.
— Mohanty, T. R., and Samal, R. K.
Redox polymerization of acrylonitrile: kinetics of the reaction initiated by the redox system 1-propanol-chromic acid, 10:1245
See Singh, B. C.
- Nekrasov, A. V. See Rasvodovskii, E. F.
- Neuse, E. W.
Polymeric ferrocene and ruthenocene compounds with boron in the main chain, 2:751
— and Chris, G. J.
Metallocene polymers
(XVIII) Poly(ferrocenylphosphine oxides), 1:371
— and Koda, K.
Metallocene polymers

[Neuse, E. W.]

(XVI) Polyacylation of ferrocene with terephthaloyl chloride, 1*:595
— and Trahe, R. M.

Metallocene polymers

(XVII) Polyferrocenylketones, 1*:611

Neville, K. *See* Lee, H.

Nicholson, I. Chemical evolution of protein sequences, 4:1619

Nielsen, L. E.

Models for the permeability of filled polymer systems, 1:929

See Kenyon, A. S.

Niselsky, Yu. N. *See* Lipatova, T. E.

Nishikawa, A. H., Bailon, P., and Ramel, A. H. Design parameters in affinity chromatography, 10:149

Nishikawa, Y. *See* Otsu, T.

Nishimura, A. A., and Komagata, H. Elastomers based on polyester, 1:617

Nishimura, N. Kinetics of diffusion-controlled free-radical polymerizations

(II) Bulk polymerizations of styrene and methyl methacrylate, 1*:257

Nisizawa, M. Radiation chemical studies of protein reactions

Effect of alkaline-earth metals on the breaking of secondary bonding in protein, 7:1689

Effect of alkaline-earth metals on optical rotation, 7:765

Effect of alkaline-earth metals on viscosity, 8:331

Effect of amino acids, proteins, vitamins, chelating agents, S-containing compounds, and temperature on viscosity, 5:925

Effect of amino acids and vitamins on the breaking of secondary bonding in protein, 8:701

Effect of chelating agents on the breaking of secondary bonding in protein, 5:939

Effect of chelating agents on optical rotation, 6:1373

Effect of irradiation atmosphere and temperature on the breaking of secondary bonding in protein, 9:1273

Effect of irradiation atmosphere and temperature on optical rotation, 8:1051

Effect of irradiation liquids containing aromatic hydrocarbons and pH on the breaking of secondary bonding in protein, 8:707

Effect of irradiation liquids containing aromatic hydrocarbons and pH on optical rotation, 5:909

Effect of post-irradiation on the breaking of secondary bonding in protein, 5:933

Effect of post-irradiation on optical rotation, 5:919

Effect of sulfur-containing compounds on optical rotation, 8:567

Nolan, E. J. *See* Melnick, A. M.

Noren, G. K. *See* Boothe, J. E.

Noro, K. *See* Sadamichi, M.

Nozakura, S.-I. *See* Inaki, Y.

Nysenko, Z. N., Berman, E. L., Ludvig, E. B., and Ponomarenko, V. A. Mechanism of polymerization of 1,3-dioxolane initiated by $(C_2H_5)_3O^+SbCl_6^-$ and $SbCl_5$, 10:1093

O

O'Bannon, W. *See* Homsy, C. A.

O'Connell, J. H. *See* Cais, R. E.

Ocuppaugh, D. E., and Lee, H. L. Foreign body reactions to plastic implants, 4:595

Odian, G.

— and Hiraoka, L. S.

Anionic copolymerization of aldehydes with isocyanates, 6:109

— and Kho, J. H. T.

Ceric ion initiated graft polymerization onto poly(vinyl alcohol), 4:317

O'Donnell, J. H.

— and Sothman, R. D.

Radiation-induced solid-state polymerization of derivatives of methacrylic acid (VII) A differential scanning calorimetric investigation of the dehydration and polymerization of barium methacrylate, 6:745

See Bowden, M. J.

See Brown, J. R.

O'Driscoll, K. F.

— and Dickson, J. R.

Copolymerization with depropagation

(II) Rate of polymerization of styrene- α -methylstyrene, 2:449

— and Gasparro, F. P.

Copolymerization with depropagation, 1:643

— and Izu, M.

Asymmetry of monomer unit arrangements in multicomponent polymers, 4:311

— Yonezawa, T., and Higashimura, T.

Effects of solvent and catalyst on cationic copolymerization of substituted styrene monomers, 1*:17

Interpretation of the microstructure of polyisoprene and polybutadiene obtained in anionic polymerization, 1*:1

See Ghosh, P.

See Kang, B. K.

See Wiley, R. H.

Ogiwara, Y. *See* Osawa, Z.

Oguni, N. *See* Stille, J. K.

Ohira, Y. *See* Nakahama, S.

Ohsumi, Y., Tani, S., Higashimura, T., and Okamura, S. Tacticity of poly(*o*-methoxystyrene) obtained by cationic polymerization, 2:727

Ohta, K. *See* Yuki, H.

- Ohta, T. *See* Yamazaki, N.
- Oikawa, E., and Kawahara, M. Polymers containing the *s*-triazine ring
(V) Base-catalyzed hydrogen-transfer polymerization of 2-vinyl-4,6-diamino-*s*-triazine, 9:1439
- Okada, T. *See* Akimoto, A.
- Okamoto, J.
See Matsuda, O.
See Suzuki, N.
- Okamoto, Y. *See* Yuki, H.
- Okamura, S.
See Higashimura, T.
See Imanishi, Y.
See Kaetsu, I.
See Kawasaki, M.
See Kennedy, J. P.
See Kobayashi, E.
See Maekawa, T.
See Matsuda, T.
See Mizote, A.
See Nakayama, H.
See Nakayama, Y.
See Ohsumi, Y.
See Shimizu, A.
- O'Kane, D. F., and Rice, D. W. Preparation and characterization of glow discharge fluorocarbon-type polymers, 10:567
- Okimoto, T., Inaki, Y., and Takemoto, K.
Vinyl polymerization by metal complexes
(VII) Photopolymerization of vinyl monomers by metal salt-saccharide systems, 7:1313
(VIII) On the kinetics of photopolymerization of vinyl monomers by Fe(III) salt-saccharide systems, 7:1537
- Oldfield, D. *See* Dunn, P.
- O'Leary, G. *See* Solomon, D. H.
- O'Neill, S. P., Graves, D. J., and Ferguson, J. J., Jr. Affinity chromatography of mushroom tyrosinase, 7:1159
- O'Neill, T.
— and Stannett, V.
 γ -Radiation-initiated polymerization of acrylonitrile in aqueous solution and in emulsion, 8:949
See Ishigure, K.
- Ong, A. K.
See Beckwith, A. L. J.
See Johns, S. R.
See McLean, C. D.
- Onishi, A. *See* Sakata, R.
- Oraby, W. *See* Allen, C. C.

Osawa, Z.

— Kobayashi, K., and Ogiwara, Y.

Catalytic action of metallic salts in autoxidation and polymerization
(VII) Polymerization of methyl methacrylate by cobalt(II) or (III)
acetylacetonate-dioxane hydroperoxide, 6:1665

— Matsui, K., and Ogiwara, Y.

Preparation of ultraviolet stabilizing polymers

(I) Copolymerization of 2-hydroxy-4-acryloyloxybenzophenone and
its ultraviolet stability, 1:581

— Suzuki, M., Ogiwara, Y., Sugaya, I., Hirama, K., and Kasuga, T.

Preparation of polymeric ultraviolet absorbers and their effects on the photo-
degradation of polyethylene, 5:275

Oshima, K.

See Ishigure, K.

See Sugawara, I.

See Tabata, Y.

Ossowski, J. See Zochniak, A.

Ostdick, T. See D'Alelio, G. F.

O'Toole, J. T. Control of batch polymerizations by continued feed, 2:183

Otsu, T.

— and Endo, K.

Monomer-isomerization polymerization of some branched internal olefins
with a Ziegler-Natta catalyst, 9:899

— and Inoue, H.

Radical copolymerization behavior of alkyl vinyl sulfides, 4:35

— Minamii, N., and Nishikawa, Y.

Metal-containing initiator systems

(IX) Radical polymerizations of vinyl monomers by various metal acetyl-
acetonates, 2:905

— Nagahama, H., and Endo, K.

Monomer-isomerization polymerization

(XII) Monomer-isomerization polymerizations of 2-heptene and 3-
heptene with Ziegler-Natta catalyst, 9:1245

— and Yamada, B.

The effects of solvents and metal halides upon the radical decompositions of
alkyl α,α' -azobisisobutyrate, 3:187

— Yamada, B., and Imoto, M.

Effect of zinc chloride on the stereoregularity of the radical polymerization
of methyl methacrylate, 1*:61

— and Yamaguchi, M.

Metal-containing initiator systems

(VII) The polymerization of vinyl monomers by N-bromosuccinimide
in the presence of reduced nickel, 3:177

— Yamaguchi, M., Nakata, T., Murata, K., and Imoto, M.

Vinyl polymerization

(CLXXIII) Effects of water and some reducing agents on the polym-
erization of vinyl monomers initiated by nickel peroxide, 1:1457

[Otsu, T.]

See Ito, T.

See Ko, M.

See Koyama, K.

See Nakata, T.

See Sato, T.

See Tsuda, K.

See Yamada, B.

Ouchi, T.

— and So, N.

Cyclic acetal-photosensitized polymerization

(IV) Photopolymerization of styrene in the presence of 1,3:2,4:5,6-trimethylene-D-sorbitol, 10:1599

See Imoto, M.

Ouhadi, T., and Heuschen, J. M. Soluble bimetallic oxoalkoxide catalysts

(IV) Ring-opening polymerization of β -propiolactone, 9:1183

Overberger, C. G. Synthetic polymer chemistry in two decades, 6:855

P

Palovčik, R. See Lustoň, J.

Parker, J. A.

See Cagliostro, D. E.

See Dickey, R. R.

Patel, V. See Seymour, R. B.

Patnaik, B.

— Takahashi, A., and Gaylord, N. G.

Donor-acceptor complexes in copolymerization

(IV) Alternating tendency in free radical copolymerization: NMR analyses of alternating and random copolymers, 4:143

— and Gaylord, N. G.

Donor-acceptor complexes in copolymerization

(XVI) NMR analyses of alternating and random copolymers of styrene and α -methylstyrene with acrylonitrile and methacrylonitrile, 5:843

(XVII) NMR analyses of random and alternating styrene- α -chloroacrylonitrile copolymers, 5:859

(XXVI) Effect of solvent, temperature, and complexing agent on the polymerization of comonomer charge transfer complexes, 5:1239

(XLIV) Copolymerization of styrene and α -methylstyrene with acrylic and α -substituted acrylic esters in the presence of aluminum compounds, 7:1247

See Gaylord, N. G.

Patnaik, N.

See Atreyi, M.

See Gaylord, N. G.

Patrick, R. L. See Layne, W. S.

- Pavlath, A., and Lee, K. S. Glow discharge-induced graft polymerization of non-volatile monomers on wool, **10**:619
- Pavlath, A. E. *See* Millard, M. M.
- Pearson, J. M. Ionic polymerization of vinyl aromatic monomers, **9**:1029
- Pecka, J. *See* Marek, M.
- Peer, E. J. *See* Feltzin, J.
- Penczek, S. *See* Kubisa, P.
- Pendleton, E. L. *See* Taylor, C. G.
- Pendleton, J. F. *See* Falk, J. C.
- Penenzhik, M. A. *See* Rogovin, Z. A.
- Pereña, J. M. *See* Riande, E.
- Persiani, C. *See* Cukor, P.
- Peterson, G. F. *See* Carraher, C. E., Jr.
- Petker, I. *See* Feltzin, J.
- Pezdirtz, G. *See* Segal, C. L.
- Pezdirtz, G. F.
See D'Alelio, G. F.
See Gillham, J. K.
- Pfeiffer, R. *See* Carraher, C. E., Jr.
- Pham, Q. T.
See Guyot, A.
See Pichot, C.
See Pilož, A.
- Phillips, R. R. *See* Kennedy, J. P.
- Phuoc, D. H.
See Dilli, S.
See Garnett, J. L.
- Pichot, C.
—— Guillot, J., and Guyot, A.
Acid-catalyzed methanolysis of vinyl acetate polymers and copolymers
 (I) Polyvinyl acetate, **8**:1073
 (II) Vinyl chloride-vinyl acetate copolymers, **8**:1087
Remote unit effects in the copolymerization of unconjugated monomers,
 5:753
- Guillot, J., Pham, Q. T., and Guyot, A.
Internal transfer reactions in the copolymerization of vinyl acetate with
chlorinated monomers, **7**:495
See Guyot, A.
- Piersma, J. D. *See* Carraher, C. E., Jr.
- Pike, R. W. *See* April, G. C.
- Pilož, A., Pham, Q. T., Decroix, J. Y., and Guillot, J. Copolymerization of olefins by Ziegler-Natta catalyst: the copolymerization of 1-hexene and propylene: kinetic study, **9**:517
- Pispisa, B. *See* Barone, G.
- Pittman, C. U., Jr.
—— Ayers, O. E., and McManus, S. P.

[Pittman, C. U., Jr.]

Organometallic polymers

(XXVII) Radical-initiated polymerization and copolymerization of

π (2,4-hexadien-1-yl acrylate)tricarbonyliron, 7:1563

— Sasaki, Y., and Grube, P. L.

Polyethynylferrocene, 8:923

Pledger, H., Jr.

— and Butler, G. B.

Copolymerization between nonconjugated bicyclic dienes and maleic anhydride, 5:1339

See Beck, W. D.

Plics, U. See Lee, C. L.

Ponomarenko, A. T.

— Shevchenko, V. G., and Enikolopov, N. S.

Ionic polymerization under an electric field as a relaxational method for the investigation of kinetics

(I) On results of the change in space distribution of ions, 9:1195

See Rasvodovskii, E. F.

Ponomarenko, V. A. See Nysenko, Z. N.

Ponratnam, S., Prabhakara Rao, S., Joshi, S. G., and Kapur, S. L. Copolymerization of methacrylic acid and N-vinylpyrrolidone in aqueous solution, 10:1055

Porath, D. See Avny, Y.

Porath, J. Bioaffinity chromatography—methodology and application, 10:1

Porta, P. See Cordischi, D.

Poullis, J. A. See MacKnight, W. J.

Powell, J. C. See Allan, G. G.

Prabhakara Rao, S. See Ponratnam, S.

Pramanik, A., and Chowdhury, P. K. Polyelectrolyte configuration of low molecular weight sodium amylose xanthate in aqueous and salt solutions, 5:1149

Preston, J.

— Black, W. B., and Hofferbert, W. L., Jr.

High-modulus wholly aromatic fibers

(I) Wholly ordered polyamide-hydrazides and poly-1,3,4-oxadiazole-amides, 7:45

(II) Partially ordered polyamide-hydrazides, 7:67

— Morgan, H. S., and Black, W. B.

High-modulus wholly aromatic fibers

(III) Random copolymers containing hydrazide and/or carbonamide linkages, 7:325

See Black, W. B.

See Dobinson, F.

See Morrison, R. W.

See Randall, J. C.

Price, C. C., Akkapeddi, M. K., DeBona, B. T., and Furie, B. C. Stereochemical

- factors in epoxide polymerization of base and coordination catalysts, 7:1469
- Price, M. B., and McAndrew, F. B. The polymerization and copolymerization of trioxane, 1:231
- Prince, J. *See* Keusch, P.
- Proelss, F. *See* Wiley, R. H.
- Puett, D., and Rajagh, L. V. The effect of aqueous salt solutions on the melting of collagen and the viscosity of gelatin, 2:111
- Purvinas, R. M. *See* Erlander, S. R.
- Pushchaeva, L. M. *See* Rasvodovskii, E. F.
- Pyun, C. W.
The logarithmic normal distribution of degrees of polymerization and molecular weights, 7:1721
Special forms of copolymer composition equations, 5:769

Q

- Quadrifoglio, F.
See Barone, G.
See Crescenzi, V.
See Liquori, A. M.
- Quella, F. *See* Braun, D.

R

- Rafter, R. T. *See* Hergenrother, P. M.
- Raftery, M. A. *See* Vandlen, R. L.
- Rahman, M. *See* D'Alelio, G. F.
- Rahman, R. *See* Avny, Y.
- Rajagh, L. V. *See* Puett, D.
- Ramel, A. H. *See* Nishikawa, A. H.
- Ramirez, R. S., and Andrade, J. D.
A novel iron-chelating graft copolymer, 7:1035
Polymer-drug grafts for iron chelation, 10:309
- Ramjit, H. G., and Sedgwick, R. D. The kinetics of ester-ester exchange reactions by mass spectrometry, 10:815
- Ramp, F. L. *cis,trans*-1,5-Cyclododecadiene-sulfur dioxide copolymer, 1:603
- Randall, J. C.
— Morrison, R. W., and Preston, J.
Self-regulating polycondensates
(III) NMR analysis of oligomers derived from terephthaloyl chloride and *p*-aminobenzyhydrazide, 7:119
See Morrison, R. W.
- Ranicar, J. H. *See* Fleming, R. J.
- Ranogajec, F. *See* Markevich, M. A.
- Rao, M. V. R., Atreyi, M., Sinha, S. C., and Ray, A. R. Unperturbed random

- [Rao, M. V. R., Atreyi, M., Sinha, S. C., and Ray, A. R.]
coil dimensions of two tricopolyptides containing glycine, glutamic acid,
and lysine, 9:441
- Rao, S. P. *See* Wiley, R. H.
- Rapoport, H. *See* Crowley, J. I.
- Rapp, N. S. *See* Ingham, J. D.
- Rasvodovskii, E. F., Nekrasov, A. V., Pushchaeva, L. M., Morozova, I. S., Marke-
vich, M. A., Berlin, Al. Al., Ponomarenko, A. T., and Enikolopyan, N. S.
Mechanism of nitrogen-containing cyclic polymerization, 8:241
- Raufast, C. *See* Blanchard, L.-P.
- Raumann, G.
— and Brownlee, J. L.
Tire cord application of high-modulus fibers derived from polyamide-hydra-
zides, 7:281
See Black, W. B.
- Ravve, A., and Khamis, J. T. Solution polymerization of styrene, 1:1423
- Ray, A. R. *See* Rao, M. V. R.
- Ray, W. H., Klein, J., and Horn, F. Chain-length distribution in living copoly-
merization systems, 6:375
- Raymond, M. A.
— and Dietrich, H. J.
Divinylbutyral
(II) Polymer structure, 6:207
See Butler, G. B.
See Dietrich, H. J.
- Reese, W. Thermal properties of polymers at low temperatures, 3:1257
- Refojo, M. G. Surgical adhesives in ophthalmology, 4:667
- Reich, E. *See* Wiley, R. H.
- Reilly, P. M. *See* Glynn, P. A. R.
- Rembaum, A.
Polyelectrolyte complexes, 3:87
— Haack, R. F., and Hermann, A. M.
Anionic degradation of vinylaromatic polymers
(II) Electron transfer from sodium to polyacenaphthylene, 1*:673
— Moacanin, J., and Haack, R.
Anionic degradation of vinylaromatic polymers
(I) Electron transfer from sodium to poly-4-vinylbiphenyl and poly-
vinyl-naphthalenes, 1*:657
— Yen, S. P. S., Landel, R. F., and Shen, M.
Synthesis and properties of a new class of potential biomedical polymers,
4:715
See Byrd, N. R.
See Moacanin, J.
See Stewart, E. E.
See Yen, T. F.
- Reneker, D. H., and Bolz, L. H. Effect of atomic oxygen on the surface morphol-
ogy of polyethylene, 10:599

- Revillon, A.
 See Guyot, A.
 See Spitz, R.
 See Vuillaume, G.
- Rhodes, C. F. *See* D'Alelio, G. F.
- Riande, E., and Pereña, J. M. Relationship between intrinsic viscosity and molecular weight for fractionated cellulose, 8:1413
- Riccitiello, S. *See* Cagliostro, D. E.
- Rice, D. W. *See* O'Kane, D. F.
- Richards, G. N. *See* Blake, J. D.
- Richmond, J. *See* Kabanov, V. A.
- Ricica, P. *See* Chen, T. Y.
- Rist, C. E.
 See Burr, R. C.
 See Fanta, G. F.
- Robbins, R. F. Cryogenic properties of a polyurethane adhesive, 3:1367
- Roberts, D. T., Jr., and Calihan, L. E.
 Polymerization of methane and olefin mixtures over fluosulfonic acid and antimony pentafluoride, 7:1641
 Polymerization (polycondensation) of alkanes over fluosulfonic acid and antimony pentafluoride, 7:1629
- Robertson, A. A. *See* LePoutre, P.
- Robinson, D. N. *See* Garrett, R. R.
- Rogers, C. L. *See* Butler, G. B.
- Rogers, P. L. *See* Chang, M. S.
- Roggero, A. *See* Cesca, S.
- Rogovin, Z. A., Virnik, A. D., Khomiakov, K. P., Laletina, O. P., and Penenzhik, M. A. Study of the synthesis of dextran derivatives, 6:569
- Rosen, I. Polymers and haloaldehydes, 1:267
- Roskothen, H. J. *See* Menges, G.
- Ross, R. M. Pyrolysis-gas chromatography as a tool for studying the degradation of ablative plastics, 3:675
- Rottenberg, D. H. *See* Makowski, H. S.
- Roussel, R., Galin, M., and Galin, J. C. Free-radical copolymerization of methyl methacrylate and α -methacrylophenone
 (I) Reactivity ratios, 10:1485
- Royer, G. P.
 — and Andrews, J. P.
 Immobilized leucine aminopeptidase applications in protein chemistry, 7:1167
 — Green, G. M., and Sinha, B. K.
 Rigid support materials for the immobilization of enzymes, 10:289
- Rubin, A. L., Miyata, T., and Stenzel, K. H. Collagen: medical and surgical applications, 3:113
- Rubin, L. *See* Marks, B. S.
- Ruckel, E. R., Wojcik, R. T., and Arlt, H. G., Jr. Cationic polymerization of α -pinene oxide and β -pinene oxide by a unique oxonium ion-carbenium ion sequence, 10:1371

Rudin, A.

Number-average degree of polymerization in condensation reactions, 6:383

— Abelson, W. R., Chiang, S. S. M., and Bennett, G. W.

Estimation of reactivity ratios from multicomponent copolymerizations,
7:1203

See Chiang, S. S. M.

Russell, C. R.

See Burr, R. C.

See Fanta, G. F.

Russell, D. A. See Cameron, G. G.

Russo, M., and Credali, L. Polyselenoacetals, 1:387

Russo, S.

Nonideal polymerization kinetics of styrene in acetone, 9:1385

— and Munari, S.

A model for the termination stage of some radical copolymerizations, 2:1321

See Gallo, B. M.

Rutherford, H. A. See Walsh, W. K.

Rybicky, J

— Tanner, J., and Funt, B. L.

The kinetics of donor-acceptor complex polymerization

(I) Introduction and theory, 6:223

See Tanner, J.

S

Saba, R. G. See Sauer, J. A.

Sadamichi, M., and Noro, K. Copolymerization of allilidenediacetate with vinyl acetate, 3:845

Saegusa, T.

Polymerization of cyclic ethers, 6:997

— Kobayashi, S., Kimura, Y., and Ikeda, H.

No catalyst copolymerization by spontaneous initiation: a new method of preparation of alternating copolymers, 9:641

— and Matsumoto, S.

Rates of elementary reactions in cationic polymerization of tetrahydrofuran catalyzed by trialkyloxonium salts, 4:873

— Tsuda, T., and Isayama, K.

A new radical initiator of the binary system of cupric methoxide and carbon monoxide, 4:1463

Saghian, N., and Gertner, D.

Polymerization of 1,3,5-tri(1,3,5,7-tetra)methyl-1,3,5-tri-(1,3,5,7-tetra)-10-carbomethoxydecylcyclotri(tetra)siloxane, 9:597

Silicon-containing condensation polymers derived from long-chain fatty acids,
9:341

Saha, M. See D'Alelio, G. F.

Saha, S. See D'Alelio, G. F.

- Saito, H. *See* Kajiwara, M.
Saito, S. *See* Eisenberg, A.
Saiz, E. *See* Barrales-Rienda, J. M.
Sakaguchi, K.
 Effect of peak exotherm temperature on the degree of cure of unsaturated polyester resins in copolymerization with styrene, **9**:1463
 Investigation of conversion of styrene and fumarate double bonds in unsaturated polyester resins, **8**:477
 — and Takemoto, H.
 Conversion of fumarate double bonds in unsaturated polyester resins in copolymerization with styrene, **10**:1117
Sakamoto, M., Ishigaki, I., Kumakura, M., Yamashina, H., Iwai, T., Ito, A., and Hayashi, K. Radiation-induced postpolymerization of trioxane in solid state, **1***:639
Sakata, R., Fujio, R., Takeuchi, K., and Onishi, A. Polymerization of propylene oxide by diethylzinc- α,β -unsaturated ketone systems, **5**:331
Sakurada, I., Ise, N., and Hayashi, Y. Ionic polymerization under electric field (V) Cationic polymerization of styrene catalyzed by boron trifluoride etherate, **1**:1039
Saltonstall, C. W., Jr. *See* Martin, F. E.
Samal, R. K. *See* Nayak, P. L.
Sangster, J. M., and Worsfold, D. J. Ion and ion-pair contributions to the polymerization of tetrahydrofuran, **7**:1415
Santi, G. *See* Cesca, S.
Sapse, A.-M.
 — and Shenkin, P.
 Method of calculation of a shape parameter for ovaloid molecules, **10**:1215
 — and Wiley, R. H.
 Validity of the geometric model of ovaloid polymers based on simpler molecules, **9**:435
 See Wiley, R. H.
Sargeant, P. B. *See* Howard, E. G.
Sasada, T. *See* Eisenberg, A.
Sasaki, Y. *See* Pittman, C. U., Jr.
Sato, H., and Tsuruta, T. Polymerization of α,β -unsaturated aldimines, **4**:295
Sato, T.
 — Hibino, K., and Otsu, T.
 Initiation mechanism of alternating copolymerization of styrene with some electron-accepting monomers in the presence of zinc chloride by means of spin trapping technique, **9**:1165
 — Takemoto, K., and Imoto, M.
 Vinyl polymerization
 (CLXXXV) Polymerization of methyl methacrylate initiated with benzoic anhydride and dimethylaniline N-oxide: effects of solvent and the substituent of the initiator, **2**:69
 See Ko, M.

- Sauer, J. A., and Saba, R. G. Relaxation behavior of polymers at low temperatures, 3:1217
- Sawa, G. *See* Morita, S.
- Sawada, H. Heat of terpolymerization, 7:905
- Sawyer, P. N. *See* Srinivasan, S.
- Schell, W. J., Simha, R., and Aklonis, J. J. Multiple transitions in polyvinyl alkyl ethers at low temperatures, 3:1297
- Schlein, H. *See* Shen, M.
- Schlott, R. J. *See* Falk, J. C.
- Schmidt, D. L. Ablative polymers in aerospace technology, 3:327
- Schmidt, G. *See* Michel, A.
- Schmidt, J. *See* Vandlen, R. L.
- Schmuckler, G. *See* Goldstein, S.
- Schnieder, U. *See* Avny, Y.
- Schoenig, R. K. *See* D'Alelio, G. F.
- Schopov, I., and Vodenicharov, C. Electrical conduction study of polymers with indophenine repeating units, 4:1627
- Schors, A. *See* Havinga, R.
- Schreiber, H. P. *See* Bialski, A.
- Schubert, R. J., and Cupples, A. L. Selection, characterization, and biodegradation of surgical epoxides, 4:581
- Schulz, R. C.
See Schuttenberg, H.
See Wolf, R.
- Schuttenberg, H., Klump, G., Kaczmar, U., Turner, S. R., and Schulz, R. C. N-Chloro nylons as polymer reagents, 7:1085
- Scott, G. E., and Senogles, E.
Polymerization kinetics of n-alkyl acrylates, 8:753
Polymerization kinetics of n-lauryl acrylate, 4:1105
- Šebenda, J. Lactam polymerization, 6:1145
- Sedakova, L. I. *See* Medvedev, S. S.
- Sedgwick, R. D. *See* Ramjit, H. G.
- Seeney, C. E., and Harwood, H. J. Carbamate ions as propagating species in N-carboxy anhydride polymerizations, 9:779
- Segain, P. *See* Selegny, E.
- Segal, C. L., Stille, J., Pezdirtz, G., D'Alelio, G. F., Levine, H. H., and Gibbs, W. E. Panel discussion on thermally stable polymers, 3:1197
- Segall, E. *See* Goldstein, S.
- Seiderman, M., Stone, W., Jr., and Culp, G. W. Diffusion permeability of labeled compounds of various transparent synthetic polymers in relation to the rabbit cornea, 3:101
- Seita, T., Kinoshita, M., and Imoto, M. Syntheses of polymers and oligomers having adenine derivatives, 7:1297
- Selegny, E.
— and Metayer, M.
Variable charge-densities in hydrophilic weak-base ion-exchange membranes

- (V) Equilibrium properties with pure 1-1 electrolytes: swelling and ion exclusion, 5:611
—— and Segain, P.
Stereoregular copolymers of methacrylic acid and of methyl methacrylate, 5:603
See Metayer, M.
- Sengupta, P. K., Mukherjee, A. R., and Ghosh, P. Determination of composition of some binary copolymers prepared under limiting conditions, 1*:481
- Senogles, E. *See* Scott, G. E.
- Seymour, R. B., and Patel, V. Chain transfer of telogens with styrene in bulk and emulsion systems, 7:961
- Shapoval, G. S. *See* Lipatova, T. E.
- Sharabash, M. *See* Butler, G. B.
- Sharabash, M. M., and Guile, R. L.
Copolymerization parameters of itaconic anhydride in free-radical polymerization, 10:1039
Determination of copolymer composition by quantitative infrared analysis, 10:1021
Homopolymerization of maleic anhydride, 10:1017
- Sharkey¹, W. H. Polymerization of fluorothiocarbonyl compounds, 1:291
- Sharpe, A. J., Jr. *See* Boothe, J. E.
- Sheats, J. E. *See* Carraher, C. E., Jr.
- Shen, M.
—— Strong, J. D., and Schlein, H.
Internal friction study of diluent effect on polymers at cryogenic temperatures, 3:1315
See Chen, T. Y.
See Cirlin, E. H.
See Kobayashi, H.
See Kuwahara, Y.
See Rembaum, A.
See Tibbitt, J. M.
- Shenkin, P. *See* Sapse, A.-M.
- Shevchenko, V. G. *See* Ponomarenko, A. T.
- Shevchuk, E. S. *See* Lipatova, T. E.
- Shibayama, K., Tanaka, T., and Solomon, D. H. The effect of glyceride composition on the mechanical properties of alkyd resin films, 1:1531
- Shima, K. *See* Yano, H.
- Shimizu, A., Hayashi, K., and Okamura, S. Synthesis and polymerization of methyl trioxane and dimethyl trioxane, 1:569
- Shinohara, H. *See* Yamazaki, N.
- Shinohara, I. *See* Hagiwara, M.
- Shirai, H., Nagatomo, Y., Inaki, Y., and Takemoto, K. Vinyl polymerization by metal complexes
(XV) Polymerization of acrylonitrile initiated by imidazole-copper(II) complex, 8:935

Shu, S.-S. *See* Tabata, Y.

Shuey, H. F. *See* Martin, F. E.

Shulman, G. P.

Thermal degradation of polymers

(III) Mass spectrometric thermal analysis of condensation polymers,
1:107

— and Lochte, H. W.

Thermal degradation of polymers

(V) Derivation of thermogravimetric and kinetic data from mass spec-
trometric thermal analysis, 2:411

— and Lochte, W.

Thermal degradation of polymers

(IV) Poly-2,2'-(*m*-phenylene)-5,5'-bibenzimidazole, 1:413

See Gray, D. N.

Shultz, A. R., and Gendron, B. M. Thermo-optical analysis of poly(2,6-disub-
stituted-1,4-phenylene oxide) blends, 8:175

Simha, R. *See* Schell, W. J.

Simms, B. B. *See* Delman, A. D.

Singh, B. C., Mohanty, T. R., and Nayak, P. L. Redox polymerization of acrylo-
nitrile by V^{5+} /propane-1,2-diol system in aqueous sulfuric acid, 9:1149

Sinha, B. K. *See* Royer, G. P.

Sinha, S. C. *See* Rao, M. V. R.

Sirotinskaya, A. L. *See* Lipatova, T. E.

Siudak, R.

See Battaerd, H. A. J.

See Bolto, B. A.

Skinner, D. L. *See* Butler, G. B.

Slonaker, D. F., Combs, R. L., and Coover, H. W., Jr. Melting point and compo-
sition distribution of polyolefins by fractionation, 1:539

Slonimsky, G. L. *See* Andrianov, K. A.

Smid, J. *See* Kopolow, S.

Smith, S.

— and Hubin, A. J.

The preparation and chemistry of dicationically active polymers of tetra-
hydrofuran, 7:1399

See Banks, R. E.

Smithson, L. H., Jr. *See* Wiley, R. H.

Smolinsky, G., and Vasile, M. J. A correlation of the chemistry with the polym-
erization rate in an rf discharge of methane, 10:473

Snyder, S. L., and Welch, C. M. Charge transfer complexes of 1-naphthylmethyl
cotton cellulose, 8:829

Snyder, W. J., and Kunzru, D. The effect of active carbon on the kinetics of
polymerization of methyl methacrylate, 5:297

So, N. *See* Ouchi, T.

Sollner, K. The electrochemistry of porous membranes, with particular reference
to ion exchange membranes and their use in model studies of biophysical
interest, 3:1

Solomon, D. H.

Cyclopolymerization

(I) Structure and mechanism, 9:97

— and Hawthorne, D. G.

The reaction of 2,2-diphenyl-1-picrylhydrazyl with minerals, 5:575

— Swift, J. D., and Murphy, A. J.

The acidity of clay minerals in polymerization and related reactions, 5:587

— Swift, J. D., O'Leary, G., and Treeby, I. G.

The mechanism of the decomposition of peroxides and hydroperoxides by mineral fillers, 5:995

See Beckwith, A. L. J.

See Francis, A. P.

See Gaylord, N. G.

See Hamann, S. D.

See Hamann, S. H.

See Hawthorne, D. G.

See Hodgkin, J. H.

See Jackson, M. B.

See Jeffery, E. A.

See Kearns, J. E.

See Loft, B. C.

See McLean, C. D.

See Shibayama, K.

Sonnabend, L. F. See Wen, R. Y.

Sothman, R. D.

See Bowden, M. J.

See O'Donnell, J. H.

Sotokawa, M. See Teramachi, S.

Spanggaard, H. See Kops, J.

Spell, H. L. See Beck, W. D.

Spensley, R. H. See Ivin, K. J.

Sperling, L. H.

— and Tobolsky, A. V.

Thermoelastic properties of poly(dimethyl siloxane) and poly(ethyl acrylate) as a function of temperature, 1*:799

See Zaganianis, E. J.

Spitz, R.

Supported chromium oxide catalysts for olefin polymerization

(VII) Kinetics of ethylene polymerization, 6:169

— Revillon, A., and Guyot, A.

Supported chromium oxide catalyst for olefin polymerization

(XI) Comparison between ethylene and propylene polymerization, 8:1129

— Vuillaume, G., Revillon, A., and Guyot, A.

Supported chromium oxide catalysts for olefin polymerization

(VI) Activation process and catalytic activity versus ethylene polymerization, 6:153

[Spitz, R.]

See Vuillaume, G.

Spurling, T. H. See Francis, A. P.

Squire, D. R.

See Allen, C. C.

See Chung, Y. J.

Squires, R. G. See Kennedy, J. P.

Srinivasan, S., and Sawyer, P. N. Correlation of the surface charge characteristics of polymers with their antithrombogenic characteristics, 4:545

Srivastava, C. M. See Biyani, B.

Stachurski, Z. H. See Cherry, B. W.

Stackman, R. W.

Addition polymers of cyclohexyl isonitrile, 2:225

Copolymers of 1,4-dienes with monoolefins via a cyclopolymerization mechanism, 5:249

See Butler, G. B.

Stafford, J. W.

The effect of the removal of one product on the optimum yield in an equilibrium process, 5:1297

See Watterson, J. G.

Stahel, E. P.

See Allen, C. C.

See Ishigure, K.

Stancell, A. F. See Lam, D. K.

Stannett, V.

Some recent advances in pure and applied aspects of graft copolymers, 4:1177

See Allen, C. C.

See Chung, Y. J.

See Ishigure, K.

See Kohler, J.

See O'Neill, T.

See Vlagiu, I.

Stannett, V. T.

— and Williams, J. L.

The modification of wool and cellulose fibers by grafting, 10:631

See Du Plessis, T. A.

See Henderson, N. K.

See Ishigure, K.

See Kim, S.

Stein, A. A. See Delman, A. D.

Stejny, J. Polymerization and crystallization of polytetrahydrofuran and poly-(1,4-epoxycyclohexane), 7:1435

Stenzel, K. H. See Rubin, A. L.

Stewart, D. M. See Hausslein, R. W.

Stewart, E. E., and Rembaum, A. Electron spin resonance study of the reaction between sodium and poly-4-vinylbiphenyl, 1:1143

- Stewart, J. M. Solid phase peptide synthesis, 10:259
- Stille, J. *See* Segal, C. L.
- Stille, J. K.
Aromatic polymers: single- and double-stranded chains, 3:1043
— Oguni, N., Chung, D. C., Tarvin, R. F., Aoki, S., and Kamachi, M.
The role of donor-acceptor complexes in the initiation of ionic polymerization, 9:745
- Stivala, S. S. *See* Ehrlich, J.
- Stoffey, D. G., Lee, H., and Stone, W., Jr. Nonthrombogenic surfacing of biological membranes—a review, 3:119
- Štolka, M.
See Gaylord, N. G.
See Kössler, I.
- Stone, W., Jr.
See Kesting, R. E.
See Seiderman, M.
See Stoffey, D. G.
- Strauss, E. L. Development and characterization of a radio frequency-transparent ablator, 3:735
- Strazik, W. F. *See* D'Alelio, G. F.
- Strecker, R. A. H. *See* French, D. M.
- Strella, S., and Bibeau, A. A. The determination of cured thermoset structural parameters: phenol formaldehyde, 1*:417
- Strong, J. D. *See* Shen, M.
- Subcasky, W. J. *See* Kesting, R. E.
- Sugawara, I., Marchal, E., Kadoi, H., Tabata, Y., and Oshima, K. Radiation-induced solid-state polymerization of *n*-butylisocyanate at low temperature, 8:995
- Sugaya, I. *See* Osawa, Z.
- Sugiyama, K.
— Hatanaka, H., Nakaya, T., and Imoto, M.
Vinyl polymerization
(282) Vinyl polymerization initiated by dimethylhydroxylamine-titanous(III) chloride redox system, 6:1703
— Nakaya, T., and Imoto, M.
Vinyl polymerization
(274) Polymerization of acrylonitrile initiated by the system tetramethyl tetrazene and Co(II) chloride, 5:1351
- Suzuki, H. *See* Imoto, M.
- Suzuki, M.
— Yamamoto, Y., Irie, M., and Hayashi, K.
Polymerization of styrene initiated by photoexcited charge-transfer complex, 10:1607
See Osawa, Z.
- Suzuki, N.
— Matsuda, O., and Okamoto, J.

[Suzuki, N.]

Radiation-induced emulsion copolymerization of tetrafluoroethylene with propylene

(II) Formulas and conditions, 8:793

— and Okamoto, J.

Radiation-induced emulsion copolymerization of tetrafluoroethylene with propylene: the behavior of the HF formed, 9:285

See Matsuda, O.

Svestka, M.

See Gaylord, N. G.

See Matyska, B.

Sweet, E. M. See Grubbs, R. H.

Swift, J. D.

See Hamann, S. D.

See Solomon, D. H.

Swinton, E. A. See Bolto, B. A.

Sylvester, N. D. See Verhoff, F. H.

Szewczyk, P., and Kalfus, M. Determination of the sedimentation coefficient-molecular weight relation for nonideal systems based on sedimentation and viscosity measurements of a few unfractionated samples, 7:737

T

Tabata, Y.

Radiation-induced polymerization of styrene oxide, 1:493

Solid-state polymerization of acrylonitrile induced by high-energy protons, 1:1407

Solid-state polymerization of acrylonitrile induced by Li/He recoil particles at low temperature, 2:931

Solid-state polymerization of acrylonitrile induced by reactor radiation, 2:919

— and Fujikawa, J.

Electron spin resonance study on grafting of tetrafluoroethylene onto polyethylene, 5:821

— Fujikawa, J., and Oshima, K.

Grafting of monochlorotrifluoroethylene onto polyethylene by pre-irradiation method, 5:831

— Fujikawa, J., Shu, S.-S., and Oshima, K.

Grafting of tetrafluoroethylene onto polyethylene by pre-irradiation technique, 5:793

— Ishigure, K., Higaki, H., and Oshima, K.

Radiation-induced copolymerization of fluorine-containing monomers, 4:801

— Ito, W., and Oshima, K.

Radiation-induced polymerization of tetrafluoroethylene, 4:789

— Ito, W., Oshima, K., and Takagi, J.

Radiation-induced polymerization of tetrafluoroethylene in solution, 4:815

See Hisasue, M.

- See* Ishigure, K.
See Kojima, G.
See Matsuda, O.
See Sugawara, I.
- Tada, S. *See* Howery, D. G.
- Tagawa, T. *See* Hagiwara, M.
- Takagi, J. *See* Tabata, Y.
- Takahashi, A.
— and Gaylord, N. G.
 Donor-acceptor complexes in copolymerization
 (III) Conjugated diene-acrylonitrile copolymerization in the presence
 of metal halides, 4:127
See Gaylord, N. G.
See Patnaik, B.
- Takahashi, M.
See Inaki, Y.
See Tsujino, T.
- Takaki, U. *See* Kopolow, S.
- Takeda, M. *See* Koide, N.
- Takemoto, H. *See* Sakaguchi, K.
- Takemoto, K.
See Inaki, Y.
See Kagiya, V. T.
See Kimura, K.
See Okimoto, T.
See Sato, T.
See Shirai, H.
See Yano, H.
- Takeuchi, K. *See* Sakata, R.
- Tanaka, I. *See* Yamazaki, N.
- Tanaka, M. *See* Nakaya, T.
- Tanaka, T.
— and Vogl, O.
 Preparation and characterization of head-to-head polymers
 (II) Head-to-head poly(methyl acrylate), 8:1059
 (III) Head-to-head poly(methyl crotonate), 8:1299
See Shibayama, K.
- Tanaka, Y.
 Contribution of ring strain and basicity to reactivity of cyclic ethers in cationic copolymerization, 1:1059
- and Ise, N.
 The velocity constants of free ions and ion pairs
 (I), 4:825
 (II), 4:851
- and Kakiuchi, H.
 Glycidyl esters of aromatic acids, 1:1469

[Tanaka, Y.]

Tertiary-amine-catalyzed reaction of substituted phenyl glycidyl ethers and hexahydrophthalic anhydride, 1*:307

— Tomio, M., and Kakiuchi, H.

Oligomerization of substituted phenyl glycidyl ethers with tertiary amine, 1:471

Tang, H.-S., Kinoshita, M., and Imoto, M. Vinyl polymerization

(287) Polymerization of methyl methacrylate initiated by the polyacrylonitrile-water-cupric ion system, 7:831

Tani, H. *See* Yasuda, H.

Tani, S. *See* Ohsumi, Y.

Tanner, J.

— Rybicky, J., and Funt, B. L.

The kinetics of donor-acceptor complex polymerization

(II) Applications of the kinetic equations, 6:241

See MacCallum, J. R.

See Rybicky, J.

Tarkowski, H. L. *See* Vanderhoff, J. W.

Tarvin, R. F. *See* Stille, J. K.

Taylor, C. G., and Pendleton, E. L. Characterization of an epoxy-anhydride ablative system using computer treatment of analytical results, 3:453

Taylor, W. I. *See* Craig, L. C.

Tazumi, A. *See* Yokota, K.

Teramachi, S.

— and Fujikawa, T.

Phase-separation phenomena of random copolymer solution: styrene-acrylonitrile random copolymer-toluene systems, 6:1393

— and Kato, Y.

Cross fractionation of styrene-butadiene copolymer, 4:1785

— and Nagasawa, M.

The fractionation of copolymers by chemical composition, 2:1169

— Tomioka, H., and Sotokawa, M.

Phase-separation phenomena of copolymer solutions and fractionation of copolymers by chemical composition, 6:97

Tho, P.-Q.

See Guillot, J.

See Lissac, P.

Thompson, S. A. *See* Homsy, C. A.

Throckmorton, J. R. *See* Zollinger, J. L.

Tibbitt, J. M.

— Bell, A. T., and Shen, M.

Dielectric relaxations in plasma-polymerized hydrocarbons and fluorocarbons, 10:519

— Shen, M., and Bell, A. T.

Structural characterization of plasma-polymerized hydrocarbons, 10:1623

Tiezzi, G. J., and Doyle, H. M. Stress-strain behavior of adhesives in a lap joint configuration at ambient and cryogenic temperatures, 3:1331

- Ting, S. T. *See* Zollinger, J. L.
- Tobin, R. *See* Erlander, S. R.
- Tobolsky, A. V.
See Lyons, P. F.
See Sperling, L. H.
See Yannas, J. B.
See Zaganiaris, E. J.
- Toda, F. *See* Iwakura, Y.
- Tomio, M. *See* Tanaka, Y.
- Tomioka, H.
See Teramachi, S.
See Yokota, K.
- Tóth, M. *See* Holló, J.
- Toy, M. S. *See* Toy, S. M.
- Toy, S. M., English, W. D., Crane, W. E., and Toy, M. S. Some properties of nitroso rubbers in fluorine at ambient and cryogenic temperatures, **3**:1355
- Trahe, R. M. *See* Neuse, E. W.
- Treeby, I. G. *See* Solomon, D. H.
- Trevino, S., and Boutin, H. Studies of low-frequency molecular motions in polymers by neutron inelastic scattering, **1**:723
- Trossarelli, L.
— and Guaita, M.
Derivation of cyclopolymerization equations without "steady-state" assumptions, **1***:471
See Guaita, M.
- Tsou, K. C., and Yip, K. F. Synthesis of deoxyoligonucleotides on an isotactic polymer support, **7**:1097
- Tsuchida, E. *See* Hagiwara, M.
- Tsuda, K., Kobayashi, S., and Otsu, T. Vinyl polymerization (168) Preparations and polymerizations of *p*-substituted phenyl vinyl sulfides, **1**:1025
- Tsuda, T. *See* Saegusa, T.
- Tsujino, T., Kaiya, A., Kuroda, N., and Takahashi, M. Polymerization of ethylene with Al-Ti oxychloride/alkylaluminum catalysts, **5**:311
- Tsuruta, T.
Activated monomers and nucleophilic reagents in addition polymerization reactions, **9**:687
— Makimoto, T., and Kanai, H.
Stereochemistry in the polymerization of methacrylic esters, **1***:31
— and Yasuda, Y.
Elementary reactions of metal alkyl in anionic polymerization (IV) Relative reactivities of α,β -unsaturated carbonyl compounds toward *n*-butylmagnesium bromide, **2**:943
See Kawakami, Y.
See Khanh, P. H.
See Narita, T.
See Sato, H.

[Tsuruta, T.]

See Yasuda, Y.

Tüdös, F.

— and Földes-Berezhnykh, T.

Kinetics of radical polymerization

(XIV) Inhibition of polymerization of vinyl acetate with vinyl monomers, 1*:523

— Kelen, T., Földes-Bereznich, T., and Turcsányi, B.

Analysis of linear methods for determining copolymerization reactivity ratios

(III) Linear graphic method for evaluating data obtained at high conversion levels, 10:1513

See Kelen, T.

Turcsányi, B. See Tüdös, F.

Turner, S. R.

See Allen, V. F.

See Schuttenberg, H.

Turturro, A. See De Candia, F.

U

Ueno, K. See Kennedy, J. P.

Ukihashi, H. See Hisasue, M.

Umehara, K. See Ito, K.

Utiyama, H. See Iwama, M.

V

van den Hul, H. J. See Vanderhoff, J. W.

van der Hoff, B. M. E.

Relation between energy contribution to elastic force and strain dependence of modulus for polybutadiene vulcanizates, 5:661

— and Buckler, E. J.

Transient changes in topology and energy on extension of polybutadiene networks, 1:747

— and Glynn, P. A. R.

Comparison of stress-strain relations of polybutadiene vulcanizates in compression and in extension, 3:991

The rate of degradation by ultrasonation of polystyrene in solution, 8:429

See Crossland, A. H.

See Glynn, P. A. R.

Vanderhoff, J. W.

— Tarkowski, H. L., Jenkins, M. C., and Bradford, E. B.

Theoretical consideration of the interfacial forces involved in the coalescence of latex particles, 1*:361

— and van den Hul,

Well-characterized monodisperse latexes as model colloids, 7:677

See Bradford, E. L.

- Vandlen, R. L., Schmidt, J., and Raftery, M. A. Affinity chromatography and characterization of the acetylcholine receptor from *Torpedo californica*, **10**:73
- van Heiningen, J. J.
— and Butler, G. B.
The fundamental basis for cyclopolymerization
(VII) A cyclopolymerization study of certain allylcycloalkenes, **8**:1175
See Butler, G. B.
- van Ooteghem, D. See Goethals, E. J.
- van Wazer, J. R. Inorganic polymer chemistry, **1**:29
- Vasile, M. J. See Smolinsky, G.
- Verhoff, F. H., and Sylvester, N. D. Hydrodynamic fractionation of macromolecules
(I) A simple theory, **4**:979
- Vialle, J.
— Guillot, J., and Guyot, A.
Acrylonitrile copolymerizations
(IV) Butadiene copolymerization, **5**:1031
See Guillot, J.
See Guyot, A.
- Vidal, A. See Kennedy, J. P.
- Vincent, D. N. Thermal degradation and curing of polyphenylene, **3**:485
- Virnik, A. D. See Rogovin, Z. A.
- Visser, J. W. See Havinga, R.
- Vitagliano, V.
See Crescenzi, V.
See Liquori, A. M.
- Vlagicu, I., and Stannett, V. The radiation-induced grafting of vinyl monomers to polyethylene terephthalate fibers
(I) Styrene, **7**:1677
- Vodehnal, J. See Kössler, I.
- Vodenicharov, C. See Schopov, I.
- Vogel, M. K., Cross, R. A., Bixler, H. J., and Guzman, R. J. Medical uses for polyelectrolyte complexes, **4**:675
- Vogl, O.
Polyaldehydes: introduction and brief history, **1**:203
Polymerization of aliphatic aldehydes, **1**:243
Review and future of ionic polymerization with special emphasis on carbonyl polymerization, **9**:663
— Ivansons, V., Miller, H. C., and Williams, H. W.
Thermal degradation spectrum: instrumentation to record thermogravimetric results, **2**:175
See Brame, E. G., Jr.
See Tanaka, T.
- Vojvodich, N. S. Hypervelocity heat protection—a review of laboratory experiments, **3**:367

- Volpe, A. A., Kaufman, L. G., and Dondero, R. G. Isomeric and substituent effects in some dibenzoylbenzene-diamine polymers, 3:1087
- Vo Van, K., Malhotra, S. L., and Blanchard, L.-P. Kinetics of the decomposition of polyoxypropylene glycols by differential scanning calorimetry and thermogravimetric analysis, 8:843
- Vuillaume, G.
- Revillon, A., Spitz, R., and Guyot, A.
Supported chromium oxide catalyst for olefin polymerization
(V) Measurement of catalytic activity in an integral dynamic reactor, 5:559
- Spitz, R., Revillon, A., and Guyot, A.
Supported chromium oxide catalyst for olefin polymerization
(X) Propylene polymerization-activity measurements at low pressure, 8:1117
- See Guyot, A.
See Spitz, R.

W

- Wada, H. See Nakaya, T.
- Walsh, W. K.
- Bittencourt, E., Bartlett, L. L., and Rutherford, H. A.
Electron-beam-initiated grafting of flame retardants to fabrics containing cellulose
(I) Reaction rate studies, 10:689
- See Yau, C. C.
- Wang, L. C. See Jellinek, H. H. G.
- Wang, L.-S. See Carraher, C. E., Jr.
- Wang, T. S. See Bajjal, M. D.
- Warner, R. E.
- Kennedy, A. M., and Bolto, B. A.
Kinetics of neutralization of weak electrolyte ion-exchange resins, 4:1125
See Bolto, B. A.
- Washo, B. D. Surface property characterization of plasma-polymerized tetrafluoroethylene deposits, 10:559
- Watt, I. C.
Properties of some wool keratin copolymers, 4:1079
- and D'Arcy, R. L.
Copolymers of wool keratin: sorption properties, 6:705
See D'Arcy, R. L.
- Watt, P. J. See Blair, H. S.
- Watterson, J. G.
- and Elias, H.-G.
Characterization of molecular weight distributions by the standard deviation, 5:459
- and Stafford, J. W.
Molecular weight distributions in polycondensation, 5:679

- Weiner, P. *See* Ehrlich, J.
- Weir, N. A. Degradation of β -triated polystyrene by self-irradiation, 6:125
- Weiss, D. E.
A role for ion association and polymer elasticity in bioenergetics, 4:1021
See Bolto, B. A.
- Welch, C. M. *See* Snyder, S. L.
- Wen, R. Y., Sonnabend, L. F., and Eddy, R. The synthesis and characterization of some potential ablative polymers, 3:471
- Werninck, A. R. S. *See* MacCallum, J. R.
- Wertheimer, M. R. *See* Bialski, A.
- Wessling, R. A., and Gibbs, D. S. A study of emulsion polymerization kinetics by the method of continuous monomer addition, 7:647
- White, J. W. "Hydrophobic Bonds?" A study of long-range interactions in polymers, 4:1275
- Wildnauer, R. H. *See* Humphries, W. T.
- Wiley, R. H.
Mass spectral characteristics of pivalolactone and polypivalolactone, 4:1797
— and Badgett, J. T.
Swelling ratios and rates of sulfonation of solvent-modified copolymers of styrene cross-linked with pure *m*- and pure *p*-divinylbenzene, 2:103
— and Cook, J. C., Jr.
Field desorption mass spectral data for oligomers up to 2,400 Amu, 10:811
— De Venuto, G., and Martin, F. E.
Structural correlations and pyrolytic degradation kinetics of copolymers of styrene with pure *meta*- and pure *para*-divinylbenzene, 1*:137
— and Jin, J.-I.
Monomer reactivity ratios for the copolymerization of methyl methacrylate with pure *meta*- and pure *para*-divinylbenzene, 2:1097
Monomer reactivity ratios for the copolymerization of *p*-isopropylstyrene with styrene and methyl methacrylate, 3:835
— Jin, J.-I., and Ahn, T.-O.
Dilatometric study of the kinetics of the polymerization of pure *meta*- and pure *para*-divinylbenzenes, 3:1543
Rates of sulfonation of bead copolymers of styrene cross-linked with mixtures of *m*- and *p*-divinylbenzene, 2:407
— Jin, J.-I., and Reich, E.
The EPR spectra of manganese(II) on sulfonated polystyrene resins cross-linked with pure divinylbenzene isomers, 4:341
— and Kim, K. S.
Ion exchange equilibrium studies on sulfonated polystyrene cross-linked with pure divinylbenzenes, 8:687
— and Lee, J. Y.
Polymerization of β -ethylnaphthalene, 5:507
Thermal polymerization of diphenyldiacetylene, 5:513
— and Martin, F. E.
Structural correlations in the pyrolytic degradation of copolymers of methyl methacrylate and pure *m*- and *p*-divinylbenzene, 1:635

[Wiley, R. H.]

— Mathews, W. K., and O'Driscoll, K. F.

Monomer reactivity ratios for the copolymerization of styrene with pure meta- and pure para-divinylbenzenes, 1:503

— Proelss, H. F., and Chang, R.

EPR study of the kinetics of the formation of radicals from dibenzoyl peroxide on porous glass, 4:187

— Rao, S. P., Jin, J.-I., and Kim, K. S.

Monomer reactivity ratios from high conversion copolymerization of styrene with meta- and with para-divinylbenzene, 4:1453

— Sapse, A. M., and Lee, J. Y.

A reevaluation of side chain oscillator effects in the polyene superconductor model, 4:203

— and Smithson, L. H., Jr.

Mass spectrometric characterization of polystyrene cross-linked with pure m- and pure p-divinylbenzene, 2:589

See Sapse, A.-M.

Willard, P. E. Evaluation of initiators and fillers in diallyl phthalate resins by differential scanning calorimetry, 8:33

Williams, D. J. See Keusch, P.

Williams, F. New concepts in cationic polymerization, 6:919

Williams, F. D. Effect of some inorganic salts on methyl methacrylate and acrylonitrile in dimethylformamide, 2:459

Williams, H. W. See Vogl, O.

Williams, J. G., and Delatycki, O. Transitions in epoxy-diamine networks, 4:1147

Williams, J. L. See Stannett, V. T.

Willing, R. I.

See Hamann, S. H.

See Johns, S. R.

Willis, D. See Bolto, B. A.

Wilson, J. E.

Monomer and polymer grafting on nylon film using cobalt-60 radiation, 7:845

Polymer/solvent interaction in the radiation-induced grafting of vinyl monomers on polymeric films, 9:607

Radiolytic grafting of styrene on polymethylpentene film, 5:777

Rate-controlling factors in the radiation-induced grafting of pentafluorostyrene on nylon polyethylene, 8:307

Reaction kinetics of the radiation-induced grafting of styrene on polyethylene film, 10:1441

Solvent effects on the rate of radiation-induced grafting of vinyl monomers on polymeric films, 8:733

Windwer, S. See Kumbar, M.

Winter, D. O. See Carraher, C. E., Jr.

Wojcik, R. T. See Ruckel, E. R.

Wolf, R., and Schulz, R. C. Optical rotatory dispersion of the starch iodine complex (II), 2:821

- Wong, B. L. *See* Charm, S. E.
Wormington, C. M., III *See* Brucker, R. F.
Worsfold, D. J.
 See Black, P. E.
 See Sangster, J. M.
Wright, P. H. *See* Cherry, B. W.

Y

- Yamada, B.
—— and Otsu, T.
 The reactivities of α -substituted acrylonitriles and acrylic esters in radical copolymerizations, 3:1551
 See Otsu, T.
Yamada, K. *See* Kajiwara, M.
Yamaguchi, K. *See* Yano, H.
Yamaguchi, M.
 See Nakata, T.
 See Otsu, T.
Yamakawa, S. *See* Henderson, N. K.
Yamamoto, A.
—— and Ikeda, S.
 Vinyl polymerization with transition metal alkyls and hydrides, 9:931
 See Momiyama, Z.
Yamamoto, R. *See* Imanishi, Y.
Yamamoto, Y. *See* Suzuki, M.
Yamane, T., *See* Imanishi, Y.
Yamashina, H. *See* Sakamoto, M.
Yamashita, I. *See* Masaki, A.
Yamashita, Y. *See* Ito, K.
Yamauchi, K.
—— Kinoshita, M., and Imoto, M.
 Vinyl polymerization
 (279) Synthesis and polymerization of 9-acryloxyquinine, 6:73
—— Mitsuda, Y., and Kinoshita, M.
 Asymmetry in the main chain of poly-9-O-methacryloylquinine, 10:981
Yamazaki, N.
—— and Higashi, F.
 High-energy phosphonium compounds and their application to polymer synthesis, 9:761
—— Nakahama, S., and Hirao, A.
 An attempt at the preparation of macrocyclic polymer, 9:551
—— and Ohta, T.
 Hydrooligomerization of butadiene with nickel complex catalyst, 3:1571
—— Shinohara, H., and Nakahama, S.
 An anomalous cathode-initiated copolymerization of styrene and methyl methacrylate on the electrode, 9:539

[Yamazaki, N.]

— Tanaka, I., and Nakahama, S.

Electroinitiated anionic polymerization of vinyl monomers, 2:1121

See Nakahama, S.

Yannas, J. B., and Tobolsky, A. V. Transitions in gelatin-nonaqueous-diluent systems, 1*:723

Yannas, J. P., and Tobolsky, A. V. Approximate master curves for amorphous polymers from modulus-temperature data, 1*:399

Yano, H.

— Shima, K., Yamaguchi, K., Takemoto, K., and Imoto, M.

Vinyl polymerization

(215) Decomposition of *p*-methoxy-*p*'-nitrobenzoyl peroxide in mono-substituted benzenes and polymerization of styrene initiated with this peroxide, 3:853

— Takemoto, K., and Imoto M.

Vinyl polymerization

(CLXVII) Vinyl polymerization initiated with *p*-methoxy-*p*'-nitrobenzoyl peroxide, 2:81

(204) Initiation mechanism of the radical polymerization of vinyl monomers by *p*-methoxy-*p*'-nitrobenzoyl peroxide and tertiary amines, 2:739

Yasuda, H.

Plasma for modification of polymers, 10:383

— and Tani, H.

Initiation reaction of the alkali-metal catalyzed polymerization of dienes bearing allylic protons, 9:1007

See Morosoff, N.

Yasuda, Y.

— Kawabata, N., and Tsuruta, T.

Elementary reactions of metal alkyl in anionic polymerization

(III) Reaction mode of *n*-butylmagnesium bromide with α,β -unsaturated carbonyl compounds, 1:669

See Kawakami, Y.

See Tsuruta, T.

Yasui, M. See Masaki, A.

Yau, C. C., Walsh, W. K., and Cates, D. M. The effect of volume reorganization of amorphous poly(ethylene terephthalate) on thermal properties, 8:165

Yemelyanov, V. N. See Andrianov, K. A.

Yen, S. P. S. See Rembaum, A.

Yen, T. F., Davar, M., and Rembaum, A. Potentialities of a new class of anti-clotting and antihemorrhagic polymers, 4:693

Yen, Y. See Dilli, S.

Yip, K. F. See Tsou, K. C.

Yoda, N. See Kurihara, M.

Yokata, K.

The NMR spectra of styrene-itaconate ester copolymers obtained by free radical mechanism, 4:65

—— Tomioka, H., and Tazumi, A.

Determination of chain transfer constant for solvent when the viscosity of the polymerizing system is considered important, 6:1337

Yonezawa, T. *See* O'Driscoll, K. F.

Yoshida, K. *See* Ishigure, K.

Yoshihara, M. *See* Matsubara, Y.

Yuki, H., Hatada, K., Ohta, K., and Okamoto, Y. Anionic polymerizations and copolymerizations of methacrylates—reactivity of monomer and tacticity of polymer, 9:983

Z

Zaganiaris, E. J., Sperling, L. H., and Tobolsky, A. V. Elastomeric and mechanical properties of poly-m-carboranylenesiloxanes (III), 1:1111

Zaukelies, D. A., and Daniels, B. K. Mechanical properties of a high-modulus polyamide-hydrazide fiber in composites and of the polyamide-hydrazide fiber and fabric composites, 7:229

Zeegers, B., and Butler, G. B.

Studies in cyclopolymerization

(IX) A systematic kinetic study on the cyclopolymerization of vinyl ethers with maleic anhydride in different solvents, 6:1569

(XI) The role of the charge-transfer complex in the initiation step of the UV-initiated cyclopolymerization of divinyl ether with fumaronitrile, 7:349

Zeman, J. R. *See* D'Alelio, G. F.

Zhdanov, A. A. *See* Andrianov, K. A.

Zilkha, A.

See Avny, Y.

See Bar-Ilan, A.

See Cabasso, I.

See Ezra, G.

See Freireich, S.

Zitomer, F., and DiEdwardo, A. H. Degradation kinetics and mechanisms of polymers using thermal spectrometric techniques, 8:119

Zoch, C. G. *See* Guise, G. B.

Zochniak, A., Koźbiał-Hołydyk, B., and Ossowski, J. Products of polyaddition of 1,5-pentandiol dithioglycolate with 2,4-tolylene diisocyanate and with 4,4-diphenylmethane diisocyanate, 9:1265

Zollinger, J. L., Throckmorton, J. R., Ting, S. T., Mitsch, R. A., and Elrick, D. E. Preparation and curing of poly(perfluoroalkylene oxides), 3:1443

Zubov, V. New phenomena in radical polymerization, 6:863

Zuikov, A. V. *See* Medvedev, S. S.

Zushi, K. *See* Kagiya, T.

Zweifach, B. W. Problems in blood-tissue reactions to polymeric materials, 4:499