

This article was downloaded by:

On: 24 January 2011

Access details: *Access Details: Free Access*

Publisher *Taylor & Francis*

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



## Journal of Macromolecular Science, Part A

Publication details, including instructions for authors and subscription information:

<http://www.informaworld.com/smpp/title~content=t713597274>

### Subject Index to Volume A27

**To cite this Article** (1990) 'Subject Index to Volume A27', Journal of Macromolecular Science, Part A, 27: 13, 1861 — 1875

**To link to this Article:** DOI: 10.1080/00222339009351517

**URL:** <http://dx.doi.org/10.1080/00222339009351517>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.informaworld.com/terms-and-conditions-of-access.pdf>

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

## Subject Index to Volume A27

### A

- Acid-base properties, of metal compounds in preparation of poly(ethylene terephthalate), 479–490
- Acidity, in nafion, 1095–1107
- Acrolein, electroinitiated polymerization of by direct and in direct electron transfer via controlled potential electrolysis, 317–330
- Acrylamide
- ampholytic terpolymers of sodium 3-acrylamido-3-methylbutanoate with 2-acrylamido-2-methylpropane-dimethylammonium chloride and, synthesis and absorbency behavior of, 539–547
  - copolymerization of with sodium 11 acrylamidoundecanoate, 711–724
- 2-Acrylamido-2-methylpropane-dimethylammonium chloride, ampholytic terpolymers of sodium 3-acrylamido-3-methylbutanoate with and acrylamide, synthesis and absorbency behavior of, 539–547
- Acrylonitrile, with methyl acrylate, synthesis and characterization of radiation-induced copolymerization of, 1069–1080
- Acyl chloride, polymers capped with, reaction of functional groups on carbon black with, 445–457
- Adipic anhydride, melt polymerization of, 397–412
- Agitation, effect of on grafting of vinyl acetate-methyl acrylate mixture onto cellulose, 947–967
- Aliphatic moieties, synthesis, characterization, and thermal studies of polydibenzylidenecyclopentanonehydrazides containing, 1531–1548
- Alkanedithiols, aromatic nucleophilic substitution polymerization of dichloro-1,2,5-triazines with, 1515–1530
- Alkyl acrylates, copolymerization of polyoxyethylene macromers with, 725–741
- Alkyl polyviologens, in PVA matrix, photoreduction of, 699–709
- Alumina
- bis(arene)titanium and tetra(neophyl)zirconium catalysts supported by, preparation of elastomeric polypropylene using, 1133–1146
  - hybrid network ceramer materials containing, from sol-gel processing, synthesis and characterization of, 1449–1470
- Aluminum chloride, electrochemical polymerization of benzene by use of, 1433–1438
- Amides, oxygen accelerated photopolymerization of methyl methacrylate in presence of, 87–95
- Amines, aromatic, synthesis and characterization of polyamideimides from, 377–380
- Ammonium groups, synthesis and reaction of silica-supported catalysts with, 1389–1394
- Amperometric determination, of glucose, polymer-complex mediated enzyme electrodes for, 1203–1216

- Ampholytic terpolymers, of sodium 3-acrylamido-3-methylbutanoate with 2-acrylamido-2-methylpropane-dimethylammonium chloride and acrylamide, synthesis and absorbency behavior of, 539-547
- Analytical tool, for graft copolymers and polymer surfaces, zeta potential as, 1673-1792
- Aniline, structural studies of using XPS, 933-946
- Anionic graft polymerization, of vinyl monomers initiated by metallized aromatic rings on carbon fiber, 779-789
- bis(Arene)titanium catalyst, alumina-supported, preparation of elastomeric polypropylene using, 1133-1146
- Aromatic moieties, synthesis, characterization, and thermal studies of polydibenzylidenecyclopentanonehydrazides containing, 1531-1548
- Aromatic nucleophilic substitution polymerization, of dichloro-1,2,5-triazines with alkanedithiols, 1515-1530
- Aromatic rings, metallized, on carbon fiber, anionic graft polymerization of vinyl monomers initiated by, 779-789
- Arylidene polymers. *See* Diarylidene-cyclopentanone
- Azo moieties, synthesis, characterization, and thermal studies of polydibenzylidenecyclopentanonehydrazides containing, 1531-1548
- Azo-benzoin initiators, synthesis, characterization and initiator properties of, 743-753
- Azomethine moieties, synthesis, characterization, and thermal studies of polydibenzylidenecyclopentanonehydrazides containing, 1531-1548

## B

- Backbones  
 photocrosslinkable vinyl esters with  $\alpha,\beta$ -unsaturated ketone groups in, 1-22

- synthesis of polymers with diiminosulfoxide functionality in, 137-147
- Baker-Williams fractionation, simulation of by continuous thermodynamics, 999-1013
- Benzene, electrochemical polymerization of by use of aluminum chloride and copper(I) chloride, 1433-1438
- Benzoin. *See* Azo-benzoin initiators
- endo*-N-Benzylbicyclo[2,2,1]hept-2-ene-5,6-dicarboximide, oligomerization and copolymerization of, 843-860
- Bimetallic clusters, polymer-protected, preparation and application of to catalysis, 1225-1238
- Biomedical applications  
 radiation-induced grafting of 2-hydroxymethyl methacrylate onto silk for, 385-389  
 radiation-induced grafting of 2-hydroxyethyl methacrylate onto polypropylene for, 831-841
- Block copolymers, A-B-A tri- and (A-B)<sub>n</sub> segmented, of styrene and ethylene oxide via thermal iniferters, 791-806
- 1,4-Butane diol, and resacetophenone, synthesis, characterization, and ion-exchange properties of copolymers derived from, 669-681
- n*-Butyl acrylate, copolymerization of polymethyl methacrylate macromers with, 491-507

## C

- Carbon black, reaction of functional groups on with acyl chloride-capped polymers, 445-457
- Carbon fiber, metallized aromatic rings on, anionic graft polymerization of vinyl monomers initiated by, 779-789
- Carbon matrix, pyrolysis of polymer complexes leading to air-stable ultrafine metal particles uniformly dispersed in, 1347-1362
- bis-1,1'-(3-Carboxyphthalimidyl)-4,4'-biphenyl, synthesis and characterization of polyamideimides from, 377-380

- Catalysis, application of polymer-protected bimetallic clusters to, 1225-1238
- Catalysts
- alumina-supported bis(arene)titanium and tetra(neophyl)zirconium, preparation of elastomeric polypropylene using, 1133-1146
  - phase transfer, use of polystyrenes containing sulfonamide moieties as, 1053-1067
  - polymer-supported lewis acid, 125-136 for reduction of sodium borohydride under two-phase conditions, polyvinylpyridines as, 391-396
  - silica-supported, synthesis and reaction of with ammonium groups, 1389-1394
- Catalytic activity, of Nd complex, relationship of to sequence distribution of polymer, 1335-1345
- Catalytic effect, of zinc(II) ion on dehydrogenation of atactic polypropylene by sulfur, kinetics of, 213-223
- Catalytic properties, of metal compounds in preparation of poly(ethylene terephthalate), 479-490
- Cationic initiation, by thionyl chloride/titanium tetrachloride, 225-235, 247-255
- Cellulose
- effect of agitation on grafting of vinyl acetate-methyl acrylate mixture onto, 947-967
  - effect of monomer concentration and feed composition on grafting of vinyl acetate-methyl acrylate mixture onto, 683-697
  - fibers, modified, graft copolymerization of 4-vinylpyridines onto
    - ceric ion concentration effect in, 413-421
    - degree of substitution effect in, 423-434
- Ceramer materials, hybrid network, alumina and titania containing, from sol-gel processing, synthesis and characterization of, 1449-1470
- Ceric ion
- concentration effect of in graft copolymerization of 4-vinylpyridine onto modified cellulosic fibers, 413-421
  - graft copolymerization of methyl acrylate by in presence of controlled amount of oxygen, 23-40
- Charge-transfer mechanism, polymerization of methyl methacrylate by, 237-243
- Chiral solid supports, separation of racemic mixtures of organometallic complexes using, 1439-1448
- Chlorinated polyethylenes, blends of, critical miscibility phenomena in, 1693-1712
- Cloud-point curves, of polydisperse polystyrenes in cyclohexane, 683-697
- Cobalt. *See* Polyacrylatopentaamminecobalt(III)
- Coexistence curves, of polydisperse polystyrenes in cyclohexane, 683-697
- Conformational characterization, of maleic acid copolymer with inflexible side chain, 861-873
- Coordination polymers, of 1,4-bis(2'-hydroxyphenylzomethine) phenylene, 1503-1514
- Copolymers
- block, A-B-A tri- and (A-B)<sub>n</sub> segmented, of styrene and ethylene oxide via thermal iniferters, 791-806
  - derived from resacetophenone and 1,4-butane diol, synthesis, characterization and ion-exchange properties of, 669-681
  - graft, preparation of by UV photolysis of poly(methyl vinyl ketone), 911-932
  - (*N*-vinylpyrrolidone)-(4-vinylpyridine), oxidation of hydroquinone by, 897-909
- Copolymer solutions, with broad and asymmetric chemical distributions, liquid-liquid equilibrium of, 809-830
- Copper(I) chloride, electrochemical polymerization of benzene by use of, 1433-1438

Copper(II) complexes, with 1,4,8,11-tetraazacyclotetradecane in aqueous solution, determination of structure of by x-ray diffraction, 1305-1319

Crosslinked elastomers, strained swollen,  $^2\text{H}$  NMR of, 149-165

#### Crosslinking

of ethylene-vinyl acetate with organometallic compounds, 1491-1502

*See also* Photocrosslinking

Cyanic acid esters, reaction of with glycidyl ethers, kinetic structural model for network build-up during, 97-116

Cyclohexane, cloud-point curves and coexistence curves of polydisperse polystyrenes in, 683-697

Cymantrenethyl acrylate, synthesis and polymerization of organometallic monomer series based on, 1363-1377

### D

Degree of substitution effect, in graft copolymerization of 4-vinylpyridine onto modified cellulosic fibers, 423-434

Dehydrochlorination, thermal, of PVC, kinetic model of, 987-997

Dehydrogenation, of atactic polypropylene by sulfur, kinetics of catalytic effect of zinc(II) ion on, 213-223

Diarylidene cyclopentanone, synthesis and characterization of polyesters of, 523-538

Dibenzyl structures, in macromolecular chain, 1549-1571

Dibenzyl diisocyanates reactivity, 1549-1571

Dibromoalkanes, functionalization of pyridine rings with in crosslinked poly(styrene-co-4-vinylpyridine), 289-297

Dichloro-1,2,5-triazines, aromatic nucleophilic substitution polymerization of with alkanedithiols, 1515-1530

Diiminosulfoxide functionality, in back-

bone, synthesis of polymers with, 137-147

### E

Elastomeric polypropylene, preparation of using alumina-supported bis(arene)titanium and tetra(neophyl)zirconium catalysts, 1133-1146

Elastomers, strained swollen crosslinked,  $^2\text{H}$  NMR of, 149-165

Electrochemically induced processes, combination of phthalocyanines with polymers for, 1239-1259

Electrochemical polymerization, of benzene by use of aluminum chloride and copper(I) chloride, 1433-1438

Electrodes, enzyme, polymer-complex mediated, for amperometric determination of glucose, 1203-1216

#### Electroinitiated polymerization

of acrolein by direct and indirect electron transfer via controlled potential electrolysis, 317-330

of *N*-vinylcarbazole by direct electron transfer, 1041-1052

Electrolysis, controlled potential, polymerization of acrolein by direct and indirect electron transfer via, 317-330

#### Electron transfer

direct and indirect, via controlled potential electrolysis, polymerization of acrolein by, 317-330

direct, electroinitiated polymerization of *N*-vinylcarbazole by, 1041-1052  
synthesis of poly(phenylenesulfide)s through, 1119-1131

Engineering, macromolecular, 1787-1795

Enzyme electrodes, polymer-complex mediated, for amperometric determination of glucose, 1203-1216

Ethylene oxide, block copolymers of via thermal initiators, 791-806

Ethylene-vinyl acetate, crosslinking of with organometallic compounds, 1491-1502

Europium triundecylenate, fluorescence

properties of polymers and solutions containing, 1109-1117

## F

Feed composition, effect of on grafting of vinyl acetate-methyl acrylate mixture onto cellulose, 969-985

Ferrous chelates, effect of conformation of polymer chain on reduction rate of polyacrylatopentaamminecobalt(III) by, 1275-1292

Ferrous chloride complexes, of poly(*N*-methyl-2,5-pyrrolylene), poly(2,5-thienylene), and poly(3-methyl-2,5-thienylene) prepared by nickel-catalyzed polycondensation, Mossbauer spectroscopic study of, 1147-1155

Films. *See* Thin films

Fluorescence properties, of europium and terbium triundecylenate-containing polymers and solutions, 1109-1117

Fractionation, Baker-Williams, simulation of by continuous thermodynamics, 999-1013

Free-radical polymerization, of perdeuterated styrene, rate constants in, 193-212

Free-radical species, from methyl vinyl ketone in aqueous solution, pulse radiolysis of, 299-308

Functional groups, on carbon black, reaction of with acyl chloride-capped polymers, 445-457

Functional polymers, 1799-1815

## G

Gas separation, macromolecule-metal complexes for, 1293-1303

Gelatin, crosslinked with glutaraldehyde, polyacrylamide grafts with, 435-443

Glucose, polymer-complex mediated enzyme electrodes for amperometric determination of, 1203-1216

Glutaraldehyde, gelatin crosslinked with, polyacrylamide grafts with, 435-443

Glycidyl ethers, reaction of cyanic acid esters with, kinetic structural model for network build-up during, 97-116

Graft copolymerization

of methyl acrylate by ceric ion in presence of controlled amount of oxygen, 23-40

radiation induced, of 2-hydroxyethyl methacrylate onto silicone rubber films, kinetics of, 117-123

of 4-vinylpyridine onto modified cellulosic fibers, ceric ion concentration effect in, 413-421

of 4-vinylpyridine onto modified cellulosic fibers, degree of substitution effect in, 423-434

Graft copolymers

preparation of by UV photolysis of poly(methyl vinyl ketone), 911-932  
zeta potential as analytical tool for, 1673-1692

Graft polymerization

anionic, of vinyl monomers initiated by metallized aromatic rings on carbon fiber, 779-789

of maleic anhydride onto polybutadiene rubber, 167-178

Grafting

radiation-induced, of 2-hydroxyethyl methacrylate  
onto silk for biomedical applications, 385-389

onto polypropylene for biomedical applications, 831-841

of vinyl acetate-methyl acrylate mixture onto cellulose

effect of agitation on, 947-967

effect of monomer concentration and feed composition on, 969-985

## H

Heat-resistant polyamides, from thiadiazacycloheptatriene dicarboxylic acid, synthesis and characterization of, 755-777

Helical polymers, 1820-1834

- Helix, construction of, 1834-1839
- High conversion copolymerization, of  $\alpha$ -methylstyrene with *N*-methylmaleimide or *N*-phenylmaleimide, 1621-1630
- Highly dispersed phases, in polymer blends, characterization of, 1769-1780
- Homopolymerization, radical-initiated, of 5-nitrofurfuryl methacrylate, 581-591
- Hydrogenated  
poly-2,3-diphenylbutadienes, thermal oxidation of, 1657-1671
- Hydroquinone, oxidation of by (*N*-vinylpyrrolidone)-(4-vinylpyridine) block and graft copolymers, 897-909
- 2-Hydroxyethyl methacrylate  
radiation-induced graft copolymerization of onto silicone rubber films, kinetics of, 117-123  
radiation-induced grafting of onto silk for biomedical applications, 385-389  
radiation-induced grafting onto polypropylene for biomedical applications, 831-841
- 1,4-bis(2'-Hydroxyphenyl)zomethine) phenylene, coordination polymers of, 1503-1514

## I

- Initiator properties, of azo-benzoin initiators, 743-753
- Interaction between polymers, 1631-1655
- Interfacial tension, of solutions of polar polymers, 563-580
- Interpenetrating networks, of polystyrene-polyethylene and poly(butyl methacrylate)-polyethylene, preparation of, 1613-1620
- Ion-exchange properties, of copolymers derived from resacetophenone and 1,4-butane diol, 669-681

- Ionic conductivity, of poly(ethylene oxide)/lithium perchlorate complexes caused by blending of poly(vinyl acetate), nonlinear effects on, 1217-1223
- Isobutylene polymerization, initiated by trimethylpentyl esters of acids, kinetics and mechanism of, 649-667
- Isophthalic/terephthalic acids, synthesis and characterization of polyester made from 1,1'-bis(3-methyl-4-hydroxyphenyl)cyclohexane with, 53-61

## K

- Ketone groups,  $\alpha,\beta$ -unsaturated, in backbone, photocrosslinkable vinyl esters with, 1-22
- Ketones, polyvinylpyridines as catalysts for reduction of by sodium borohydride under two-phase conditions, 391-396
- Kinetic models  
for network build-up during reaction of cyanic acid esters with glycidyl ethers, 97-116  
of thermal dehydrochlorination of PVC, 987-997
- Kinetics  
of catalytic effect of zinc(II) ion on dehydrogenation of atactic polypropylene by sulfur, 213-223  
of isobutylene polymerization initiated by trimethylpentyl esters of acids, 649-667  
of micellar polymerization of sodium 11-(*N*-ethylacrylamido)undecanoate, 63-85  
of radiation induced graft copolymerization of 2-hydroxyethyl methacrylate onto silicone rubber films, 117-123  
of radical bulk polymerization of vinyl acetate by rotating sector method, 309-315

of styrene polymerization in viscous medium, 637-647

## L

Lactone/ $\text{BCl}_3$  initiating complexes, polymerization of asymmetric telechelic polyisobutylenes by, 1573-1593

Lewis acid catalysts, polymer-supported, 125-136

Lipid membranes, bilayer, spectroscopic and electrochemical characterization of semiconductor junctions of, 1167-1185

Liquid crystalline polymer, effect of metal complexation on behavior of, 1379-1387

Liquid-liquid equilibrium, of copolymer solutions with broad and asymmetric chemical distributions, 809-830

Lithium perchlorate. *See* Poly(ethylene oxide)/lithium perchlorate complexes

## M

Macromolecular asymmetry, 1839-1843

Macromolecular chain, dibenzyl structures in, 1549-1571

Macromolecular design and architecture, 1781-1854

Macromolecule-metal complexes, for gas separation, 1293-1303

Magnetic properties, of conjugated phenoxypolyradicals, 1261-1273

Maleic acid copolymer, with inflexible side chain, conformational characterization of, 861-873

Maleic anhydride, graft polymerization of onto polybutadiene rubber, 167-178

Mathematical modeling, of PVC suspension polymerization, 257-288

Melt polymerization, of adipic anhydride, 397-412

Membranes  
bilayer lipid, spectroscopic and electro-

chemical characterization of semiconductor junctions of, 1167-1185  
from oximes of copolymers, reverse osmosis performance of, 911-932  
polyamides as polymers for, 381-384  
synthetic bilayer, supramolecular assembly of metal chelates based on, 1157-1166

*See also* Silicon rubber film; Thin films  
Metal chelates, based on synthetic bilayer membranes, supramolecular assembly of, 1157-1166

Metal complexation, effect of on behavior of liquid crystalline polymer, 1379-1387

Metal compounds, acid-base and catalytic properties of, in preparation of poly(ethylene terephthalate), 479-490

Metal particles, air-stable ultrafine, uniformly dispersed in carbon matrix, pyrolysis of polymer complexes leading to, 1347-1362

Metal, polyethylene waxes containing, 1395-1404

Methyl acrylate  
graft copolymerization of by ceric ion in presence of controlled amount of oxygen, 23-40  
synthesis and characterization of radiation-induced copolymerization of acrylonitrile with, 1069-1080  
*See also* Vinyl acetate-methyl acrylate mixture

Methyl methacrylate  
oxygen-accelerated photopolymerization of in presence of amides, 87-95  
polymerization of by charge-transfer mechanism, 237-243

Methyl vinyl ketone, in aqueous solution, pulse radiolysis of free-radical species from, 299-308

1,1'-bis(3-methyl-4-hydroxyphenyl)cyclohexane, with isophthalic/terephthalic acids, synthesis and characterization of polyester made from, 53-61



- N*-Methylmaleimide, high conversion copolymerization of  $\alpha$ -methylstyrene with, 1621-1630
- $\alpha$ -Methylstyrene, high conversion copolymerization of with *N*-methylmaleimide or *N*-phenylmaleimide, 1621-1630
- N*-Methyl-2-thioimidazole resin, synthesis and complex behavior for noble metal ions, 1321-1333
- Micellar polymerization, of sodium 11-(*N*-ethylacrylamido) undecanoate, kinetics and solution properties of, 63-85
- Microphase structure, of sequential interpenetrating polymer networks, interrelation between and crosslinking density of penetrating networks, 456-477
- Miscibility phenomena, critical, in blends of chlorinated polyethylenes, 1693-1712
- Mono-*l*-methyl itaconate, optically active, synthesis and polymerization of, 611-623
- Monomer concentration, effect of on grafting of vinyl acetate-methyl acrylate mixture onto cellulose, 969-985
- Monomers, and new principles of polymerization, 1795-1798
- Monomer series, organometallic, based on cymantrenethyl acrylate, synthesis and polymerization of, 1363-1377
- Mossbauer spectroscopy, study of ferrous chloride/polymer complexes using, 1147-1155
- N**
- Nafion, acidity in, 1095-1107
- Nd complex, relationship of sequence distribution of polymer to catalytic activity of, 1335-1345
- Nickel(II) complexes, with 1,4,8,11-tetraazacyclotetradecane in aqueous solution, determination of structure of by x-ray diffraction, 1305-1319
- Nickel-catalyzed polycondensation, Mossbauer spectroscopic study of ferrous chloride/polymer complexes prepared by, 1147-1155
- 5-Nitrofurfuryl methacrylate, radical-initiated homo- and copolymerization of, 581-591
- NMR. *See* Nuclear magnetic resonance (NMR)
- Nobel metal ions, complex behavior of *N*-methyl-2-thioimidazole resin for, 1321-1333
- Nomenclature, macromolecular, valid recommendations of, 807-808
- Nuclear magnetic resonance (NMR)
- <sup>13</sup>C, solid state, of uncured urea-formaldehyde resins, 361-375
- <sup>2</sup>H, of strained swollen crosslinked elastomers, 149-165
- Nucleophilic substitution polymerization, aromatic, of dichloro-1,2,5-triazines with alkanedithiols, 1515-1530
- O**
- Olefins, oxygenated, organosilicon polymer deposition by TEA CO<sub>2</sub> laser-induced decomposition of silane in presence of, 1015-1028
- Oligomerization, of *endo*-*N*-benzylbicyclo[2,2,1]hept-2-ene-5,6-dicarboximide, 843-860
- Optics, integrated, photochemical approach to, 1187-1202
- Organometallic complexes, separation of racemic mixtures of using chiral solid supports, 1439-1448
- Organometallic compounds, crosslinking of ethylene-vinyl acetate with, 1491-1502
- Organometallic monomer series, based on cymantrenethyl acrylate, synthesis and polymerization of, 1363-1377
- Organosilicon polymer deposition, by TEA CO<sub>2</sub> laser-induced decomposition of silane in presence of oxygenated olefins, 1015-1028

- Osmosis. *See* Reverse osmosis performance
- Osmotic pressure, of solutions of polar polymers, 563-580
- Oxepane-2,7,-dione, melt polymerization of, 397-412
- Oxidation, thermal, of partially hydrogenated poly-2,3-diphenylbutadienes and polystyrenes, 1657-1671
- Oximes, of copolymers, reverse osmosis performance of membranes from, 911-932
- Oxygen  
graft copolymerization of methyl acrylate by ceric ion in presence of controlled amount of, 23-40  
photopolymerization of methyl methacrylate in presence of amides accelerated by, 87-95
- P**
- Penetrating networks, crosslinking density of, interrelation between micro-phase structure of sequential interpenetrating polymer networks and, 456-477
- Pentaphenylcyclopentadienyl carbonyl complexes, of groups VI and VII, 1405-1414
- Perdeuterated styrene, rate constants in free-radical polymerization of, 193-212
- Phase behavior, of polymer blends, 1713-1732
- Phase transfer catalysts, use of polystyrenes containing sulfonamide moieties as, 1053-1067
- Phases, highly dispersed, in polymer blends, characterization of, 1769-1780
- Phenoxy polyradicals, conjugated, magnetic properties of, 1261-1273
- Phenyl isocyanate, stability of reaction products of, 509-522
- N*-Phenylmaleimide, high conversion copolymerization of  $\alpha$ -methylstyrene with, 1621-1630
- Photochemical approach, to integrated optics, 1187-1202
- Photocrosslinking, of vinyl esters with  $\alpha,\beta$ -unsaturated ketone groups in backbone, 1-22
- Photoelectrochemically induced processes, combination of phthalocyanines with polymers for, 1239-1259
- Photoelectron transfer, in bilayer lipid membrane-semiconductor junctions, 1167-1185
- Photolysis, UV, of poly(methyl vinyl ketone), preparation of graft copolymers by, 911-932
- Photopolymerization, oxygen accelerated, of methyl methacrylate in presence of amides, 87-95
- Photoreduction, of alkyl polyviologens in PVA matrix, 699-709
- Phthalocyanines  
combination of with polymers for electrochemically or photoelectrochemically induced processes, 1239-1259  
peripherally substituted, 1415-1431
- Polar polymers, interfacial tension and osmotic pressure of solutions of, 563-580
- Polyacetylene, *trans-cisoidal*, rotational potential energy of, 339-345
- Poly(*N*-acetylenimine)(polyoxazoline), synthesis of, 1603-1612
- Polyacrylamide copolymers, of water-soluble sulfonated cellulose-based polymers, synthesis and solution properties of, 593-609
- Polyacrylamide grafts, glutaraldehyde crosslinked gelatin with, 435-443
- Polyacrylatopentaamminecobalt(III), effect of conformation of polymer chain on reduction rate of by polymer-bound ferrous chelates and excited state of tris(bipyridine) ruthenium(II), 1275-1292
- Polyamideimides, from bis-1,1'-(3-carboxyphthalimidyl)-4,4'-biphenyl and aromatic amines, synthesis and characterization of, 377-380

- Polyamides**  
 as polymers for membranes, 381–384  
 heat-resistant, from thiadiazacycloheptatriene dicarboxylic acid, synthesis and characterization of, 755–777  
 synthesis and properties of, 331–337
- Polyanilines**  
 chemically synthesized, treated with tetrafluoroborate salts, characterization of, 41–52  
 effect of protonic acids on structure and characteristics of, 347–360
- Polybutadiene rubber, graft polymerization of maleic anhydride onto, 167–178**
- Poly(butyl methacrylate)-polyethylene, preparation of interpenetrating networks of, 1613–1620**
- Polycondensation, nickel-catalyzed, Mossbauer spectroscopic study of ferrous chloride/polymer complexes prepared by, 1147–1155**
- Polydibenzylidenecyclopentanonehydrazides, synthesis, characterization, and thermal studies of, 1531–1548**
- Poly( $\beta$ -diketone) carrier, complexes of with titanium chloride or stannic chloride, 625–636**
- Poly-2,3-diphenylbutadienes, partially hydrogenated, thermal oxidation of, 1657–1671**
- Polydisperse polystyrenes, in cyclohexane, cloud-point curves and coexistence curves of, 683–697**
- Polyesters**  
 made from 1,1'-bis(3-methyl-4-hydroxyphenyl)cyclohexane with isophthalic/terephthalic acids, synthesis and characterization of, 53–61  
 of diarylidenecyclopentanone, synthesis and characterization of, 523–538
- Poly(ethyleneoxide)/lithium perchlorate complexes, caused by the blending of poly(vinyl acetate), nonlinear effects on ionic conductivity of, 1217–1223**
- Polyethylenes**  
 chlorinated, blends of, critical miscibility phenomena in, 1693–1712  
 styrene and polystyrene modified, characterization and properties of, 1757–1768
- Poly(ethylene terephthalate), acid-base and catalytic properties of metal compounds in preparation of, 479–490**
- Polyethylene waxes, metal-containing, 1395–1404**
- Polyimides, synthesis and properties of, 331–337**
- Polymer blends**  
 characterization of highly dispersed phases in, 1769–1780  
 phase behavior of, 1713–1732
- Polymer interactions, 1631–1655**
- Polymer networks, sequential interpenetrating, interrelation between microphase structure of and crosslinking density of penetrating networks, 456–477**
- Polymers**  
 capped with acyl chloride, reaction of functional groups on carbon black with, 445–457  
 with diiminosulfoxide functionality in backbone, synthesis of, 137–147  
 lewis acid catalysts supported by, 125–136  
 polar, interfacial tension and osmotic pressure of solutions of, 563–580  
 water-soluble sulfonated cellulose-based, and their polyacrylamide copolymers, synthesis and solution properties of, 593–609  
*See also Specific polymers*
- Polymer surfaces, zeta potential as analytical tool for, 1673–1692**
- Polymer systems, application of continuous thermodynamics to, 549–561**
- Polymeric carrier, functional, stannic chloride complexed with, 125–136**
- Polymethyl methacrylate, copolymerization of macromers of with *n*-butyl acrylate, 491–507**

- Poly(*N*-methyl-2,5-pyrrolylene), Mossbauer spectroscopic study of ferrous chloride complexes of, 1147-1155
- Poly(3-methyl-2,5-thienylene), Mossbauer spectroscopic study of ferrous chloride complexes of, 1147-1155
- Polyoxyethylene macromers, preparation of and copolymerization of with alkyl acrylates, 725-741
- Poly(phenylenesulfide)s, synthesis of through electron transfer, 1119-1131
- Polypropylene  
 atactic, kinetics of catalytic effect of zinc(II) ion on dehydrogenation of by sulfur, 213-223  
 elastomeric, preparation of using alumina-supported bis(arene)titanium and tetra(neophyl)zirconium catalysts, 1133-1146  
 radiation-induced grafting of 2-hydroxyethyl methacrylate onto for biomedical applications, 831-841
- Polypyrrole composite thin films, conductive, chemical preparation and characterization of, 1081-1094
- Poly(quinazolone-imide)s, preparation and properties of, 179-192
- Polystyrene, characterization and properties of polyethylenes modified by, 1757-1768
- Polystyrene-polyethylene, preparation of interpenetrating networks of, 1613-1620
- Polystyrenes  
 polydisperse, in cyclohexane, cloud-point curves and coexistence curves of, 683-697  
 containing sulfonamide moieties and their use as phase transfer catalysts, 1053-1067  
 thermal oxidation of, 1657-1671
- Poly(styrene-*co*-4-vinylpyridine), cross-linked, functionalization of pyridine rings with dibromoalkanes with, 289-297
- Poly(2,5-thienylene), Mossbauer spectroscopic study of ferrous chloride complexes of, 1147-1155
- Polyurethane urea gels, water swellable, preparation and characterization of, 1471-1489
- Poly(vinyl acetate), nonlinear effects on ionic conductivity of poly(ethylene oxide)/lithium perchlorate complexes caused by blending of, 1217-1223
- Poly(vinyl chloride) (PVC)  
 kinetic model of thermal dehydrochlorination of, 987-997  
 mathematical modeling of suspension polymerization of, 257-288
- Polyvinyl alcohol (PVA) matrix, photoreduction of alkyl polyviologens in, 699-709
- Polyvinylpyridines, as catalysts for reduction of ketones by sodium borohydride under two-phase conditions, 391-396
- Potential energy, rotational, of *trans-cisoidal* polyacetylene, 339-345
- Protonic acids, effect of on polyaniline structure and characteristics, 347-360
- Pulse radiolysis, of free-radical species from methyl vinyl ketone in aqueous solution, 299-308
- PVA. *See* Polyvinyl alcohol (PVA) matrix
- PVC. *See* Poly(vinyl chloride) (PVC)
- Pyridine rings, functionalization of with dibromoalkanes in crosslinked poly(styrene-*co*-4-vinylpyridine), 289-297
- Pyrolysis, of polymer complexes leading to air-stable ultrafine metal particles uniformly dispersed in carbon matrix, 1347-1362

## R

- Racemic mixtures, of organometallic complexes, separation of using chiral solid supports, 1439-1448

## Radiation

- copolymerization induced by, of acrylonitrile with methyl acrylate, synthesis and characterization of, 1069-1080
- graft copolymerization induced by, of 2-hydroxyethyl methacrylate onto silicone rubber films, kinetics of, 117-123
- grafting of 2-hydroxymethyl methacrylate onto silk induced by, for biomedical applications, 385-389
- Radical bulk polymerization of vinyl acetate by rotating sector method
  - kinetics of, 309-315
  - at different temperatures, 1029-1039
- Radiolysis, pulse, of free-radical species from methyl vinyl ketone in aqueous solution, 299-308
- Rate constants, in free-radical polymerization of perdeuterated styrene, 193-212
- Reaction products, of phenyl isocyanate, stability of, 509-522
- Reduction rate, of polyacrylatopentaaminocobalt(III), by polymer-bound ferrous chelates and excited state of tris(bipyridine)ruthenium(II), effect of conformation of polymer chain on, 1275-1292
- Resacetophenone, and 1,4-butane diol, synthesis, characterization, and ion-exchange properties of copolymers derived from, 669-681
- Resins, urea-formaldehyde, uncured, solid-state  $^{13}\text{C}$ -NMR studies of, 361-375
- Reverse osmosis performance, of membranes from oximes of copolymers, 911-932
- Rotating sector method
  - at different temperatures, radical bulk polymerization of vinyl acetate by, 1029-1039
  - kinetics of radical bulk polymerization of vinyl acetate by, 309-315

- Rotational potential energy, of *trans-cisoidal* polyacetylene, 339-345
- Rubber, polybutadiene, graft polymerization of maleic anhydride onto, 167-178
- Ruthenium. *See* Tris(bipyridine)ruthenium(II)

## S

- Semiconductor junctions, of bilayer lipid membranes, spectroscopic and electrochemical characterization of, 1167-1185
- Sequence distribution, of polymer, relationship of to catalytic activity of Nd complex, 1335-1345
- Side chain, inflexible, conformational characterization of maleic acid copolymer with, 861-873
- Silane, TEA  $\text{CO}_2$  laser-induced decomposition of in presence of oxygenated olefins, organosilicon polymer deposition by, 1015-1028
- Silica-supported catalysts, synthesis and reaction of with ammonium groups, 1389-1394
- Silicone rubber films, kinetics of radiation induced graft copolymerization of 2-hydroxyethyl methacrylate onto, 117-123
- Silk, radiation-induced grafting of 2-hydroxymethyl methacrylate onto for biomedical applications, 385-389
- Sodium 3-acrylamido-3-methylbutanoate, ampholytic terpolymers of with 2-acrylamido-2-methylpropanedimethylammonium chloride and acrylamide, synthesis and absorbency behavior of, 539-547
- Sodium 11 acrylamidoundecanoate, copolymerization of with acrylamide, 711-724
- Sodium borohydride, polyvinylpyridines as catalysts for reduction of ketones by, under two-phase conditions, 391-396

- Sodium  
 11-(*N*-ethylacrylamido)undecanoate, kinetics and solution properties of micellar polymerization of, 63–85
- Sol-gel processing, synthesis and characterization of alumina and titania-containing hybrid network ceramer materials from, 1449–1470
- Solid supports, chiral, separation of racemic mixtures of organometallic complexes using, 1439–1448
- Solution properties, of micellar polymerization of sodium 11-(*N*-ethylacrylamido)undecanoate, 63–85
- Spacer groups, in functional polymers, 1815–1820
- Stability, of polymer systems, application of continuous thermodynamics to, 549–561
- Stannic chloride  
 complexed with functional polymeric carrier, 125–136  
 complexes of with poly( $\beta$ -diketone) carrier, 625–636
- Structure formation, basic concepts of during processing of thermoplastic materials, 1733–1756
- Styrene  
 block copolymers of via thermal iniferters, 791–806  
 characterization and properties of polyethylenes modified by, 1757–1768  
 perdeuterated, rate constants in free-radical polymerization of, 193–212  
 polymerization of by cationic initiation by thionyl chloride/titanium tetrachloride, 247–255  
 polymerization of in viscous medium, kinetics of, 637–647
- Sulfonamide moieties, preparation of polystyrenes containing and their use as phase transfer catalysts, 1053–1067
- Sulfur, kinetics of catalytic effect of zinc(II) ion on dehydrogenation of atactic polypropylene by, 213–223
- Supramolecular assembly, of metal chelates based on synthetic bilayer membranes, 1157–1166
- T
- TEA CO<sub>2</sub> laser-induced decomposition, of silane in presence of oxygenated olefins, organosilicon polymer deposition by, 1015–1028
- Telechelic polyisobutylenes, asymmetric, polymerization by lactone/BCl<sub>3</sub> initiating complexes, 1573–1593
- Terbium triundecylenate, fluorescence properties of polymers and solutions containing, 1109–1117
- Terephthalic acids. *See* Isophthalic/terephthalic acids
- 1,4,8,11-Tetraazacyclotetradecane, nickel(II) and copper(II) complexes with, determination of structure of by x-ray diffraction, 1305–1319
- Tetrafluoroborate salts, characterization of chemically synthesized polyanilines treated with, 41–52
- Tetra(neophyl)zirconium catalyst, alumina-supported, preparation of elastomeric polypropylene using, 1133–1146
- Thermal dehydrochlorination, of PVC, kinetic model of, 987–997
- Thermal iniferters, A-B-A triblock and (A-B)<sub>n</sub> segmented block copolymers of styrene and ethylene oxide via, 791–806
- Thermal oxidation, of partially hydrogenated poly-2,3-diphenylbutadienes and polystyrenes, 1657–1671
- Thermal studies, of polydibenzylidene-cyclopentanonehydrazides, 1531–1548
- Thermodynamics continuous application of to stability of polymer systems, 549–561  
 simulation of Baker-Williams fractionation by, 999–1013

- Thermoplastic materials, basic concepts of structure formation during processing of, 1733-1756
- Thiadiazacycloheptatriene dicarboxylic acid, synthesis and characterization of heat-resistant polyamides from, 755-777
- Thianthrene moieties, synthesis, characterization, and thermal studies of polydibenzylidenecyclopentanone-hydrazides containing, 1531-1548
- Thin films, conductive polypyrrole composite, chemical preparation and characterization of, 1081-1094
- Thionyl chloride/titanium tetrachloride, cationic initiation by, 225-235, 247-255
- Titania, hybrid network ceramer materials containing, from sol-gel processing, synthesis and characterization of, 1449-1470
- Titanium chloride, complexes of with poly( $\beta$ -diketone) carrier, 625-636
- Titanium tetrachloride. *See* Thionyl chloride/titanium tetrachloride
- Trimethylene glycol-DL-*p*-aminobenzoate, polyamide-imide based on, synthesis and properties of, 331-337
- Trimethylpentyl esters, of acids, isobutylene polymerization initiated by, kinetics and mechanism of, 649-667
- Tris(bipyridine)ruthenium(II), excited state of, effect of conformation of polymer chain on reduction rate of polyacrylatopentaamminecobalt(III) by, 1275-1292
- U**
- Ultra violet (UV) photolysis, of poly(methyl vinyl ketone), preparation of graft copolymers by, 911-932
- Urea-formaldehyde resins, uncured, solid-state  $^{13}\text{C}$ -NMR studies of, 361-375
- Urea gels, polyurethane, water swellable, preparation and characterization of, 1471-1489
- V**
- Vinyl acetate, radical bulk polymerization of by rotating sector method, kinetics of, 309-315, 1029-1039
- Vinyl acetate-methyl acrylate mixture effect of agitation on grafting of onto cellulose, 947-967
- effect of monomer concentration and feed composition on grafting of onto cellulose, 696-685
- N*-Vinylcarbazole, electroinitiated polymerization, of by direct electron transfer, 1041-1052
- Vinyl esters, photocrosslinkable, with  $\alpha,\beta$ -unsaturated ketone groups in backbone, 1-22
- Vinyl monomers
- anionic graft polymerization of initiated by metallized aromatic rings on carbon fiber, 779-789
- polymerization of initiated by poly[3-dimethyl(acryloyloxyethyl)ammonium propane sulfonate] in aqueous solution, 875-895
- 4-Vinylpyridine, graft copolymerization of onto modified cellulosic fibers
- degree of substitution effect in, 423-434
- ceric ion concentration effect in, 413-421
- N*-Vinylpyrrolidone-(4-vinylpyridine) block and graft copolymers, oxidation of hydroquinone by, 897-909
- Viscous medium, kinetics of styrene polymerization in, 637-647
- W**
- Waxes, polyethylene, metal containing, 1395-1404

## X

- X-ray diffraction, determination of structure of nickel(II) and copper(II) complexes with 1,4,8,11-tetraazacyclotetradecane in aqueous solution by, 1305-1319
- X-ray photoelectron spectroscopy (XPS), structural studies of aniline using, 933-946

## Z

- Zeta potential, as analytical tool for graft copolymers and polymer surfaces, 1673-1692
- Zinc(II) ion, catalytic effect of on dehydrogenation of atactic polypropylene by sulfur, kinetics of, 213-223