

Erratum to: Effect of strontium-containing hydroxyapatite bone cement on bone remodeling following hip replacement

Guo X. Ni · Jian H. Lin · Peter K. Y. Chiu ·
Zhao Y. Li · William W. Lu

Published online: 13 March 2010
© Springer Science+Business Media, LLC 2010

Erratum to: J Mater Sci: Mater Med (2010)
21:377–384
DOI 10.1007/s10856-009-3866-2

The authors have submitted revised affiliations for the article listed above, published in Journal of Materials Science: Materials in Medicine 2010; 21:377–384. The correct affiliations are given below.

The online version of the original article can be found under doi:[10.1007/s10856-009-3866-2](https://doi.org/10.1007/s10856-009-3866-2).

G. X. Ni (✉)
Department of Orthopaedics and Traumatology, Nanfang Hospital, Southern Medical University, Guangzhou 510515, China
e-mail: fgxni@graduate.hku.hk

J. H. Lin
Department of Orthopaedic Surgery, No. 1 Affiliated Hospital, Fujian Medical University, Fuzhou, China

P. K. Y. Chiu · Z. Y. Li · W. W. Lu (✉)
Department of Orthopaedics and Traumatology, The University of Hong Kong, Hong Kong, Hong Kong
e-mail: wwlu@hkusua.hku.hk