

CONTENTS BY KEYWORD

Adsorption	Effect of polymeric surfactant on particulate structure in nickel-terpineol suspensions C.-N. Chen <i>et al.</i>	3471
Amorphous materials	Growth of Ga ₂ O ₃ thin films on Si(100) substrates using a trimethylgallium and oxygen mixture H. W. Kim <i>et al.</i>	3461
Anisotropy	Microstructure and its correlation to magnetic properties in 2:17 type (Sm,Gd)-Co-Fe-Cu-Zr alloys A. C. Abhyankar <i>et al.</i>	3433
Bonding	Role of cohesive strength, adhesive strength, and oxides thickness in the adherence of porcelain veneered on pure titanium. T. N. Lo <i>et al.</i>	3493
Casting	Powder dispersion and aqueous tape casting of YSZ-NiO composite S. Ramanathan <i>et al.</i>	3339
Catalyst	Synthesis of HDLC films from solid carbon R. L. Mills <i>et al.</i>	3309
Cellular materials	Effect of inert filler addition on pore size and porosity of closed-cell silicon oxycarbide foams S.-H. Kim <i>et al.</i>	3513
Ceramics	Development and characterisation of SiAlON composites with TiB ₂ , TiN, TiC and TiCN J. Vleugels <i>et al.</i>	3375
	Improved processing of blended slag cement through mechanical activation S. Kumar <i>et al.</i>	3449
	AE measuring system at high temperature for ceramics with low thermal expansion due to microcracking Y. Sawai <i>et al.</i>	3483
	New relation for the porosity dependence of the effective tensile modulus of brittle materials. W. Pabst <i>et al.</i>	3501
	Effect of inert filler addition on pore size and porosity of closed-cell silicon oxycarbide foams S.-H. Kim <i>et al.</i>	3513
	Influence of heating rate on the microstructure and mechanical properties of Carbon fiber/Si—C—N composites via polysilazane pyrolysis. W.-W. Zheng <i>et al.</i>	3521
Chemical vapour deposition	Synthesis of HDLC films from solid carbon R. L. Mills <i>et al.</i>	3309
	Growth of Ga ₂ O ₃ thin films on Si(100) substrates using a trimethylgallium and oxygen mixture H. W. Kim <i>et al.</i>	3461
Composite materials	Rubber-mortar composites: Effect of composition on properties N. Segre <i>et al.</i>	3319
	Powder dispersion and aqueous tape casting of YSZ-NiO composite S. Ramanathan <i>et al.</i>	3339
	Development and characterisation of SiAlON composites with TiB ₂ , TiN, TiC and TiCN J. Vleugels <i>et al.</i>	3375
	Tensile creep deformation in unidirectional carbon/epoxy laminates under off-axis loading S. Ogihara <i>et al.</i>	3465
	Effect of strain rate and temperature on the dynamic tensile properties of GFRP Z. Huang <i>et al.</i>	3479
	Gel-combustion synthesis of La _{0.6} Sr _{0.4} Fe _{0.8} Co _{0.2} O _{3-δ} and measurement of its humidity-dependent electrical conductivity R. Sundaram <i>et al.</i>	3509
	Influence of heating rate on the microstructure and mechanical properties of Carbon fiber/Si—C—N composites via polysilazane pyrolysis. W.-W. Zheng <i>et al.</i>	3521
Crystal growth	Formation mechanism of preferential <i>c</i> -axis oriented ZnO thin films grown on p-Si substrates H. S. Lee <i>et al.</i>	3525
Crystallization	Characterization of simulated Al ₂ O ₃ -containing nuclear waste glass B. K. Ryu <i>et al.</i>	3533
Deformation	On auxetic materials W. Yang <i>et al.</i>	3269
Deformation and fracture	Tensile creep deformation in unidirectional carbon/epoxy laminates under off-axis loading S. Ogihara <i>et al.</i>	3465
Elastic properties	New relation for the porosity dependence of the effective tensile modulus of brittle materials. W. Pabst <i>et al.</i>	3501
Electronic materials	Preparation of CaCu ₃ Ti ₄ O ₁₂ thin films by chemical solution deposition W. Lu <i>et al.</i>	3523
Electronic properties	Gel-combustion synthesis of La _{0.6} Sr _{0.4} Fe _{0.8} Co _{0.2} O _{3-δ} and measurement of its humidity-dependent electrical conductivity R. Sundaram <i>et al.</i>	3509
Fracture	Role of cohesive strength, adhesive strength, and oxides thickness in the adherence of porcelain veneered on pure titanium. T. N. Lo <i>et al.</i>	3493
Glasses	Characterization of simulated Al ₂ O ₃ -containing nuclear waste glass B. K. Ryu <i>et al.</i>	3533
High temperature superconductors	Transport current density of Ag-sheathed superconductor tapes using Bi-Sr-Ca-Cu-O powders prepared by the co-precipitation method M. Ismail <i>et al.</i>	3517
Infrared spectroscopy	Synthesis and electrorheological effect of PAN—BaTiO ₃ nanocomposite J. H. Wei <i>et al.</i>	3457

(Continued)

Interfaces	Rubber-mortar composites: Effect of composition on properties N. Segre <i>et al.</i>	3319
Lithography	Reactive ion etching of organic polymers for application in waveguide trench molds A. S. Holland <i>et al.</i>	3505
Machining	Surface integrity effects on turned 6061 and 6061-T6 aluminum alloys C. K. Toh <i>et al.</i>	3497
Magnetic materials	Microstructure and its correlation to magnetic properties in 2:17 type (Sm,Gd)-Co-Fe-Cu-Zr alloys A. C. Abhyankar <i>et al.</i>	3433
Mechanical properties	On auxetic materials W. Yang <i>et al.</i>	3269
	Rubber-mortar composites: Effect of composition on properties N. Segre <i>et al.</i>	3319
	Development and characterisation of SiAlON composites with TiB ₂ , TiN, TiC and TiCN J. Vleugels <i>et al.</i>	3375
	Polypropylene composites filled with <i>in-situ</i> grafting polymerization modified nano-silica particles W. H. Ruan <i>et al.</i>	3475
	Effect of strain rate and temperature on the dynamic tensile properties of GFRP Z. Huang <i>et al.</i>	3479
	AE measuring system at high temperature for ceramics with low thermal expansion due to microcracking Y. Sawai <i>et al.</i>	3483
	Influence of heating rate on the microstructure and mechanical properties of Carbon fiber/Si—C—N composites via polysilazane pyrolysis W.-W. Zheng <i>et al.</i>	3521
Metals and alloys	Surface integrity effects on turned 6061 and 6061-T6 aluminum alloys C. K. Toh <i>et al.</i>	3497
Microstructure	Microstructure and its correlation to magnetic properties in 2:17 type (Sm,Gd)-Co-Fe-Cu-Zr alloys A. C. Abhyankar <i>et al.</i>	3433
	Improved processing of blended slag cement through mechanical activation S. Kumar <i>et al.</i>	3449
	Transport current density of Ag-sheathed superconductor tapes using Bi-Sr-Ca-Cu-O powders prepared by the co-precipitation method M. Ismail <i>et al.</i>	3517
Modelling	Effect of strain rate and temperature on the dynamic tensile properties of GFRP Z. Huang <i>et al.</i>	3479
Nanocomposites	Synthesis and electrorheological effect of PAN–BaTiO ₃ nanocomposite J. H. Wei <i>et al.</i>	3457
	Polypropylene composites filled with <i>in-situ</i> grafting polymerization modified nano-silica particles W. H. Ruan <i>et al.</i>	3475
Nanomaterials	<i>In-situ</i> sol–gel synthesis of luminescent Y ₂ SiO ₅ :Tb ³⁺ nanophosphors derived from an assembly of hybrid precursors B. Yan <i>et al.</i>	3529
Nonlinear properties	Tensile creep deformation in unidirectional carbon/epoxy laminates under off-axis loading S. Ogihara <i>et al.</i>	3465
Optical materials and properties	<i>In-situ</i> sol–gel synthesis of luminescent Y ₂ SiO ₅ :Tb ³⁺ nanophosphors derived from an assembly of hybrid precursors B. Yan <i>et al.</i>	3529
Plasma deposition	Synthesis of HDLC films from solid carbon R. L. Mills <i>et al.</i>	3309
Polymers	Statistical analysis of experimental condition effects on free abrasive wear of UHMWPE Y. Ma <i>et al.</i>	3453
	Polypropylene composites filled with <i>in-situ</i> grafting polymerization modified nano-silica particles W. H. Ruan <i>et al.</i>	3475
	Reactive ion etching of organic polymers for application in waveguide trench molds A. S. Holland <i>et al.</i>	3505
Porosity	New relation for the porosity dependence of the effective tensile modulus of brittle materials W. Pabst <i>et al.</i>	3501
	Effect of inert filler addition on pore size and porosity of closed-cell silicon oxycarbide foams S.-H. Kim <i>et al.</i>	3513
Powder technology	Comparison of formation behavior of Ba ₂ NaNb ₅ O ₁₅ in air and molten NaCl salt J. Xu <i>et al.</i>	3445
	Improved processing of blended slag cement through mechanical activation S. Kumar <i>et al.</i>	3449
Semiconductores	Formation mechanism of preferential <i>c</i> -axis oriented ZnO thin films grown on p-Si substrates H. S. Lee <i>et al.</i>	3525
Smart materials	Synthesis and electrorheological effect of PAN–BaTiO ₃ nanocomposite J. H. Wei <i>et al.</i>	3457
	Gel-combustion synthesis of La _{0.6} Sr _{0.4} Fe _{0.8} Co _{0.2} O _{3–δ} and measurement of its humidity-dependent electrical conductivity R. Sundaram <i>et al.</i>	3509
Sol-gel preparation	Preparation of CaCu ₃ Ti ₄ O ₁₂ thin films by chemical solution deposition W. Lu <i>et al.</i>	3523
	<i>In-situ</i> sol–gel synthesis of luminescent Y ₂ SiO ₅ :Tb ³⁺ nanophosphors derived from an assembly of hybrid precursors B. Yan <i>et al.</i>	3529
Sputter deposition	Formation mechanism of preferential <i>c</i> -axis oriented ZnO thin films grown on p-Si substrates H. S. Lee <i>et al.</i>	3525

(Continued)

Surfactant	Effect of polymeric surfactant on particulate structure in nickel-terpineol suspensions	C.-N. Chen <i>et al.</i>	3471
Thermal properties	AE measuring system at high temperature for ceramics with low thermal expansion due to microcracking	Y. Sawai <i>et al.</i>	3483
Thin and thick film coatings	Preparation of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ thin films by chemical solution deposition	W. Lu <i>et al.</i>	3523
Tribology	Statistical analysis of experimental condition effects on free abrasive wear of UHMWPE	Y. Ma <i>et al.</i>	3453
Viscoelasticity	Powder dispersion and aqueous tape casting of YSZ-NiO composite	S. Ramanathan <i>et al.</i>	3339
Viscosity	Effect of polymeric surfactant on particulate structure in nickel-terpineol suspensions	C.-N. Chen <i>et al.</i>	3471
X-ray techniques	Growth of Ga_2O_3 thin films on Si(100) substrates using a trimethylgallium and oxygen mixture	H. W. Kim <i>et al.</i>	3461
	Role of cohesive strength, adhesive strength, and oxides thickness in the adherence of porcelain veneered on pure titanium	T. N. Lo <i>et al.</i>	3493
	Surface integrity effects on turned 6061 and 6061-T6 aluminum alloys	C. K. Toh <i>et al.</i>	3497