

CONTENTS BY KEYWORD

Biomaterials	Preparation of biodegradable poly(3-hydroxybutyrate) and poly(ethylene glycol) multiblock copolymers Q. Zhao <i>et al.</i>	3829
Ceramics	Ultrasonic spray pyrolysis for nanoparticles synthesis S. C. Tsai <i>et al.</i>	3647
	Micro and nano-indentation of MoSi ₂ M. Henžel <i>et al.</i>	3769
	Piezoelectric characteristics of spray dried PLZT ceramics modified by sodium D. K. Mahato <i>et al.</i>	3779
	Effect of processing on densification of nanostructured SiC ceramics fabricated by two-step sintering Y.-I. Lee <i>et al.</i>	3801
	Erosion of a reaction bonded silicon nitride J. J. Kim	3849
Characterization methods	Measurement of fictive temperature of silica glass optical fibers P. Helander	3799
Chemical vapour deposition	Preparation of TiO ₂ by a nearby vaporization chemical vapor deposition method J. Nishino <i>et al.</i>	3813
Coatings	Characterisation of TiN and TiAlN thin films deposited on ground surfaces using focused ion beam milling J. M. Cairney <i>et al.</i>	3569
Composite materials	Negative thermal expansion of laminates M. Landert <i>et al.</i>	3563
	Fibre orientation effects on the fracture of short fibre polymer composites: on the existence of a critical fibre orientation on varying internal material variables S. Fara <i>et al.</i>	3619
	Self-propagating high-temperature synthesis of composite material TiB ₂ -Fe O. K. Lepakova <i>et al.</i>	3723
	Microstructures and mechanical properties of three-dimensional C _f /Si-O-C composites fabricated by polysiloxane pyrolysis Q.-S. Ma <i>et al.</i>	3809
	Use of polymer-based sensors for monitoring the static and dynamic response of a cantilever composite beam K. S. C. Kuang <i>et al.</i>	3839
	Effect of thermal-mechanical cycling on damping capacity of B/Al composite Y. Qin <i>et al.</i>	3845
Computer simulations	A dislocation dynamics study of strength differential in particle-containing metals during cyclic loading R. W. Leger <i>et al.</i>	3593
	Dispersion analysis of asymmetric band shapes: Application to the IR absorption spectrum of silica glass A. M. Efimov <i>et al.</i>	3695
Deformation and fracture	Characterisation of TiN and TiAlN thin films deposited on ground surfaces using focused ion beam milling J. M. Cairney <i>et al.</i>	3569
	A dislocation dynamics study of strength differential in particle-containing metals during cyclic loading R. W. Leger <i>et al.</i>	3593
Deposition techniques	Preparation of TiO ₂ by a nearby vaporization chemical vapor deposition method J. Nishino <i>et al.</i>	3813
Elastic properties	On the load-displacement relations used in the analysis of nanoindentation data G. Fu	3797
Electronic materials	Organic light emitting diodes based on multi-wall carbon nanotubes (MWNTs) modified electrode M. Yang <i>et al.</i>	3777
	Preparation of low-power loss MgCuZn ferrites using the microwave sintering method A. Bhaskar <i>et al.</i>	3787
Ferroelectrics	SrBi ₂ Ta ₂ O ₉ thin films fabricated by alternate deposition of SrTa ₂ O ₆ and Bi ₂ O ₃ layers J. Liu <i>et al.</i>	3853
Fiber technologies	Measurement of fictive temperature of silica glass optical fibers P. Helander	3799
Fracture	Fibre orientation effects on the fracture of short fibre polymer composites: on the existence of a critical fibre orientation on varying internal material variables S. Fara <i>et al.</i>	3619
Glasses	Dispersion analysis of asymmetric band shapes: Application to the IR absorption spectrum of silica glass A. M. Efimov <i>et al.</i>	3695
	Measurement of fictive temperature of silica glass optical fibers P. Helander	3799
Hardness	Micro and nano-indentation of MoSi ₂ M. Henžel <i>et al.</i>	3769
Hydrolysis	New mesoporous carbon prepared by a simultaneous synthetic template carbonization method Z. H. Hou <i>et al.</i>	3793
Infrared spectroscopy	Dispersion analysis of asymmetric band shapes: Application to the IR absorption spectrum of silica glass A. M. Efimov <i>et al.</i>	3695
	Poly(vinyl pyrrolidone) coated silver nano powder via displacement reaction P. K. Khanna <i>et al.</i>	3773
Interfaces	Microstructures and mechanical properties of three-dimensional C _f /Si-O-C composites fabricated by polysiloxane pyrolysis Q.-S. Ma <i>et al.</i>	3809
	Effect of thermal-mechanical cycling on damping capacity of B/Al composite Y. Qin <i>et al.</i>	3845

(Continued)

Magnetic materials	Preparation of low-power loss MgCuZn ferrites using the microwave sintering method A. Bhaskar <i>et al.</i>	3787
Mechanical properties	Self-propagating high-temperature synthesis of composite material TiB ₂ -Fe O. K. Lepakova <i>et al.</i>	3723
	On the load-displacement relations used in the analysis of nanoindentation data G. Fu	3797
	Microstructures and mechanical properties of three-dimensional C _f /Si-O-C composites fabricated by polysiloxane pyrolysis Q.-S. Ma <i>et al.</i>	3809
	Effect of thermal-mechanical cycling on damping capacity of B/Al composite Y. Qin <i>et al.</i>	3845
	Erosion of a reaction bonded silicon nitride J. J. Kim	3849
Metals and alloys	A dislocation dynamics study of strength differential in particle-containing metals during cyclic loading R. W. Leger <i>et al.</i>	3593
	Poly(vinyl pyrrolidone) coated silver nano powder via displacement reaction P. K. Khanna <i>et al.</i>	3773
Microstructure	Characterisation of TiN and TiAlN thin films deposited on ground surfaces using focused ion beam milling J. M. Cairney <i>et al.</i>	3569
	Simulation of small-strain deformations of semi-crystalline polymer: Coupling of structural transformations with stress-strain response V. Oshmyan <i>et al.</i>	3577
	Fibre orientation effects on the fracture of short fibre polymer composites: on the existence of a critical fibre orientation on varying internal material variables S. Fara <i>et al.</i>	3619
	Self-propagating high-temperature synthesis of composite material TiB ₂ -Fe O. K. Lepakova <i>et al.</i>	3723
	Micro and nano-indentation of MoSi ₂ M. Henžel <i>et al.</i>	3769
Modelling	On the load-displacement relations used in the analysis of nanoindentation data G. Fu	3797
Nanocomposites	Poly(vinyl pyrrolidone) coated silver nano powder via displacement reaction P. K. Khanna <i>et al.</i>	3773
	Facile preparation and characterization of hyperbranched poly(amine ester) grafted silica nanoparticles P. Liu <i>et al.</i>	3825
Nanomaterials	Preparation and photoconductivity study of azo nanoparticles via liquid phase surfactant-assisted reprecipitation Z. Yang <i>et al.</i>	3587
	Ultrasonic spray pyrolysis for nanoparticles synthesis S. C. Tsai <i>et al.</i>	3647
	Synthesis of transparent thick film of mesoporous TiO ₂ by solvent evaporation method S. Nagamine <i>et al.</i>	3767
	Organic light emitting diodes based on multi-wall carbon nanotubes (MWNTs) modified electrode M. Yang <i>et al.</i>	3777
	Effect of processing on densification of nanostructured SiC ceramics fabricated by two-step sintering Y.-I. Lee <i>et al.</i>	3801
Nonlinear properties	Carbazole-based azo group-containing single component polymer exhibiting photorefractive performance J. Shi <i>et al.</i>	3783
Optical materials and properties	Carbazole-based azo group-containing single component polymer exhibiting photorefractive performance J. Shi <i>et al.</i>	3783
	Use of polymer-based sensors for monitoring the static and dynamic response of a cantilever composite beam K. S. C. Kuang <i>et al.</i>	3839
Organic compounds	Preparation and photoconductivity study of azo nanoparticles via liquid phase surfactant-assisted reprecipitation Z. Yang <i>et al.</i>	3587
Piezoelectric materials	Piezoelectric characteristics of spray dried PLZT ceramics modified by sodium D. K. Mahato <i>et al.</i>	3779
Polymers	Negative thermal expansion of laminates M. Landert <i>et al.</i>	3563
	Simulation of small-strain deformations of semi-crystalline polymer: Coupling of structural transformations with stress-strain response V. Oshmyan <i>et al.</i>	3577
	Organic light emitting diodes based on multi-wall carbon nanotubes (MWNTs) modified electrode M. Yang <i>et al.</i>	3777
	Carbazole-based azo group-containing single component polymer exhibiting photorefractive performance J. Shi <i>et al.</i>	3783
	Preparation of biodegradable poly(3-hydroxybutyrate) and poly(ethylene glycol) multiblock copolymers Q. Zhao <i>et al.</i>	3829
	Use of polymer-based sensors for monitoring the static and dynamic response of a cantilever composite beam K. S. C. Kuang <i>et al.</i>	3839
Porosity	New mesoporous carbon prepared by a simultaneous synthetic template carbonization method Z. H. Hou <i>et al.</i>	3793
Powder technology	Ultrasonic spray pyrolysis for nanoparticles synthesis S. C. Tsai <i>et al.</i>	3647
Semiconductors	Preparation and photoconductivity study of azo nanoparticles via liquid phase surfactant-assisted reprecipitation Z. Yang <i>et al.</i>	3587
Sintering	Self-propagating high-temperature synthesis of composite material TiB ₂ -Fe O. K. Lepakova <i>et al.</i>	3723
	Preparation of low-power loss MgCuZn ferrites using the microwave sintering method A. Bhaskar <i>et al.</i>	3787
	Effect of processing on densification of nanostructured SiC ceramics fabricated by two-step sintering Y.-I. Lee <i>et al.</i>	3801

(Continued)

Sol-gel preparation	Synthesis of transparent thick film of mesoporous TiO ₂ by solvent evaporation method S. Nagamine <i>et al.</i>	3767
	New mesoporous carbon prepared by a simultaneous synthetic template carbonization method Z. H. Hou <i>et al.</i>	3793
Surfaces	Facile preparation and characterization of hyperbranched poly(amine ester) grafted silica nanoparticles P. Liu <i>et al.</i>	3825
Thermal properties	Negative thermal expansion of laminates M. Landert <i>et al.</i>	3563
Thin and thick film coatings	Preparation of TiO ₂ by a nearby vaporization chemical vapor deposition method J. Nishino <i>et al.</i>	3813
	SrBi ₂ Ta ₂ O ₉ thin films fabricated by alternate deposition of SrTa ₂ O ₆ and Bi ₂ O ₃ layers J. Liu <i>et al.</i>	3853
Viscoelasticity	Simulation of small-strain deformations of semi-crystalline polymer: Coupling of structural transformations with stress-strain response V. Oshmyan <i>et al.</i>	3577
Wear	Erosion of a reaction bonded silicon nitride J. J. Kim	3849
X-ray techniques	SrBi ₂ Ta ₂ O ₉ thin films fabricated by alternate deposition of SrTa ₂ O ₆ and Bi ₂ O ₃ layers J. Liu <i>et al.</i>	3853